

ASSAM Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,12,05,576					
2	Sex Ratio	954					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	4,728					
4	Primary Health Centers (PHC)	1,009					
5	Community Health Centers (CHC)	205					
6	SDH	15					
7	DH	19					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	8,16,445		7,99,722			
9	Expected number of Delivery	7,44,449		7,29,201			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,37,436	78.1	1,77,775	22.2	ANC Check-up in first trimester	63.8
11	Mothers registered in the first trimester	6,02,206	94.5	1,70,117	95.7	At least 4ANC check up	50.7
12	Mothers who had 4 or more ANC check ups	5,91,547	92.8	1,28,904	72.5	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	5,97,769	93.8	1,60,036	90.0	100 IFA tablets consumed	47.5
14	PW who consumed 180 IFA tablets	6,28,561	98.6	1,69,597	95.4	Home Delivery	15.9
15	Home Delivery against expected delivery *	13,977	1.9	1,583	0.2	Institutional Delivery	84.1
16	Institutional Delivery against expected delivery *	5,18,065	69.6	94,597	13.0	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	13,977	2.6	1,583	1.6	PNC within 2days of delivery	65.3
18	Institutional Delivery against reported delivery **	5,18,065	97.4	94,597	98.4		
19	Total reported Deliveries	5,32,042		96,180			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5,394	38.6	609	38.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,04,662	76.1	68,556	71.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,18,471		7,05,210			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	5,27,586	73.4	95,388	13.5	Breastfed within 1 hour of birth	49.1
24	Total Still Birth	8,306	1.2	1,538	1.6	BCG	92.5
25	PC of newborn weighted at birth to live birth	5,25,203	99.5	95,111	99.7	3 dose of DPT	81.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	75,521	14.4	13,914	14.6	Measles First dose	82.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,07,917	96.3	91,979	96.4	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	5,99,151	83.4	1,22,016	17.3	Full Immunization	66.4
29	Children who have received BCG	5,72,201	79.6	1,02,921	14.6		
30	Children who have received Pentavalent 1	5,97,063	83.1	1,26,237	17.9		
31	Children who have received Pentavalent 3	5,83,356	81.2	1,42,580	20.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,98,177	83.3	1,21,593	17.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	91,254		24,754			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	282	36	Total unmet need	11
35	Number of Tubectomies performed	29,397	5,444	Spacing	4.1
36	Number of IUD insertion	51,838	7,891	Women using any method	60.8
37	Number of IUD removals	18,273	4,210	Women using modern method	45.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	561	141		
39	General OPD cases per 10,000 population ***	13,817	3,679		
40	Ayush OPD cases per 10,000 population ***	818	219		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	626	143		
42	Neonatal Deaths within 1 to 28 days	2,627	500		
43	Total Neonatal Death	3,253	643		
44	Deaths between (1 - 11) months	991	120		
45	Total reported infant deaths	4,244	763		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	17	7		
47	Due to PPH (Post-Partum haemorrhage)	32	6		
48	Due to Pregnancy related infection and sepsis, Fever	61	12		
49	Due to Abortive complication	4	2		
50	Due to Obstructed/prolonged labour	5	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	62	18		
52	Due to Other/Unknown Causes	112	21		
53	Total reported maternal deaths	293	66		

Bajali Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,53,816						
2	Sex Ratio	951						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	NA						
4	Primary Health Centers (PHC)	NA						
5	Community Health Centers (CHC)	NA						
6	SDH	NA						
7	DH	NA						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	NA	6,505					
9	Expected number of Delivery	NA	5,931					
		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5(2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	NA	NA	1,593	24.5	ANC Check-up in first trimester	62.2	
11	Mothers registered in the first trimester	NA	NA	1,529	96.0	At least 4ANC check up	43.6	
12	Mothers who had 4 or more ANC check ups	NA	NA	835	52.4	Neonatal tetanus received	94.9	
13	PW who got TT 2 / Booster injection	NA	NA	1,303	81.8	100 IFA tablets consumed	49.4	
14	PW who consumed 180 IFA tablets	NA	NA	1,463	91.8	Home Delivery	12.4	
15	Home Delivery against expected delivery *	NA	NA	1	0.0	Institutional Delivery	87.6	
16	Institutional Delivery against expected delivery *	NA	NA	532	9.0	Home Delivery by SBA	0.6	
17	Home Delivery against reported delivery **	NA	NA	1	0.2	PNC within 2days of delivery	70.5	
18	Institutional Delivery against reported delivery **	NA	NA	532	99.8			
19	Total reported Deliveries	NA		533				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	1	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	823	154.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	NA		5,736				
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5(2019-20)			
23	Total reported live births	NA	NA	532	9.3	Breastfed within 1 hour of birth	46.4	
24	Total Still Birth	NA	NA	1	0.2	BCG	94.3	
25	PC of newborn weighted at birth to live birth	NA	NA	532	100.0	3 dose of DPT	73.6	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	48	9.0	Measles First dose	83.8	

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	523	98.3	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	NA	NA	945	16.5	Full Immunization	54.6
29	Children who have received BCG	NA	NA	570	9.9		
30	Children who have received Pentavalent 1	NA	NA	1,089	19.0		
31	Children who have received Pentavalent 3	NA	NA	1,259	21.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	946	16.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		149			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	12.3
35	Number of Tubectomies performed	NA	68	Spacing	3.9
36	Number of IUD insertion	NA	52	Women using any method	57.3
37	Number of IUD removals	NA	41	Women using modern method	47.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	NA	38		
39	General OPD cases per 10,000 population ***	NA	3,965		
40	Ayush OPD cases per 10,000 population ***	NA	200		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Baksa Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,50,075					
2	Sex Ratio	967					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	NA		15,996			
9	Expected number of Delivery	NA		14,585			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	2,155	13.5	ANC Check-up in first trimester	61.1
11	Mothers registered in the first trimester	NA	NA	2,087	96.8	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	NA	NA	1,257	58.3	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	NA	NA	1,984	92.1	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	NA	NA	1,848	85.8	Home Delivery	10.1
15	Home Delivery against expected delivery *	NA	NA	0	0.0	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	NA	NA	497	3.4	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	NA	NA	0	0.0	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	NA	NA	497	100.0		
19	Total reported Deliveries	NA		497			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	1,164	234.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	NA		14,106			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	NA	NA	496	3.5	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	NA	NA	3	0.6	BCG	93.6
25	PC of newborn weighted at birth to live birth	NA	NA	495	99.8	3 dose of DPT	87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	66	13.3	Measles First dose	91.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	485	97.8	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	NA	NA	1,584	11.2	Full Immunization	70.5
29	Children who have received BCG	NA	NA	617	4.4		
30	Children who have received Pentavalent 1	NA	NA	1,380	9.8		
31	Children who have received Pentavalent 3	NA	NA	1,760	12.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	1,585	11.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		150			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	12.5
35	Number of Tubectomies performed	NA	45	Spacing	5.7
36	Number of IUD insertion	NA	122	Women using any method	59.2
37	Number of IUD removals	NA	39	Women using modern method	47.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	NA	12		
39	General OPD cases per 10,000 population ***	NA	1,778		
40	Ayush OPD cases per 10,000 population ***	NA	383		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Barpeta Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	16,93,622					
2	Sex Ratio	951					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	NA		36,899			
9	Expected number of Delivery	NA		33,645			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	9,648	26.1	ANC Check-up in first trimester	62.2
11	Mothers registered in the first trimester	NA	NA	9,302	96.4	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	NA	NA	6,034	62.5	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	NA	NA	8,519	88.3	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	NA	NA	9,262	96.0	Home Delivery	12.4
15	Home Delivery against expected delivery *	NA	NA	27	0.1	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	NA	NA	6,228	18.5	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	NA	NA	27	0.4	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	NA	NA	6,228	99.6		
19	Total reported Deliveries	NA		6,255			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	23	85.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	5,977	95.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	NA		32,538			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	NA	NA	6,199	19.1	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	NA	NA	74	1.2	BCG	94.3
25	PC of newborn weighted at birth to live birth	NA	NA	6,199	100.0	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	1,083	17.5	Measles First dose	83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	6,062	97.8	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	NA	NA	5,787	17.8	Full Immunization	54.6
29	Children who have received BCG	NA	NA	7,195	22.1		
30	Children who have received Pentavalent 1	NA	NA	6,500	20.0		
31	Children who have received Pentavalent 3	NA	NA	7,558	23.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	5,788	17.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		569			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	2	Total unmet need	12.3
35	Number of Tubectomies performed	NA	517	Spacing	3.9
36	Number of IUD insertion	NA	363	Women using any method	57.3
37	Number of IUD removals	NA	170	Women using modern method	47.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	NA	115		
39	General OPD cases per 10,000 population ***	NA	2,769		
40	Ayush OPD cases per 10,000 population ***	NA	305		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	NA	4		
42	Neonatal Deaths within 1 to 28 days	NA	111		
43	Total Neonatal Death	0	115		
44	Deaths between (1 - 11) months	NA	1		
45	Total reported infant deaths	0	116		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	7		
53	Total reported maternal deaths	0	8		

Biswanath Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,12,491						
2	Sex Ratio	946						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	139						
4	Primary Health Centers (PHC)	26						
5	Community Health Centers (CHC)	3						
6	SDH	2						
7	DH	0						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	10,216	10,006					
9	Expected number of Delivery	9,315	9,124					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	12,382	121.2	3,633	36.3	ANC Check-up in first trimester	41.2	
11	Mothers registered in the first trimester	11,740	94.8	3,443	94.8	At least 4ANC check up	46.5	
12	Mothers who had 4 or more ANC check ups	12,101	97.7	2,227	61.3	Neonatal tetanus received	94.6	
13	PW who got TT 2 / Booster injection	11,680	94.3	3,272	90.1	100 IFA tablets consumed	63.7	
14	PW who consumed 180 IFA tablets	12,314	99.5	3,425	94.3	Home Delivery	15.7	
15	Home Delivery against expected delivery *	19	0.2	0	0.0	Institutional Delivery	84.3	
16	Institutional Delivery against expected delivery *	8,253	88.6	1,353	14.8	Home Delivery by SBA	0.6	
17	Home Delivery against reported delivery **	19	0.2	0	0.0	PNC within 2days of delivery	56.5	
18	Institutional Delivery against reported delivery **	8,253	99.8	1,353	100.0			
19	Total reported Deliveries	8,272		1,353				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	94.7	0	-			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,503	114.9	1,257	92.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	8,990		8,824				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	8,235	91.6	1,340	15.2	Breastfed within 1 hour of birth	62.7	
24	Total Still Birth	58	0.6	14	1.0	BCG	88.3	
25	PC of newborn weighted at birth to live birth	8,221	99.8	1,340	100.0	3 dose of DPT	82.5	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	787	9.6	107	8.0	Measles First dose	87.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,015	97.3	1,285	95.9	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,411	138.1	2,354	26.7	Full Immunization	66.2
29	Children who have received BCG	10,001	111.3	1,494	16.9		
30	Children who have received Pentavalent 1	11,867	132.0	2,376	26.9		
31	Children who have received Pentavalent 3	11,665	129.8	2,904	32.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,411	138.1	2,342	26.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	492		165			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	0	Total unmet need	5.3
35	Number of Tubectomies performed	544	11	Spacing	1.4
36	Number of IUD insertion	593	48	Women using any method	72.4
37	Number of IUD removals	286	62	Women using modern method	56.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	709	148		
39	General OPD cases per 10,000 population ***	26,627	6,949		
40	Ayush OPD cases per 10,000 population ***	1,255	398		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	2	0		
43	Total Neonatal Death	3	0		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Bongaigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	7,38,804						
2	Sex Ratio	961						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	108						
4	Primary Health Centers (PHC)	29						
5	Community Health Centers (CHC)	4						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	19,330	18,934					
9	Expected number of Delivery	17,625	17,264					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	14,715	76.1	4,203	22.2	ANC Check-up in first trimester	65.1	
11	Mothers registered in the first trimester	14,091	95.8	4,001	95.2	At least 4ANC check up	33.9	
12	Mothers who had 4 or more ANC check ups	14,368	97.6	3,366	80.1	Neonatal tetanus received	91.8	
13	PW who got TT 2 / Booster injection	13,650	92.8	3,705	88.2	100 IFA tablets consumed	46.7	
14	PW who consumed 180 IFA tablets	14,715	100.0	4,241	100.9	Home Delivery	15.5	
15	Home Delivery against expected delivery *	104	0.6	9	0.1	Institutional Delivery	84.5	
16	Institutional Delivery against expected delivery *	12,258	69.5	2,111	12.2	Home Delivery by SBA	4.9	
17	Home Delivery against reported delivery **	104	0.8	9	0.4	PNC within 2days of delivery	57.0	
18	Institutional Delivery against reported delivery **	12,258	99.2	2,111	99.6			
19	Total reported Deliveries	12,362		2,120				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	87.5	9	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,829	103.8	2,111	99.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	17,010		16,696				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	12,383	72.8	2,108	12.6	Breastfed within 1 hour of birth	46.7	
24	Total Still Birth	130	0.8	46	2.2	BCG	94.1	
25	PC of newborn weighted at birth to live birth	12,368	99.9	2,108	100.0	3 dose of DPT	80.4	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,280	10.3	209	9.9	Measles First dose	84.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	12,166	98.2	2,069	98.1	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	15,137	89.0	3,393	20.3	Full Immunization	67.9
29	Children who have received BCG	16,946	99.6	2,992	17.9		
30	Children who have received Pentavalent 1	15,032	88.4	3,169	19.0		
31	Children who have received Pentavalent 3	14,637	86.0	3,340	20.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,130	88.9	3,399	20.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,165		387			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.1
35	Number of Tubectomies performed	845	148	Spacing	5.1
36	Number of IUD insertion	1,595	230	Women using any method	57.6
37	Number of IUD removals	228	47	Women using modern method	45.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	481	123		
39	General OPD cases per 10,000 population ***	11,650	3,112		
40	Ayush OPD cases per 10,000 population ***	649	171		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	9	0		
42	Neonatal Deaths within 1 to 28 days	9	0		
43	Total Neonatal Death	18	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	18	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	3	0		
53	Total reported maternal deaths	6	0		

Cachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	17,36,617						
2	Sex Ratio	958						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	270						
4	Primary Health Centers (PHC)	37						
5	Community Health Centers (CHC)	7						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	45,436	44,505					
9	Expected number of Delivery	41,429	40,581					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	39,175	86.2	11,050	24.8	ANC Check-up in first trimester	52.0	
11	Mothers registered in the first trimester	36,284	92.6	10,339	93.6	At least 4ANC check up	32.7	
12	Mothers who had 4 or more ANC check ups	35,824	91.4	9,738	88.1	Neonatal tetanus received	90.0	
13	PW who got TT 2 / Booster injection	37,906	96.8	10,010	90.6	100 IFA tablets consumed	35.6	
14	PW who consumed 180 IFA tablets	38,527	98.3	10,786	97.6	Home Delivery	20.8	
15	Home Delivery against expected delivery *	171	0.4	15	0.0	Institutional Delivery	79.2	
16	Institutional Delivery against expected delivery *	39,293	94.8	7,640	18.8	Home Delivery by SBA	2.1	
17	Home Delivery against reported delivery **	171	0.4	15	0.2	PNC within 2days of delivery	57.3	
18	Institutional Delivery against reported delivery **	39,293	99.6	7,640	99.8			
19	Total reported Deliveries	39,464		7,655				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	55.0	12	80.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30,002	76.0	4,329	56.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	39,984		39,246				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	38,991	97.5	7,553	19.2	Breastfed within 1 hour of birth	29.8	
24	Total Still Birth	794	2.0	152	2.0	BCG	88.3	
25	PC of newborn weighted at birth to live birth	38,991	100.0	7,553	100.0	3 dose of DPT	82.5	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,148	18.3	1,155	15.3	Measles First dose	76.9	

27	PC of newborns breastfed within 1 hour to total reported live birth.	38,494	98.7	7,488	99.1	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	42,991	107.5	9,031	23.0	Full Immunization	70.4
29	Children who have received BCG	42,073	105.2	7,550	19.2		
30	Children who have received Pentavalent 1	43,566	109.0	9,452	24.1		
31	Children who have received Pentavalent 3	43,089	107.8	9,356	23.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	42,978	107.5	9,039	23.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,143		844			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	13	3	Total unmet need	15.6
35	Number of Tubectomies performed	1,710	462	Spacing	6.9
36	Number of IUD insertion	1,678	386	Women using any method	48
37	Number of IUD removals	173	33	Women using modern method	38.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	860	216		
39	General OPD cases per 10,000 population ***	14,956	3,956		
40	Ayush OPD cases per 10,000 population ***	154	65		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	114	24		
42	Neonatal Deaths within 1 to 28 days	3	24		
43	Total Neonatal Death	117	48		
44	Deaths between (1 - 11) months	304	0		
45	Total reported infant deaths	421	48		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	2		
52	Due to Other/Unknown Causes	27	1		
53	Total reported maternal deaths	31	4		

Charaideo Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,58,615						
2	Sex Ratio	951						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	70						
4	Primary Health Centers (PHC)	19						
5	Community Health Centers (CHC)	2						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	12,721	12,461					
9	Expected number of Delivery	11,600	11,362					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	7,136	56.1	1,938	15.6	ANC Check-up in first trimester	74.1	
11	Mothers registered in the first trimester	6,860	96.1	1,867	96.3	At least 4ANC check up	64.5	
12	Mothers who had 4 or more ANC check ups	6,749	94.6	1,299	67.0	Neonatal tetanus received	95.9	
13	PW who got TT 2 / Booster injection	6,788	95.1	1,769	91.3	100 IFA tablets consumed	51.7	
14	PW who consumed 180 IFA tablets	7,116	99.7	1,801	92.9	Home Delivery	11.8	
15	Home Delivery against expected delivery *	2	0.0	0	0.0	Institutional Delivery	88.2	
16	Institutional Delivery against expected delivery *	3,720	32.1	685	6.0	Home Delivery by SBA	2.2	
17	Home Delivery against reported delivery **	2	0.1	0	0.0	PNC within 2days of delivery	70.5	
18	Institutional Delivery against reported delivery **	3,720	99.9	685	100.0			
19	Total reported Deliveries	3,722		685				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	100.0	0	-			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,379	117.7	578	84.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	11,195		10,988				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	3,696	33.0	682	6.2	Breastfed within 1 hour of birth	58.3	
24	Total Still Birth	46	0.4	5	0.7	BCG	96.2	
25	PC of newborn weighted at birth to live birth	3,694	99.9	682	100.0	3 dose of DPT	90.1	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	789	21.4	148	21.7	Measles First dose	90	

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,552	96.1	612	89.7	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	6,767	60.4	1,334	12.1	Full Immunization	74
29	Children who have received BCG	3,881	34.7	703	6.4		
30	Children who have received Pentavalent 1	6,922	61.8	1,372	12.5		
31	Children who have received Pentavalent 3	6,644	59.3	1,708	15.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,765	60.4	1,333	12.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,494		364			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	477	0	Spacing	3.7
36	Number of IUD insertion	781	116	Women using any method	67
37	Number of IUD removals	339	87	Women using modern method	43.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	194	36		
39	General OPD cases per 10,000 population ***	16,549	4,151		
40	Ayush OPD cases per 10,000 population ***	560	209		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Chirang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,82,162						
2	Sex Ratio	969						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	87						
4	Primary Health Centers (PHC)	23						
5	Community Health Centers (CHC)	4						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	12,615	12,357					
9	Expected number of Delivery	11,503	11,267					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	8,135	64.5	2,277	18.4	ANC Check-up in first trimester	55.9	
11	Mothers registered in the first trimester	7,262	89.3	2,088	91.7	At least 4ANC check up	56.5	
12	Mothers who had 4 or more ANC check ups	6,979	85.8	1,302	57.2	Neonatal tetanus received	96.1	
13	PW who got TT 2 / Booster injection	7,345	90.3	1,972	86.6	100 IFA tablets consumed	47.1	
14	PW who consumed 180 IFA tablets	7,968	97.9	2,217	97.4	Home Delivery	16.3	
15	Home Delivery against expected delivery *	484	4.2	40	0.4	Institutional Delivery	83.7	
16	Institutional Delivery against expected delivery *	5,088	44.2	988	8.8	Home Delivery by SBA	2.7	
17	Home Delivery against reported delivery **	484	8.7	40	3.9	PNC within 2days of delivery	59.7	
18	Institutional Delivery against reported delivery **	5,088	91.3	988	96.1			
19	Total reported Deliveries	5,572		1,028				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	4.5	4	10.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,503	98.8	1,027	99.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	11,101		10,896				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	5,530	49.8	1,012	9.3	Breastfed within 1 hour of birth	40.5	
24	Total Still Birth	66	0.6	17	1.7	BCG	98.2	
25	PC of newborn weighted at birth to live birth	5,528	100.0	1,011	99.9	3 dose of DPT	86.4	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	560	10.1	82	8.1	Measles First dose	89.3	

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,477	99.0	1,011	99.9	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	7,783	70.1	1,507	13.8	Full Immunization	71.1
29	Children who have received BCG	7,112	64.1	1,263	11.6		
30	Children who have received Pentavalent 1	7,688	69.3	1,536	14.1		
31	Children who have received Pentavalent 3	7,630	68.7	1,818	16.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,776	70.0	1,509	13.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,643		470			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	221	63	Spacing	3.7
36	Number of IUD insertion	1,312	333	Women using any method	65.8
37	Number of IUD removals	804	234	Women using modern method	55.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	373	94		
39	General OPD cases per 10,000 population ***	9,453	2,633		
40	Ayush OPD cases per 10,000 population ***	1,356	377		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths within 1 to 28 days	4	3		
43	Total Neonatal Death	8	3		
44	Deaths between (1 - 11) months	5	1		
45	Total reported infant deaths	13	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Darrang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,28,500					
2	Sex Ratio	923					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	159					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	24,293		23,795			
9	Expected number of Delivery	22,151		21,697			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,217	87.3	6,106	25.7	ANC Check-up in first trimester	56.5
11	Mothers registered in the first trimester	20,753	97.8	5,972	97.8	At least 4ANC check up	37.5
12	Mothers who had 4 or more ANC check ups	19,488	91.9	4,421	72.4	Neonatal tetanus received	91.1
13	PW who got TT 2 / Booster injection	19,310	91.0	5,367	87.9	100 IFA tablets consumed	43.3
14	PW who consumed 180 IFA tablets	20,736	97.7	5,562	91.1	Home Delivery	15.6
15	Home Delivery against expected delivery *	40	0.2	0	0.0	Institutional Delivery	84.4
16	Institutional Delivery against expected delivery *	17,311	78.2	3,531	16.3	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	40	0.2	0	0.0	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	17,311	99.8	3,531	100.0		
19	Total reported Deliveries	17,351		3,531			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	90.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,370	117.4	4,524	128.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,378		20,983			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	17,223	80.6	3,509	16.7	Breastfed within 1 hour of birth	51.7
24	Total Still Birth	240	1.1	49	1.4	BCG	94.9
25	PC of newborn weighted at birth to live birth	17,213	99.9	3,509	100.0	3 dose of DPT	76.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,449	14.2	407	11.6	Measles First dose	82.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,791	97.5	3,449	98.3	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,241	90.0	3,732	17.8	Full Immunization	57.1
29	Children who have received BCG	18,309	85.6	3,521	16.8		
30	Children who have received Pentavalent 1	18,718	87.6	4,137	19.7		
31	Children who have received Pentavalent 3	18,317	85.7	4,270	20.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,239	90.0	3,729	17.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,438		1,661			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	14.8
35	Number of Tubectomies performed	886	87	Spacing	5.8
36	Number of IUD insertion	1,850	424	Women using any method	46.8
37	Number of IUD removals	364	60	Women using modern method	36.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	510	131		
39	General OPD cases per 10,000 population ***	11,037	2,818		
40	Ayush OPD cases per 10,000 population ***	714	170		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	23	5		
43	Total Neonatal Death	23	5		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	25	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	2	0		

Dhemaji Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,86,133						
2	Sex Ratio	949						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	98						
4	Primary Health Centers (PHC)	23						
5	Community Health Centers (CHC)	5						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	17,952	17,584					
9	Expected number of Delivery	16,369	16,033					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	11,925	66.4	3,413	19.4	ANC Check-up in first trimester	76.2	
11	Mothers registered in the first trimester	11,532	96.7	3,361	98.5	At least 4ANC check up	62.2	
12	Mothers who had 4 or more ANC check ups	10,398	87.2	1,957	57.3	Neonatal tetanus received	96.5	
13	PW who got TT 2 / Booster injection	10,781	90.4	3,357	98.4	100 IFA tablets consumed	45.3	
14	PW who consumed 180 IFA tablets	12,651	106.1	3,565	104.5	Home Delivery	12.7	
15	Home Delivery against expected delivery *	5	0.0	1	0.0	Institutional Delivery	87.3	
16	Institutional Delivery against expected delivery *	10,989	67.1	1,923	12.0	Home Delivery by SBA	4.2	
17	Home Delivery against reported delivery **	5	0.0	1	0.1	PNC within 2days of delivery	72.8	
18	Institutional Delivery against reported delivery **	10,989	100.0	1,923	99.9			
19	Total reported Deliveries	10,994		1,924				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	60.0	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,521	41.1	654	34.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	15,797		15,506				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	10,965	69.4	1,914	12.3	Breastfed within 1 hour of birth	45.5	
24	Total Still Birth	100	0.6	16	0.8	BCG	96.7	
25	PC of newborn weighted at birth to live birth	10,285	93.8	1,813	94.7	3 dose of DPT	94.7	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,018	9.9	141	7.8	Measles First dose	93.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,852	89.8	1,740	90.9	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	11,937	75.6	2,225	14.3	Full Immunization	89.7
29	Children who have received BCG	10,849	68.7	1,930	12.4		
30	Children who have received Pentavalent 1	11,068	70.1	2,313	14.9		
31	Children who have received Pentavalent 3	10,928	69.2	2,914	18.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,936	75.6	2,238	14.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,737		639			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	803	102	Spacing	3.5
36	Number of IUD insertion	2,117	305	Women using any method	72.6
37	Number of IUD removals	1,036	240	Women using modern method	45
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	267	64		
39	General OPD cases per 10,000 population ***	11,848	2,925		
40	Ayush OPD cases per 10,000 population ***	355	126		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	9	2		
42	Neonatal Deaths within 1 to 28 days	7	0		
43	Total Neonatal Death	16	2		
44	Deaths between (1 - 11) months	7	2		
45	Total reported infant deaths	23	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	0	1		

Dhubri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	13,94,144						
2	Sex Ratio	952						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	192						
4	Primary Health Centers (PHC)	33						
5	Community Health Centers (CHC)	9						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	36,476	35,728					
9	Expected number of Delivery	33,259	32,578					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	40,472	111.0	11,051	30.9	ANC Check-up in first trimester	49.9	
11	Mothers registered in the first trimester	40,011	98.9	10,936	99.0	At least 4ANC check up	37.6	
12	Mothers who had 4 or more ANC check ups	38,479	95.1	7,064	63.9	Neonatal tetanus received	97.0	
13	PW who got TT 2 / Booster injection	38,880	96.1	9,472	85.7	100 IFA tablets consumed	47.6	
14	PW who consumed 180 IFA tablets	41,249	101.9	11,332	102.5	Home Delivery	35.8	
15	Home Delivery against expected delivery *	5,281	15.9	606	1.9	Institutional Delivery	64.2	
16	Institutional Delivery against expected delivery *	27,584	82.9	4,688	14.4	Home Delivery by SBA	5.8	
17	Home Delivery against reported delivery **	5,281	16.1	606	11.4	PNC within 2days of delivery	48.4	
18	Institutional Delivery against reported delivery **	27,584	83.9	4,688	88.6			
19	Total reported Deliveries	32,865		5,294				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,877	35.5	242	39.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	29,977	91.2	4,735	89.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	32,099		31,506				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	32,472	101.2	5,234	16.6	Breastfed within 1 hour of birth	57.9	
24	Total Still Birth	595	1.9	109	2.1	BCG	90.5	
25	PC of newborn weighted at birth to live birth	32,335	99.6	5,224	99.8	3 dose of DPT	82.7	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,856	11.9	660	12.6	Measles First dose	84	

27	PC of newborns breastfed within 1 hour to total reported live birth.	31,323	96.5	4,981	95.2	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	37,622	117.2	7,649	24.3	Full Immunization	71.6
29	Children who have received BCG	38,506	120.0	7,078	22.5		
30	Children who have received Pentavalent 1	38,484	119.9	8,379	26.6		
31	Children who have received Pentavalent 3	37,466	116.7	8,898	28.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,596	117.1	7,649	24.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,910		1,080			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	11.5
35	Number of Tubectomies performed	1,107	131	Spacing	4
36	Number of IUD insertion	4,229	553	Women using any method	64.1
37	Number of IUD removals	502	119	Women using modern method	53.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	423	95		
39	General OPD cases per 10,000 population ***	11,304	2,885		
40	Ayush OPD cases per 10,000 population ***	1,130	263		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	72	14		
42	Neonatal Deaths within 1 to 28 days	139	17		
43	Total Neonatal Death	211	31		
44	Deaths between (1 - 11) months	17	0		
45	Total reported infant deaths	228	31		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	2	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	2	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	1		
52	Due to Other/Unknown Causes	2	1		
53	Total reported maternal deaths	8	2		

Dibrugarh Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	13,26,335						
2	Sex Ratio	952						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	234						
4	Primary Health Centers (PHC)	31						
5	Community Health Centers (CHC)	10						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	34,701	33,991					
9	Expected number of Delivery	31,641	30,993					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	19,190	55.3	5,395	15.9	ANC Check-up in first trimester	75.8	
11	Mothers registered in the first trimester	18,216	94.9	5,163	95.7	At least 4ANC check up	75.6	
12	Mothers who had 4 or more ANC check ups	16,934	88.2	2,925	54.2	Neonatal tetanus received	94.1	
13	PW who got TT 2 / Booster injection	17,286	90.1	4,761	88.2	100 IFA tablets consumed	58.9	
14	PW who consumed 180 IFA tablets	17,871	93.1	4,753	88.1	Home Delivery	6.9	
15	Home Delivery against expected delivery *	10	0.0	0	0.0	Institutional Delivery	93.1	
16	Institutional Delivery against expected delivery *	22,338	70.6	3,777	12.2	Home Delivery by SBA	1.2	
17	Home Delivery against reported delivery **	10	0.0	0	0.0	PNC within 2days of delivery	82.1	
18	Institutional Delivery against reported delivery **	22,338	100.0	3,777	100.0			
19	Total reported Deliveries	22,348		3,777				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	20.0	0	-			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,563	78.6	2,046	54.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	30,537		29,974				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	22,079	72.3	3,693	12.3	Breastfed within 1 hour of birth	52.6	
24	Total Still Birth	607	2.0	143	3.9	BCG	97.8	
25	PC of newborn weighted at birth to live birth	22,078	100.0	3,693	100.0	3 dose of DPT	93	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,071	23.0	837	22.7	Measles First dose	97.8	

27	PC of newborns breastfed within 1 hour to total reported live birth.	21,453	97.2	3,597	97.4	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	20,407	66.8	4,082	13.6	Full Immunization	83.8
29	Children who have received BCG	22,084	72.3	3,668	12.2		
30	Children who have received Pentavalent 1	19,402	63.5	3,815	12.7		
31	Children who have received Pentavalent 3	19,197	62.9	4,892	16.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,407	66.8	4,089	13.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,560		1,211			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	121	30	Total unmet need	8.7
35	Number of Tubectomies performed	1,602	732	Spacing	4.8
36	Number of IUD insertion	1,029	225	Women using any method	64.6
37	Number of IUD removals	641	131	Women using modern method	43.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	1350	289		
39	General OPD cases per 10,000 population ***	28,182	7,666		
40	Ayush OPD cases per 10,000 population ***	372	116		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	20	3		
42	Neonatal Deaths within 1 to 28 days	288	60		
43	Total Neonatal Death	308	63		
44	Deaths between (1 - 11) months	119	15		
45	Total reported infant deaths	427	78		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	1	0		
47	Due to PPH (Post-Partum haemorrhage)	7	2		
48	Due to Pregnancy related infection and sepsis, Fever	3	5		
49	Due to Abortive complication	3	1		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	15	5		
52	Due to Other/Unknown Causes	11	3		
53	Total reported maternal deaths	41	16		

Dima Hasao Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,14,102						
2	Sex Ratio	931						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	76						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	5,602	5,487					
9	Expected number of Delivery	5,108	5,003					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	4,083	72.9	1,079	19.7	ANC Check-up in first trimester	58.9	
11	Mothers registered in the first trimester	3,549	86.9	1,004	93.0	At least 4ANC check up	46.9	
12	Mothers who had 4 or more ANC check ups	2,964	72.6	633	58.7	Neonatal tetanus received	96.8	
13	PW who got TT 2 / Booster injection	3,397	83.2	828	76.7	100 IFA tablets consumed	40.8	
14	PW who consumed 180 IFA tablets	4,816	118.0	1,047	97.0	Home Delivery	10.5	
15	Home Delivery against expected delivery *	886	17.3	135	2.7	Institutional Delivery	89.5	
16	Institutional Delivery against expected delivery *	2,490	48.8	549	11.0	Home Delivery by SBA	1.8	
17	Home Delivery against reported delivery **	886	26.2	135	19.7	PNC within 2days of delivery	73.8	
18	Institutional Delivery against reported delivery **	2,490	73.8	549	80.3			
19	Total reported Deliveries	3,376		684				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	433	48.9	68	50.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	573	17.0	166	24.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	4,929		4,838				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	3,335	67.7	674	13.9	Breastfed within 1 hour of birth	58	
24	Total Still Birth	68	1.4	15	2.2	BCG	91.3	
25	PC of newborn weighted at birth to live birth	3,322	99.6	670	99.4	3 dose of DPT	71.9	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	192	5.8	46	6.9	Measles First dose	71.7	

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,059	91.7	595	88.3	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,447	69.9	765	15.8	Full Immunization	63.6
29	Children who have received BCG	3,405	69.1	688	14.2		
30	Children who have received Pentavalent 1	3,538	71.8	817	16.9		
31	Children who have received Pentavalent 3	3,387	68.7	929	19.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,446	69.9	764	15.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	743		164			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	118	0	Spacing	2.6
36	Number of IUD insertion	131	14	Women using any method	65.5
37	Number of IUD removals	101	19	Women using modern method	44.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	631	154		
39	General OPD cases per 10,000 population ***	9,284	2,201		
40	Ayush OPD cases per 10,000 population ***	587	156		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	14	2		
43	Total Neonatal Death	15	2		
44	Deaths between (1 - 11) months	8	0		
45	Total reported infant deaths	23	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	0		

Goalpara Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	10,08,183						
2	Sex Ratio	962						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	155						
4	Primary Health Centers (PHC)	37						
5	Community Health Centers (CHC)	7						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	26,378	25,837					
9	Expected number of Delivery	24,052	23,559					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	24,542	93.0	6,997	27.1	ANC Check-up in first trimester	65.3	
11	Mothers registered in the first trimester	24,072	98.1	6,950	99.3	At least 4ANC check up	44.1	
12	Mothers who had 4 or more ANC check ups	22,527	91.8	4,892	69.9	Neonatal tetanus received	96.6	
13	PW who got TT 2 / Booster injection	22,774	92.8	6,088	87.0	100 IFA tablets consumed	52.2	
14	PW who consumed 180 IFA tablets	24,118	98.3	6,575	94.0	Home Delivery	7.7	
15	Home Delivery against expected delivery *	249	1.0	10	0.0	Institutional Delivery	92.3	
16	Institutional Delivery against expected delivery *	24,966	103.8	4,711	20.0	Home Delivery by SBA	2.7	
17	Home Delivery against reported delivery **	249	1.0	10	0.2	PNC within 2days of delivery	73.5	
18	Institutional Delivery against reported delivery **	24,966	99.0	4,711	99.8			
19	Total reported Deliveries	25,215		4,721				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	229	92.0	10	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,523	61.6	3,129	66.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	23,212		22,784				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	24,971	107.6	4,694	20.6	Breastfed within 1 hour of birth	45.7	
24	Total Still Birth	449	1.9	75	1.6	BCG	98.4	
25	PC of newborn weighted at birth to live birth	24,968	100.0	4,690	99.9	3 dose of DPT	90.6	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,872	11.5	583	12.4	Measles First dose	90.6	

27	PC of newborns breastfed within 1 hour to total reported live birth.	24,758	99.1	4,652	99.1	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,027	94.9	4,630	20.3	Full Immunization	70.3
29	Children who have received BCG	24,162	104.1	4,625	20.3		
30	Children who have received Pentavalent 1	22,617	97.4	5,088	22.3		
31	Children who have received Pentavalent 3	21,861	94.2	5,168	22.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	22,027	94.9	4,621	20.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,730		1,313			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	7.4
35	Number of Tubectomies performed	1,509	336	Spacing	2.2
36	Number of IUD insertion	3,623	784	Women using any method	66.8
37	Number of IUD removals	1,180	208	Women using modern method	55.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	694	189		
39	General OPD cases per 10,000 population ***	12,343	3,595		
40	Ayush OPD cases per 10,000 population ***	1,610	319		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	48	24		
42	Neonatal Deaths within 1 to 28 days	91	16		
43	Total Neonatal Death	139	40		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	141	40		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	2	1		

Golaghat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,66,888					
2	Sex Ratio	961					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	39					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	27,913		27,342			
9	Expected number of Delivery	25,452		24,931			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	18,189	65.2	4,925	18.0	ANC Check-up in first trimester	76.1
11	Mothers registered in the first trimester	17,709	97.4	4,837	98.2	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	17,689	97.3	4,476	90.9	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	17,434	95.8	4,607	93.5	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	18,139	99.7	4,850	98.5	Home Delivery	9.6
15	Home Delivery against expected delivery *	3	0.0	0	0.0	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	11,255	44.2	1,828	7.3	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	3	0.0	0	0.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	11,255	100.0	1,828	100.0		
19	Total reported Deliveries	11,258		1,828			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,271	64.6	1,948	106.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,564		24,110			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	11,210	45.6	1,814	7.5	Breastfed within 1 hour of birth	53.6
24	Total Still Birth	103	0.4	19	1.0	BCG	92.6
25	PC of newborn weighted at birth to live birth	11,148	99.4	1,813	99.9	3 dose of DPT	84.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,813	16.3	265	14.6	Measles First dose	87.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,095	99.0	1,780	98.1	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	17,697	72.0	3,250	13.5	Full Immunization	72.4
29	Children who have received BCG	12,485	50.8	2,071	8.6		
30	Children who have received Pentavalent 1	17,456	71.1	3,188	13.2		
31	Children who have received Pentavalent 3	16,662	67.8	3,871	16.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,684	72.0	3,259	13.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,965		623			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10.9
35	Number of Tubectomies performed	761	63	Spacing	4.7
36	Number of IUD insertion	1,238	58	Women using any method	61.6
37	Number of IUD removals	1,305	259	Women using modern method	35.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	532	158		
39	General OPD cases per 10,000 population ***	14,430	4,182		
40	Ayush OPD cases per 10,000 population ***	498	157		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	5	0		
42	Neonatal Deaths within 1 to 28 days	47	5		
43	Total Neonatal Death	52	5		
44	Deaths between (1 - 11) months	29	3		
45	Total reported infant deaths	81	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Hailakandi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,59,296						
2	Sex Ratio	946						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	107						
4	Primary Health Centers (PHC)	14						
5	Community Health Centers (CHC)	4						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	17,249	16,896					
9	Expected number of Delivery	15,728	15,406					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	18,195	105.5	5,275	31.2	ANC Check-up in first trimester	77.6	
11	Mothers registered in the first trimester	17,650	97.0	5,078	96.3	At least 4ANC check up	43.1	
12	Mothers who had 4 or more ANC check ups	16,282	89.5	3,459	65.6	Neonatal tetanus received	96.2	
13	PW who got TT 2 / Booster injection	17,378	95.5	4,646	88.1	100 IFA tablets consumed	29.0	
14	PW who consumed 180 IFA tablets	18,157	99.8	5,329	101.0	Home Delivery	17.0	
15	Home Delivery against expected delivery *	213	1.4	30	0.2	Institutional Delivery	83.0	
16	Institutional Delivery against expected delivery *	14,120	89.8	2,779	18.0	Home Delivery by SBA	2.2	
17	Home Delivery against reported delivery **	213	1.5	30	1.1	PNC within 2days of delivery	68.8	
18	Institutional Delivery against reported delivery **	14,120	98.5	2,779	98.9			
19	Total reported Deliveries	14,333		2,809				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	143	67.1	19	63.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,698	39.8	1,075	38.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	15,180		14,899				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	14,199	93.5	2,802	18.8	Breastfed within 1 hour of birth	24.4	
24	Total Still Birth	224	1.5	37	1.3	BCG	95.4	
25	PC of newborn weighted at birth to live birth	14,199	100.0	2,802	100.0	3 dose of DPT	78.9	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,158	8.2	248	8.9	Measles First dose	85.6	

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,563	95.5	2,652	94.6	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	17,313	114.1	3,361	22.6	Full Immunization	68.6
29	Children who have received BCG	15,131	99.7	2,907	19.5		
30	Children who have received Pentavalent 1	17,475	115.1	3,654	24.5		
31	Children who have received Pentavalent 3	17,269	113.8	3,997	26.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,313	114.1	3,362	22.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,035		1,135			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	0	Total unmet need	8.6
35	Number of Tubectomies performed	394	58	Spacing	4.2
36	Number of IUD insertion	4,342	739	Women using any method	66.8
37	Number of IUD removals	559	106	Women using modern method	49.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	495	135		
39	General OPD cases per 10,000 population ***	12,630	3,217		
40	Ayush OPD cases per 10,000 population ***	458	135		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	9	1		
43	Total Neonatal Death	10	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	10	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Hojai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,31,218					
2	Sex Ratio	962					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	94					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	27,445	26,883				
9	Expected number of Delivery	25,025	24,512				
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	25,469	92.8	6,739	25.1	ANC Check-up in first trimester	52.7
11	Mothers registered in the first trimester	25,061	98.4	6,668	98.9	At least 4ANC check up	51.3
12	Mothers who had 4 or more ANC check ups	25,121	98.6	6,589	97.8	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	25,335	99.5	6,478	96.1	100 IFA tablets consumed	50.5
14	PW who consumed 180 IFA tablets	25,406	99.8	6,730	99.9	Home Delivery	17.9
15	Home Delivery against expected delivery *	363	1.5	39	0.2	Institutional Delivery	82.1
16	Institutional Delivery against expected delivery *	18,778	75.0	3,159	12.9	Home Delivery by SBA	4.1
17	Home Delivery against reported delivery **	363	1.9	39	1.2	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	18,778	98.1	3,159	98.8		
19	Total reported Deliveries	19,141		3,198			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	11.8	10	25.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,546	55.1	1,779	55.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,151		23,706			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	19,017	78.7	3,162	13.3	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	132	0.5	37	1.2	BCG	82.1
25	PC of newborn weighted at birth to live birth	19,002	99.9	3,159	99.9	3 dose of DPT	60.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	810	4.3	222	7.0	Measles First dose	59.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	18,690	98.3	3,078	97.3	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	23,946	99.1	5,719	24.1	Full Immunization	55.5
29	Children who have received BCG	22,146	91.7	3,506	14.8		
30	Children who have received Pentavalent 1	24,193	100.2	5,894	24.9		
31	Children who have received Pentavalent 3	23,985	99.3	5,867	24.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,917	99.0	5,712	24.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,567		548			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	13.2
35	Number of Tubectomies performed	311	23	Spacing	4.9
36	Number of IUD insertion	2,168	480	Women using any method	61.1
37	Number of IUD removals	446	216	Women using modern method	48.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	232	81		
39	General OPD cases per 10,000 population ***	7,731	2,020		
40	Ayush OPD cases per 10,000 population ***	556	154		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	0		

Jorhat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	9,24,952						
2	Sex Ratio	956						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	110						
4	Primary Health Centers (PHC)	35						
5	Community Health Centers (CHC)	6						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	24,200	23,704					
9	Expected number of Delivery	22,066	21,614					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	13,947	57.6	3,757	15.8	ANC Check-up in first trimester	78.3	
11	Mothers registered in the first trimester	13,419	96.2	3,616	96.2	At least 4ANC check up	67.0	
12	Mothers who had 4 or more ANC check ups	12,316	88.3	2,388	63.6	Neonatal tetanus received	97.4	
13	PW who got TT 2 / Booster injection	12,797	91.8	3,117	83.0	100 IFA tablets consumed	52.1	
14	PW who consumed 180 IFA tablets	13,823	99.1	3,643	97.0	Home Delivery	3.5	
15	Home Delivery against expected delivery *	0	0.0	0	0.0	Institutional Delivery	96.5	
16	Institutional Delivery against expected delivery *	14,287	64.7	2,351	10.9	Home Delivery by SBA	0.4	
17	Home Delivery against reported delivery **	0	0.0	0	0.0	PNC within 2days of delivery	81.4	
18	Institutional Delivery against reported delivery **	14,287	100.0	2,351	100.0			
19	Total reported Deliveries	14,287		2,351				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	0	-			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,394	93.7	2,157	91.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	21,296		20,903				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	14,139	66.4	2,338	11.2	Breastfed within 1 hour of birth	51.6	
24	Total Still Birth	264	1.2	35	1.5	BCG	100	
25	PC of newborn weighted at birth to live birth	14,011	99.1	2,338	100.0	3 dose of DPT	79.8	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,902	20.7	636	27.2	Measles First dose	83.3	

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,656	96.6	2,278	97.4	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	12,991	61.0	2,535	12.1	Full Immunization	69.2
29	Children who have received BCG	13,503	63.4	2,223	10.6		
30	Children who have received Pentavalent 1	12,696	59.6	2,194	10.5		
31	Children who have received Pentavalent 3	12,493	58.7	2,856	13.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,991	61.0	2,470	11.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,013		408			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10.4
35	Number of Tubectomies performed	1,245	131	Spacing	3.2
36	Number of IUD insertion	500	71	Women using any method	63.8
37	Number of IUD removals	208	65	Women using modern method	32.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	815	187		
39	General OPD cases per 10,000 population ***	21,549	5,803		
40	Ayush OPD cases per 10,000 population ***	198	39		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	41	0		
42	Neonatal Deaths within 1 to 28 days	386	83		
43	Total Neonatal Death	427	83		
44	Deaths between (1 - 11) months	81	17		
45	Total reported infant deaths	508	100		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	3	0		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	6	2		
52	Due to Other/Unknown Causes	7	2		
53	Total reported maternal deaths	19	5		

Kamrup R Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	15,17,542						
2	Sex Ratio	946						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	283						
4	Primary Health Centers (PHC)	65						
5	Community Health Centers (CHC)	13						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	39,704	38,891					
9	Expected number of Delivery	36,203	35,461					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	29,741	74.9	8,327	21.4	ANC Check-up in first trimester	57.0	
11	Mothers registered in the first trimester	28,400	95.5	8,028	96.4	At least 4ANC check up	46.9	
12	Mothers who had 4 or more ANC check ups	27,695	93.1	5,844	70.2	Neonatal tetanus received	85.9	
13	PW who got TT 2 / Booster injection	26,582	89.4	7,182	86.2	100 IFA tablets consumed	42.5	
14	PW who consumed 180 IFA tablets	29,647	99.7	8,323	100.0	Home Delivery	15.0	
15	Home Delivery against expected delivery *	9	0.0	1	0.0	Institutional Delivery	85.0	
16	Institutional Delivery against expected delivery *	19,536	54.0	3,811	10.7	Home Delivery by SBA	4.3	
17	Home Delivery against reported delivery **	9	0.0	1	0.0	PNC within 2days of delivery	61.4	
18	Institutional Delivery against reported delivery **	19,536	100.0	3,811	100.0			
19	Total reported Deliveries	19,545		3,812				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	44.4	1	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,127	87.6	3,084	80.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	34,940		34,295				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	19,494	55.8	3,794	11.1	Breastfed within 1 hour of birth	45.5	
24	Total Still Birth	95	0.3	26	0.7	BCG	90.5	
25	PC of newborn weighted at birth to live birth	19,429	99.7	3,793	100.0	3 dose of DPT	86.1	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,395	7.2	274	7.2	Measles First dose	83	

27	PC of newborns breastfed within 1 hour to total reported live birth.	19,204	98.5	3,744	98.7	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	25,258	72.3	5,162	15.1	Full Immunization	63.6
29	Children who have received BCG	20,687	59.2	3,944	11.5		
30	Children who have received Pentavalent 1	24,785	70.9	5,357	15.6		
31	Children who have received Pentavalent 3	24,328	69.6	6,253	18.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	25,276	72.3	5,153	15.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,085		623			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	14	0	Total unmet need	17.6
35	Number of Tubectomies performed	1,473	260	Spacing	7.7
36	Number of IUD insertion	2,306	295	Women using any method	38.7
37	Number of IUD removals	1,012	214	Women using modern method	32.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	381	108		
39	General OPD cases per 10,000 population ***	15,379	4,005		
40	Ayush OPD cases per 10,000 population ***	1,414	345		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	2	2		
42	Neonatal Deaths within 1 to 28 days	6	1		
43	Total Neonatal Death	8	3		
44	Deaths between (1 - 11) months	3	0		
45	Total reported infant deaths	11	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	1	1		

Kamrup M Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	12,53,938						
2	Sex Ratio	922						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	50						
4	Primary Health Centers (PHC)	48						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	32,807	32,135					
9	Expected number of Delivery	29,914	29,302					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	36,536	111.4	8,741	27.2	ANC Check-up in first trimester	77.6	
11	Mothers registered in the first trimester	33,135	90.7	8,260	94.5	At least 4ANC check up	68.9	
12	Mothers who had 4 or more ANC check ups	45,039	123.3	10,599	121.3	Neonatal tetanus received	96.3	
13	PW who got TT 2 / Booster injection	36,005	98.5	8,539	97.7	100 IFA tablets consumed	51.7	
14	PW who consumed 180 IFA tablets	36,644	100.3	8,771	100.3	Home Delivery	10.9	
15	Home Delivery against expected delivery *	17	0.1	1	0.0	Institutional Delivery	89.1	
16	Institutional Delivery against expected delivery *	28,884	96.6	5,661	19.3	Home Delivery by SBA	2.2	
17	Home Delivery against reported delivery **	17	0.1	1	0.0	PNC within 2days of delivery	75.6	
18	Institutional Delivery against reported delivery **	28,884	99.9	5,661	100.0			
19	Total reported Deliveries	28,901		5,662				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,942	75.9	3,509	62.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	28,870		28,338				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	28,651	99.2	5,667	20.0	Breastfed within 1 hour of birth	53	
24	Total Still Birth	682	2.4	122	2.2	BCG	90.6	
25	PC of newborn weighted at birth to live birth	28,384	99.1	5,610	99.0	3 dose of DPT	77	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,584	30.2	1,498	26.7	Measles First dose	74.7	

27	PC of newborns breastfed within 1 hour to total reported live birth.	27,734	96.8	5,453	96.2	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	27,059	93.7	5,951	21.0	Full Immunization	53.6
29	Children who have received BCG	29,614	102.6	6,105	21.5		
30	Children who have received Pentavalent 1	26,250	90.9	5,515	19.5		
31	Children who have received Pentavalent 3	25,535	88.4	5,850	20.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	26,492	91.8	5,754	20.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,633		1,560			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	8.8
35	Number of Tubectomies performed	2,400	342	Spacing	2.5
36	Number of IUD insertion	481	129	Women using any method	56.8
37	Number of IUD removals	717	110	Women using modern method	41.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	1942	522		
39	General OPD cases per 10,000 population ***	26,648	7,029		
40	Ayush OPD cases per 10,000 population ***	1,874	420		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	58	10		
42	Neonatal Deaths within 1 to 28 days	487	109		
43	Total Neonatal Death	545	119		
44	Deaths between (1 - 11) months	249	62		
45	Total reported infant deaths	794	181		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	4	2		
47	Due to PPH (Post-Partum haemorrhage)	5	0		
48	Due to Pregnancy related infection and sepsis, Fever	24	6		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	17	2		
52	Due to Other/Unknown Causes	17	2		
53	Total reported maternal deaths	68	12		

Karbi Anglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,60,955					
2	Sex Ratio	956					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	115					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	16,827		16,482			
9	Expected number of Delivery	15,343		15,029			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,754	93.6	4,101	24.9	ANC Check-up in first trimester	64.8
11	Mothers registered in the first trimester	14,183	90.0	3,841	93.7	At least 4ANC check up	63.9
12	Mothers who had 4 or more ANC check ups	10,856	68.9	2,833	69.1	Neonatal tetanus received	90.9
13	PW who got TT 2 / Booster injection	14,223	90.3	3,625	88.4	100 IFA tablets consumed	35.3
14	PW who consumed 180 IFA tablets	14,745	93.6	3,862	94.2	Home Delivery	25.1
15	Home Delivery against expected delivery *	626	4.1	28	0.2	Institutional Delivery	74.9
16	Institutional Delivery against expected delivery *	9,995	65.1	1,922	12.8	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	626	5.9	28	1.4	PNC within 2days of delivery	56.9
18	Institutional Delivery against reported delivery **	9,995	94.1	1,922	98.6		
19	Total reported Deliveries	10,621		1,950			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	426	68.1	20	71.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,249	77.7	1,788	91.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,808		14,534			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	10,565	71.3	1,935	13.3	Breastfed within 1 hour of birth	50.3
24	Total Still Birth	160	1.1	30	1.6	BCG	88.7
25	PC of newborn weighted at birth to live birth	10,377	98.2	1,922	99.3	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,211	11.7	235	12.2	Measles First dose	76.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,339	88.4	1,780	92.0	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	13,763	92.9	2,768	19.0	Full Immunization	64.3
29	Children who have received BCG	12,349	83.4	2,041	14.0		
30	Children who have received Pentavalent 1	14,427	97.4	2,813	19.4		
31	Children who have received Pentavalent 3	13,448	90.8	3,281	22.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,763	92.9	2,772	19.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,310		293			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.3
35	Number of Tubectomies performed	341	129	Spacing	2.4
36	Number of IUD insertion	1,546	122	Women using any method	66.3
37	Number of IUD removals	261	78	Women using modern method	41.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	268	57		
39	General OPD cases per 10,000 population ***	7,952	1,884		
40	Ayush OPD cases per 10,000 population ***	611	154		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	18	0		
42	Neonatal Deaths within 1 to 28 days	34	1		
43	Total Neonatal Death	52	1		
44	Deaths between (1 - 11) months	4	0		
45	Total reported infant deaths	56	1		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	1	4		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	6	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1		
52	Due to Other/Unknown Causes	6	0		
53	Total reported maternal deaths	14	5		

Karimganj Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	12,28,686						
2	Sex Ratio	961						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	232						
4	Primary Health Centers (PHC)	29						
5	Community Health Centers (CHC)	8						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	32,147	31,488					
9	Expected number of Delivery	29,312	28,712					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	33,645	104.7	9,917	31.5	ANC Check-up in first trimester	54.8	
11	Mothers registered in the first trimester	31,701	94.2	9,609	96.9	At least 4ANC check up	42.8	
12	Mothers who had 4 or more ANC check ups	31,566	93.8	8,362	84.3	Neonatal tetanus received	94.2	
13	PW who got TT 2 / Booster injection	33,153	98.5	9,398	94.8	100 IFA tablets consumed	39.9	
14	PW who consumed 180 IFA tablets	33,645	100.0	9,927	100.1	Home Delivery	23.6	
15	Home Delivery against expected delivery *	1,122	3.8	135	0.5	Institutional Delivery	76.4	
16	Institutional Delivery against expected delivery *	24,710	84.3	4,862	16.9	Home Delivery by SBA	2.4	
17	Home Delivery against reported delivery **	1,122	4.3	135	2.7	PNC within 2days of delivery	63.9	
18	Institutional Delivery against reported delivery **	24,710	95.7	4,862	97.3			
19	Total reported Deliveries	25,832		4,997				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	661	58.9	80	59.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,434	5.6	349	7.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	28,289		27,767				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	25,408	89.8	4,910	17.7	Breastfed within 1 hour of birth	40.3	
24	Total Still Birth	505	1.8	106	2.2	BCG	95.5	
25	PC of newborn weighted at birth to live birth	25,408	100.0	4,902	99.8	3 dose of DPT	84	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,264	12.8	692	14.1	Measles First dose	85.5	

27	PC of newborns breastfed within 1 hour to total reported live birth.	24,920	98.1	4,721	96.2	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	32,940	116.4	6,944	25.0	Full Immunization	75.1
29	Children who have received BCG	27,253	96.3	5,398	19.4		
30	Children who have received Pentavalent 1	33,493	118.4	7,477	26.9		
31	Children who have received Pentavalent 3	32,861	116.2	7,836	28.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	32,955	116.5	6,948	25.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	8,183		1,979			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.6
35	Number of Tubectomies performed	762	262	Spacing	4.2
36	Number of IUD insertion	3,195	281	Women using any method	64.3
37	Number of IUD removals	471	79	Women using modern method	54.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	458	83		
39	General OPD cases per 10,000 population ***	10,331	2,821		
40	Ayush OPD cases per 10,000 population ***	364	119		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	6	2		
42	Neonatal Deaths within 1 to 28 days	25	2		
43	Total Neonatal Death	31	4		
44	Deaths between (1 - 11) months	7	0		
45	Total reported infant deaths	38	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	3	0		
53	Total reported maternal deaths	3	0		

Kokrajhar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	8,87,142						
2	Sex Ratio	958						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	161						
4	Primary Health Centers (PHC)	46						
5	Community Health Centers (CHC)	3						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	23,211	22,735					
9	Expected number of Delivery	21,164	20,730					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	16,061	69.2	4,403	19.4	ANC Check-up in first trimester	67.0	
11	Mothers registered in the first trimester	14,410	89.7	3,991	90.6	At least 4ANC check up	36.9	
12	Mothers who had 4 or more ANC check ups	13,231	82.4	2,562	58.2	Neonatal tetanus received	95.8	
13	PW who got TT 2 / Booster injection	14,050	87.5	3,823	86.8	100 IFA tablets consumed	61.1	
14	PW who consumed 180 IFA tablets	16,683	103.9	4,408	100.1	Home Delivery	18.1	
15	Home Delivery against expected delivery *	256	1.2	26	0.1	Institutional Delivery	81.9	
16	Institutional Delivery against expected delivery *	14,334	67.7	2,523	12.2	Home Delivery by SBA	0.9	
17	Home Delivery against reported delivery **	256	1.8	26	1.0	PNC within 2days of delivery	68.3	
18	Institutional Delivery against reported delivery **	14,334	98.2	2,523	99.0			
19	Total reported Deliveries	14,590		2,549				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	174	68.0	20	76.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,067	82.7	1,929	75.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	20,425		20,048				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	14,457	70.8	2,523	12.6	Breastfed within 1 hour of birth	56.4	
24	Total Still Birth	220	1.1	40	1.6	BCG	95.3	
25	PC of newborn weighted at birth to live birth	14,428	99.8	2,520	99.9	3 dose of DPT	76.2	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,763	19.2	329	13.1	Measles First dose	79.5	

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,870	95.9	2,455	97.3	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	14,141	69.2	3,071	15.3	Full Immunization	51.1
29	Children who have received BCG	15,868	77.7	2,689	13.4		
30	Children who have received Pentavalent 1	14,191	69.5	3,177	15.8		
31	Children who have received Pentavalent 3	13,832	67.7	3,726	18.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,224	69.6	3,098	15.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,406		870			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10
35	Number of Tubectomies performed	362	55	Spacing	3.7
36	Number of IUD insertion	866	141	Women using any method	72.3
37	Number of IUD removals	848	205	Women using modern method	58
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	361	71		
39	General OPD cases per 10,000 population ***	8,669	2,355		
40	Ayush OPD cases per 10,000 population ***	1,118	307		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	27	31		
42	Neonatal Deaths within 1 to 28 days	37	1		
43	Total Neonatal Death	64	32		
44	Deaths between (1 - 11) months	12	1		
45	Total reported infant deaths	76	33		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	3	1		

Lakhimpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	10,42,137						
2	Sex Ratio	965						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	154						
4	Primary Health Centers (PHC)	29						
5	Community Health Centers (CHC)	9						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	27,266	26,707					
9	Expected number of Delivery	24,862	24,352					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	19,706	72.3	5,560	20.8	ANC Check-up in first trimester	61.0	
11	Mothers registered in the first trimester	19,319	98.0	5,476	98.5	At least 4ANC check up	51.7	
12	Mothers who had 4 or more ANC check ups	18,200	92.4	4,336	78.0	Neonatal tetanus received	97.3	
13	PW who got TT 2 / Booster injection	18,864	95.7	5,423	97.5	100 IFA tablets consumed	42.2	
14	PW who consumed 180 IFA tablets	19,702	100.0	5,499	98.9	Home Delivery	3.8	
15	Home Delivery against expected delivery *	7	0.0	1	0.0	Institutional Delivery	96.2	
16	Institutional Delivery against expected delivery *	15,208	61.2	2,679	11.0	Home Delivery by SBA	1.0	
17	Home Delivery against reported delivery **	7	0.0	1	0.0	PNC within 2days of delivery	67.7	
18	Institutional Delivery against reported delivery **	15,208	100.0	2,679	100.0			
19	Total reported Deliveries	15,215		2,680				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	71.4	1	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,125	92.8	2,680	100.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	23,994		23,551				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	15,096	62.9	2,674	11.4	Breastfed within 1 hour of birth	59	
24	Total Still Birth	230	1.0	24	0.9	BCG	94.5	
25	PC of newborn weighted at birth to live birth	15,054	99.7	2,672	99.9	3 dose of DPT	87.7	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,383	15.8	478	17.9	Measles First dose	86.3	

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,929	92.3	2,517	94.1	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	18,790	78.3	3,805	16.2	Full Immunization	69
29	Children who have received BCG	15,524	64.7	2,732	11.6		
30	Children who have received Pentavalent 1	19,489	81.2	3,992	17.0		
31	Children who have received Pentavalent 3	18,320	76.4	4,612	19.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,752	78.2	3,816	16.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,646		668			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	1,238	295	Spacing	4.5
36	Number of IUD insertion	811	157	Women using any method	67.1
37	Number of IUD removals	1,063	313	Women using modern method	43.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	544	151		
39	General OPD cases per 10,000 population ***	13,252	3,691		
40	Ayush OPD cases per 10,000 population ***	564	132		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	16	0		
42	Neonatal Deaths within 1 to 28 days	39	0		
43	Total Neonatal Death	55	0		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	56	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	4	0		
53	Total reported maternal deaths	6	0		

Majuli Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,67,304					
2	Sex Ratio	956					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	4,377		4,288			
9	Expected number of Delivery	3,991		3,910			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,154	72.1	879	20.5	ANC Check-up in first trimester	76.1
11	Mothers registered in the first trimester	3,024	95.9	847	96.4	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,977	94.4	627	71.3	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	2,920	92.6	700	79.6	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	3,139	99.5	820	93.3	Home Delivery	9.7
15	Home Delivery against expected delivery *	6	0.2	0	0.0	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,280	32.1	204	5.2	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	6	0.5	0	0.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,280	99.5	204	100.0		
19	Total reported Deliveries	1,286		204			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	16.7	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,044	81.2	178	87.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,852		3,781			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	1,276	33.1	204	5.4	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	15	0.4	0	0.0	BCG	95.2
25	PC of newborn weighted at birth to live birth	1,274	99.8	204	100.0	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	140	11.0	14	6.9	Measles First dose	90.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,195	93.7	195	95.6	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	3,161	82.1	615	16.3	Full Immunization	78.6
29	Children who have received BCG	1,312	34.1	207	5.5		
30	Children who have received Pentavalent 1	3,431	89.1	463	12.2		
31	Children who have received Pentavalent 3	3,368	87.4	609	16.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,160	82.0	616	16.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	935		243			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.6
35	Number of Tubectomies performed	107	4	Spacing	4.7
36	Number of IUD insertion	290	42	Women using any method	63.7
37	Number of IUD removals	118	26	Women using modern method	31.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	360	102		
39	General OPD cases per 10,000 population ***	18,353	4,486		
40	Ayush OPD cases per 10,000 population ***	1,725	446		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	3	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Morigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,57,423					
2	Sex Ratio	974					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	142					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	25,049		24,536			
9	Expected number of Delivery	22,841		22,373			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,584	82.2	6,014	24.5	ANC Check-up in first trimester	64.0
11	Mothers registered in the first trimester	18,793	91.3	5,646	93.9	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	17,109	83.1	3,223	53.6	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	19,123	92.9	5,292	88.0	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	20,560	99.9	5,943	98.8	Home Delivery	11.7
15	Home Delivery against expected delivery *	322	1.4	20	0.1	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,041	61.5	2,443	10.9	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	322	2.2	20	0.8	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,041	97.8	2,443	99.2		
19	Total reported Deliveries	14,363		2,463			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	135	41.9	1	5.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,694	67.5	1,543	62.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,044		21,637			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	14,327	65.0	2,460	11.4	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	108	0.5	15	0.6	BCG	91.3
25	PC of newborn weighted at birth to live birth	14,290	99.7	2,454	99.8	3 dose of DPT	87.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,202	15.4	361	14.7	Measles First dose	87

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,799	96.3	2,400	97.6	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	18,290	83.0	3,765	17.4	Full Immunization	73.4
29	Children who have received BCG	15,459	70.1	2,572	11.9		
30	Children who have received Pentavalent 1	18,671	84.7	4,052	18.7		
31	Children who have received Pentavalent 3	18,114	82.2	5,119	23.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,269	82.9	3,754	17.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,318		783			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	0	Total unmet need	6.5
35	Number of Tubectomies performed	762	175	Spacing	1.9
36	Number of IUD insertion	3,408	461	Women using any method	70.6
37	Number of IUD removals	599	94	Women using modern method	56.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	324	110		
39	General OPD cases per 10,000 population ***	10,197	2,801		
40	Ayush OPD cases per 10,000 population ***	479	124		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	5	6		
42	Neonatal Deaths within 1 to 28 days	4	1		
43	Total Neonatal Death	9	7		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	10	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		

Nagaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	18,92,550					
2	Sex Ratio	962					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	258					
4	Primary Health Centers (PHC)	71					
5	Community Health Centers (CHC)	12					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	46,435		45,484			
9	Expected number of Delivery	42,340		41,473			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	41,260	88.9	11,338	24.9	ANC Check-up in first trimester	73.1
11	Mothers registered in the first trimester	37,954	92.0	10,566	93.2	At least 4ANC check up	59.4
12	Mothers who had 4 or more ANC check ups	39,748	96.3	8,304	73.2	Neonatal tetanus received	97.1
13	PW who got TT 2 / Booster injection	37,785	91.6	10,050	88.6	100 IFA tablets consumed	46.5
14	PW who consumed 180 IFA tablets	35,712	86.6	8,124	71.7	Home Delivery	16.3
15	Home Delivery against expected delivery *	450	1.1	42	0.1	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	39,924	94.3	7,273	17.5	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	450	1.1	42	0.6	PNC within 2days of delivery	62.0
18	Institutional Delivery against reported delivery **	39,924	98.9	7,273	99.4		
19	Total reported Deliveries	40,374		7,315			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	13.8	6	14.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,873	69.0	4,379	59.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	40,863		40,108			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	39,814	97.4	7,215	18.0	Breastfed within 1 hour of birth	61.6
24	Total Still Birth	692	1.7	126	1.7	BCG	86.9
25	PC of newborn weighted at birth to live birth	39,581	99.4	7,202	99.8	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,414	13.7	1,145	15.9	Measles First dose	67.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	37,114	93.2	6,986	96.8	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	36,689	89.8	7,026	17.5	Full Immunization	58.2
29	Children who have received BCG	38,971	95.4	6,962	17.4		
30	Children who have received Pentavalent 1	37,522	91.8	7,823	19.5		
31	Children who have received Pentavalent 3	36,554	89.5	9,182	22.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,689	89.8	7,026	17.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	7,625		1,607			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	1	Total unmet need	12.3
35	Number of Tubectomies performed	1,298	239	Spacing	3.1
36	Number of IUD insertion	1,678	195	Women using any method	58.6
37	Number of IUD removals	370	96	Women using modern method	46.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	596	153		
39	General OPD cases per 10,000 population ***	13,963	3,587		
40	Ayush OPD cases per 10,000 population ***	557	176		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	60	10		
42	Neonatal Deaths within 1 to 28 days	223	32		
43	Total Neonatal Death	283	42		
44	Deaths between (1 - 11) months	17	1		
45	Total reported infant deaths	300	43		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	0		
52	Due to Other/Unknown Causes	2	2		
53	Total reported maternal deaths	6	2		

Nalbari Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	7,71,639						
2	Sex Ratio	945						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	124						
4	Primary Health Centers (PHC)	45						
5	Community Health Centers (CHC)	10						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	20,189	19,775					
9	Expected number of Delivery	18,408	18,031					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	11,412	56.5	3,170	16.0	ANC Check-up in first trimester	70.7	
11	Mothers registered in the first trimester	11,048	96.8	3,096	97.7	At least 4ANC check up	55.9	
12	Mothers who had 4 or more ANC check ups	12,154	106.5	2,291	72.3	Neonatal tetanus received	92.8	
13	PW who got TT 2 / Booster injection	10,573	92.6	2,886	91.0	100 IFA tablets consumed	38.6	
14	PW who consumed 180 IFA tablets	11,422	100.1	3,171	100.0	Home Delivery	8.2	
15	Home Delivery against expected delivery *	97	0.5	20	0.1	Institutional Delivery	91.8	
16	Institutional Delivery against expected delivery *	11,775	64.0	2,277	12.6	Home Delivery by SBA	0.4	
17	Home Delivery against reported delivery **	97	0.8	20	0.9	PNC within 2days of delivery	73.8	
18	Institutional Delivery against reported delivery **	11,775	99.2	2,277	99.1			
19	Total reported Deliveries	11,872		2,297				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	97	100.0	20	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,491	96.8	1,994	86.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	17,766		17,438				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	11,917	67.1	2,300	13.2	Breastfed within 1 hour of birth	41.8	
24	Total Still Birth	93	0.5	17	0.7	BCG	89.9	
25	PC of newborn weighted at birth to live birth	11,914	100.0	2,290	99.6	3 dose of DPT	85.2	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,438	12.1	303	13.2	Measles First dose	87.7	

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,568	97.1	2,275	98.9	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	12,606	71.0	2,418	13.9	Full Immunization	65.5
29	Children who have received BCG	12,840	72.3	2,564	14.7		
30	Children who have received Pentavalent 1	11,111	62.5	2,348	13.5		
31	Children who have received Pentavalent 3	10,966	61.7	2,746	15.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,303	69.2	2,210	12.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,623		448			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	13.2
35	Number of Tubectomies performed	1,145	233	Spacing	4.8
36	Number of IUD insertion	1,191	101	Women using any method	53.3
37	Number of IUD removals	519	112	Women using modern method	38.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	369	110		
39	General OPD cases per 10,000 population ***	12,769	3,336		
40	Ayush OPD cases per 10,000 population ***	2,067	478		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	9	1		
42	Neonatal Deaths within 1 to 28 days	48	10		
43	Total Neonatal Death	57	11		
44	Deaths between (1 - 11) months	6	2		
45	Total reported infant deaths	63	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		

Sivasagar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,92,435					
2	Sex Ratio	951					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	27					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	17,394		17,038			
9	Expected number of Delivery	15,860		15,535			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,338	47.9	2,318	13.6	ANC Check-up in first trimester	85.1
11	Mothers registered in the first trimester	7,869	94.4	2,199	94.9	At least 4ANC check up	80.9
12	Mothers who had 4 or more ANC check ups	7,740	92.8	1,529	66.0	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	7,846	94.1	2,185	94.3	100 IFA tablets consumed	53.7
14	PW who consumed 180 IFA tablets	7,951	95.4	1,933	83.4	Home Delivery	4.7
15	Home Delivery against expected delivery *	0	0.0	1	0.0	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	6,922	43.6	1,089	7.0	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	0	0.0	1	0.1	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	6,922	100.0	1,089	99.9		
19	Total reported Deliveries	6,922		1,090			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	1	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,203	75.2	754	69.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,307		15,024			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	6,897	45.1	1,080	7.2	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	61	0.4	13	1.2	BCG	95.7
25	PC of newborn weighted at birth to live birth	6,897	100.0	1,080	100.0	3 dose of DPT	90.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,169	16.9	195	18.1	Measles First dose	90.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	6,729	97.6	1,053	97.5	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	9,199	60.1	1,659	11.0	Full Immunization	77.6
29	Children who have received BCG	6,871	44.9	1,074	7.1		
30	Children who have received Pentavalent 1	8,887	58.1	1,513	10.1		
31	Children who have received Pentavalent 3	8,895	58.1	2,026	13.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,199	60.1	1,659	11.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,144		713			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	8.3
35	Number of Tubectomies performed	679	57	Spacing	3.2
36	Number of IUD insertion	431	41	Women using any method	67.3
37	Number of IUD removals	596	175	Women using modern method	39.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	423	109		
39	General OPD cases per 10,000 population ***	16,093	4,169		
40	Ayush OPD cases per 10,000 population ***	977	359		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	8	3		
42	Neonatal Deaths within 1 to 28 days	11	1		
43	Total Neonatal Death	19	4		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	19	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	0		

Sonitpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,11,619					
2	Sex Ratio	946					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	146					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	40,126		39,304			
9	Expected number of Delivery	36,587		35,838			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,765	49.3	5,647	14.4	ANC Check-up in first trimester	48.8
11	Mothers registered in the first trimester	17,767	89.9	5,126	90.8	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	16,441	83.2	3,468	61.4	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	18,086	91.5	5,186	91.8	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	19,535	98.8	5,554	98.4	Home Delivery	16.5
15	Home Delivery against expected delivery *	360	1.0	36	0.1	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	23,198	63.4	4,120	11.5	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	360	1.5	36	0.9	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	23,198	98.5	4,120	99.1		
19	Total reported Deliveries	23,558		4,156			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	26.1	6	16.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,747	32.9	1,155	27.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	35,311		34,659			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	23,474	66.5	4,168	12.0	Breastfed within 1 hour of birth	49.8
24	Total Still Birth	372	1.1	76	1.8	BCG	90.4
25	PC of newborn weighted at birth to live birth	23,106	98.4	4,140	99.3	3 dose of DPT	76.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,519	15.2	593	14.3	Measles First dose	80.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	21,806	92.9	3,607	86.5	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	19,115	54.1	3,999	11.5	Full Immunization	70.9
29	Children who have received BCG	24,558	69.5	4,402	12.7		
30	Children who have received Pentavalent 1	18,860	53.4	3,870	11.2		
31	Children who have received Pentavalent 3	18,401	52.1	4,725	13.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,115	54.1	3,999	11.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,868		515			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	8	0	Total unmet need	5.8
35	Number of Tubectomies performed	1,287	261	Spacing	2
36	Number of IUD insertion	783	69	Women using any method	74.4
37	Number of IUD removals	356	78	Women using modern method	58.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	445	114		
39	General OPD cases per 10,000 population ***	10,735	3,124		
40	Ayush OPD cases per 10,000 population ***	409	120		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	17	3		
42	Neonatal Deaths within 1 to 28 days	137	11		
43	Total Neonatal Death	154	14		
44	Deaths between (1 - 11) months	38	6		
45	Total reported infant deaths	192	20		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	5	1		
47	Due to PPH (Post-Partum haemorrhage)	7	0		
48	Due to Pregnancy related infection and sepsis, Fever	12	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	4		
52	Due to Other/Unknown Causes	2	1		
53	Total reported maternal deaths	30	6		

South Salmara Mancachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	952					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	14,524		14,226			
9	Expected number of Delivery	13,243		12,972			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	11,937	82.2	3,417	24.0	ANC Check-up in first trimester	60.1
11	Mothers registered in the first trimester	11,585	97.1	3,353	98.1	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	10,511	88.1	2,117	62.0	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	11,266	94.4	3,054	89.4	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	11,897	99.7	3,415	99.9	Home Delivery	28.3
15	Home Delivery against expected delivery *	820	6.2	48	0.4	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	8,153	61.6	1,526	11.8	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	820	9.1	48	3.0	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	8,153	90.9	1,526	97.0		
19	Total reported Deliveries	8,973		1,574			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	241	29.4	6	12.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,817	64.8	915	58.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	12,781		12,545			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	8,889	69.5	1,559	12.4	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	160	1.3	23	1.5	BCG	97
25	PC of newborn weighted at birth to live birth	8,844	99.5	1,555	99.7	3 dose of DPT	81.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,076	12.2	166	10.7	Measles First dose	85.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,640	97.2	1,496	96.0	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	11,396	89.2	2,172	17.3	Full Immunization	65.8
29	Children who have received BCG	11,472	89.8	1,987	15.8		
30	Children who have received Pentavalent 1	11,320	88.6	2,367	18.9		
31	Children who have received Pentavalent 3	11,040	86.4	2,647	21.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,396	89.2	2,167	17.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,675		993			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8
35	Number of Tubectomies performed	2	0	Spacing	1.7
36	Number of IUD insertion	734	71	Women using any method	71.5
37	Number of IUD removals	126	29	Women using modern method	60.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	156	45		
39	General OPD cases per 10,000 population ***	6,714	1,932		
40	Ayush OPD cases per 10,000 population ***	1,438	358		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	8	3		
42	Neonatal Deaths within 1 to 28 days	35	2		
43	Total Neonatal Death	43	5		
44	Deaths between (1 - 11) months	12	2		
45	Total reported infant deaths	55	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	2	0		

Tamulpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,25,902					
2	Sex Ratio	967					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	NA		8,352			
9	Expected number of Delivery	NA		7,616			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	1,470	17.6	ANC Check-up in first trimester	61.1
11	Mothers registered in the first trimester	NA	NA	1,414	96.2	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	NA	NA	780	53.1	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	NA	NA	1,279	87.0	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	NA	NA	1,071	72.9	Home Delivery	10.1
15	Home Delivery against expected delivery *	NA	NA	0	0.0	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	NA	NA	354	4.6	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	NA	NA	0	0.0	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	NA	NA	354	100.0		
19	Total reported Deliveries	NA		354			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	476	134.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	NA		7,365			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	NA	NA	346	4.7	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	NA	NA	8	2.3	BCG	93.6
25	PC of newborn weighted at birth to live birth	NA	NA	346	100.0	3 dose of DPT	87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	41	11.8	Measles First dose	91.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	340	98.3	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	NA	NA	1,093	14.8	Full Immunization	70.5
29	Children who have received BCG	NA	NA	364	4.9		
30	Children who have received Pentavalent 1	NA	NA	968	13.1		
31	Children who have received Pentavalent 3	NA	NA	1,270	17.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	1,104	15.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		116			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	12.5
35	Number of Tubectomies performed	NA	0	Spacing	5.7
36	Number of IUD insertion	NA	26	Women using any method	59.2
37	Number of IUD removals	NA	39	Women using modern method	47.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	NA	28		
39	General OPD cases per 10,000 population ***	NA	2,515		
40	Ayush OPD cases per 10,000 population ***	NA	719		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Tinsukia Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	13,27,929						
2	Sex Ratio	948						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	166						
4	Primary Health Centers (PHC)	22						
5	Community Health Centers (CHC)	8						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	34,743	34,032					
9	Expected number of Delivery	31,679	31,031					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	20,805	59.9	5,995	17.6	ANC Check-up in first trimester	70.7	
11	Mothers registered in the first trimester	19,075	91.7	5,590	93.2	At least 4ANC check up	63.1	
12	Mothers who had 4 or more ANC check ups	19,391	93.2	4,314	72.0	Neonatal tetanus received	93.9	
13	PW who got TT 2 / Booster injection	20,065	96.4	5,452	90.9	100 IFA tablets consumed	43.8	
14	PW who consumed 180 IFA tablets	20,902	100.5	5,948	99.2	Home Delivery	17.4	
15	Home Delivery against expected delivery *	111	0.4	22	0.1	Institutional Delivery	82.6	
16	Institutional Delivery against expected delivery *	18,805	59.4	3,101	10.0	Home Delivery by SBA	1.0	
17	Home Delivery against reported delivery **	111	0.6	22	0.7	PNC within 2days of delivery	73.6	
18	Institutional Delivery against reported delivery **	18,805	99.4	3,101	99.3			
19	Total reported Deliveries	18,916		3,123				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	60	54.1	14	63.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,434	102.7	2,603	83.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	30,574		30,010				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	18,776	61.4	3,108	10.4	Breastfed within 1 hour of birth	51.6	
24	Total Still Birth	232	0.8	37	1.2	BCG	97.2	
25	PC of newborn weighted at birth to live birth	18,776	100.0	3,108	100.0	3 dose of DPT	92.7	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,148	16.8	527	17.0	Measles First dose	95.1	

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,915	90.1	2,953	95.0	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	20,305	66.4	4,049	13.5	Full Immunization	75
29	Children who have received BCG	19,706	64.5	3,294	11.0		
30	Children who have received Pentavalent 1	20,369	66.6	4,526	15.1		
31	Children who have received Pentavalent 3	19,496	63.8	5,036	16.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,298	66.4	4,040	13.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,967		868			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	55	0	Total unmet need	11
35	Number of Tubectomies performed	1,500	113	Spacing	4.4
36	Number of IUD insertion	779	129	Women using any method	59.2
37	Number of IUD removals	761	192	Women using modern method	36.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	713	159		
39	General OPD cases per 10,000 population ***	17,749	4,692		
40	Ayush OPD cases per 10,000 population ***	253	65		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	6	0		
42	Neonatal Deaths within 1 to 28 days	8	1		
43	Total Neonatal Death	14	1		
44	Deaths between (1 - 11) months	3	2		
45	Total reported infant deaths	17	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	3	0		

Udalguri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	8,31,668						
2	Sex Ratio	966						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	150						
4	Primary Health Centers (PHC)	23						
5	Community Health Centers (CHC)	8						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	21,759	21,314					
9	Expected number of Delivery	19,841	19,434					
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	12,403	57.0	3,459	16.2	ANC Check-up in first trimester	50.1	
11	Mothers registered in the first trimester	11,663	94.0	3,270	94.5	At least 4ANC check up	49.8	
12	Mothers who had 4 or more ANC check ups	11,209	90.4	1,922	55.6	Neonatal tetanus received	91.0	
13	PW who got TT 2 / Booster injection	11,010	88.8	3,114	90.0	100 IFA tablets consumed	44.2	
14	PW who consumed 180 IFA tablets	12,596	101.6	2,631	76.1	Home Delivery	13.8	
15	Home Delivery against expected delivery *	8	0.0	1	0.0	Institutional Delivery	86.2	
16	Institutional Delivery against expected delivery *	4,985	25.1	864	4.4	Home Delivery by SBA	1.9	
17	Home Delivery against reported delivery **	8	0.2	1	0.1	PNC within 2days of delivery	53.1	
18	Institutional Delivery against reported delivery **	4,985	99.8	864	99.9			
19	Total reported Deliveries	4,993		865				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	62.5	1	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,087	141.9	1,326	153.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	19,148		18,795				
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)		
23	Total reported live births	4,952	25.9	863	4.6	Breastfed within 1 hour of birth	46.5	
24	Total Still Birth	57	0.3	5	0.6	BCG	78.6	
25	PC of newborn weighted at birth to live birth	4,949	99.9	857	99.3	3 dose of DPT	68	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	557	11.3	92	10.7	Measles First dose	75.9	

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,906	99.1	845	97.9	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	11,624	60.7	2,307	12.3	Full Immunization	38.3
29	Children who have received BCG	5,658	29.5	936	5.0		
30	Children who have received Pentavalent 1	11,404	59.6	2,311	12.3		
31	Children who have received Pentavalent 3	11,178	58.4	2,753	14.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,585	60.5	2,313	12.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,314		434			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	167	30	Spacing	6.4
36	Number of IUD insertion	1,471	268	Women using any method	50.2
37	Number of IUD removals	784	204	Women using modern method	36.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	248	58		
39	General OPD cases per 10,000 population ***	11,732	3,005		
40	Ayush OPD cases per 10,000 population ***	1,027	307		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	4	1		
42	Neonatal Deaths within 1 to 28 days	8	1		
43	Total Neonatal Death	12	2		
44	Deaths between (1 - 11) months	3	4		
45	Total reported infant deaths	15	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	0		

West Karbi Anglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,95,358					
2	Sex Ratio	956					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	8,194		8,026			
9	Expected number of Delivery	7,471		7,318			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,205	87.9	1,785	22.2	ANC Check-up in first trimester	55.5
11	Mothers registered in the first trimester	5,951	82.6	1,564	87.6	At least 4ANC check up	46.7
12	Mothers who had 4 or more ANC check ups	4,107	57.0	931	52.2	Neonatal tetanus received	87.6
13	PW who got TT 2 / Booster injection	6,466	89.7	1,593	89.2	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	7,072	98.2	1,768	99.0	Home Delivery	27.5
15	Home Delivery against expected delivery *	1,604	21.5	288	3.9	Institutional Delivery	72.5
16	Institutional Delivery against expected delivery *	2,693	36.0	558	7.6	Home Delivery by SBA	12.0
17	Home Delivery against reported delivery **	1,604	37.3	288	34.0	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	2,693	62.7	558	66.0		
19	Total reported Deliveries	4,297		846			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	155	9.7	34	11.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,022	47.1	415	49.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,210		7,077			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5(2019-20)	
23	Total reported live births	4,197	58.2	826	11.7	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	108	1.5	23	2.8	BCG	92.7
25	PC of newborn weighted at birth to live birth	4,191	99.9	825	99.9	3 dose of DPT	70.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	117	2.8	28	3.4	Measles First dose	66.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,067	96.9	822	99.5	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	6,227	86.4	1,329	18.8	Full Immunization	47.9
29	Children who have received BCG	5,324	73.8	1,049	14.8		
30	Children who have received Pentavalent 1	6,192	85.9	1,312	18.5		
31	Children who have received Pentavalent 3	6,268	86.9	1,544	21.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,225	86.3	1,330	18.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	588		161			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	45	12	Spacing	3.2
36	Number of IUD insertion	737	60	Women using any method	69.9
37	Number of IUD removals	200	30	Women using modern method	43.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	181	36		
39	General OPD cases per 10,000 population ***	4,434	1,517		
40	Ayush OPD cases per 10,000 population ***	769	206		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	6	0		
43	Total Neonatal Death	7	0		
44	Deaths between (1 - 11) months	13	1		
45	Total reported infant deaths	20	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		