

## ASSAM Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	3,12,05,576				
2	Sex Ratio	954				
B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	4,728				
4	Primary Health Centers (PHC)	1,009				
5	Community Health Centers (CHC)	205				
6	SDH	15				
7	DH	19				
C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,16,445	7,99,722			
9	Expected number of Delivery	7,44,449	7,29,201			
	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5(2019-20)	
	Number	PC	Number	PC		
10	PW register for ANC	6,37,436	78.1	3,26,309	40.8	ANC Check-up in first trimester
11	Mothers registered in the first trimester	6,02,206	94.5	3,10,596	95.2	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	5,91,547	92.8	2,81,302	86.2	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	5,97,769	93.8	3,12,289	95.7	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	6,28,561	98.6	3,21,855	98.6	Home Delivery
15	Home Delivery against expected delivery *	13,977	1.9	3,184	0.4	Institutional Delivery
16	Institutional Delivery against expected delivery *	5,18,065	69.6	2,29,770	31.5	Home Delivery by SBA
17	Home Delivery against reported delivery **	13,977	2.6	3,184	1.4	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	5,18,065	97.4	2,29,770	98.6	
19	Total reported Deliveries	5,32,042		2,32,954		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5,394	38.6	1,251	39.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,04,662	76.1	1,60,657	69.0	
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>						
22	Expected number of Live Birth	7,18,471		7,05,210		
D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5(2019-20)	
	Number	PC	Number	PC		
23	Total reported live births	5,27,586	73.4	2,31,239	32.8	Breastfed within 1 hour of birth
24	Total Still Birth	8,306	1.2	3,553	1.5	BCG
25	PC of newborn weighted at birth to live birth	5,25,203	99.5	2,30,030	99.5	3 dose of DPT
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	75,521	14.4	34,667	15.1	Measles First dose
						82.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,07,917	96.3	2,23,066	96.5	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	5,99,151	83.4	2,77,749	39.4	Full Immunization	66.4
29	Children who have received BCG	5,72,201	79.6	2,40,409	34.1		
30	Children who have received Pentavalent 1	5,97,063	83.1	2,36,089	33.5		
31	Children who have received Pentavalent 3	5,83,356	81.2	2,60,518	36.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,98,177	83.3	2,76,705	39.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	91,254		50,024			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	282	98	Total unmet need	11
35	Number of Tubectomies performed	29,397	12,623	Spacing	4.1
36	Number of IUD insertion	51,838	24,130	Women using any method	60.8
37	Number of IUD removals	18,273	8,906	Women using modern method	45.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	561	299		
39	General OPD cases per 10,000 population ***	13,817	7,582		
40	Ayush OPD cases per 10,000 population ***	818	440		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	626	323		
42	Neonatal Deaths within 1 to 28 days	2,627	1,145		
43	<b>Total Neonatal Death</b>	<b>3,253</b>	<b>1,468</b>		
44	Deaths between (1 - 11) months	991	223		
45	<b>Total reported infant deaths</b>	<b>4,244</b>	<b>1,691</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	17	17		
47	Due to PPH (Post-Partum haemorrhage)	32	15		
48	Due to Pregnancy related infection and sepsis, Fever	61	31		
49	Due to Abortive complication	4	2		
50	Due to Obstructed/prolonged labour	5	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	62	30		
52	Due to Other/Unknown Causes	112	47		
53	<b>Total reported maternal deaths</b>	<b>293</b>	<b>142</b>		

## Bajali Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Numbers				
1	Population 2011	2,53,816				
2	Sex Ratio	951				
B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	NA				
4	Primary Health Centers (PHC)	NA				
5	Community Health Centers (CHC)	NA				
6	SDH	NA				
7	DH	NA				
C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	NA	6,505			
9	Expected number of Delivery	NA	5,931			
	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)			
	Number	PC	Number	PC		
10	PW register for ANC	NA	NA	2,810	43.2	ANC Check-up in first trimester
11	Mothers registered in the first trimester	NA	NA	2,685	95.6	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	NA	NA	2,073	73.8	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	NA	NA	2,686	95.6	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	NA	NA	2,792	99.4	Home Delivery
15	Home Delivery against expected delivery *	NA	NA	3	0.1	Institutional Delivery
16	Institutional Delivery against expected delivery *	NA	NA	1,444	24.3	Home Delivery by SBA
17	Home Delivery against reported delivery **	NA	NA	3	0.2	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	NA	NA	1,444	99.8	
19	Total reported Deliveries	NA		1,447		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	3	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	2,074	143.3	
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>						
22	Expected number of Live Birth	NA		5,736		
D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)			
23	Total reported live births	NA	NA	1,445	25.2	Breastfed within 1 hour of birth
24	Total Still Birth	NA	NA	5	0.3	BCG
25	PC of newborn weighted at birth to live birth	NA	NA	1,344	93.0	3 dose of DPT
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	132	9.8	Measles First dose

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	1,424	98.5	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	NA	NA	2,402	41.9	Full Immunization	54.6
29	Children who have received BCG	NA	NA	1,520	26.5		
30	Children who have received Pentavalent 1	NA	NA	1,983	34.6		
31	Children who have received Pentavalent 3	NA	NA	2,276	39.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	2,389	41.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		330			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	12.3
35	Number of Tubectomies performed	NA	139	Spacing	3.9
36	Number of IUD insertion	NA	199	Women using any method	57.3
37	Number of IUD removals	NA	80	Women using modern method	47.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	NA	92		
39	General OPD cases per 10,000 population ***	NA	8,185		
40	Ayush OPD cases per 10,000 population ***	NA	403		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	NA	1		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>1</b>		
44	Deaths between (1 - 11) months	NA	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Baksa Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	9,50,075				
2	Sex Ratio	967				
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>				
3	Sub Centers (SC)	NA				
4	Primary Health Centers (PHC)	NA				
5	Community Health Centers (CHC)	NA				
6	SDH	NA				
7	DH	NA				
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	NA	15,996			
9	Expected number of Delivery	NA	14,585			
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	NA	NA	3,890	24.3	ANC Check-up in first trimester 61.1
11	Mothers registered in the first trimester	NA	NA	3,758	96.6	At least 4ANC check up 56.0
12	Mothers who had 4 or more ANC check ups	NA	NA	2,927	75.2	Neonatal tetanus received 95.0
13	PW who got TT 2 / Booster injection	NA	NA	3,818	98.1	100 IFA tablets consumed 56.2
14	PW who consumed 180 IFA tablets	NA	NA	3,615	92.9	Home Delivery 10.1
15	Home Delivery against expected delivery *	NA	NA	0	0.0	Institutional Delivery 89.9
16	Institutional Delivery against expected delivery *	NA	NA	1,246	8.5	Home Delivery by SBA 4.6
17	Home Delivery against reported delivery **	NA	NA	0	0.0	PNC within 2days of delivery 65.0
18	Institutional Delivery against reported delivery **	NA	NA	1,246	100.0	
19	Total reported Deliveries	NA		1,246		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	2,568	206.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	NA		14,106		
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>		
23	Total reported live births	NA	NA	1,243	8.8	Breastfed within 1 hour of birth 34.9
24	Total Still Birth	NA	NA	8	0.6	BCG 93.6
25	PC of newborn weighted at birth to live birth	NA	NA	1,242	99.9	3 dose of DPT 87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	213	17.1	Measles First dose 91.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	1,222	98.3	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	NA	NA	3,541	25.1	Full Immunization	70.5
29	Children who have received BCG	NA	NA	1,536	10.9		
30	Children who have received Pentavalent 1	NA	NA	2,717	19.3		
31	Children who have received Pentavalent 3	NA	NA	3,100	22.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	3,539	25.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		271			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	12.5
35	Number of Tubectomies performed	NA	45	Spacing	5.7
36	Number of IUD insertion	NA	311	Women using any method	59.2
37	Number of IUD removals	NA	72	Women using modern method	47.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	NA	29		
39	General OPD cases per 10,000 population ***	NA	3,754		
40	Ayush OPD cases per 10,000 population ***	NA	726		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>		
44	Deaths between (1 - 11) months	NA	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Barpeta Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	16,93,622					
2	Sex Ratio	951					
B) Infrastructure Details (HDI 2022-23)	Numbers						
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:	2024-25	2025-26					
8	Expected number of PW	NA	36,899				
9	Expected number of Delivery	NA	33,645				
	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5(2019-20)		
	Number	PC	Number	PC			
10	PW register for ANC	NA	NA	17,553	47.6	ANC Check-up in first trimester	62.2
11	Mothers registered in the first trimester	NA	NA	16,894	96.2	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	NA	NA	13,991	79.7	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	NA	NA	16,976	96.7	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	NA	NA	17,376	99.0	Home Delivery	12.4
15	Home Delivery against expected delivery *	NA	NA	69	0.2	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	NA	NA	14,670	43.6	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	NA	NA	69	0.5	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	NA	NA	14,670	99.5		
19	Total reported Deliveries	NA		14,739			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	57	82.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	13,670	92.7		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>							
22	Expected number of Live Birth	NA		32,538			
D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5(2019-20)		
23	Total reported live births	NA	NA	14,653	45.0	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	NA	NA	184	1.3	BCG	94.3
25	PC of newborn weighted at birth to live birth	NA	NA	14,543	99.2	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	3,273	22.5	Measles First dose	83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	14,229	97.1	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	NA	NA	14,540	44.7	Full Immunization	54.6
29	Children who have received BCG	NA	NA	15,680	48.2		
30	Children who have received Pentavalent 1	NA	NA	12,282	37.7		
31	Children who have received Pentavalent 3	NA	NA	13,665	42.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	14,490	44.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		1,132			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	18	Total unmet need	12.3
35	Number of Tubectomies performed	NA	1,305	Spacing	3.9
36	Number of IUD insertion	NA	1,072	Women using any method	57.3
37	Number of IUD removals	NA	335	Women using modern method	47.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	NA	211		
39	General OPD cases per 10,000 population ***	NA	5,547		
40	Ayush OPD cases per 10,000 population ***	NA	626		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	NA	18		
42	Neonatal Deaths within 1 to 28 days	NA	276		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>294</b>		
44	Deaths between (1 - 11) months	NA	1		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>295</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	1		
52	Due to Other/Unknown Causes	NA	10		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>12</b>		

## Biswanath Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	6,12,491				
2	Sex Ratio	946				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	139				
4	Primary Health Centers (PHC)	26				
5	Community Health Centers (CHC)	3				
6	SDH	2				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	10,216	10,006			
9	Expected number of Delivery	9,315	9,124			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	12,382	121.2	6,366	63.6	ANC Check-up in first trimester 41.2
11	Mothers registered in the first trimester	11,740	94.8	6,055	95.1	At least 4ANC check up 46.5
12	Mothers who had 4 or more ANC check ups	12,101	97.7	5,303	83.3	Neonatal tetanus received 94.6
13	PW who got TT 2 / Booster injection	11,680	94.3	6,088	95.6	100 IFA tablets consumed 63.7
14	PW who consumed 180 IFA tablets	12,314	99.5	6,279	98.6	Home Delivery 15.7
15	Home Delivery against expected delivery *	19	0.2	2	0.0	Institutional Delivery 84.3
16	Institutional Delivery against expected delivery *	8,253	88.6	3,418	37.5	Home Delivery by SBA 0.6
17	Home Delivery against reported delivery **	19	0.2	2	0.1	PNC within 2days of delivery 56.5
18	Institutional Delivery against reported delivery **	8,253	99.8	3,418	99.9	
19	Total reported Deliveries	8,272		3,420		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	94.7	2	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,503	114.9	2,859	83.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	8,990		8,824		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	8,235	91.6	3,388	38.4	Breastfed within 1 hour of birth 62.7
24	Total Still Birth	58	0.6	38	1.1	BCG 88.3
25	PC of newborn weighted at birth to live birth	8,221	99.8	3,369	99.4	3 dose of DPT 82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	787	9.6	270	8.0	Measles First dose 87.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,015	97.3	3,235	95.5	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,411	138.1	5,512	62.5	Full Immunization	66.2
29	Children who have received BCG	10,001	111.3	3,520	39.9		
30	Children who have received Pentavalent 1	11,867	132.0	4,369	49.5		
31	Children who have received Pentavalent 3	11,665	129.8	5,033	57.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,411	138.1	5,519	62.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	492		291			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	0	Total unmet need	5.3
35	Number of Tubectomies performed	544	47	Spacing	1.4
36	Number of IUD insertion	593	88	Women using any method	72.4
37	Number of IUD removals	286	103	Women using modern method	56.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	709	319		
39	General OPD cases per 10,000 population ***	26,627	14,018		
40	Ayush OPD cases per 10,000 population ***	1,255	797		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	2	0		
43	<b>Total Neonatal Death</b>	<b>3</b>	<b>0</b>		
44	Deaths between (1 - 11) months	1	0		
45	<b>Total reported infant deaths</b>	<b>4</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Bongaigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	7,38,804				
2	Sex Ratio	961				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	108				
4	Primary Health Centers (PHC)	29				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	19,330	18,934			
9	Expected number of Delivery	17,625	17,264			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	14,715	76.1	7,713	40.7	ANC Check-up in first trimester 65.1
11	Mothers registered in the first trimester	14,091	95.8	7,371	95.6	At least 4ANC check up 33.9
12	Mothers who had 4 or more ANC check ups	14,368	97.6	7,171	93.0	Neonatal tetanus received 91.8
13	PW who got TT 2 / Booster injection	13,650	92.8	7,411	96.1	100 IFA tablets consumed 46.7
14	PW who consumed 180 IFA tablets	14,715	100.0	7,892	102.3	Home Delivery 15.5
15	Home Delivery against expected delivery *	104	0.6	18	0.1	Institutional Delivery 84.5
16	Institutional Delivery against expected delivery *	12,258	69.5	5,171	30.0	Home Delivery by SBA 4.9
17	Home Delivery against reported delivery **	104	0.8	18	0.3	PNC within 2days of delivery 57.0
18	Institutional Delivery against reported delivery **	12,258	99.2	5,171	99.7	
19	Total reported Deliveries	12,362		5,189		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	87.5	18	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,829	103.8	5,092	98.1	
<p><b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>						
22	Expected number of Live Birth	17,010		16,696		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	12,383	72.8	5,157	30.9	Breastfed within 1 hour of birth 46.7
24	Total Still Birth	130	0.8	82	1.6	BCG 94.1
25	PC of newborn weighted at birth to live birth	12,368	99.9	5,120	99.3	3 dose of DPT 80.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,280	10.3	469	9.2	Measles First dose 84.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	12,166	98.2	5,062	98.2	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	15,137	89.0	7,303	43.7	Full Immunization	67.9
29	Children who have received BCG	16,946	99.6	6,508	39.0		
30	Children who have received Pentavalent 1	15,032	88.4	5,886	35.3		
31	Children who have received Pentavalent 3	14,637	86.0	6,326	37.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,130	88.9	7,323	43.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,165		836			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.1
35	Number of Tubectomies performed	845	324	Spacing	5.1
36	Number of IUD insertion	1,595	759	Women using any method	57.6
37	Number of IUD removals	228	76	Women using modern method	45.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	481	281		
39	General OPD cases per 10,000 population ***	11,650	6,496		
40	Ayush OPD cases per 10,000 population ***	649	317		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	9	3		
42	Neonatal Deaths within 1 to 28 days	9	4		
43	<b>Total Neonatal Death</b>	<b>18</b>	<b>7</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>18</b>	<b>7</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	3	0		
53	<b>Total reported maternal deaths</b>	<b>6</b>	<b>0</b>		

## Cachar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	17,36,617				
2	Sex Ratio	958				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	270				
4	Primary Health Centers (PHC)	37				
5	Community Health Centers (CHC)	7				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	45,436	44,505			
9	Expected number of Delivery	41,429	40,581			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	39,175	86.2	21,112	47.4	ANC Check-up in first trimester 52.0
11	Mothers registered in the first trimester	36,284	92.6	19,740	93.5	At least 4ANC check up 32.7
12	Mothers who had 4 or more ANC check ups	35,824	91.4	19,606	92.9	Neonatal tetanus received 90.0
13	PW who got TT 2 / Booster injection	37,906	96.8	19,666	93.2	100 IFA tablets consumed 35.6
14	PW who consumed 180 IFA tablets	38,527	98.3	20,893	99.0	Home Delivery 20.8
15	Home Delivery against expected delivery *	171	0.4	28	0.1	Institutional Delivery 79.2
16	Institutional Delivery against expected delivery *	39,293	94.8	17,074	42.1	Home Delivery by SBA 2.1
17	Home Delivery against reported delivery **	171	0.4	28	0.2	PNC within 2days of delivery 57.3
18	Institutional Delivery against reported delivery **	39,293	99.6	17,074	99.8	
19	Total reported Deliveries	39,464		17,102		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	55.0	22	78.6	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30,002	76.0	10,388	60.7	
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>						
22	Expected number of Live Birth	39,984		39,246		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	38,991	97.5	16,922	43.1	Breastfed within 1 hour of birth 29.8
24	Total Still Birth	794	2.0	308	1.8	BCG 88.3
25	PC of newborn weighted at birth to live birth	38,991	100.0	16,922	100.0	3 dose of DPT 82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,148	18.3	2,880	17.0	Measles First dose 76.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	38,494	98.7	16,787	99.2	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	42,991	107.5	18,983	48.4	Full Immunization	70.4
29	Children who have received BCG	42,073	105.2	16,911	43.1		
30	Children who have received Pentavalent 1	43,566	109.0	17,491	44.6		
31	Children who have received Pentavalent 3	43,089	107.8	17,727	45.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	42,978	107.5	18,970	48.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,143		1,931			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	13	14	Total unmet need	15.6
35	Number of Tubectomies performed	1,710	965	Spacing	6.9
36	Number of IUD insertion	1,678	2,222	Women using any method	48
37	Number of IUD removals	173	100	Women using modern method	38.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	860	443		
39	General OPD cases per 10,000 population ***	14,956	8,160		
40	Ayush OPD cases per 10,000 population ***	154	137		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	114	51		
42	Neonatal Deaths within 1 to 28 days	3	54		
43	<b>Total Neonatal Death</b>	<b>117</b>	<b>105</b>		
44	Deaths between (1 - 11) months	304	0		
45	<b>Total reported infant deaths</b>	<b>421</b>	<b>105</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	2		
52	Due to Other/Unknown Causes	27	9		
53	<b>Total reported maternal deaths</b>	<b>31</b>	<b>12</b>		

## Charaideo Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	4,58,615				
2	Sex Ratio	951				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	70				
4	Primary Health Centers (PHC)	19				
5	Community Health Centers (CHC)	2				
6	SDH	1				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	12,721	12,461			
9	Expected number of Delivery	11,600	11,362			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	7,136	56.1	3,379	27.1	ANC Check-up in first trimester 74.1
11	Mothers registered in the first trimester	6,860	96.1	3,233	95.7	At least 4ANC check up 64.5
12	Mothers who had 4 or more ANC check ups	6,749	94.6	2,906	86.0	Neonatal tetanus received 95.9
13	PW who got TT 2 / Booster injection	6,788	95.1	3,336	98.7	100 IFA tablets consumed 51.7
14	PW who consumed 180 IFA tablets	7,116	99.7	3,393	100.4	Home Delivery 11.8
15	Home Delivery against expected delivery *	2	0.0	0	0.0	Institutional Delivery 88.2
16	Institutional Delivery against expected delivery *	3,720	32.1	1,806	15.9	Home Delivery by SBA 2.2
17	Home Delivery against reported delivery **	2	0.1	0	0.0	PNC within 2days of delivery 70.5
18	Institutional Delivery against reported delivery **	3,720	99.9	1,806	100.0	
19	Total reported Deliveries	3,722		1,806		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	100.0	0	-	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,379	117.7	1,366	75.6	
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>						
22	Expected number of Live Birth	11,195		10,988		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	3,696	33.0	1,799	16.4	Breastfed within 1 hour of birth 58.3
24	Total Still Birth	46	0.4	15	0.8	BCG 96.2
25	PC of newborn weighted at birth to live birth	3,694	99.9	1,799	100.0	3 dose of DPT 90.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	789	21.4	426	23.7	Measles First dose 90

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,552	96.1	1,683	93.6	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	6,767	60.4	3,134	28.5	Full Immunization	74
29	Children who have received BCG	3,881	34.7	1,831	16.7		
30	Children who have received Pentavalent 1	6,922	61.8	2,479	22.6		
31	Children who have received Pentavalent 3	6,644	59.3	2,943	26.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,765	60.4	3,124	28.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,494		690			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	477	21	Spacing	3.7
36	Number of IUD insertion	781	330	Women using any method	67
37	Number of IUD removals	339	230	Women using modern method	43.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	194	93		
39	General OPD cases per 10,000 population ***	16,549	8,507		
40	Ayush OPD cases per 10,000 population ***	560	393		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Chirang Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,82,162					
2	Sex Ratio	969					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	87					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	12,615	12,357				
9	Expected number of Delivery	11,503	11,267				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	8,135	64.5	4,172	33.8	ANC Check-up in first trimester	55.9
11	Mothers registered in the first trimester	7,262	89.3	3,757	90.1	At least 4ANC check up	56.5
12	Mothers who had 4 or more ANC check ups	6,979	85.8	3,122	74.8	Neonatal tetanus received	96.1
13	PW who got TT 2 / Booster injection	7,345	90.3	4,097	98.2	100 IFA tablets consumed	47.1
14	PW who consumed 180 IFA tablets	7,968	97.9	4,171	100.0	Home Delivery	16.3
15	Home Delivery against expected delivery *	484	4.2	80	0.7	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	5,088	44.2	2,582	22.9	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	484	8.7	80	3.0	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	5,088	91.3	2,582	97.0		
19	Total reported Deliveries	5,572		2,662			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	4.5	8	10.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,503	98.8	2,709	101.8		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>							
22	Expected number of Live Birth	11,101		10,896			
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)			
23	Total reported live births	5,530	49.8	2,627	24.1	Breastfed within 1 hour of birth	40.5
24	Total Still Birth	66	0.6	45	1.7	BCG	98.2
25	PC of newborn weighted at birth to live birth	5,528	100.0	2,626	100.0	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	560	10.1	287	10.9	Measles First dose	89.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,477	99.0	2,610	99.4	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	7,783	70.1	3,581	32.9	Full Immunization	71.1
29	Children who have received BCG	7,112	64.1	2,941	27.0		
30	Children who have received Pentavalent 1	7,688	69.3	2,911	26.7		
31	Children who have received Pentavalent 3	7,630	68.7	3,365	30.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,776	70.0	3,583	32.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,643		813			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	221	194	Spacing	3.7
36	Number of IUD insertion	1,312	591	Women using any method	65.8
37	Number of IUD removals	804	432	Women using modern method	55.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	373	207		
39	General OPD cases per 10,000 population ***	9,453	5,359		
40	Ayush OPD cases per 10,000 population ***	1,356	770		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	4	2		
42	Neonatal Deaths within 1 to 28 days	4	3		
43	<b>Total Neonatal Death</b>	<b>8</b>	<b>5</b>		
44	Deaths between (1 - 11) months	5	2		
45	<b>Total reported infant deaths</b>	<b>13</b>	<b>7</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Darrang Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)								
1	Population 2011	9,28,500							
2	Sex Ratio	923							
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>							
3	Sub Centers (SC)	159							
4	Primary Health Centers (PHC)	34							
5	Community Health Centers (CHC)	7							
6	SDH	0							
7	DH	1							
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>						
8	Expected number of PW	24,293	23,795						
9	Expected number of Delivery	22,151	21,697						
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>				
10	PW register for ANC	21,217	87.3	10,846	45.6	ANC Check-up in first trimester	56.5		
11	Mothers registered in the first trimester	20,753	97.8	10,643	98.1	At least 4ANC check up	37.5		
12	Mothers who had 4 or more ANC check ups	19,488	91.9	9,420	86.9	Neonatal tetanus received	91.1		
13	PW who got TT 2 / Booster injection	19,310	91.0	10,415	96.0	100 IFA tablets consumed	43.3		
14	PW who consumed 180 IFA tablets	20,736	97.7	10,628	98.0	Home Delivery	15.6		
15	Home Delivery against expected delivery *	40	0.2	1	0.0	Institutional Delivery	84.4		
16	Institutional Delivery against expected delivery *	17,311	78.2	8,395	38.7	Home Delivery by SBA	2.3		
17	Home Delivery against reported delivery **	40	0.2	1	0.0	PNC within 2days of delivery	53.2		
18	Institutional Delivery against reported delivery **	17,311	99.8	8,395	100.0				
19	Total reported Deliveries	17,351		8,396					
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	90.0	1	100.0				
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,370	117.4	10,214	121.7				
<p><b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>									
22	Expected number of Live Birth	21,378		20,983					
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>					
23	Total reported live births	17,223	80.6	8,324	39.7	Breastfed within 1 hour of birth	51.7		
24	Total Still Birth	240	1.1	121	1.5	BCG	94.9		
25	PC of newborn weighted at birth to live birth	17,213	99.9	8,324	100.0	3 dose of DPT	76.7		
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,449	14.2	935	11.2	Measles First dose	82.2		

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,791	97.5	8,189	98.4	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,241	90.0	8,623	41.1	Full Immunization	57.1
29	Children who have received BCG	18,309	85.6	8,444	40.2		
30	Children who have received Pentavalent 1	18,718	87.6	8,106	38.6		
31	Children who have received Pentavalent 3	18,317	85.7	8,285	39.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,239	90.0	8,593	41.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,438		3,306			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	14.8
35	Number of Tubectomies performed	886	261	Spacing	5.8
36	Number of IUD insertion	1,850	1,109	Women using any method	46.8
37	Number of IUD removals	364	142	Women using modern method	36.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	510	276		
39	General OPD cases per 10,000 population ***	11,037	5,872		
40	Ayush OPD cases per 10,000 population ***	714	354		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	23	11		
43	<b>Total Neonatal Death</b>	<b>23</b>	<b>11</b>		
44	Deaths between (1 - 11) months	2	1		
45	<b>Total reported infant deaths</b>	<b>25</b>	<b>12</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>		

## Dhemaji Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,86,133						
2	Sex Ratio	949						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	98						
4	Primary Health Centers (PHC)	23						
5	Community Health Centers (CHC)	5						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	17,952	17,584					
9	Expected number of Delivery	16,369	16,033					
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)				
		Number	PC	Number	PC			
10	PW register for ANC	11,925	66.4	5,771	32.8	ANC Check-up in first trimester	76.2	
11	Mothers registered in the first trimester	11,532	96.7	5,641	97.7	At least 4ANC check up	62.2	
12	Mothers who had 4 or more ANC check ups	10,398	87.2	4,874	84.5	Neonatal tetanus received	96.5	
13	PW who got TT 2 / Booster injection	10,781	90.4	6,067	105.1	100 IFA tablets consumed	45.3	
14	PW who consumed 180 IFA tablets	12,651	106.1	6,082	105.4	Home Delivery	12.7	
15	Home Delivery against expected delivery *	5	0.0	1	0.0	Institutional Delivery	87.3	
16	Institutional Delivery against expected delivery *	10,989	67.1	5,006	31.2	Home Delivery by SBA	4.2	
17	Home Delivery against reported delivery **	5	0.0	1	0.0	PNC within 2days of delivery	72.8	
18	Institutional Delivery against reported delivery **	10,989	100.0	5,006	100.0			
19	Total reported Deliveries	10,994		5,007				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	60.0	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,521	41.1	1,636	32.7			
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>								
22	Expected number of Live Birth	15,797		15,506				
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)				
23	Total reported live births	10,965	69.4	4,985	32.1	Breastfed within 1 hour of birth	45.5	
24	Total Still Birth	100	0.6	43	0.9	BCG	96.7	
25	PC of newborn weighted at birth to live birth	10,285	93.8	4,739	95.1	3 dose of DPT	94.7	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,018	9.9	533	11.2	Measles First dose	93.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,852	89.8	4,595	92.2	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	11,937	75.6	5,373	34.7	Full Immunization	89.7
29	Children who have received BCG	10,849	68.7	4,976	32.1		
30	Children who have received Pentavalent 1	11,068	70.1	4,144	26.7		
31	Children who have received Pentavalent 3	10,928	69.2	4,947	31.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,936	75.6	5,385	34.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,737		1,353			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	803	169	Spacing	3.5
36	Number of IUD insertion	2,117	967	Women using any method	72.6
37	Number of IUD removals	1,036	501	Women using modern method	45
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	267	140		
39	General OPD cases per 10,000 population ***	11,848	5,880		
40	Ayush OPD cases per 10,000 population ***	355	234		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	9	6		
42	Neonatal Deaths within 1 to 28 days	7	2		
43	<b>Total Neonatal Death</b>	<b>16</b>	<b>8</b>		
44	Deaths between (1 - 11) months	7	3		
45	<b>Total reported infant deaths</b>	<b>23</b>	<b>11</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## Dhubri Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	13,94,144				
2	Sex Ratio	952				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	192				
4	Primary Health Centers (PHC)	33				
5	Community Health Centers (CHC)	9				
6	SDH	1				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	36,476	35,728			
9	Expected number of Delivery	33,259	32,578			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	40,472	111.0	20,668	57.8	ANC Check-up in first trimester 49.9
11	Mothers registered in the first trimester	40,011	98.9	20,416	98.8	At least 4ANC check up 37.6
12	Mothers who had 4 or more ANC check ups	38,479	95.1	16,187	78.3	Neonatal tetanus received 97.0
13	PW who got TT 2 / Booster injection	38,880	96.1	19,376	93.7	100 IFA tablets consumed 47.6
14	PW who consumed 180 IFA tablets	41,249	101.9	21,236	102.7	Home Delivery 35.8
15	Home Delivery against expected delivery *	5,281	15.9	1,304	4.0	Institutional Delivery 64.2
16	Institutional Delivery against expected delivery *	27,584	82.9	11,514	35.3	Home Delivery by SBA 5.8
17	Home Delivery against reported delivery **	5,281	16.1	1,304	10.2	PNC within 2days of delivery 48.4
18	Institutional Delivery against reported delivery **	27,584	83.9	11,514	89.8	
19	Total reported Deliveries	32,865		12,818		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,877	35.5	541	41.5	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	29,977	91.2	10,903	85.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.						
22	Expected number of Live Birth	32,099		31,506		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	32,472	101.2	12,669	40.2	Breastfed within 1 hour of birth 57.9
24	Total Still Birth	595	1.9	247	1.9	BCG 90.5
25	PC of newborn weighted at birth to live birth	32,335	99.6	12,638	99.8	3 dose of DPT 82.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,856	11.9	1,557	12.3	Measles First dose 84

27	PC of newborns breastfed within 1 hour to total reported live birth.	31,323	96.5	11,930	94.2	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	37,622	117.2	17,810	56.5	Full Immunization	71.6
29	Children who have received BCG	38,506	120.0	15,144	48.1		
30	Children who have received Pentavalent 1	38,484	119.9	15,382	48.8		
31	Children who have received Pentavalent 3	37,466	116.7	17,181	54.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,596	117.1	17,845	56.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,910		1,949			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	11.5
35	Number of Tubectomies performed	1,107	446	Spacing	4
36	Number of IUD insertion	4,229	1,605	Women using any method	64.1
37	Number of IUD removals	502	245	Women using modern method	53.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	423	176		
39	General OPD cases per 10,000 population ***	11,304	6,055		
40	Ayush OPD cases per 10,000 population ***	1,130	548		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	72	26		
42	Neonatal Deaths within 1 to 28 days	139	41		
43	<b>Total Neonatal Death</b>	<b>211</b>	<b>67</b>		
44	Deaths between (1 - 11) months	17	0		
45	<b>Total reported infant deaths</b>	<b>228</b>	<b>67</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	2	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	2	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	1		
52	Due to Other/Unknown Causes	2	1		
53	<b>Total reported maternal deaths</b>	<b>8</b>	<b>2</b>		

## Dibrugarh Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	13,26,335				
2	Sex Ratio	952				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	234				
4	Primary Health Centers (PHC)	31				
5	Community Health Centers (CHC)	10				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	34,701	33,991			
9	Expected number of Delivery	31,641	30,993			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	19,190	55.3	9,457	27.8	ANC Check-up in first trimester 75.8
11	Mothers registered in the first trimester	18,216	94.9	8,942	94.6	At least 4ANC check up 75.6
12	Mothers who had 4 or more ANC check ups	16,934	88.2	6,972	73.7	Neonatal tetanus received 94.1
13	PW who got TT 2 / Booster injection	17,286	90.1	9,014	95.3	100 IFA tablets consumed 58.9
14	PW who consumed 180 IFA tablets	17,871	93.1	9,164	96.9	Home Delivery 6.9
15	Home Delivery against expected delivery *	10	0.0	0	0.0	Institutional Delivery 93.1
16	Institutional Delivery against expected delivery *	22,338	70.6	9,745	31.4	Home Delivery by SBA 1.2
17	Home Delivery against reported delivery **	10	0.0	0	0.0	PNC within 2days of delivery 82.1
18	Institutional Delivery against reported delivery **	22,338	100.0	9,745	100.0	
19	Total reported Deliveries	22,348		9,745		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	20.0	0	-	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,563	78.6	5,528	56.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	30,537		29,974		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	22,079	72.3	9,553	31.9	Breastfed within 1 hour of birth 52.6
24	Total Still Birth	607	2.0	352	3.7	BCG 97.8
25	PC of newborn weighted at birth to live birth	22,078	100.0	9,543	99.9	3 dose of DPT 93
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,071	23.0	2,142	22.4	Measles First dose 97.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	21,453	97.2	9,229	96.6	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	20,407	66.8	9,189	30.7	Full Immunization	83.8
29	Children who have received BCG	22,084	72.3	9,457	31.6		
30	Children who have received Pentavalent 1	19,402	63.5	6,852	22.9		
31	Children who have received Pentavalent 3	19,197	62.9	8,170	27.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,407	66.8	9,193	30.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,560		3,196			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	121	51	Total unmet need	8.7
35	Number of Tubectomies performed	1,602	1,109	Spacing	4.8
36	Number of IUD insertion	1,029	426	Women using any method	64.6
37	Number of IUD removals	641	278	Women using modern method	43.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1350	641		
39	General OPD cases per 10,000 population ***	28,182	15,519		
40	Ayush OPD cases per 10,000 population ***	372	215		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	20	10		
42	Neonatal Deaths within 1 to 28 days	288	133		
43	<b>Total Neonatal Death</b>	<b>308</b>	<b>143</b>		
44	Deaths between (1 - 11) months	119	47		
45	<b>Total reported infant deaths</b>	<b>427</b>	<b>190</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	1	1		
47	Due to PPH (Post-Partum haemorrhage)	7	5		
48	Due to Pregnancy related infection and sepsis, Fever	3	15		
49	Due to Abortive complication	3	1		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	15	6		
52	Due to Other/Unknown Causes	11	7		
53	<b>Total reported maternal deaths</b>	<b>41</b>	<b>35</b>		

## Dima Hasao Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Numbers				
1	Population 2011	2,14,102				
2	Sex Ratio	931				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	76				
4	Primary Health Centers (PHC)	12				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	5,602	5,487			
9	Expected number of Delivery	5,108	5,003			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	4,083	72.9	1,923	35.0	ANC Check-up in first trimester 58.9
11	Mothers registered in the first trimester	3,549	86.9	1,775	92.3	At least 4ANC check up 46.9
12	Mothers who had 4 or more ANC check ups	2,964	72.6	1,246	64.8	Neonatal tetanus received 96.8
13	PW who got TT 2 / Booster injection	3,397	83.2	1,743	90.6	100 IFA tablets consumed 40.8
14	PW who consumed 180 IFA tablets	4,816	118.0	2,120	110.2	Home Delivery 10.5
15	Home Delivery against expected delivery *	886	17.3	263	5.3	Institutional Delivery 89.5
16	Institutional Delivery against expected delivery *	2,490	48.8	1,194	23.9	Home Delivery by SBA 1.8
17	Home Delivery against reported delivery **	886	26.2	263	18.1	PNC within 2days of delivery 73.8
18	Institutional Delivery against reported delivery **	2,490	73.8	1,194	81.9	
19	Total reported Deliveries	3,376		1,457		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	433	48.9	131	49.8	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	573	17.0	397	27.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	4,929		4,838		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	3,335	67.7	1,441	29.8	Breastfed within 1 hour of birth 58
24	Total Still Birth	68	1.4	24	1.7	BCG 91.3
25	PC of newborn weighted at birth to live birth	3,322	99.6	1,436	99.7	3 dose of DPT 71.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	192	5.8	74	5.2	Measles First dose 71.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,059	91.7	1,314	91.2	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,447	69.9	1,784	36.9	Full Immunization	63.6
29	Children who have received BCG	3,405	69.1	1,472	30.4		
30	Children who have received Pentavalent 1	3,538	71.8	1,518	31.4		
31	Children who have received Pentavalent 3	3,387	68.7	1,722	35.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,446	69.9	1,778	36.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	743		356			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	118	0	Spacing	2.6
36	Number of IUD insertion	131	64	Women using any method	65.5
37	Number of IUD removals	101	52	Women using modern method	44.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	631	341		
39	General OPD cases per 10,000 population ***	9,284	4,728		
40	Ayush OPD cases per 10,000 population ***	587	328		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	2		
42	Neonatal Deaths within 1 to 28 days	14	4		
43	<b>Total Neonatal Death</b>	<b>15</b>	<b>6</b>		
44	Deaths between (1 - 11) months	8	1		
45	<b>Total reported infant deaths</b>	<b>23</b>	<b>7</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Goalpara Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,08,183					
2	Sex Ratio	962					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	155					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	26,378	25,837				
9	Expected number of Delivery	24,052	23,559				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	24,542	93.0	13,000	50.3	ANC Check-up in first trimester	65.3
11	Mothers registered in the first trimester	24,072	98.1	12,889	99.1	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	22,527	91.8	10,842	83.4	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	22,774	92.8	12,171	93.6	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	24,118	98.3	12,789	98.4	Home Delivery	7.7
15	Home Delivery against expected delivery *	249	1.0	29	0.1	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	24,966	103.8	11,136	47.3	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	249	1.0	29	0.3	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	24,966	99.0	11,136	99.7		
19	Total reported Deliveries	25,215		11,165			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	229	92.0	29	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,523	61.6	7,312	65.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,212		22,784			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	24,971	107.6	11,115	48.8	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	449	1.9	162	1.5	BCG	98.4
25	PC of newborn weighted at birth to live birth	24,968	100.0	11,101	99.9	3 dose of DPT	90.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,872	11.5	1,309	11.8	Measles First dose	90.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	24,758	99.1	11,038	99.3	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,027	94.9	10,317	45.3	Full Immunization	70.3
29	Children who have received BCG	24,162	104.1	9,950	43.7		
30	Children who have received Pentavalent 1	22,617	97.4	9,396	41.2		
31	Children who have received Pentavalent 3	21,861	94.2	9,898	43.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	22,027	94.9	10,293	45.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,730		2,196			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	7.4
35	Number of Tubectomies performed	1,509	643	Spacing	2.2
36	Number of IUD insertion	3,623	2,067	Women using any method	66.8
37	Number of IUD removals	1,180	473	Women using modern method	55.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	694	374		
39	General OPD cases per 10,000 population ***	12,343	7,566		
40	Ayush OPD cases per 10,000 population ***	1,610	652		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	48	40		
42	Neonatal Deaths within 1 to 28 days	91	50		
43	<b>Total Neonatal Death</b>	<b>139</b>	<b>90</b>		
44	Deaths between (1 - 11) months	2	0		
45	<b>Total reported infant deaths</b>	<b>141</b>	<b>90</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>1</b>		

## Golaghat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	10,66,888				
2	Sex Ratio	961				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	144				
4	Primary Health Centers (PHC)	39				
5	Community Health Centers (CHC)	9				
6	SDH	1				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	27,913	27,342			
9	Expected number of Delivery	25,452	24,931			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	18,189	65.2	8,635	31.6	ANC Check-up in first trimester 76.1
11	Mothers registered in the first trimester	17,709	97.4	8,439	97.7	At least 4ANC check up 65.7
12	Mothers who had 4 or more ANC check ups	17,689	97.3	8,350	96.7	Neonatal tetanus received 97.7
13	PW who got TT 2 / Booster injection	17,434	95.8	8,369	96.9	100 IFA tablets consumed 63.7
14	PW who consumed 180 IFA tablets	18,139	99.7	8,647	100.1	Home Delivery 9.6
15	Home Delivery against expected delivery *	3	0.0	0	0.0	Institutional Delivery 90.4
16	Institutional Delivery against expected delivery *	11,255	44.2	4,937	19.8	Home Delivery by SBA 2.2
17	Home Delivery against reported delivery **	3	0.0	0	0.0	PNC within 2days of delivery 73.5
18	Institutional Delivery against reported delivery **	11,255	100.0	4,937	100.0	
19	Total reported Deliveries	11,258		4,937		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	0	-	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,271	64.6	5,182	105.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	24,564		24,110		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	11,210	45.6	4,884	20.3	Breastfed within 1 hour of birth 53.6
24	Total Still Birth	103	0.4	67	1.4	BCG 92.6
25	PC of newborn weighted at birth to live birth	11,148	99.4	4,880	99.9	3 dose of DPT 84.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,813	16.3	772	15.8	Measles First dose 87.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,095	99.0	4,838	99.1	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	17,697	72.0	7,327	30.4	Full Immunization	72.4
29	Children who have received BCG	12,485	50.8	5,269	21.9		
30	Children who have received Pentavalent 1	17,456	71.1	5,856	24.3		
31	Children who have received Pentavalent 3	16,662	67.8	6,615	27.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,684	72.0	7,344	30.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,965		1,354			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10.9
35	Number of Tubectomies performed	761	237	Spacing	4.7
36	Number of IUD insertion	1,238	227	Women using any method	61.6
37	Number of IUD removals	1,305	554	Women using modern method	35.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	532	309		
39	General OPD cases per 10,000 population ***	14,430	8,431		
40	Ayush OPD cases per 10,000 population ***	498	282		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	5	1		
42	Neonatal Deaths within 1 to 28 days	47	12		
43	<b>Total Neonatal Death</b>	<b>52</b>	<b>13</b>		
44	Deaths between (1 - 11) months	29	4		
45	<b>Total reported infant deaths</b>	<b>81</b>	<b>17</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	1		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## Hailakandi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,59,296					
2	Sex Ratio	946					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	107					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	17,249	16,896				
9	Expected number of Delivery	15,728	15,406				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	18,195	105.5	9,767	57.8	ANC Check-up in first trimester	77.6
11	Mothers registered in the first trimester	17,650	97.0	9,367	95.9	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	16,282	89.5	7,630	78.1	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	17,378	95.5	9,186	94.1	100 IFA tablets consumed	29.0
14	PW who consumed 180 IFA tablets	18,157	99.8	9,949	101.9	Home Delivery	17.0
15	Home Delivery against expected delivery *	213	1.4	52	0.3	Institutional Delivery	83.0
16	Institutional Delivery against expected delivery *	14,120	89.8	6,285	40.8	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	213	1.5	52	0.8	PNC within 2days of delivery	68.8
18	Institutional Delivery against reported delivery **	14,120	98.5	6,285	99.2		
19	Total reported Deliveries	14,333		6,337			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	143	67.1	39	75.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,698	39.8	2,226	35.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,180		14,899			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	14,199	93.5	6,287	42.2	Breastfed within 1 hour of birth	24.4
24	Total Still Birth	224	1.5	104	1.7	BCG	95.4
25	PC of newborn weighted at birth to live birth	14,199	100.0	6,287	100.0	3 dose of DPT	78.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,158	8.2	531	8.4	Measles First dose	85.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,563	95.5	5,944	94.5	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	17,313	114.1	7,816	52.5	Full Immunization	68.6
29	Children who have received BCG	15,131	99.7	6,437	43.2		
30	Children who have received Pentavalent 1	17,475	115.1	6,916	46.4		
31	Children who have received Pentavalent 3	17,269	113.8	7,443	50.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,313	114.1	7,816	52.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,035		2,203			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	0	Total unmet need	8.6
35	Number of Tubectomies performed	394	314	Spacing	4.2
36	Number of IUD insertion	4,342	2,568	Women using any method	66.8
37	Number of IUD removals	559	261	Women using modern method	49.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	495	291		
39	General OPD cases per 10,000 population ***	12,630	6,727		
40	Ayush OPD cases per 10,000 population ***	458	292		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	1		
42	Neonatal Deaths within 1 to 28 days	9	3		
43	<b>Total Neonatal Death</b>	<b>10</b>	<b>4</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>10</b>	<b>4</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Hojai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,31,218					
2	Sex Ratio	962					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	94					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	27,445	26,883				
9	Expected number of Delivery	25,025	24,512				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	25,469	92.8	13,358	49.7	ANC Check-up in first trimester	52.7
11	Mothers registered in the first trimester	25,061	98.4	13,222	99.0	At least 4ANC check up	51.3
12	Mothers who had 4 or more ANC check ups	25,121	98.6	13,095	98.0	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	25,335	99.5	12,829	96.0	100 IFA tablets consumed	50.5
14	PW who consumed 180 IFA tablets	25,406	99.8	13,358	100.0	Home Delivery	17.9
15	Home Delivery against expected delivery *	363	1.5	78	0.3	Institutional Delivery	82.1
16	Institutional Delivery against expected delivery *	18,778	75.0	7,402	30.2	Home Delivery by SBA	4.1
17	Home Delivery against reported delivery **	363	1.9	78	1.0	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	18,778	98.1	7,402	99.0		
19	Total reported Deliveries	19,141		7,480			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	11.8	20	25.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,546	55.1	3,715	49.7		
<p><b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>							
22	Expected number of Live Birth	24,151		23,706			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	19,017	78.7	7,406	31.2	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	132	0.5	78	1.1	BCG	82.1
25	PC of newborn weighted at birth to live birth	19,002	99.9	7,396	99.9	3 dose of DPT	60.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	810	4.3	471	6.4	Measles First dose	59.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	18,690	98.3	7,166	96.8	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	23,946	99.1	11,554	48.7	Full Immunization	55.5
29	Children who have received BCG	22,146	91.7	8,039	33.9		
30	Children who have received Pentavalent 1	24,193	100.2	11,473	48.4		
31	Children who have received Pentavalent 3	23,985	99.3	11,533	48.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,917	99.0	11,573	48.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,567		1,187			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	13.2
35	Number of Tubectomies performed	311	54	Spacing	4.9
36	Number of IUD insertion	2,168	1,042	Women using any method	61.1
37	Number of IUD removals	446	401	Women using modern method	48.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	232	148		
39	General OPD cases per 10,000 population ***	7,731	4,322		
40	Ayush OPD cases per 10,000 population ***	556	323		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Jorhat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,24,952					
2	Sex Ratio	956					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	110					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	24,200	23,704				
9	Expected number of Delivery	22,066	21,614				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	13,947	57.6	6,502	27.4	ANC Check-up in first trimester	78.3
11	Mothers registered in the first trimester	13,419	96.2	6,183	95.1	At least 4ANC check up	67.0
12	Mothers who had 4 or more ANC check ups	12,316	88.3	5,471	84.1	Neonatal tetanus received	97.4
13	PW who got TT 2 / Booster injection	12,797	91.8	5,943	91.4	100 IFA tablets consumed	52.1
14	PW who consumed 180 IFA tablets	13,823	99.1	6,351	97.7	Home Delivery	3.5
15	Home Delivery against expected delivery *	0	0.0	0	0.0	Institutional Delivery	96.5
16	Institutional Delivery against expected delivery *	14,287	64.7	6,179	28.6	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	0	0.0	0	0.0	PNC within 2days of delivery	81.4
18	Institutional Delivery against reported delivery **	14,287	100.0	6,179	100.0		
19	Total reported Deliveries	14,287		6,179			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,394	93.7	5,625	91.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,296		20,903			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	14,139	66.4	6,171	29.5	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	264	1.2	83	1.3	BCG	100
25	PC of newborn weighted at birth to live birth	14,011	99.1	6,122	99.2	3 dose of DPT	79.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,902	20.7	1,366	22.3	Measles First dose	83.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,656	96.6	6,051	98.1	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	12,991	61.0	5,682	27.2	Full Immunization	69.2
29	Children who have received BCG	13,503	63.4	5,977	28.6		
30	Children who have received Pentavalent 1	12,696	59.6	4,140	19.8		
31	Children who have received Pentavalent 3	12,493	58.7	4,822	23.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,991	61.0	5,684	27.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,013		753			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	2	Total unmet need	10.4
35	Number of Tubectomies performed	1,245	391	Spacing	3.2
36	Number of IUD insertion	500	212	Women using any method	63.8
37	Number of IUD removals	208	109	Women using modern method	32.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	815	414		
39	General OPD cases per 10,000 population ***	21,549	11,938		
40	Ayush OPD cases per 10,000 population ***	198	93		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	41	12		
42	Neonatal Deaths within 1 to 28 days	386	174		
43	<b>Total Neonatal Death</b>	<b>427</b>	<b>186</b>		
44	Deaths between (1 - 11) months	81	30		
45	<b>Total reported infant deaths</b>	<b>508</b>	<b>216</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	1		
47	Due to PPH (Post-Partum haemorrhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	3	0		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	6	6		
52	Due to Other/Unknown Causes	7	4		
53	<b>Total reported maternal deaths</b>	<b>19</b>	<b>13</b>		

## Kamrup R Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	15,17,542				
2	Sex Ratio	946				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	283				
4	Primary Health Centers (PHC)	65				
5	Community Health Centers (CHC)	13				
6	SDH	1				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	39,704	38,891			
9	Expected number of Delivery	36,203	35,461			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	29,741	74.9	15,136	38.9	ANC Check-up in first trimester 57.0
11	Mothers registered in the first trimester	28,400	95.5	14,424	95.3	At least 4ANC check up 46.9
12	Mothers who had 4 or more ANC check ups	27,695	93.1	13,011	86.0	Neonatal tetanus received 85.9
13	PW who got TT 2 / Booster injection	26,582	89.4	14,049	92.8	100 IFA tablets consumed 42.5
14	PW who consumed 180 IFA tablets	29,647	99.7	15,008	99.2	Home Delivery 15.0
15	Home Delivery against expected delivery *	9	0.0	3	0.0	Institutional Delivery 85.0
16	Institutional Delivery against expected delivery *	19,536	54.0	8,403	23.7	Home Delivery by SBA 4.3
17	Home Delivery against reported delivery **	9	0.0	3	0.0	PNC within 2days of delivery 61.4
18	Institutional Delivery against reported delivery **	19,536	100.0	8,403	100.0	
19	Total reported Deliveries	19,545		8,406		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	44.4	1	33.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,127	87.6	6,569	78.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	34,940		34,295		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	19,494	55.8	8,376	24.4	Breastfed within 1 hour of birth 45.5
24	Total Still Birth	95	0.3	54	0.6	BCG 90.5
25	PC of newborn weighted at birth to live birth	19,429	99.7	8,362	99.8	3 dose of DPT 86.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,395	7.2	671	8.0	Measles First dose 83

27	PC of newborns breastfed within 1 hour to total reported live birth.	19,204	98.5	8,210	98.0	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	25,258	72.3	12,000	35.0	Full Immunization	63.6
29	Children who have received BCG	20,687	59.2	8,602	25.1		
30	Children who have received Pentavalent 1	24,785	70.9	10,312	30.1		
31	Children who have received Pentavalent 3	24,328	69.6	11,568	33.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	25,276	72.3	11,955	34.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,085		1,258			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	14	1	Total unmet need	17.6
35	Number of Tubectomies performed	1,473	649	Spacing	7.7
36	Number of IUD insertion	2,306	666	Women using any method	38.7
37	Number of IUD removals	1,012	681	Women using modern method	32.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	381	236		
39	General OPD cases per 10,000 population ***	15,379	8,262		
40	Ayush OPD cases per 10,000 population ***	1,414	660		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	2	3		
42	Neonatal Deaths within 1 to 28 days	6	2		
43	<b>Total Neonatal Death</b>	<b>8</b>	<b>5</b>		
44	Deaths between (1 - 11) months	3	1		
45	<b>Total reported infant deaths</b>	<b>11</b>	<b>6</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>2</b>		

## Kamrup M Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Numbers				
1	Population 2011	12,53,938				
2	Sex Ratio	922				
B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	50				
4	Primary Health Centers(PHC)	48				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	1				
C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	32,807	32,135			
9	Expected number of Delivery	29,914	29,302			
	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)			
	Number	PC	Number	PC		
10	PW register for ANC	36,536	111.4	18,188	56.6	ANC Check-up in first trimester 77.6
11	Mothers registered in the first trimester	33,135	90.7	16,910	93.0	At least 4ANC check up 68.9
12	Mothers who had 4 or more ANC check ups	45,039	123.3	21,774	119.7	Neonatal tetanus received 96.3
13	PW who got TT 2 / Booster injection	36,005	98.5	17,663	97.1	100 IFA tablets consumed 51.7
14	PW who consumed 180 IFA tablets	36,644	100.3	17,920	98.5	Home Delivery 10.9
15	Home Delivery against expected delivery *	17	0.1	2	0.0	Institutional Delivery 89.1
16	Institutional Delivery against expected delivery *	28,884	96.6	13,364	45.6	Home Delivery by SBA 2.2
17	Home Delivery against reported delivery **	17	0.1	2	0.0	PNC within 2days of delivery 75.6
18	Institutional Delivery against reported delivery **	28,884	99.9	13,364	100.0	
19	Total reported Deliveries	28,901		13,366		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,942	75.9	7,236	54.1	
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>						
22	Expected number of Live Birth	28,870		28,338		
D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)			
23	Total reported live births	28,651	99.2	13,384	47.2	Breastfed within 1 hour of birth 53
24	Total Still Birth	682	2.4	231	1.7	BCG 90.6
25	PC of newborn weighted at birth to live birth	28,384	99.1	13,268	99.1	3 dose of DPT 77
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,584	30.2	3,529	26.6	Measles First dose 74.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	27,734	96.8	13,115	98.0	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	27,059	93.7	12,645	44.6	Full Immunization	53.6
29	Children who have received BCG	29,614	102.6	13,772	48.6		
30	Children who have received Pentavalent 1	26,250	90.9	10,586	37.4		
31	Children who have received Pentavalent 3	25,535	88.4	10,943	38.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	26,492	91.8	11,853	41.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,633		3,326			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	9	Total unmet need	8.8
35	Number of Tubectomies performed	2,400	727	Spacing	2.5
36	Number of IUD insertion	481	226	Women using any method	56.8
37	Number of IUD removals	717	222	Women using modern method	41.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1942	1089		
39	General OPD cases per 10,000 population ***	26,648	14,269		
40	Ayush OPD cases per 10,000 population ***	1,874	824		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	58	20		
42	Neonatal Deaths within 1 to 28 days	487	202		
43	<b>Total Neonatal Death</b>	<b>545</b>	<b>222</b>		
44	Deaths between (1 - 11) months	249	90		
45	<b>Total reported infant deaths</b>	<b>794</b>	<b>312</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	4	7		
47	Due to PPH (Post-Partum haemorrhage)	5	1		
48	Due to Pregnancy related infection and sepsis, Fever	24	9		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	17	6		
52	Due to Other/Unknown Causes	17	3		
53	<b>Total reported maternal deaths</b>	<b>68</b>	<b>26</b>		

## Karbi Anglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Numbers				
1	Population 2011	6,60,955				
2	Sex Ratio	956				
B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	115				
4	Primary Health Centers (PHC)	24				
5	Community Health Centers (CHC)	6				
6	SDH	0				
7	DH	0				
C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	16,827	16,482			
9	Expected number of Delivery	15,343	15,029			
	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)			
	Number	PC	Number	PC		
10	PW register for ANC	15,754	93.6	7,427	45.1	ANC Check-up in first trimester 64.8
11	Mothers registered in the first trimester	14,183	90.0	6,888	92.7	At least 4ANC check up 63.9
12	Mothers who had 4 or more ANC check ups	10,856	68.9	5,693	76.7	Neonatal tetanus received 90.9
13	PW who got TT 2 / Booster injection	14,223	90.3	6,943	93.5	100 IFA tablets consumed 35.3
14	PW who consumed 180 IFA tablets	14,745	93.6	7,195	96.9	Home Delivery 25.1
15	Home Delivery against expected delivery *	626	4.1	51	0.3	Institutional Delivery 74.9
16	Institutional Delivery against expected delivery *	9,995	65.1	4,769	31.7	Home Delivery by SBA 3.4
17	Home Delivery against reported delivery **	626	5.9	51	1.1	PNC within 2days of delivery 56.9
18	Institutional Delivery against reported delivery **	9,995	94.1	4,769	98.9	
19	Total reported Deliveries	10,621		4,820		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	426	68.1	39	76.5	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,249	77.7	4,025	83.5	
<p><b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>						
22	Expected number of Live Birth	14,808		14,534		
D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)			
23	Total reported live births	10,565	71.3	4,805	33.1	Breastfed within 1 hour of birth 50.3
24	Total Still Birth	160	1.1	72	1.5	BCG 88.7
25	PC of newborn weighted at birth to live birth	10,377	98.2	4,755	99.0	3 dose of DPT 75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,211	11.7	506	10.6	Measles First dose 76.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,339	88.4	4,424	92.1	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	13,763	92.9	6,493	44.7	Full Immunization	64.3
29	Children who have received BCG	12,349	83.4	5,239	36.0		
30	Children who have received Pentavalent 1	14,427	97.4	5,428	37.3		
31	Children who have received Pentavalent 3	13,448	90.8	6,044	41.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,763	92.9	6,502	44.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,310		630			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.3
35	Number of Tubectomies performed	341	159	Spacing	2.4
36	Number of IUD insertion	1,546	449	Women using any method	66.3
37	Number of IUD removals	261	167	Women using modern method	41.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	268	163		
39	General OPD cases per 10,000 population ***	7,952	4,277		
40	Ayush OPD cases per 10,000 population ***	611	310		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	18	1		
42	Neonatal Deaths within 1 to 28 days	34	13		
43	<b>Total Neonatal Death</b>	<b>52</b>	<b>14</b>		
44	Deaths between (1 - 11) months	4	4		
45	<b>Total reported infant deaths</b>	<b>56</b>	<b>18</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	1	6		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	6	4		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1		
52	Due to Other/Unknown Causes	6	2		
53	<b>Total reported maternal deaths</b>	<b>14</b>	<b>14</b>		

## Karimganj Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,28,686					
2	Sex Ratio	961					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	232					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	32,147	31,488				
9	Expected number of Delivery	29,312	28,712				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	33,645	104.7	18,732	59.5	ANC Check-up in first trimester	54.8
11	Mothers registered in the first trimester	31,701	94.2	18,038	96.3	At least 4ANC check up	42.8
12	Mothers who had 4 or more ANC check ups	31,566	93.8	16,782	89.6	Neonatal tetanus received	94.2
13	PW who got TT 2 / Booster injection	33,153	98.5	18,538	99.0	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	33,645	100.0	18,837	100.6	Home Delivery	23.6
15	Home Delivery against expected delivery *	1,122	3.8	232	0.8	Institutional Delivery	76.4
16	Institutional Delivery against expected delivery *	24,710	84.3	11,055	38.5	Home Delivery by SBA	2.4
17	Home Delivery against reported delivery **	1,122	4.3	232	2.1	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	24,710	95.7	11,055	97.9		
19	Total reported Deliveries	25,832		11,287			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	661	58.9	146	62.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,434	5.6	905	8.0		
<p><b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>							
22	Expected number of Live Birth	28,289		27,767			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	25,408	89.8	11,103	40.0	Breastfed within 1 hour of birth	40.3
24	Total Still Birth	505	1.8	232	2.1	BCG	95.5
25	PC of newborn weighted at birth to live birth	25,408	100.0	11,060	99.6	3 dose of DPT	84
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,264	12.8	1,515	13.7	Measles First dose	85.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	24,920	98.1	10,624	95.7	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	32,940	116.4	14,987	54.0	Full Immunization	75.1
29	Children who have received BCG	27,253	96.3	11,371	41.0		
30	Children who have received Pentavalent 1	33,493	118.4	13,930	50.2		
31	Children who have received Pentavalent 3	32,861	116.2	14,562	52.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	32,955	116.5	14,994	54.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	8,183		4,392			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.6
35	Number of Tubectomies performed	762	540	Spacing	4.2
36	Number of IUD insertion	3,195	1,197	Women using any method	64.3
37	Number of IUD removals	471	196	Women using modern method	54.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	458	183		
39	General OPD cases per 10,000 population ***	10,331	5,921		
40	Ayush OPD cases per 10,000 population ***	364	247		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	6	8		
42	Neonatal Deaths within 1 to 28 days	25	6		
43	<b>Total Neonatal Death</b>	<b>31</b>	<b>14</b>		
44	Deaths between (1 - 11) months	7	1		
45	<b>Total reported infant deaths</b>	<b>38</b>	<b>15</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	3	0		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>1</b>		

## Kokrajhar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	8,87,142				
2	Sex Ratio	958				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	161				
4	Primary Health Centers (PHC)	46				
5	Community Health Centers (CHC)	3				
6	SDH	1				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	23,211	22,735			
9	Expected number of Delivery	21,164	20,730			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	16,061	69.2	7,996	35.2	ANC Check-up in first trimester 67.0
11	Mothers registered in the first trimester	14,410	89.7	7,188	89.9	At least 4ANC check up 36.9
12	Mothers who had 4 or more ANC check ups	13,231	82.4	6,005	75.1	Neonatal tetanus received 95.8
13	PW who got TT 2 / Booster injection	14,050	87.5	7,433	93.0	100 IFA tablets consumed 61.1
14	PW who consumed 180 IFA tablets	16,683	103.9	8,564	107.1	Home Delivery 18.1
15	Home Delivery against expected delivery *	256	1.2	53	0.3	Institutional Delivery 81.9
16	Institutional Delivery against expected delivery *	14,334	67.7	6,351	30.6	Home Delivery by SBA 0.9
17	Home Delivery against reported delivery **	256	1.8	53	0.8	PNC within 2days of delivery 68.3
18	Institutional Delivery against reported delivery **	14,334	98.2	6,351	99.2	
19	Total reported Deliveries	14,590		6,404		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	174	68.0	40	75.5	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,067	82.7	4,413	68.9	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	20,425		20,048		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	14,457	70.8	6,360	31.7	Breastfed within 1 hour of birth 56.4
24	Total Still Birth	220	1.1	83	1.3	BCG 95.3
25	PC of newborn weighted at birth to live birth	14,428	99.8	6,354	99.9	3 dose of DPT 76.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,763	19.2	945	14.9	Measles First dose 79.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,870	95.9	6,233	98.0	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	14,141	69.2	6,810	34.0	Full Immunization	51.1
29	Children who have received BCG	15,868	77.7	6,600	32.9		
30	Children who have received Pentavalent 1	14,191	69.5	5,751	28.7		
31	Children who have received Pentavalent 3	13,832	67.7	6,627	33.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,224	69.6	6,861	34.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,406		1,625			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10
35	Number of Tubectomies performed	362	192	Spacing	3.7
36	Number of IUD insertion	866	332	Women using any method	72.3
37	Number of IUD removals	848	427	Women using modern method	58
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	361	172		
39	General OPD cases per 10,000 population ***	8,669	4,908		
40	Ayush OPD cases per 10,000 population ***	1,118	610		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	27	56		
42	Neonatal Deaths within 1 to 28 days	37	16		
43	<b>Total Neonatal Death</b>	<b>64</b>	<b>72</b>		
44	Deaths between (1 - 11) months	12	5		
45	<b>Total reported infant deaths</b>	<b>76</b>	<b>77</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>2</b>		

## Lakhimpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Numbers				
1	Population 2011	10,42,137				
2	Sex Ratio	965				
B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	154				
4	Primary Health Centers (PHC)	29				
5	Community Health Centers (CHC)	9				
6	SDH	1				
7	DH	0				

C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	27,266	26,707			
9	Expected number of Delivery	24,862	24,352			
	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5(2019-20)	
	Number	PC	Number	PC		
10	PW register for ANC	19,706	72.3	9,598	35.9	ANC Check-up in first trimester 61.0
11	Mothers registered in the first trimester	19,319	98.0	9,403	98.0	At least 4ANC check up 51.7
12	Mothers who had 4 or more ANC check ups	18,200	92.4	8,728	90.9	Neonatal tetanus received 97.3
13	PW who got TT 2 / Booster injection	18,864	95.7	9,731	101.4	100 IFA tablets consumed 42.2
14	PW who consumed 180 IFA tablets	19,702	100.0	9,551	99.5	Home Delivery 3.8
15	Home Delivery against expected delivery *	7	0.0	2	0.0	Institutional Delivery 96.2
16	Institutional Delivery against expected delivery *	15,208	61.2	6,813	28.0	Home Delivery by SBA 1.0
17	Home Delivery against reported delivery **	7	0.0	2	0.0	PNC within 2days of delivery 67.7
18	Institutional Delivery against reported delivery **	15,208	100.0	6,813	100.0	
19	Total reported Deliveries	15,215		6,815		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	71.4	2	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,125	92.8	6,130	89.9	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22	Expected number of Live Birth	23,994		23,551			
D) Child Immunization:		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5(2019-20)	
23	Total reported live births	15,096	62.9	6,773	28.8	Breastfed within 1 hour of birth	59
24	Total Still Birth	230	1.0	77	1.1	BCG	94.5
25	PC of newborn weighted at birth to live birth	15,054	99.7	6,735	99.4	3 dose of DPT	87.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,383	15.8	979	14.5	Measles First dose	86.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,929	92.3	6,402	94.5	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	18,790	78.3	8,554	36.3	Full Immunization	69
29	Children who have received BCG	15,524	64.7	6,770	28.7		
30	Children who have received Pentavalent 1	19,489	81.2	7,425	31.5		
31	Children who have received Pentavalent 3	18,320	76.4	8,250	35.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,752	78.2	8,591	36.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,646		1,675			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	1,238	535	Spacing	4.5
36	Number of IUD insertion	811	431	Women using any method	67.1
37	Number of IUD removals	1,063	559	Women using modern method	43.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	544	334		
39	General OPD cases per 10,000 population ***	13,252	7,386		
40	Ayush OPD cases per 10,000 population ***	564	266		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	16	1		
42	Neonatal Deaths within 1 to 28 days	39	0		
43	<b>Total Neonatal Death</b>	<b>55</b>	<b>1</b>		
44	Deaths between (1 - 11) months	1	0		
45	<b>Total reported infant deaths</b>	<b>56</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	4	1		
53	<b>Total reported maternal deaths</b>	<b>6</b>	<b>1</b>		

## Majuli Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,67,304					
2	Sex Ratio	956					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	4,377	4,288				
9	Expected number of Delivery	3,991	3,910				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,154	72.1	1,478	34.5	ANC Check-up in first trimester	76.1
11	Mothers registered in the first trimester	3,024	95.9	1,415	95.7	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,977	94.4	1,389	94.0	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	2,920	92.6	1,306	88.4	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	3,139	99.5	1,508	102.0	Home Delivery	9.7
15	Home Delivery against expected delivery *	6	0.2	0	0.0	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,280	32.1	553	14.1	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	6	0.5	0	0.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,280	99.5	553	100.0		
19	Total reported Deliveries	1,286		553			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	16.7	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,044	81.2	478	86.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,852		3,781			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	1,276	33.1	552	14.6	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	15	0.4	2	0.4	BCG	95.2
25	PC of newborn weighted at birth to live birth	1,274	99.8	551	99.8	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	140	11.0	41	7.4	Measles First dose	90.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,195	93.7	516	93.5	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	3,161	82.1	1,361	36.0	Full Immunization	78.6
29	Children who have received BCG	1,312	34.1	557	14.7		
30	Children who have received Pentavalent 1	3,431	89.1	906	24.0		
31	Children who have received Pentavalent 3	3,368	87.4	1,033	27.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,160	82.0	1,359	35.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	935		456			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.6
35	Number of Tubectomies performed	107	8	Spacing	4.7
36	Number of IUD insertion	290	81	Women using any method	63.7
37	Number of IUD removals	118	67	Women using modern method	31.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	360	219		
39	General OPD cases per 10,000 population ***	18,353	9,392		
40	Ayush OPD cases per 10,000 population ***	1,725	962		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	<b>Total Neonatal Death</b>	<b>1</b>	<b>0</b>		
44	Deaths between (1 - 11) months	2	0		
45	<b>Total reported infant deaths</b>	<b>3</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Morigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Numbers				
1	Population 2011	9,57,423				
2	Sex Ratio	974				
B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	142				
4	Primary Health Centers (PHC)	34				
5	Community Health Centers (CHC)	6				
6	SDH	0				
7	DH	1				

C) Maternal Health:	2024-25	2025-26					
8	Expected number of PW	25,049	24,536				
9	Expected number of Delivery	22,841	22,373				
	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5(2019-20)		
	Number	PC	Number	PC			
10	PW register for ANC	20,584	82.2	10,815	44.1	ANC Check-up in first trimester	64.0
11	Mothers registered in the first trimester	18,793	91.3	10,076	93.2	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	17,109	83.1	7,782	72.0	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	19,123	92.9	10,494	97.0	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	20,560	99.9	10,931	101.1	Home Delivery	11.7
15	Home Delivery against expected delivery *	322	1.4	52	0.2	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,041	61.5	5,937	26.5	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	322	2.2	52	0.9	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,041	97.8	5,937	99.1		
19	Total reported Deliveries	14,363		5,989			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	135	41.9	4	7.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,694	67.5	3,666	61.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22	Expected number of Live Birth	22,044		21,637			
D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5(2019-20)		
23	Total reported live births	14,327	65.0	5,984	27.7	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	108	0.5	41	0.7	BCG	91.3
25	PC of newborn weighted at birth to live birth	14,290	99.7	5,963	99.6	3 dose of DPT	87.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,202	15.4	875	14.7	Measles First dose	87

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,799	96.3	5,834	97.5	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	18,290	83.0	9,097	42.0	Full Immunization	73.4
29	Children who have received BCG	15,459	70.1	6,163	28.5		
30	Children who have received Pentavalent 1	18,671	84.7	7,502	34.7		
31	Children who have received Pentavalent 3	18,114	82.2	8,993	41.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,269	82.9	9,072	41.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,318		1,372			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	0	Total unmet need	6.5
35	Number of Tubectomies performed	762	390	Spacing	1.9
36	Number of IUD insertion	3,408	1,377	Women using any method	70.6
37	Number of IUD removals	599	236	Women using modern method	56.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	324	206		
39	General OPD cases per 10,000 population ***	10,197	5,814		
40	Ayush OPD cases per 10,000 population ***	479	282		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	5	8		
42	Neonatal Deaths within 1 to 28 days	4	3		
43	<b>Total Neonatal Death</b>	<b>9</b>	<b>11</b>		
44	Deaths between (1 - 11) months	1	0		
45	<b>Total reported infant deaths</b>	<b>10</b>	<b>11</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## Nagaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	18,92,550					
2	Sex Ratio	962					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	258					
4	Primary Health Centers (PHC)	71					
5	Community Health Centers (CHC)	12					
6	SDH	1					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	46,435	45,484				
9	Expected number of Delivery	42,340	41,473				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	41,260	88.9	20,879	45.9	ANC Check-up in first trimester	73.1
11	Mothers registered in the first trimester	37,954	92.0	19,428	93.1	At least 4ANC check up	59.4
12	Mothers who had 4 or more ANC check ups	39,748	96.3	18,127	86.8	Neonatal tetanus received	97.1
13	PW who got TT 2 / Booster injection	37,785	91.6	19,633	94.0	100 IFA tablets consumed	46.5
14	PW who consumed 180 IFA tablets	35,712	86.6	17,060	81.7	Home Delivery	16.3
15	Home Delivery against expected delivery *	450	1.1	92	0.2	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	39,924	94.3	17,763	42.8	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	450	1.1	92	0.5	PNC within 2days of delivery	62.0
18	Institutional Delivery against reported delivery **	39,924	98.9	17,763	99.5		
19	Total reported Deliveries	40,374		17,855			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	13.8	9	9.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,873	69.0	9,930	55.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	40,863		40,108			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	39,814	97.4	17,640	44.0	Breastfed within 1 hour of birth	61.6
24	Total Still Birth	692	1.7	291	1.6	BCG	86.9
25	PC of newborn weighted at birth to live birth	39,581	99.4	17,600	99.8	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,414	13.7	2,761	15.7	Measles First dose	67.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	37,114	93.2	16,863	95.6	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	36,689	89.8	17,007	42.4	Full Immunization	58.2
29	Children who have received BCG	38,971	95.4	17,092	42.6		
30	Children who have received Pentavalent 1	37,522	91.8	14,550	36.3		
31	Children who have received Pentavalent 3	36,554	89.5	16,693	41.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,689	89.8	17,006	42.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	7,625		3,048			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	1	Total unmet need	12.3
35	Number of Tubectomies performed	1,298	636	Spacing	3.1
36	Number of IUD insertion	1,678	580	Women using any method	58.6
37	Number of IUD removals	370	192	Women using modern method	46.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	596	326		
39	General OPD cases per 10,000 population ***	13,963	7,571		
40	Ayush OPD cases per 10,000 population ***	557	373		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	60	26		
42	Neonatal Deaths within 1 to 28 days	223	78		
43	<b>Total Neonatal Death</b>	<b>283</b>	<b>104</b>		
44	Deaths between (1 - 11) months	17	6		
45	<b>Total reported infant deaths</b>	<b>300</b>	<b>110</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	1		
52	Due to Other/Unknown Causes	2	3		
53	<b>Total reported maternal deaths</b>	<b>6</b>	<b>5</b>		

## Nalbari Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Numbers				
1	Population 2011	7,71,639				
2	Sex Ratio	945				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	124				
4	Primary Health Centers (PHC)	45				
5	Community Health Centers (CHC)	10				
6	SDH	1				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	20,189	19,775			
9	Expected number of Delivery	18,408	18,031			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	11,412	56.5	5,887	29.8	ANC Check-up in first trimester 70.7
11	Mothers registered in the first trimester	11,048	96.8	5,725	97.2	At least 4ANC check up 55.9
12	Mothers who had 4 or more ANC check ups	12,154	106.5	5,797	98.5	Neonatal tetanus received 92.8
13	PW who got TT 2 / Booster injection	10,573	92.6	5,795	98.4	100 IFA tablets consumed 38.6
14	PW who consumed 180 IFA tablets	11,422	100.1	5,933	100.8	Home Delivery 8.2
15	Home Delivery against expected delivery *	97	0.5	38	0.2	Institutional Delivery 91.8
16	Institutional Delivery against expected delivery *	11,775	64.0	5,270	29.2	Home Delivery by SBA 0.4
17	Home Delivery against reported delivery **	97	0.8	38	0.7	PNC within 2days of delivery 73.8
18	Institutional Delivery against reported delivery **	11,775	99.2	5,270	99.3	
19	Total reported Deliveries	11,872		5,308		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	97	100.0	38	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,491	96.8	5,146	96.9	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	17,766		17,438		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	11,917	67.1	5,307	30.4	Breastfed within 1 hour of birth 41.8
24	Total Still Birth	93	0.5	56	1.1	BCG 89.9
25	PC of newborn weighted at birth to live birth	11,914	100.0	5,194	97.9	3 dose of DPT 85.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,438	12.1	684	13.2	Measles First dose 87.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,568	97.1	5,211	98.2	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	12,606	71.0	5,831	33.4	Full Immunization	65.5
29	Children who have received BCG	12,840	72.3	5,924	34.0		
30	Children who have received Pentavalent 1	11,111	62.5	4,443	25.5		
31	Children who have received Pentavalent 3	10,966	61.7	5,104	29.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,303	69.2	5,501	31.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,623		857			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	1	Total unmet need	13.2
35	Number of Tubectomies performed	1,145	636	Spacing	4.8
36	Number of IUD insertion	1,191	586	Women using any method	53.3
37	Number of IUD removals	519	251	Women using modern method	38.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	369	237		
39	General OPD cases per 10,000 population ***	12,769	6,922		
40	Ayush OPD cases per 10,000 population ***	2,067	987		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	9	2		
42	Neonatal Deaths within 1 to 28 days	48	27		
43	<b>Total Neonatal Death</b>	<b>57</b>	<b>29</b>		
44	Deaths between (1 - 11) months	6	6		
45	<b>Total reported infant deaths</b>	<b>63</b>	<b>35</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## Sivasagar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	6,92,435				
2	Sex Ratio	951				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	150				
4	Primary Health Centers (PHC)	27				
5	Community Health Centers (CHC)	2				
6	SDH	1				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	17,394	17,038			
9	Expected number of Delivery	15,860	15,535			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	8,338	47.9	4,039	23.7	ANC Check-up in first trimester 85.1
11	Mothers registered in the first trimester	7,869	94.4	3,783	93.7	At least 4ANC check up 80.9
12	Mothers who had 4 or more ANC check ups	7,740	92.8	3,380	83.7	Neonatal tetanus received 96.5
13	PW who got TT 2 / Booster injection	7,846	94.1	3,991	98.8	100 IFA tablets consumed 53.7
14	PW who consumed 180 IFA tablets	7,951	95.4	4,036	99.9	Home Delivery 4.7
15	Home Delivery against expected delivery *	0	0.0	1	0.0	Institutional Delivery 95.3
16	Institutional Delivery against expected delivery *	6,922	43.6	2,912	18.7	Home Delivery by SBA 0.4
17	Home Delivery against reported delivery **	0	0.0	1	0.0	PNC within 2days of delivery 73.8
18	Institutional Delivery against reported delivery **	6,922	100.0	2,912	100.0	
19	Total reported Deliveries	6,922		2,913		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	1	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,203	75.2	2,090	71.7	
<p><b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>						
22	Expected number of Live Birth	15,307		15,024		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	6,897	45.1	2,896	19.3	Breastfed within 1 hour of birth 54.9
24	Total Still Birth	61	0.4	25	0.9	BCG 95.7
25	PC of newborn weighted at birth to live birth	6,897	100.0	2,896	100.0	3 dose of DPT 90.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,169	16.9	522	18.0	Measles First dose 90.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	6,729	97.6	2,825	97.5	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	9,199	60.1	3,848	25.6	Full Immunization	77.6
29	Children who have received BCG	6,871	44.9	2,831	18.8		
30	Children who have received Pentavalent 1	8,887	58.1	2,807	18.7		
31	Children who have received Pentavalent 3	8,895	58.1	3,324	22.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,199	60.1	3,848	25.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,144		1,254			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	8.3
35	Number of Tubectomies performed	679	178	Spacing	3.2
36	Number of IUD insertion	431	149	Women using any method	67.3
37	Number of IUD removals	596	311	Women using modern method	39.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	423	245		
39	General OPD cases per 10,000 population ***	16,093	8,699		
40	Ayush OPD cases per 10,000 population ***	977	643		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	8	6		
42	Neonatal Deaths within 1 to 28 days	11	3		
43	<b>Total Neonatal Death</b>	<b>19</b>	<b>9</b>		
44	Deaths between (1 - 11) months	0	1		
45	<b>Total reported infant deaths</b>	<b>19</b>	<b>10</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Sonitpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	13,11,619						
2	Sex Ratio	946						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	146						
4	Primary Health Centers (PHC)	29						
5	Community Health Centers (CHC)	6						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	40,126	39,304					
9	Expected number of Delivery	36,587	35,838					
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)				
		Number	PC	Number	PC			
10	PW register for ANC	19,765	49.3	10,313	26.2	ANC Check-up in first trimester	48.8	
11	Mothers registered in the first trimester	17,767	89.9	9,284	90.0	At least 4ANC check up	45.5	
12	Mothers who had 4 or more ANC check ups	16,441	83.2	7,971	77.3	Neonatal tetanus received	99.2	
13	PW who got TT 2 / Booster injection	18,086	91.5	9,818	95.2	100 IFA tablets consumed	56.4	
14	PW who consumed 180 IFA tablets	19,535	98.8	10,249	99.4	Home Delivery	16.5	
15	Home Delivery against expected delivery *	360	1.0	81	0.2	Institutional Delivery	83.5	
16	Institutional Delivery against expected delivery *	23,198	63.4	10,800	30.1	Home Delivery by SBA	1.3	
17	Home Delivery against reported delivery **	360	1.5	81	0.7	PNC within 2days of delivery	63.5	
18	Institutional Delivery against reported delivery **	23,198	98.5	10,800	99.3			
19	Total reported Deliveries	23,558		10,881				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	26.1	12	14.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,747	32.9	2,764	25.4			
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>								
22	Expected number of Live Birth	35,311		34,659				
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)				
23	Total reported live births	23,474	66.5	10,921	31.5	Breastfed within 1 hour of birth	49.8	
24	Total Still Birth	372	1.1	174	1.6	BCG	90.4	
25	PC of newborn weighted at birth to live birth	23,106	98.4	10,814	99.0	3 dose of DPT	76.8	
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,519	15.2	1,486	13.7	Measles First dose	80.4	

27	PC of newborns breastfed within 1 hour to total reported live birth.	21,806	92.9	9,972	91.3	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	19,115	54.1	9,256	26.7	Full Immunization	70.9
29	Children who have received BCG	24,558	69.5	11,551	33.3		
30	Children who have received Pentavalent 1	18,860	53.4	7,280	21.0		
31	Children who have received Pentavalent 3	18,401	52.1	8,396	24.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,115	54.1	9,256	26.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,868		1,157			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	8	1	Total unmet need	5.8
35	Number of Tubectomies performed	1,287	626	Spacing	2
36	Number of IUD insertion	783	339	Women using any method	74.4
37	Number of IUD removals	356	170	Women using modern method	58.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	445	244		
39	General OPD cases per 10,000 population ***	10,735	6,218		
40	Ayush OPD cases per 10,000 population ***	409	250		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	17	9		
42	Neonatal Deaths within 1 to 28 days	137	11		
43	<b>Total Neonatal Death</b>	<b>154</b>	<b>20</b>		
44	Deaths between (1 - 11) months	38	7		
45	<b>Total reported infant deaths</b>	<b>192</b>	<b>27</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	5	1		
47	Due to PPH (Post-Partum haemorrhage)	7	0		
48	Due to Pregnancy related infection and sepsis, Fever	12	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	5		
52	Due to Other/Unknown Causes	2	2		
53	<b>Total reported maternal deaths</b>	<b>30</b>	<b>8</b>		

## South Salmara Mancachar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	952					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	14,524	14,226				
9	Expected number of Delivery	13,243	12,972				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	11,937	82.2	6,490	45.6	ANC Check-up in first trimester	60.1
11	Mothers registered in the first trimester	11,585	97.1	6,351	97.9	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	10,511	88.1	4,863	74.9	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	11,266	94.4	6,344	97.8	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	11,897	99.7	6,567	101.2	Home Delivery	28.3
15	Home Delivery against expected delivery *	820	6.2	77	0.6	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	8,153	61.6	3,823	29.5	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	820	9.1	77	2.0	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	8,153	90.9	3,823	98.0		
19	Total reported Deliveries	8,973		3,900			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	241	29.4	7	9.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,817	64.8	2,088	53.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	12,781		12,545			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	8,889	69.5	3,858	30.8	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	160	1.3	63	1.6	BCG	97
25	PC of newborn weighted at birth to live birth	8,844	99.5	3,851	99.8	3 dose of DPT	81.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,076	12.2	491	12.7	Measles First dose	85.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,640	97.2	3,701	95.9	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	11,396	89.2	5,290	42.2	Full Immunization	65.8
29	Children who have received BCG	11,472	89.8	4,543	36.2		
30	Children who have received Pentavalent 1	11,320	88.6	4,527	36.1		
31	Children who have received Pentavalent 3	11,040	86.4	5,293	42.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,396	89.2	5,285	42.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,675		1,809			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8
35	Number of Tubectomies performed	2	0	Spacing	1.7
36	Number of IUD insertion	734	170	Women using any method	71.5
37	Number of IUD removals	126	64	Women using modern method	60.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	156	88		
39	General OPD cases per 10,000 population ***	6,714	4,110		
40	Ayush OPD cases per 10,000 population ***	1,438	690		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	8	8		
42	Neonatal Deaths within 1 to 28 days	35	13		
43	<b>Total Neonatal Death</b>	<b>43</b>	<b>21</b>		
44	Deaths between (1 - 11) months	12	4		
45	<b>Total reported infant deaths</b>	<b>55</b>	<b>25</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>		

## Tamulpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	3,25,902				
2	Sex Ratio	967				
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>				
3	Sub Centers (SC)	NA				
4	Primary Health Centers (PHC)	NA				
5	Community Health Centers (CHC)	NA				
6	SDH	NA				
7	DH	NA				
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	NA	8,352			
9	Expected number of Delivery	NA	7,616			
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	NA	NA	2,517	30.1	ANC Check-up in first trimester 61.1
11	Mothers registered in the first trimester	NA	NA	2,383	94.7	At least 4ANC check up 56.0
12	Mothers who had 4 or more ANC check ups	NA	NA	1,850	73.5	Neonatal tetanus received 95.0
13	PW who got TT 2 / Booster injection	NA	NA	2,394	95.1	100 IFA tablets consumed 56.2
14	PW who consumed 180 IFA tablets	NA	NA	2,287	90.9	Home Delivery 10.1
15	Home Delivery against expected delivery *	NA	NA	0	0.0	Institutional Delivery 89.9
16	Institutional Delivery against expected delivery *	NA	NA	906	11.9	Home Delivery by SBA 4.6
17	Home Delivery against reported delivery **	NA	NA	0	0.0	PNC within 2days of delivery 65.0
18	Institutional Delivery against reported delivery **	NA	NA	906	100.0	
19	Total reported Deliveries	NA		906		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	1,121	123.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.						
22	Expected number of Live Birth	NA		7,365		
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>		
23	Total reported live births	NA	NA	888	12.1	Breastfed within 1 hour of birth 34.9
24	Total Still Birth	NA	NA	18	2.0	BCG 93.6
25	PC of newborn weighted at birth to live birth	NA	NA	888	100.0	3 dose of DPT 87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	108	12.2	Measles First dose 91.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	875	98.5	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	NA	NA	2,425	32.9	Full Immunization	70.5
29	Children who have received BCG	NA	NA	908	12.3		
30	Children who have received Pentavalent 1	NA	NA	1,794	24.4		
31	Children who have received Pentavalent 3	NA	NA	2,173	29.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	2,436	33.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		239			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	12.5
35	Number of Tubectomies performed	NA	108	Spacing	5.7
36	Number of IUD insertion	NA	156	Women using any method	59.2
37	Number of IUD removals	NA	76	Women using modern method	47.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	NA	59		
39	General OPD cases per 10,000 population ***	NA	5,164		
40	Ayush OPD cases per 10,000 population ***	NA	1494		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	<b>Total Neonatal Death</b>	<b>0</b>	<b>0</b>		
44	Deaths between (1 - 11) months	NA	0		
45	<b>Total reported infant deaths</b>	<b>0</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Tinsukia Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	13,27,929				
2	Sex Ratio	948				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	166				
4	Primary Health Centers (PHC)	22				
5	Community Health Centers (CHC)	8				
6	SDH	1				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	34,743	34,032			
9	Expected number of Delivery	31,679	31,031			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	20,805	59.9	10,437	30.7	ANC Check-up in first trimester 70.7
11	Mothers registered in the first trimester	19,075	91.7	9,651	92.5	At least 4ANC check up 63.1
12	Mothers who had 4 or more ANC check ups	19,391	93.2	10,105	96.8	Neonatal tetanus received 93.9
13	PW who got TT 2 / Booster injection	20,065	96.4	10,073	96.5	100 IFA tablets consumed 43.8
14	PW who consumed 180 IFA tablets	20,902	100.5	10,532	100.9	Home Delivery 17.4
15	Home Delivery against expected delivery *	111	0.4	45	0.1	Institutional Delivery 82.6
16	Institutional Delivery against expected delivery *	18,805	59.4	8,196	26.4	Home Delivery by SBA 1.0
17	Home Delivery against reported delivery **	111	0.6	45	0.5	PNC within 2days of delivery 73.6
18	Institutional Delivery against reported delivery **	18,805	99.4	8,196	99.5	
19	Total reported Deliveries	18,916		8,241		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	60	54.1	26	57.8	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,434	102.7	6,706	81.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	30,574		30,010		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	18,776	61.4	8,186	27.3	Breastfed within 1 hour of birth 51.6
24	Total Still Birth	232	0.8	104	1.3	BCG 97.2
25	PC of newborn weighted at birth to live birth	18,776	100.0	8,184	100.0	3 dose of DPT 92.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,148	16.8	1,570	19.2	Measles First dose 95.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,915	90.1	7,659	93.6	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	20,305	66.4	9,299	31.0	Full Immunization	75
29	Children who have received BCG	19,706	64.5	8,316	27.7		
30	Children who have received Pentavalent 1	20,369	66.6	8,009	26.7		
31	Children who have received Pentavalent 3	19,496	63.8	8,831	29.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,298	66.4	9,312	31.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,967		1,604			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	55	0	Total unmet need	11
35	Number of Tubectomies performed	1,500	482	Spacing	4.4
36	Number of IUD insertion	779	320	Women using any method	59.2
37	Number of IUD removals	761	384	Women using modern method	36.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	713	365		
39	General OPD cases per 10,000 population ***	17,749	9,717		
40	Ayush OPD cases per 10,000 population ***	253	142		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	6	1		
42	Neonatal Deaths within 1 to 28 days	8	1		
43	<b>Total Neonatal Death</b>	<b>14</b>	<b>2</b>		
44	Deaths between (1 - 11) months	3	3		
45	<b>Total reported infant deaths</b>	<b>17</b>	<b>5</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>0</b>		

## Udaguri Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,31,668					
2	Sex Ratio	966					
<b>B) Infrastructure Details (HDI 2022-23)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2024-25</b>	<b>2025-26</b>				
8	Expected number of PW	21,759	21,314				
9	Expected number of Delivery	19,841	19,434				
		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	12,403	57.0	6,150	28.9	ANC Check-up in first trimester	50.1
11	Mothers registered in the first trimester	11,663	94.0	5,764	93.7	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	11,209	90.4	4,785	77.8	Neonatal tetanus received	91.0
13	PW who got TT 2 / Booster injection	11,010	88.8	5,873	95.5	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	12,596	101.6	5,702	92.7	Home Delivery	13.8
15	Home Delivery against expected delivery *	8	0.0	1	0.0	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	4,985	25.1	2,244	11.5	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	8	0.2	1	0.0	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	4,985	99.8	2,244	100.0		
19	Total reported Deliveries	4,993		2,245			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	62.5	1	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,087	141.9	3,075	137.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.							
22	Expected number of Live Birth	19,148		18,795			
<b>D) Child Immunization:</b>		<b>HMIS (2024-25)</b>	<b>HMIS (2025-26) 2nd QTR</b>	<b>NFHS-5(2019-20)</b>			
23	Total reported live births	4,952	25.9	2,237	11.9	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	57	0.3	24	1.1	BCG	78.6
25	PC of newborn weighted at birth to live birth	4,949	99.9	2,229	99.6	3 dose of DPT	68
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	557	11.3	281	12.6	Measles First dose	75.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,906	99.1	2,193	98.0	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	11,624	60.7	5,362	28.5	Full Immunization	38.3
29	Children who have received BCG	5,658	29.5	2,348	12.5		
30	Children who have received Pentavalent 1	11,404	59.6	4,402	23.4		
31	Children who have received Pentavalent 3	11,178	58.4	4,840	25.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,585	60.5	5,423	28.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,314		867			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	167	69	Spacing	6.4
36	Number of IUD insertion	1,471	807	Women using any method	50.2
37	Number of IUD removals	784	381	Women using modern method	36.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	248	156		
39	General OPD cases per 10,000 population ***	11,732	6,283		
40	Ayush OPD cases per 10,000 population ***	1,027	674		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	4	1		
42	Neonatal Deaths within 1 to 28 days	8	3		
43	<b>Total Neonatal Death</b>	<b>12</b>	<b>4</b>		
44	Deaths between (1 - 11) months	3	5		
45	<b>Total reported infant deaths</b>	<b>15</b>	<b>9</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	3		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>4</b>		

## West Karbi Anglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	2,95,358				
2	Sex Ratio	956				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	50				
4	Primary Health Centers (PHC)	18				
5	Community Health Centers (CHC)	2				
6	SDH	1				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	8,194	8,026			
9	Expected number of Delivery	7,471	7,318			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	7,205	87.9	3,305	41.2	ANC Check-up in first trimester 55.5
11	Mothers registered in the first trimester	5,951	82.6	2,875	87.0	At least 4ANC check up 46.7
12	Mothers who had 4 or more ANC check ups	4,107	57.0	2,074	62.8	Neonatal tetanus received 87.6
13	PW who got TT 2 / Booster injection	6,466	89.7	3,020	91.4	100 IFA tablets consumed 39.9
14	PW who consumed 180 IFA tablets	7,072	98.2	3,240	98.0	Home Delivery 27.5
15	Home Delivery against expected delivery *	1,604	21.5	526	7.2	Institutional Delivery 72.5
16	Institutional Delivery against expected delivery *	2,693	36.0	1,407	19.2	Home Delivery by SBA 12.0
17	Home Delivery against reported delivery **	1,604	37.3	526	27.2	PNC within 2days of delivery 55.7
18	Institutional Delivery against reported delivery **	2,693	62.7	1,407	72.8	
19	Total reported Deliveries	4,297		1,933		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	155	9.7	54	10.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,022	47.1	851	44.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	7,210		7,077		
D) Child Immunization:		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5(2019-20)		
23	Total reported live births	4,197	58.2	1,900	26.8	Breastfed within 1 hour of birth 56.2
24	Total Still Birth	108	1.5	40	2.1	BCG 92.7
25	PC of newborn weighted at birth to live birth	4,191	99.9	1,895	99.7	3 dose of DPT 70.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	117	2.8	63	3.3	Measles First dose 66.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,067	96.9	1,863	98.1	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	6,227	86.4	3,013	42.6	Full Immunization	47.9
29	Children who have received BCG	5,324	73.8	2,210	31.2		
30	Children who have received Pentavalent 1	6,192	85.9	2,536	35.8		
31	Children who have received Pentavalent 3	6,268	86.9	2,793	39.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,225	86.3	3,010	42.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	588		308			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	45	24	Spacing	3.2
36	Number of IUD insertion	737	405	Women using any method	69.9
37	Number of IUD removals	200	78	Women using modern method	43.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	181	73		
39	General OPD cases per 10,000 population ***	4,434	3,298		
40	Ayush OPD cases per 10,000 population ***	769	376		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	6	0		
43	<b>Total Neonatal Death</b>	<b>7</b>	<b>0</b>		
44	Deaths between (1 - 11) months	13	1		
45	<b>Total reported infant deaths</b>	<b>20</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		