

## Arunachal Pradesh Factsheet

### Key Indicators

<b>A) Demographic Indicators (Census 2011)</b>						
1	Population 2011	13,83,727				
2	Sex Ratio	920				
<b>B) Infrastructure Details (RHS 2021-22)</b>						
<b>Numbers</b>						
3	Sub Centers (SC)	367				
4	Primary Health Centers (PHC)	131				
5	Community Health Centers (CHC)	57				
6	SDH	0				
7	DH	19				
<b>C) Maternal Health:</b>		<b>2022-23</b>		<b>2023-24</b>		
8	Expected number of PW	34,895		35,799		
9	Expected number of Delivery	32,357		32,642		
		<b>HMIS (2022-23)</b>		<b>HMIS (2023-24)</b>		<b>NFHS-5 (2019-20)</b>
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	31,184	89.4	27,031	75.5	ANC Check up in first trimester 53.1
11	Mothers registered in the first trimester	15,082	48.4	13,688	50.6	At least 4 ANC check up 36.5
12	Mothers who had 4 or more ANC check ups	15,100	48.4	15,816	58.5	Neonatal tetanus received 76.9
13	PW who got TT 2 / Booster injection	17,865	57.3	15,472	57.2	100 IFA tablets consumed 23.8
14	PW who consumed 180 IFA tablets	23,108	74.1	23,756	87.9	Home Delivery 20.8
15	Home Delivery against expected delivery *	1,655	5.1	1,310	4.0	Institutional Delivery 79.2
16	Institutional Delivery against expected delivery *	20,230	62.5	20,220	61.9	Home Delivery by SBA 4.0
17	Home Delivery against reported delivery **	1,655	7.6	1,310	6.1	PNC within 2days of delivery 56.4
18	Institutional Delivery against reported delivery **	20,230	92.4	20,220	93.9	Breastfeed within 1 hour of birth 52.0
19	Total reported Deliveries	21,885		21,530		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	780	47.1	594	45.3	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,296	33.3	11,665	54.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	31,722		32,545		
<b>D) Child Immunization :</b>		<b>HMIS (2022-23)</b>		<b>HMIS (2023-24)</b>		<b>NFHS-5 (2019-20)</b>
23	Total reported live births	21,708	68.4	21,561	66.3	BCG 87.9
24	Total Still Birth	245	0.8	191	0.6	3 dose of DPT 77.7
25	Newborn weighted at birth to live birth	21,204	97.7	20,936	97.1	Measles First dose 80.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,297	6.1	1,521	7.3	3 doses of penta or hepatitis B vaccine 73
27	Newborns breastfed within 1 hour to total reported live birth.	17,753	81.8	17,775	82.4	Full Immunization 64.9
28	Fully immunized	21,613	68.1	21,213	65.2	

29	Children who have received BCG	21,921	69.1	22,397	68.8		
30	Children who have received Pentavalent 1	21,859	68.9	22,224	68.3		
31	Children who have received Pentavalent 3	20,666	65.1	21,456	65.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	21,951	69.2	21,112	64.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,242		8,850			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>	<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0	0	Total unmet need	12.5
35	Number of Tubectomies performed	1,108	835	Spacing	7
36	Number of IUD insertion	1,898	1,683	Women using any method	59.1
37	Number of IUD removals	1,323	1,078	Women using modern method	47.2
<b>F) Service delivery</b>		<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
38	IPD cases per 10,000 population ***	416	487		
39	General OPD cases per 10,000 population ***	8872	10697		
40	Ayush OPD cases per 10,000 population ***	764	831		
<b>G) Mortality Details</b>					
I)	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
41	Neonatal death within 24 hours	47	52		
42	Neonatal Deaths within 1 to 28 days	51	24		
43	<b>Total Neonatal Death</b>	98	76		
44	Deaths between (1 - 11) months	37	19		
45	<b>Total reported infant deaths</b>	135	95		
II)	<b>Maternal Mortality</b>	<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
46	Due to APH (Antepartum Haemorrhage)	5	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	2	1		
50	Due to Obstructed/prolonged labour	1	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	5	2		
53	<b>Total reported maternal deaths</b>	13	5		

## Anjaw Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	21,167			
2	Sex Ratio	805			
B) Infrastructure Details (RHS 2021-22)		Numbers			
3	Sub Centers (SC)	8			
4	Primary Health Centers (PHC)	6			
5	Community Health Centers (CHC)	4			
6	SDH	0			
7	DH	1			

C) Maternal Health:		2022-23		2023-24			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	325	69.4	272	57.3	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	185	56.9	99	36.4	At least 4 ANC check up	32.3
12	Mothers who had 4 or more ANC check ups	150	46.2	114	41.9	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	202	62.2	174	64.0	100 IFA tablets consumed	16.5
14	PW who consumed 180 IFA tablets	278	85.5	269	98.9	Home Delivery	22.0
15	Home Delivery against expected delivery *	34	7.8	14	3.2	Institutional Delivery	78.0
16	Institutional Delivery against expected delivery *	164	37.8	46	10.6	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	34	17.2	14	23.3	PNC within 2days of delivery	55.8
18	Institutional Delivery against reported delivery **	164	82.8	46	76.7	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	198		60			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	20.6	1	7.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	32	16.2	24	40.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22	Expected number of Live Birth	426		432			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
23	Total reported live births	198	46.5	60	13.9	BCG	97.7
24	Total Still Birth	3	0.7	0	0.0	3 dose of DPT	95.3
25	Newborn weighted at birth to live birth	193	97.5	58	96.7	Measles First dose	97.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	4.1	7	12.1	3 doses of penta or hepatitis B vaccine	85.6
27	Newborns breastfed within 1 hour to total reported live birth.	193	97.5	59	98.3	Full Immunization	93

28	Fully immunized	276	64.8	243	56.3		
29	Children who have received BCG	192	45.1	94	21.8		
30	Children who have received Pentavalent 1	272	63.9	240	55.6		
31	Children who have received Pentavalent 3	280	65.8	275	63.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	282	66.3	253	58.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	307		298			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.8
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	6	1	Women using any method	64.7
37	Number of IUD removals	9	5	Women using modern method	50.9
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	210	163		
39	General OPD cases per 10,000 population ***	7840	6736		
40	Ayush OPD cases per 10,000 population ***	650	360		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	0		
44	Deaths between (1 - 11) months	0	1		
45	<b>Total reported infant deaths</b>	0	1		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Changlang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	1,48,226			
2	Sex Ratio	914			
B) Infrastructure Details (RHS 2021-22)		Numbers			
3	Sub Centers (SC)	25			
4	Primary Health Centers (PHC)	7			
5	Community Health Centers (CHC)	5			
6	SDH	0			
7	DH	1			

C) Maternal Health:		2022-23		2023-24			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,102	90.4	2,708	77.5	ANC Check up in first trimester	65.0
11	Mothers registered in the first trimester	1,206	38.9	1,101	40.7	At least 4 ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	1,044	33.7	1,189	43.9	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	2,425	78.2	2,194	81.0	100 IFA tablets consumed	37.3
14	PW who consumed 180 IFA tablets	1,916	61.8	2,187	80.8	Home Delivery	24.9
15	Home Delivery against expected delivery *	230	7.2	171	5.4	Institutional Delivery	75.1
16	Institutional Delivery against expected delivery *	1,514	47.6	1,374	43.1	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	230	13.2	171	11.1	PNC within 2days of delivery	69.7
18	Institutional Delivery against reported delivery **	1,514	86.8	1,374	88.9	Breastfeed within 1 hour of birth	60.7
19	Total reported Deliveries	1,744		1,545			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	15.7	30	17.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	251	14.4	857	55.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22	Expected number of Live Birth	3,119		3,175			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
23	Total reported live births	1,736	55.7	1,536	48.4	BCG	86.1
24	Total Still Birth	12	0.4	10	0.3	3 dose of DPT	84.4
25	Newborn weighted at birth to live birth	1,733	99.8	1,536	100.0	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	96	5.5	99	6.4	3 doses of penta or hepatitis B vaccine	84.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,733	99.8	1,518	98.8	Full Immunization	70.9

28	Fully immunized	2,296	73.6	2,302	72.5		
29	Children who have received BCG	2,182	70.0	2,073	65.3		
30	Children who have received Pentavalent 1	2,495	80.0	2,513	79.1		
31	Children who have received Pentavalent 3	2,214	71.0	2,325	73.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,298	73.7	2,311	72.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	170		325			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>	<b>NFHS-5 (2019-20)</b>	
34	Number of Vasectomies performed	0	0	Total unmet need	6.7
35	Number of Tubectomies performed	170	0	Spacing	3.5
36	Number of IUD insertion	53	36	Women using any method	71.4
37	Number of IUD removals	36	28	Women using modern method	46.3
<b>F) Service delivery</b>		<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
38	IPD cases per 10,000 population ***	270	233		
39	General OPD cases per 10,000 population ***	4342	4808		
40	Ayush OPD cases per 10,000 population ***	1127	1568		
<b>G) Mortality Details</b>					
I)	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	0		
44	Deaths between (1 - 11) months	1	0		
45	<b>Total reported infant deaths</b>	1	0		
II)	<b>Maternal Mortality</b>	<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	8,004				
2	Sex Ratio	808				
B) Infrastructure Details (RHS 2021-22)		Number s				
3	Sub Centers (SC)	5				
4	Primary Health Centers(PHC)	1				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23	2023-24			
8	Expected number of PW	169	170			
9	Expected number of Delivery	156	155			
HMIS ( 2022-23)			HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	105	62.3	99	58.2	ANC Check up in first trimester 60.7
11	Mothers registered in the first trimester	50	47.6	47	47.5	At least 4 ANC check up 40.4
12	Mothers who had 4 or more ANC check ups	4	3.8	3	3.0	Neonatal tetanus received 85.2
13	PW who got TT 2 / Booster injection	55	52.4	21	21.2	100 IFA tablets consumed 25.4
14	PW who consumed 180 IFA tablets	59	56.2	86	86.9	Home Delivery 14.5
15	Home Delivery against expected delivery *	0	0.0	6	3.9	Institutional Delivery 85.5
16	Institutional Delivery against expected delivery *	39	24.9	26	16.8	Home Delivery by SBA 3.5
17	Home Delivery against reported delivery **	0	0.0	6	18.8	PNC within 2days of delivery 66.2
18	Institutional Delivery against reported delivery **	39	100.0	26	81.3	Breastfeed within 1 hour of birth 66.5
19	Total reported Deliveries	39		32		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	4	66.7	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	2.6	9	28.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	153		155		
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
23	Total reported live births	41	26.7	32	20.7	BCG 97.3
24	Total Still Birth	2	1.3	0	0.0	3 dose of DPT 90.7
25	Newborn weighted at birth to live birth	7	17.1	28	87.5	Measles First dose 90.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	5	17.9	3 doses of penta or hepatitis B vaccine 84

27	Newborns breastfed within 1 hour to total reported live birth.	7	17.1	24	75.0	Full Immunization	90.7
28	Fully immunized	47	30.7	102	65.9		
29	Children who have received BCG	33	21.5	36	23.3		
30	Children who have received Pentavalent 1	64	41.7	80	51.7		
31	Children who have received Pentavalent 3	60	39.1	72	46.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	46	30.0	101	65.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	45		54			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed		0	Total unmet need	4.6
35	Number of Tubectomies performed	0	0	Spacing	3.4
36	Number of IUD insertion	0	11	Women using any method	69.1
37	Number of IUD removals	0	17	Women using modern method	49.7
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	190	168		
39	General OPD cases per 10,000 population ***	12723	14950		
40	Ayush OPD cases per 10,000 population ***	23	18		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	0		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## East Kameng Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	63,332				
2	Sex Ratio	1,012				
B) Infrastructure Details (RHS 2021-22)		Number s				
3	Sub Centers (SC)	17				
4	Primary Health Centers(PHC)	8				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23	2023-24			
8	Expected number of PW	1,800	1,867			
9	Expected number of Delivery	1,669	1,702			
HMIS ( 2022-23)			HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	1,495	83.1	1,203	64.4	ANC Check up in first trimester 41.7
11	Mothers registered in the first trimester	1,073	71.8	1,203	100.0	At least 4 ANC check up 29.1
12	Mothers who had 4 or more ANC check ups	1,079	72.2	1,340	111.4	Neonatal tetanus received 73.1
13	PW who got TT 2 / Booster injection	1,335	89.3	167	13.9	100 IFA tablets consumed 11.2
14	PW who consumed 180 IFA tablets	1,379	92.2	1,370	113.9	Home Delivery 24.0
15	Home Delivery against expected delivery *	36	2.2	30	1.8	Institutional Delivery 76.0
16	Institutional Delivery against expected delivery *	1,052	63.0	1,292	75.9	Home Delivery by SBA 4.4
17	Home Delivery against reported delivery **	36	3.3	30	2.3	PNC within 2days of delivery 53.6
18	Institutional Delivery against reported delivery **	1,052	96.7	1,292	97.7	Breastfeed within 1 hour of birth 52.2
19	Total reported Deliveries	1,088		1,322		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	72.2	22	73.3	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17	1.6	8	0.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,636		1,697		
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
23	Total reported live births	1,058	64.7	1,322	77.9	BCG 82.9
24	Total Still Birth	15	0.9	0	0.0	3 dose of DPT 70.7
25	Newborn weighted at birth to live birth	1,058	100.0	1,311	99.2	Measles First dose 77.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	0.4	9	0.7	3 doses of penta or hepatitis B vaccine 64.4

27	Newborns breastfed within 1 hour to total reported live birth.	1,058	100.0	1,289	97.5	Full Immunization	60.8
28	Fully immunized	1,211	74.0	1,322	77.9		
29	Children who have received BCG	1,258	76.9	1,353	79.7		
30	Children who have received Pentavalent 1	1,272	77.7	1,322	77.9		
31	Children who have received Pentavalent 3	1,201	73.4	1,322	77.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,244	76.0	1,322	77.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	87		284			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	1	0	Spacing	4.7
36	Number of IUD insertion	73	60	Women using any method	64.9
37	Number of IUD removals	33	14	Women using modern method	57.4
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	127	96		
39	General OPD cases per 10,000 population ***	4209	4830		
40	Ayush OPD cases per 10,000 population ***	341	262		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	0		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>		

## East Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	70,956				
2	Sex Ratio	962				
B) Infrastructure Details (RHS 2021-22)		Number	s			
3	Sub Centers (SC)	16				
4	Primary Health Centers(PHC)	9				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	1,561		1,582		
9	Expected number of Delivery	1,448		1,443		
HMIS ( 2022-23)			HMIS ( 2023-24)		NFHS-5 ( 2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	2,284	146.3	1,492	94.3	ANC Check up in first trimester 39.9
11	Mothers registered in the first trimester	875	38.3	802	53.8	At least 4 ANC check up 34.3
12	Mothers who had 4 or more ANC check ups	577	25.3	1,296	86.9	Neonatal tetanus received 75.2
13	PW who got TT 2 / Booster injection	1,183	51.8	1,025	68.7	100 IFA tablets consumed 11.4
14	PW who consumed 180 IFA tablets	1,493	65.4	1,605	107.6	Home Delivery 9.2
15	Home Delivery against expected delivery *	38	2.6	1	0.1	Institutional Delivery 90.8
16	Institutional Delivery against expected delivery *	2,039	140.8	2,063	143.0	Home Delivery by SBA 1.7
17	Home Delivery against reported delivery **	38	1.8	1	0.0	PNC within 2days of delivery 55.7
18	Institutional Delivery against reported delivery **	2,039	98.2	2,063	100.0	Breastfeed within 1 hour of birth 49.4
19	Total reported Deliveries	2,077		2,064		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	100.0	1	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,074	51.7	1,741	84.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,420		1,438		
D) Child Immunization :		HMIS ( 2022-23)		HMIS ( 2023-24)		NFHS-5 ( 2019-20)
23	Total reported live births	2,034	143.3	2,068	143.8	BCG 84.8
24	Total Still Birth	44	3.1	20	1.4	3 dose of DPT 71.2
25	Newborn weighted at birth to live birth	2,022	99.4	2,049	99.1	Measles First dose 81.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	243	12.0	145	7.1	3 doses of penta or hepatitis B vaccine 67.3

27	Newborns breastfed within 1 hour to total reported live birth.	2,021	99.4	2,039	98.6	Full Immunization	48.8
28	Fully immunized	1,164	82.0	1,215	84.5		
29	Children who have received BCG	2,142	150.9	2,228	154.9		
30	Children who have received Pentavalent 1	1,318	92.8	1,341	93.2		
31	Children who have received Pentavalent 3	1,259	88.7	1,271	88.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,170	82.4	1,192	82.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	70		108			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.6
35	Number of Tubectomies performed	174	148	Spacing	9.6
36	Number of IUD insertion	155	146	Women using any method	40
37	Number of IUD removals	94	86	Women using modern method	35.9
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	1210	1190		
39	General OPD cases per 10,000 population ***	13251	12938		
40	Ayush OPD cases per 10,000 population ***	493	309		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	5	17		
42	Neonatal Deaths within 1 to 28 days	19	9		
43	<b>Total Neonatal Death</b>	24	26		
44	Deaths between (1 - 11) months	5	2		
45	<b>Total reported infant deaths</b>	29	28		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	2	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>1</b>		

## Kamle Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	19,697				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	20				
4	Primary Health Centers (PHC)	4				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	632		663		
9	Expected number of Delivery	586		604		
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	210	33.2	170	25.6	ANC Check up in first trimester
11	Mothers registered in the first trimester	91	43.3	82	48.2	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	24	11.4	40	23.5	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	90	42.9	125	73.5	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	132	62.9	137	80.6	Home Delivery
15	Home Delivery against expected delivery *	17	2.9	16	2.6	Institutional Delivery
16	Institutional Delivery against expected delivery *	37	6.3	51	8.4	Home Delivery by SBA
17	Home Delivery against reported delivery **	17	31.5	16	23.9	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	37	68.5	51	76.1	Breastfeed within 1 hour of birth
19	Total reported Deliveries	54		67		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	29.4	0	0.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25	46.3	40	59.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.						
22	Expected number of Live Birth	575		603		
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
23	Total reported live births	54	9.4	67	11.1	BCG
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT
25	Newborn weighted at birth to live birth	39	72.2	52	77.6	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	10.3	7	13.5	3 doses of penta or hepatitis B vaccine
27	Newborns breastfed within 1 hour to total reported live birth.	38	70.4	58	86.6	Full Immunization

28	Fully immunized	167	29.1	194	32.2		
29	Children who have received BCG	72	12.5	89	14.8		
30	Children who have received Pentavalent 1	196	34.1	200	33.2		
31	Children who have received Pentavalent 3	171	29.8	239	39.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	166	28.9	190	31.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	165		246			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed		0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	11	8	Women using any method	NA
37	Number of IUD removals	2	2	Women using modern method	NA
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	705	191		
39	General OPD cases per 10,000 population ***	3986	5046		
40	Ayush OPD cases per 10,000 population ***	1216	1093		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	0		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)		0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever		0		
49	Due to Abortive complication		0		
50	Due to Obstructed/prolonged labour		0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium		0		
52	Due to Other/Unknown Causes		0		
53	<b>Total reported maternal deaths</b>	0	0		

## Kra Daadi Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	46,704				
2	Sex Ratio	1,029				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	8				
4	Primary Health Centers(PHC)	6				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	2,829		3,143		
9	Expected number of Delivery	2,624		2,866		
		HMIS ( 2022-23)		HMIS ( 2023-24)		NFHS-5 ( 2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	310	11.0	326	10.4	ANC Check up in first trimester 62.5
11	Mothers registered in the first trimester	199	64.2	208	63.8	At least 4 ANC check up 18.3
12	Mothers who had 4 or more ANC check ups	173	55.8	230	70.6	Neonatal tetanus received 55.1
13	PW who got TT 2 / Booster injection	101	32.6	198	60.7	100 IFA tablets consumed 12.7
14	PW who consumed 180 IFA tablets	307	99.0	310	95.1	Home Delivery 26.5
15	Home Delivery against expected delivery *	37	1.4	29	1.0	Institutional Delivery 73.5
16	Institutional Delivery against expected delivery *	76	2.9	58	2.0	Home Delivery by SBA 7.7
17	Home Delivery against reported delivery **	37	32.7	29	33.3	PNC within 2days of delivery 34.9
18	Institutional Delivery against reported delivery **	76	67.3	58	66.7	Breastfeed within 1 hour of birth 35.9
19	Total reported Deliveries	113		87		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	27.0	12	41.4	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	89	78.8	46	52.9	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	2,572		2,858		
D) Child Immunization :		HMIS ( 2022-23)		HMIS ( 2023-24)		NFHS-5 ( 2019-20)
23	Total reported live births	118	4.6	90	3.1	BCG 92.2
24	Total Still Birth	0	0.0	1	0.0	3 dose of DPT 71.3
25	Newborn weighted at birth to live birth	115	97.5	85	94.4	Measles First dose 77.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.7	3	3.5	3 doses of penta or hepatitis B vaccine 71.3
27	Newborns breastfed within 1 hour to total reported live birth.	111	94.1	85	94.4	Full Immunization 63.6

28	Fully immunized	283	11.0	285	10.0		
29	Children who have received BCG	274	10.7	272	9.5		
30	Children who have received Pentavalent 1	286	11.1	284	9.9		
31	Children who have received Pentavalent 3	272	10.6	275	9.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	293	11.4	286	10.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	165		287			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.5
35	Number of Tubectomies performed	0	0	Spacing	13.1
36	Number of IUD insertion	33	23	Women using any method	46.1
37	Number of IUD removals	3	7	Women using modern method	39.9

  

F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	81	123		
39	General OPD cases per 10,000 population ***	1129	914		
40	Ayush OPD cases per 10,000 population ***	70	117		

#### G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)	
41	Neonatal death within 24 hours		0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	<b>Total Neonatal Death</b>	0	0	
44	Deaths between (1 - 11) months	0	0	
45	<b>Total reported infant deaths</b>	0	0	

  

II)	Maternal Mortality	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)	
46	Due to APH (Antepartum Haemorrhage)			0	
47	Due to PPH (Post-Partum Haemorrhage)	NA		0	
48	Due to Pregnancy related infection and sepsis, Fever			0	
49	Due to Abortive complication			0	
50	Due to Obstructed/prolonged labour			0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium			0	
52	Due to Other/Unknown Causes			0	
53	<b>Total reported maternal deaths</b>	0	0		

## Kurung Kumey Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	45,372				
2	Sex Ratio	1,029				
B) Infrastructure Details (RHS 2021-22)		Number	s			
3	Sub Centers (SC)	13				
4	Primary Health Centers(PHC)	4				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	2,749		3,054		
9	Expected number of Delivery	2,549		2,785		
HMIS ( 2022-23)			HMIS ( 2023-24)		NFHS-5 ( 2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	647	23.5	662	21.7	ANC Check up in first trimester 45.2
11	Mothers registered in the first trimester	259	40.0	516	77.9	At least 4 ANC check up 44.1
12	Mothers who had 4 or more ANC check ups	492	76.0	479	72.4	Neonatal tetanus received 77.0
13	PW who got TT 2 / Booster injection	64	9.9	330	49.8	100 IFA tablets consumed 23.8
14	PW who consumed 180 IFA tablets	632	97.7	730	110.3	Home Delivery 30.8
15	Home Delivery against expected delivery *	94	3.7	41	1.5	Institutional Delivery 69.2
16	Institutional Delivery against expected delivery *	479	18.8	434	15.6	Home Delivery by SBA 1.6
17	Home Delivery against reported delivery **	94	16.4	41	8.6	PNC within 2days of delivery 62.3
18	Institutional Delivery against reported delivery **	479	83.6	434	91.4	Breastfeed within 1 hour of birth 39.0
19	Total reported Deliveries	573		475		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	90	95.7	41	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	148	25.8	0	0.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	2,499		2,776		
D) Child Immunization :		HMIS ( 2022-23)		HMIS ( 2023-24)		NFHS-5 ( 2019-20)
23	Total reported live births	551	22.1	477	17.2	BCG 100
24	Total Still Birth	11	0.4	0	0.0	3 dose of DPT 86.6
25	Newborn weighted at birth to live birth	551	100.0	475	99.6	Measles First dose 89.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	6	1.3	3 doses of penta or hepatitis B vaccine 76.3

27	Newborns breastfed within 1 hour to total reported live birth.	551	100.0	472	99.0	Full Immunization	71.4
28	Fully immunized	790	31.6	795	28.6		
29	Children who have received BCG	507	20.3	464	16.7		
30	Children who have received Pentavalent 1	625	25.0	507	18.3		
31	Children who have received Pentavalent 3	742	29.7	606	21.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	831	33.3	673	24.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	128		100			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.4
35	Number of Tubectomies performed	0	0	Spacing	7.4
36	Number of IUD insertion	8	22	Women using any method	54.1
37	Number of IUD removals	12	16	Women using modern method	47.9
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	35	29		
39	General OPD cases per 10,000 population ***	582	600		
40	Ayush OPD cases per 10,000 population ***	29	1		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	0		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0			
47	Due to PPH (Post-Partum Haemorrhage)	NA			
48	Due to Pregnancy related infection and sepsis, Fever	0			
49	Due to Abortive complication	0			
50	Due to Obstructed/prolonged labour	0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0			
52	Due to Other/Unknown Causes	0			
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Leparada Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	20,152			
2	Sex Ratio	NA			
B) Infrastructure Details (RHS 2021-22)		Numbers			
3	Sub Centers (SC)	10			
4	Primary Health Centers (PHC)	2			
5	Community Health Centers (CHC)	0			
6	SDH	0			
7	DH	0			

C) Maternal Health:		2022-23		2023-24			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	269	64.2	261	61.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	159	59.1	137	52.5	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	157	58.4	109	41.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	110	40.9	124	47.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	80	29.7	183	70.1	Home Delivery	NA
15	Home Delivery against expected delivery *	8	2.1	1	0.3	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	83	21.4	95	24.7	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	8	8.8	1	1.0	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	83	91.2	95	99.0	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	91		96			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	87.5	0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	1.1	1	1.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
23	Total reported live births	91	23.9	96	25.0	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	88	96.7	94	97.9	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	4.5	0	0.0	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	88	96.7	91	94.8	Full Immunization	NA

28	Fully immunized	265	69.6	295	76.9		
29	Children who have received BCG	101	26.5	108	28.1		
30	Children who have received Pentavalent 1	278	73.0	277	72.2		
31	Children who have received Pentavalent 3	256	67.2	287	74.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	267	70.1	246	64.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	75		177			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	39	0	Spacing	NA
36	Number of IUD insertion	13	25	Women using any method	NA
37	Number of IUD removals	19	15	Women using modern method	NA
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	338	496		
39	General OPD cases per 10,000 population ***	9931	10105		
40	Ayush OPD cases per 10,000 population ***	1074	737		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	<b>Total Neonatal Death</b>	1	0		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	1	0		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Lohit Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	49,776				
2	Sex Ratio	901				
B) Infrastructure Details (RHS 2021-22)		Number s				
3	Sub Centers (SC)	13				
4	Primary Health Centers(PHC)	4				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23	2023-24			
8	Expected number of PW	1,133	1,152			
9	Expected number of Delivery	1,051	1,050			
HMIS ( 2022-23)			HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	1,069	94.3	1,055	91.6	ANC Check up in first trimester 66.9
11	Mothers registered in the first trimester	637	59.6	403	38.2	At least 4 ANC check up 39.6
12	Mothers who had 4 or more ANC check ups	793	74.2	811	76.9	Neonatal tetanus received 74.6
13	PW who got TT 2 / Booster injection	753	70.4	705	66.8	100 IFA tablets consumed 34.1
14	PW who consumed 180 IFA tablets	1,151	107.7	818	77.5	Home Delivery 9.8
15	Home Delivery against expected delivery *	8	0.8	10	1.0	Institutional Delivery 90.2
16	Institutional Delivery against expected delivery *	1,017	96.8	1,045	99.5	Home Delivery by SBA 2.6
17	Home Delivery against reported delivery **	8	0.8	10	0.9	PNC within 2days of delivery 66.2
18	Institutional Delivery against reported delivery **	1,017	99.2	1,045	99.1	Breastfeed within 1 hour of birth 52.3
19	Total reported Deliveries	1,025		1,055		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	50.0	1	10.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	187	18.2	981	93.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,030		1,047		
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
23	Total reported live births	1,004	97.4	1,052	100.5	BCG 95.9
24	Total Still Birth	17	1.7	11	1.1	3 dose of DPT 86.8
25	Newborn weighted at birth to live birth	1,004	100.0	1,051	99.9	Measles First dose 87.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	67	6.7	80	7.6	3 doses of penta or hepatitis B vaccine 83.4

27	Newborns breastfed within 1 hour to total reported live birth.	994	99.0	1,051	99.9	Full Immunization	74
28	Fully immunized	788	76.5	882	84.2		
29	Children who have received BCG	1,028	99.8	1,096	104.7		
30	Children who have received Pentavalent 1	837	81.2	887	84.7		
31	Children who have received Pentavalent 3	774	75.1	837	79.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	786	76.3	882	84.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	534		619			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	56	40	Spacing	7.3
36	Number of IUD insertion	44	48	Women using any method	57
37	Number of IUD removals	17	8	Women using modern method	43.5
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	546	457		
39	General OPD cases per 10,000 population ***	10893	11680		
40	Ayush OPD cases per 10,000 population ***	719	443		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	6	9		
42	Neonatal Deaths within 1 to 28 days	3	2		
43	<b>Total Neonatal Death</b>	9	11		
44	Deaths between (1 - 11) months	1	2		
45	<b>Total reported infant deaths</b>	10	13		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Longding Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	56,953				
2	Sex Ratio	931				
B) Infrastructure Details (RHS 2021-22)		Number	s			
3	Sub Centers (SC)	8				
4	Primary Health Centers(PHC)	2				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	1,231		1,245		
9	Expected number of Delivery	1,141		1,135		
HMIS ( 2022-23)			HMIS ( 2023-24)		NFHS-5 ( 2019-20)	
	Number	PC	Number	PC		
10	PW register for ANC	1,397	113.5	1,269	101.9	ANC Check up in first trimester 65.8
11	Mothers registered in the first trimester	363	26.0	459	36.2	At least 4 ANC check up 39.6
12	Mothers who had 4 or more ANC check ups	285	20.4	465	36.6	Neonatal tetanus received 78.4
13	PW who got TT 2 / Booster injection	1,067	76.4	886	69.8	100 IFA tablets consumed 33.4
14	PW who consumed 180 IFA tablets	971	69.5	1,255	98.9	Home Delivery 35.5
15	Home Delivery against expected delivery *	363	31.8	294	25.9	Institutional Delivery 64.5
16	Institutional Delivery against expected delivery *	542	47.5	524	46.2	Home Delivery by SBA 0.9
17	Home Delivery against reported delivery **	363	40.1	294	35.9	PNC within 2days of delivery 57.1
18	Institutional Delivery against reported delivery **	542	59.9	524	64.1	Breastfeed within 1 hour of birth 58.0
19	Total reported Deliveries	905		818		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	149	41.0	98	33.3	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	257	28.4	416	50.9	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,119		1,132		
D) Child Immunization :		HMIS ( 2022-23)		HMIS ( 2023-24)		NFHS-5 ( 2019-20)
23	Total reported live births	889	79.4	810	71.6	BCG 74.5
24	Total Still Birth	16	1.4	5	0.4	3 dose of DPT 59.7
25	Newborn weighted at birth to live birth	744	83.7	699	86.3	Measles First dose 61.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	0.8	4	0.6	3 doses of penta or hepatitis B vaccine 59.7

27	Newborns breastfed within 1 hour to total reported live birth.	862	97.0	761	94.0	Full Immunization	52.7
28	Fully immunized	786	70.2	840	74.2		
29	Children who have received BCG	915	81.8	939	83.0		
30	Children who have received Pentavalent 1	1,092	97.6	1,133	100.1		
31	Children who have received Pentavalent 3	940	84.0	1,011	89.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	894	79.9	995	87.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,223		906			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.3
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	51	42	Women using any method	68.6
37	Number of IUD removals	16	15	Women using modern method	49
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	194	166		
39	General OPD cases per 10,000 population ***	6433	6461		
40	Ayush OPD cases per 10,000 population ***	1039	1495		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	7	1		
43	<b>Total Neonatal Death</b>	8	1		
44	Deaths between (1 - 11) months	3	1		
45	<b>Total reported infant deaths</b>	11	2		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	1	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	1	0		

## Lower Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	54,080			
2	Sex Ratio	919			
B) Infrastructure Details (RHS 2021-22)		Numbers			
3	Sub Centers (SC)	13			
4	Primary Health Centers (PHC)	4			
5	Community Health Centers (CHC)	4			
6	SDH	0			
7	DH	1			

C) Maternal Health:		2022-23		2023-24			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,073	96.5	969	86.6	ANC Check up in first trimester	56.3
11	Mothers registered in the first trimester	389	36.3	386	39.8	At least 4 ANC check up	48.6
12	Mothers who had 4 or more ANC check ups	273	25.4	499	51.5	Neonatal tetanus received	87.5
13	PW who got TT 2 / Booster injection	740	69.0	687	70.9	100 IFA tablets consumed	25.8
14	PW who consumed 180 IFA tablets	215	20.0	811	83.7	Home Delivery	9.9
15	Home Delivery against expected delivery *	29	2.8	38	3.7	Institutional Delivery	90.1
16	Institutional Delivery against expected delivery *	512	49.7	535	52.4	Home Delivery by SBA	3.6
17	Home Delivery against reported delivery **	29	5.4	38	6.6	PNC within 2days of delivery	58.6
18	Institutional Delivery against reported delivery **	512	94.6	535	93.4	Breastfeed within 1 hour of birth	59.8
19	Total reported Deliveries	541		573			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	51.7	34	89.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	171	31.6	117	20.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22	Expected number of Live Birth	1,010		1,017			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
23	Total reported live births	537	53.2	574	56.4	BCG	89.2
24	Total Still Birth	9	0.9	8	0.8	3 dose of DPT	77
25	Newborn weighted at birth to live birth	533	99.3	557	97.0	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	44	8.3	36	6.5	3 doses of penta or hepatitis B vaccine	79.2
27	Newborns breastfed within 1 hour to total reported live birth.	532	99.1	556	96.9	Full Immunization	73.8

28	Fully immunized	779	77.1	762	74.9		
29	Children who have received BCG	692	68.5	679	66.7		
30	Children who have received Pentavalent 1	853	84.4	844	83.0		
31	Children who have received Pentavalent 3	789	78.1	809	79.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	786	77.8	752	73.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	233		344			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.9
35	Number of Tubectomies performed	25	22	Spacing	4.6
36	Number of IUD insertion	54	39	Women using any method	75.3
37	Number of IUD removals	51	31	Women using modern method	56.4
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	198	205		
39	General OPD cases per 10,000 population ***	10825	12517		
40	Ayush OPD cases per 10,000 population ***	1022	951		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	<b>Total Neonatal Death</b>	1	1		
44	Deaths between (1 - 11) months	2	0		
45	<b>Total reported infant deaths</b>	3	1		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Lower Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	22,630				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	4				
4	Primary Health Centers (PHC)	5				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	470		474		
9	Expected number of Delivery	436		432		
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	328	69.7	300	63.3	ANC Check up in first trimester
11	Mothers registered in the first trimester	226	68.9	206	68.7	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	93	28.4	96	32.0	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	253	77.1	221	73.7	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	297	90.5	226	75.3	Home Delivery
15	Home Delivery against expected delivery *	20	4.6	4	0.9	Institutional Delivery
16	Institutional Delivery against expected delivery *	240	55.0	95	22.0	Home Delivery by SBA
17	Home Delivery against reported delivery **	20	7.7	4	4.0	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	240	92.3	95	96.0	Breastfeed within 1 hour of birth
19	Total reported Deliveries	260		99		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	75.0	3	75.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	53	20.4	53	53.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.						
22	Expected number of Live Birth	428		431		
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
23	Total reported live births	261	61.0	100	23.2	BCG
24	Total Still Birth	2	0.5	0	0.0	3 dose of DPT
25	Newborn weighted at birth to live birth	248	95.0	98	98.0	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	9	3.6	3	3.1	3 doses of penta or hepatitis B vaccine
27	Newborns breastfed within 1 hour to total reported live birth.	248	95.0	96	96.0	Full Immunization

28	Fully immunized	202	47.2	236	54.8		
29	Children who have received BCG	247	57.8	111	25.8		
30	Children who have received Pentavalent 1	231	54.0	251	58.2		
31	Children who have received Pentavalent 3	202	47.2	250	58.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	203	47.5	236	54.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	53		141			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	17	16	Women using any method	NA
37	Number of IUD removals	10	10	Women using modern method	NA
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	528	1447		
39	General OPD cases per 10,000 population ***	11000	12316		
40	Ayush OPD cases per 10,000 population ***	295	275		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	<b>Total Neonatal Death</b>	0	1		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	0	1		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Lower Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	67,751				
2	Sex Ratio	975				
B) Infrastructure Details (RHS 2021-22)		Number s				
3	Sub Centers (SC)	23				
4	Primary Health Centers(PHC)	5				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23	2023-24			
8	Expected number of PW	2,174	2,280			
9	Expected number of Delivery	2,016	2,079			
HMIS ( 2022-23)			HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	679	31.2	646	28.3	ANC Check up in first trimester 53.4
11	Mothers registered in the first trimester	235	34.6	263	40.7	At least 4 ANC check up 39.1
12	Mothers who had 4 or more ANC check ups	188	27.7	246	38.1	Neonatal tetanus received 82.3
13	PW who got TT 2 / Booster injection	479	70.5	491	76.0	100 IFA tablets consumed 15.2
14	PW who consumed 180 IFA tablets	159	23.4	507	78.5	Home Delivery 10.2
15	Home Delivery against expected delivery *	20	1.0	10	0.5	Institutional Delivery 89.8
16	Institutional Delivery against expected delivery *	401	19.9	399	19.2	Home Delivery by SBA 2.8
17	Home Delivery against reported delivery **	20	4.8	10	2.4	PNC within 2days of delivery 67.7
18	Institutional Delivery against reported delivery **	401	95.2	399	97.6	Breastfeed within 1 hour of birth 52.5
19	Total reported Deliveries	421		409		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	5.0	2	20.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	142	33.7	260	63.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,977		2,073		
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
23	Total reported live births	417	21.1	403	19.4	BCG 85
24	Total Still Birth	5	0.3	7	0.3	3 dose of DPT 69.6
25	Newborn weighted at birth to live birth	417	100.0	400	99.3	Measles First dose 76.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	24	5.8	34	8.5	3 doses of penta or hepatitis B vaccine 65.9

27	Newborns breastfed within 1 hour to total reported live birth.	392	94.0	336	83.4	Full Immunization	66.5
28	Fully immunized	511	25.9	553	26.7		
29	Children who have received BCG	392	19.8	417	20.1		
30	Children who have received Pentavalent 1	548	27.7	528	25.5		
31	Children who have received Pentavalent 3	505	25.5	568	27.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	511	25.9	558	26.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	313		295			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	28	7	Spacing	2.3
36	Number of IUD insertion	54	54	Women using any method	65.9
37	Number of IUD removals	67	49	Women using modern method	58
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	335	364		
39	General OPD cases per 10,000 population ***	4656	5239		
40	Ayush OPD cases per 10,000 population ***	688	804		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	4	1		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	<b>Total Neonatal Death</b>	4	2		
44	Deaths between (1 - 11) months	9	0		
45	<b>Total reported infant deaths</b>	13	2		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Namsai Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	95,950				
2	Sex Ratio	901				
B) Infrastructure Details (RHS 2021-22)		Number s				
3	Sub Centers (SC)	15				
4	Primary Health Centers(PHC)	4				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23	2023-24			
8	Expected number of PW	2,185	2,221			
9	Expected number of Delivery	2,026	2,025			
		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	2,146	98.2	2,090	94.1	ANC Check up in first trimester 61.6
11	Mothers registered in the first trimester	1,639	76.4	1,813	86.7	At least 4 ANC check up 35.4
12	Mothers who had 4 or more ANC check ups	1,695	79.0	1,681	80.4	Neonatal tetanus received 76.7
13	PW who got TT 2 / Booster injection	1,924	89.7	1,746	83.5	100 IFA tablets consumed 33.6
14	PW who consumed 180 IFA tablets	1,677	78.1	1,710	81.8	Home Delivery 36.4
15	Home Delivery against expected delivery *	227	11.2	172	8.5	Institutional Delivery 63.6
16	Institutional Delivery against expected delivery *	1,864	92.0	1,947	96.2	Home Delivery by SBA 6.4
17	Home Delivery against reported delivery **	227	10.9	172	8.1	PNC within 2days of delivery 51.2
18	Institutional Delivery against reported delivery **	1,864	89.1	1,947	91.9	Breastfeed within 1 hour of birth 47.4
19	Total reported Deliveries	2,091		2,119		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	86	37.9	128	74.4	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,367	65.4	1,816	85.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,986		2,019		
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)		
23	Total reported live births	2,068	104.1	2,120	105.0	BCG 83.5
24	Total Still Birth	31	1.6	17	0.8	3 dose of DPT 80.7
25	Newborn weighted at birth to live birth	2,062	99.7	2,120	100.0	Measles First dose 79.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	150	7.3	119	5.6	3 doses of penta or hepatitis B vaccine 75.1

27	Newborns breastfed within 1 hour to total reported live birth.	2,058	99.5	2,089	98.5	Full Immunization	67.2
28	Fully immunized	1,695	85.3	1,810	89.7		
29	Children who have received BCG	2,076	104.5	1,925	95.4		
30	Children who have received Pentavalent 1	1,805	90.9	1,824	90.4		
31	Children who have received Pentavalent 3	1,856	93.5	1,823	90.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,698	85.5	1,809	89.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	412		459			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	94	122	Spacing	5.2
36	Number of IUD insertion	30	36	Women using any method	69.5
37	Number of IUD removals	29	25	Women using modern method	48.1
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	452	408		
39	General OPD cases per 10,000 population ***	6762	7513		
40	Ayush OPD cases per 10,000 population ***	1210	1410		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	4	3		
42	Neonatal Deaths within 1 to 28 days	2	1		
43	<b>Total Neonatal Death</b>	6	4		
44	Deaths between (1 - 11) months	0	4		
45	<b>Total reported infant deaths</b>	6	8		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Pakke-Kessang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	15,358					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	436	453				
9	Expected number of Delivery	405	413				
HMIS (2022-23)			HMIS (2023-24)		NFHS-5 (2019-20)		
	Number	PC	Number	PC			
10	PW register for ANC	198	45.4	118	26.1	ANC Check up in first trimester	
11	Mothers registered in the first trimester	41	20.7	24	20.3	At least 4 ANC check up	
12	Mothers who had 4 or more ANC check ups	15	7.6	18	15.3	Neonatal tetanus received	
13	PW who got TT 2 / Booster injection	95	48.0	70	59.3	100 IFA tablets consumed	
14	PW who consumed 180 IFA tablets	95	48.0	96	81.4	Home Delivery	
15	Home Delivery against expected delivery *	31	7.7	6	1.5	Institutional Delivery	
16	Institutional Delivery against expected delivery *	38	9.4	35	8.5	Home Delivery by SBA	
17	Home Delivery against reported delivery **	31	44.9	6	14.6	PNC within 2days of delivery	
18	Institutional Delivery against reported delivery **	38	55.1	35	85.4	Breastfeed within 1 hour of birth	
19	Total reported Deliveries	69		41			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	64.5	6	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	40	58.0	24	58.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.							
22	Expected number of Live Birth	397		412			
D) Child Immunization :		HMIS (2022-23)	HMIS (2023-24)		NFHS-5 (2019-20)		
23	Total reported live births	57	14.4	44	10.7	BCG	
24	Total Still Birth	5	1.3	0	0.0	3 dose of DPT	
25	Newborn weighted at birth to live birth	56	98.2	43	97.7	Measles First dose	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	5.4	1	2.3	3 doses of penta or hepatitis B vaccine	
27	Newborns breastfed within 1 hour to total reported live birth.	48	84.2	39	88.6	Full Immunization	

28	Fully immunized	166	41.8	124	30.1		
29	Children who have received BCG	87	21.9	70	17.0		
30	Children who have received Pentavalent 1	153	38.6	122	29.6		
31	Children who have received Pentavalent 3	177	44.6	130	31.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	165	41.6	109	26.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	159		165			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed		0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	3	Women using any method	NA
37	Number of IUD removals	1	3	Women using modern method	NA
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	71	0		
39	General OPD cases per 10,000 population ***	4262	3992		
40	Ayush OPD cases per 10,000 population ***	390	902		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	<b>Total Neonatal Death</b>	2	0		
44	Deaths between (1 - 11) months	1	0		
45	<b>Total reported infant deaths</b>	3	0		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Papum Pare Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	1,76,573				
2	Sex Ratio	950				
B) Infrastructure Details (RHS 2021-22)		Number s				
3	Sub Centers (SC)	37				
4	Primary Health Centers(PHC)	17				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2022-23	2023-24			
8	Expected number of PW	5,429	5,671			
9	Expected number of Delivery	5,034	5,171			
		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	7,646	140.8	7,252	127.9	ANC Check up in first trimester 38.4
11	Mothers registered in the first trimester	4,022	52.6	2,930	40.4	At least 4 ANC check up 39.3
12	Mothers who had 4 or more ANC check ups	4,760	62.3	3,327	45.9	Neonatal tetanus received 74.0
13	PW who got TT 2 / Booster injection	2,127	27.8	1,868	25.8	100 IFA tablets consumed 24.8
14	PW who consumed 180 IFA tablets	5,650	73.9	6,115	84.3	Home Delivery 12.0
15	Home Delivery against expected delivery *	32	0.6	12	0.2	Institutional Delivery 88.0
16	Institutional Delivery against expected delivery *	6,462	128.4	6,690	129.4	Home Delivery by SBA 1.1
17	Home Delivery against reported delivery **	32	0.5	12	0.2	PNC within 2days of delivery 53.2
18	Institutional Delivery against reported delivery **	6,462	99.5	6,690	99.8	Breastfeed within 1 hour of birth 52.9
19	Total reported Deliveries	6,494		6,702		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	75.0	9	75.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,041	31.4	2,897	43.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	4,935		5,155		
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)		
23	Total reported live births	6,537	132.5	6,766	131.2	BCG 88.1
24	Total Still Birth	25	0.5	76	1.5	3 dose of DPT 76.3
25	Newborn weighted at birth to live birth	6,334	96.9	6,391	94.5	Measles First dose 77.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	384	6.1	773	12.1	3 doses of penta or hepatitis B vaccine 64.3

27	Newborns breastfed within 1 hour to total reported live birth.	3,236	49.5	3,601	53.2	Full Immunization	60.7
28	Fully immunized	5,216	105.7	3,929	76.2		
29	Children who have received BCG	5,525	112.0	6,249	121.2		
30	Children who have received Pentavalent 1	4,119	83.5	4,534	88.0		
31	Children who have received Pentavalent 3	3,683	74.6	4,030	78.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,279	107.0	3,870	75.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	816		1,128			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20.3
35	Number of Tubectomies performed	341	391	Spacing	8.8
36	Number of IUD insertion	495	440	Women using any method	47.7
37	Number of IUD removals	257	201	Women using modern method	41
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	887	1366		
39	General OPD cases per 10,000 population ***	22244	31773		
40	Ayush OPD cases per 10,000 population ***	1108	1026		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	20	16		
42	Neonatal Deaths within 1 to 28 days	13	6		
43	<b>Total Neonatal Death</b>	33	22		
44	Deaths between (1 - 11) months	8	2		
45	<b>Total reported infant deaths</b>	41	24		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	1		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	5	1		
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>4</b>		

## Shi Yomi Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	13,310				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	0				
4	Primary Health Centers (PHC)	2				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	253		253		
9	Expected number of Delivery	235		231		
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	213	84.1	165	65.1	ANC Check up in first trimester
11	Mothers registered in the first trimester	82	38.5	79	47.9	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	39	18.3	31	18.8	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	152	71.4	143	86.7	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	89	41.8	145	87.9	Home Delivery
15	Home Delivery against expected delivery *	17	7.2	11	4.8	Institutional Delivery
16	Institutional Delivery against expected delivery *	65	27.7	46	19.9	Home Delivery by SBA
17	Home Delivery against reported delivery **	17	20.7	11	19.3	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	65	79.3	46	80.7	Breastfeed within 1 hour of birth
19	Total reported Deliveries	82		57		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	82.4	2	18.2	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30	36.6	35	61.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	230		230		
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
23	Total reported live births	83	36.0	57	24.8	BCG
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT
25	Newborn weighted at birth to live birth	77	92.8	52	91.2	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	3.9	1	1.9	3 doses of penta or hepatitis B vaccine
27	Newborns breastfed within 1 hour to total reported live birth.	75	90.4	46	80.7	Full Immunization

28	Fully immunized	209	90.8	181	78.6		
29	Children who have received BCG	79	34.3	58	25.2		
30	Children who have received Pentavalent 1	186	80.8	177	76.9		
31	Children who have received Pentavalent 3	203	88.2	184	79.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	209	90.8	179	77.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	258		300			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	35	14	Women using any method	NA
37	Number of IUD removals	20	16	Women using modern method	NA
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	146	116		
39	General OPD cases per 10,000 population ***	10408	11306		
40	Ayush OPD cases per 10,000 population ***	2207	1292		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	1		
44	Deaths between (1 - 11) months	1	0		
45	<b>Total reported infant deaths</b>	1	1		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	27,924				
2	Sex Ratio	962				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	27	Number	s		
4	Primary Health Centers(PHC)	7				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23	2023-24			
8	Expected number of PW	615	623			
9	Expected number of Delivery	570	568			
HMIS ( 2022-23)			HMIS ( 2023-24)		NFHS-5 ( 2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	276	44.9	306	49.1	ANC Check up in first trimester 50.8
11	Mothers registered in the first trimester	83	30.1	95	31.0	At least 4 ANC check up 31.1
12	Mothers who had 4 or more ANC check ups	49	17.8	67	21.9	Neonatal tetanus received 78.7
13	PW who got TT 2 / Booster injection	162	58.7	190	62.1	100 IFA tablets consumed 21.5
14	PW who consumed 180 IFA tablets	175	63.4	287	93.8	Home Delivery 18.9
15	Home Delivery against expected delivery *	13	2.3	22	3.9	Institutional Delivery 81.1
16	Institutional Delivery against expected delivery *	58	10.2	38	6.7	Home Delivery by SBA 2.1
17	Home Delivery against reported delivery **	13	18.3	22	36.7	PNC within 2days of delivery 56.0
18	Institutional Delivery against reported delivery **	58	81.7	38	63.3	Breastfeed within 1 hour of birth 51.4
19	Total reported Deliveries	71		60		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	92.3	9	40.9	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3	4.2	4	6.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	559		566		
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)		NFHS-5 ( 2019-20)	
23	Total reported live births	71	12.7	58	10.2	BCG 80.8
24	Total Still Birth	0	0.0	2	0.4	3 dose of DPT 81.1
25	Newborn weighted at birth to live birth	71	100.0	53	91.4	Measles First dose 77.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	10	18.9	3 doses of penta or hepatitis B vaccine 74.7

27	Newborns breastfed within 1 hour to total reported live birth.	68	95.8	52	89.7	Full Immunization	60.3
28	Fully immunized	235	42.1	334	59.0		
29	Children who have received BCG	115	20.6	111	19.6		
30	Children who have received Pentavalent 1	283	50.7	321	56.7		
31	Children who have received Pentavalent 3	256	45.8	351	62.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	300	53.7	318	56.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	32		107			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

<b>E) Family Planning</b>		<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>	<b>NFHS-5 ( 2019-20)</b>	
34	Number of Vasectomies performed	0	0	Total unmet need	5
35	Number of Tubectomies performed	0	0	Spacing	2.4
36	Number of IUD insertion	4	2	Women using any method	73.7
37	Number of IUD removals	9	14	Women using modern method	61
<b>F) Service delivery</b>		<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
38	IPD cases per 10,000 population ***	535	514		
39	General OPD cases per 10,000 population ***	5476	6512		
40	Ayush OPD cases per 10,000 population ***	274	159		
<b>G) Mortality Details</b>					
I)	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	0		
44	Deaths between (1 - 11) months	0	1		
45	<b>Total reported infant deaths</b>	0	1		
II)	<b>Maternal Mortality</b>	<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2022-23)</b>	<b>HMIS ( 2023-24)</b>		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Tawang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	49,977				
2	Sex Ratio	701				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	12				
4	Primary Health Centers (PHC)	6				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	1,293		1,330		
9	Expected number of Delivery	1,199		1,213		
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	840	65.0	758	57.0	ANC Check up in first trimester 79.9
11	Mothers registered in the first trimester	367	43.7	346	45.6	At least 4 ANC check up 37.6
12	Mothers who had 4 or more ANC check ups	181	21.5	340	44.9	Neonatal tetanus received 85.3
13	PW who got TT 2 / Booster injection	613	73.0	623	82.2	100 IFA tablets consumed 28.2
14	PW who consumed 180 IFA tablets	689	82.0	534	70.4	Home Delivery 15.8
15	Home Delivery against expected delivery *	155	12.9	188	15.5	Institutional Delivery 84.2
16	Institutional Delivery against expected delivery *	396	33.0	456	37.6	Home Delivery by SBA 5.7
17	Home Delivery against reported delivery **	155	28.1	188	29.2	PNC within 2days of delivery 49.6
18	Institutional Delivery against reported delivery **	396	71.9	456	70.8	Breastfeed within 1 hour of birth 60.6
19	Total reported Deliveries	551		644		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	31.0	68	36.2	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	276	50.1	227	35.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.						
22	Expected number of Live Birth	1,176		1,209		
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
23	Total reported live births	551	46.9	637	52.7	BCG 93.1
24	Total Still Birth	5	0.4	10	0.8	3 dose of DPT 81.9
25	Newborn weighted at birth to live birth	536	97.3	637	100.0	Measles First dose 90.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.1	13	2.0	3 doses of penta or hepatitis B vaccine 77.6
27	Newborns breastfed within 1 hour to total reported live birth.	496	90.0	509	79.9	Full Immunization 67.5

28	Fully immunized	716	60.9	740	61.2		
29	Children who have received BCG	633	53.8	646	53.4		
30	Children who have received Pentavalent 1	750	63.8	738	61.0		
31	Children who have received Pentavalent 3	720	61.2	765	63.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	710	60.4	741	61.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	648		530			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	7	11	Spacing	11.7
36	Number of IUD insertion	108	128	Women using any method	62.1
37	Number of IUD removals	31	47	Women using modern method	56.3
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	280	273		
39	General OPD cases per 10,000 population ***	8463	9385		
40	Ayush OPD cases per 10,000 population ***	989	1291		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths within 1 to 28 days	0	2		
43	<b>Total Neonatal Death</b>	2	3		
44	Deaths between (1 - 11) months	1	0		
45	<b>Total reported infant deaths</b>	3	3		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Tirap Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	55,022			
2	Sex Ratio	931			
B) Infrastructure Details (RHS 2021-22)		Numbers			
3	Sub Centers (SC)	10			
4	Primary Health Centers (PHC)	7			
5	Community Health Centers (CHC)	1			
6	SDH	0			
7	DH	1			

C) Maternal Health:		2022-23		2023-24			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	981	82.5	847	70.4	ANC Check up in first trimester	59.3
11	Mothers registered in the first trimester	455	46.4	469	55.4	At least 4 ANC check up	35.7
12	Mothers who had 4 or more ANC check ups	518	52.8	546	64.5	Neonatal tetanus received	73.9
13	PW who got TT 2 / Booster injection	867	88.4	737	87.0	100 IFA tablets consumed	27.4
14	PW who consumed 180 IFA tablets	879	89.6	795	93.9	Home Delivery	29.8
15	Home Delivery against expected delivery *	175	15.9	179	16.3	Institutional Delivery	70.2
16	Institutional Delivery against expected delivery *	456	41.4	353	32.2	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	175	27.7	179	33.6	PNC within 2days of delivery	49.8
18	Institutional Delivery against reported delivery **	456	72.3	353	66.4	Breastfeed within 1 hour of birth	72.0
19	Total reported Deliveries	631		532			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	111	63.4	78	43.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	624	98.9	397	74.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22		Expected number of Live Birth	1,081		1,094			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)		
23	Total reported live births	629	58.2	530	48.5	BCG		82.8
24	Total Still Birth	3	0.3	4	0.4	3 dose of DPT		77.4
25	Newborn weighted at birth to live birth	625	99.4	529	99.8	Measles First dose		77.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.0	4	0.8	3 doses of penta or hepatitis B vaccine		77.4
27	Newborns breastfed within 1 hour to total reported live birth.	625	99.4	529	99.8	Full Immunization		66.3

28	Fully immunized	770	71.2	756	69.1		
29	Children who have received BCG	627	58.0	544	49.7		
30	Children who have received Pentavalent 1	832	77.0	789	72.1		
31	Children who have received Pentavalent 3	836	77.3	761	69.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	770	71.2	756	69.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	296		349			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed			Total unmet need	10.6
35	Number of Tubectomies performed	39	4	Spacing	8.1
36	Number of IUD insertion	48	54	Women using any method	56.1
37	Number of IUD removals	47	50	Women using modern method	39.4
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	206	137		
39	General OPD cases per 10,000 population ***	5382	5961		
40	Ayush OPD cases per 10,000 population ***	1047	983		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	2	0		
44	Deaths between (1 - 11) months	1	0		
45	<b>Total reported infant deaths</b>	3	0		
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)		
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Upper Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	35,320			
2	Sex Ratio	891			
B) Infrastructure Details (RHS 2021-22)		Numbers			
3	Sub Centers (SC)	13			
4	Primary Health Centers (PHC)	2			
5	Community Health Centers (CHC)	4			
6	SDH	0			
7	DH	1			

C) Maternal Health:		2022-23		2023-24			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	665	92.9	494	68.6	ANC Check up in first trimester	54.5
11	Mothers registered in the first trimester	279	42.0	212	42.9	At least 4 ANC check up	34.0
12	Mothers who had 4 or more ANC check ups	619	93.1	334	67.6	Neonatal tetanus received	73.5
13	PW who got TT 2 / Booster injection	472	71.0	380	76.9	100 IFA tablets consumed	12.6
14	PW who consumed 180 IFA tablets	642	96.5	376	76.1	Home Delivery	24.0
15	Home Delivery against expected delivery *	10	1.5	4	0.6	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	268	40.4	253	38.5	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	10	3.6	4	1.6	PNC within 2days of delivery	56.4
18	Institutional Delivery against reported delivery **	268	96.4	253	98.4	Breastfeed within 1 hour of birth	28.2
19	Total reported Deliveries	278		257			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	50.0	2	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	244	87.8	203	79.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22		Expected number of Live Birth	651		655			
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)		
23	Total reported live births	278	42.7	257	39.3	BCG	86.7	
24	Total Still Birth	2	0.3	1	0.2	3 dose of DPT	68.4	
25	Newborn weighted at birth to live birth	277	99.6	235	91.4	Measles First dose	70	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	18	6.5	16	6.8	3 doses of penta or hepatitis B vaccine	63.4	
27	Newborns breastfed within 1 hour to total reported live birth.	248	89.2	193	75.1	Full Immunization	61.4	

28	Fully immunized	422	64.8	483	73.8		
29	Children who have received BCG	302	46.4	293	44.8		
30	Children who have received Pentavalent 1	470	72.2	410	62.6		
31	Children who have received Pentavalent 3	463	71.1	432	66.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	422	64.8	483	73.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	158		334			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.9
35	Number of Tubectomies performed	17	24	Spacing	6.6
36	Number of IUD insertion	58	30	Women using any method	62
37	Number of IUD removals	32	27	Women using modern method	54
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	397	325		
39	General OPD cases per 10,000 population ***	8842	9367		
40	Ayush OPD cases per 10,000 population ***	576	781		

#### G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	<b>Total Neonatal Death</b>	0	0	
44	Deaths between (1 - 11) months	0	0	
45	<b>Total reported infant deaths</b>	0	0	
II)	Maternal Mortality	HMIS ( 2022-23)	HMIS ( 2023-24)	
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>	

## Upper Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	79,030				
2	Sex Ratio	982				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	23				
4	Primary Health Centers (PHC)	5				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23		2023-24		
8	Expected number of PW	2,581		2,711		
9	Expected number of Delivery	2,394		2,472		
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	2,094	81.1	1,041	38.4	ANC Check up in first trimester 34.6
11	Mothers registered in the first trimester	775	37.0	602	57.8	At least 4 ANC check up 32.1
12	Mothers who had 4 or more ANC check ups	739	35.3	748	71.9	Neonatal tetanus received 79.1
13	PW who got TT 2 / Booster injection	705	33.7	623	59.8	100 IFA tablets consumed 23.6
14	PW who consumed 180 IFA tablets	2,022	96.6	988	94.9	Home Delivery 23.0
15	Home Delivery against expected delivery *	12	0.5	6	0.2	Institutional Delivery 77.0
16	Institutional Delivery against expected delivery *	770	32.2	730	29.5	Home Delivery by SBA 5.2
17	Home Delivery against reported delivery **	12	1.5	6	0.8	PNC within 2days of delivery 56.7
18	Institutional Delivery against reported delivery **	770	98.5	730	99.2	Breastfeed within 1 hour of birth 56.6
19	Total reported Deliveries	782		736		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	83.3	6	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20	2.6	715	97.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.						
22	Expected number of Live Birth	2,347		2,465		
D) Child Immunization :		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)
23	Total reported live births	761	32.4	724	29.4	BCG 89.8
24	Total Still Birth	21	0.9	12	0.5	3 dose of DPT 75.6
25	Newborn weighted at birth to live birth	735	96.6	723	99.9	Measles First dose 84.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	81	11.0	43	5.9	3 doses of penta or hepatitis B vaccine 72.2
27	Newborns breastfed within 1 hour to total reported live birth.	486	63.9	682	94.2	Full Immunization 68.5

28	Fully immunized	760	32.4	796	32.3		
29	Children who have received BCG	704	30.0	700	28.4		
30	Children who have received Pentavalent 1	922	39.3	865	35.1		
31	Children who have received Pentavalent 3	885	37.7	796	32.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	760	32.4	796	32.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	156		232			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	19	0	Spacing	8.6
36	Number of IUD insertion	171	181	Women using any method	53.2
37	Number of IUD removals	160	136	Women using modern method	48.4

  

F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	127	129		
39	General OPD cases per 10,000 population ***	2270	2142		
40	Ayush OPD cases per 10,000 population ***	247	202		

#### G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	<b>Total Neonatal Death</b>	0	0	
44	Deaths between (1 - 11) months	0	3	
45	<b>Total reported infant deaths</b>	0	3	

  

II)	Maternal Mortality	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)	
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## West Kameng Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	83,947				
2	Sex Ratio	755				
B) Infrastructure Details (RHS 2021-22)		Number s				
3	Sub Centers (SC)	22				
4	Primary Health Centers(PHC)	5				
5	Community Health Centers (CHC)	5				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2022-23	2023-24			
8	Expected number of PW	1,916	1,947			
9	Expected number of Delivery	1,776	1,776			
HMIS ( 2022-23)			HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	1,655	86.4	1,323	67.9	ANC Check up in first trimester 45.1
11	Mothers registered in the first trimester	1,041	62.9	776	58.7	At least 4 ANC check up 27.6
12	Mothers who had 4 or more ANC check ups	383	23.1	910	68.8	Neonatal tetanus received 64.4
13	PW who got TT 2 / Booster injection	1,116	67.4	969	73.2	100 IFA tablets consumed 18.5
14	PW who consumed 180 IFA tablets	1,076	65.0	1,281	96.8	Home Delivery 6.4
15	Home Delivery against expected delivery *	11	0.6	35	2.0	Institutional Delivery 93.6
16	Institutional Delivery against expected delivery *	579	32.6	510	28.7	Home Delivery by SBA 4.6
17	Home Delivery against reported delivery **	11	1.9	35	6.4	PNC within 2days of delivery 38.9
18	Institutional Delivery against reported delivery **	579	98.1	510	93.6	Breastfeed within 1 hour of birth 42.6
19	Total reported Deliveries	590		545		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	81.8	30	85.7	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	178	30.2	353	64.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,741		1,770		
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)		
23	Total reported live births	578	33.2	550	31.1	BCG 94
24	Total Still Birth	6	0.3	3	0.2	3 dose of DPT 65.8
25	Newborn weighted at birth to live birth	584	101.0	533	96.9	Measles First dose 65.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	36	6.2	11	2.1	3 doses of penta or hepatitis B vaccine 57.4

27	Newborns breastfed within 1 hour to total reported live birth.	580	100.3	538	97.8	Full Immunization	56.2
28	Fully immunized	1,097	63.0	1,204	68.0		
29	Children who have received BCG	671	38.5	801	45.2		
30	Children who have received Pentavalent 1	1,103	63.3	1,154	65.2		
31	Children who have received Pentavalent 3	1,089	62.5	1,179	66.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,098	63.1	1,216	68.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	311		414			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	4	0	Spacing	13.5
36	Number of IUD insertion	227	156	Women using any method	53.8
37	Number of IUD removals	209	149	Women using modern method	47.8
F) Service delivery		HMIS ( 2022-23)	HMIS ( 2023-24)		
38	IPD cases per 10,000 population ***	208	217		
39	General OPD cases per 10,000 population ***	7183	6467		
40	Ayush OPD cases per 10,000 population ***	596	1044		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS ( 2023-24)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	0	0		
44	Deaths between (1 - 11) months	1	1		
45	<b>Total reported infant deaths</b>	1	1		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2022-23)	HMIS ( 2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## West Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)					
1	Population 2011	56,516			
2	Sex Ratio	916			
B) Infrastructure Details (RHS 2021-22)		Number s			
3	Sub Centers (SC)	15			
4	Primary Health Centers(PHC)	6			
5	Community Health Centers (CHC)	2			
6	SDH	0			
7	DH	1			

C) Maternal Health:		2022-23		2023-24			
		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,177	100.2	1,205	101.8	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	351	29.8	430	35.7	At least 4 ANC check up	30.4
12	Mothers who had 4 or more ANC check ups	770	65.4	897	74.4	Neonatal tetanus received	72.0
13	PW who got TT 2 / Booster injection	775	65.8	775	64.3	100 IFA tablets consumed	9.9
14	PW who consumed 180 IFA tablets	1,045	88.8	935	77.6	Home Delivery	15.4
15	Home Delivery against expected delivery *	38	3.5	10	0.9	Institutional Delivery	84.6
16	Institutional Delivery against expected delivery *	1,079	99.1	1,125	104.2	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	38	3.4	10	0.9	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	1,079	96.6	1,125	99.1	Breastfeed within 1 hour of birth	37.6
19	Total reported Deliveries	1,117		1,135			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	100.0	7	70.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25	2.2	441	38.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,068		1,076			
D) Child Immunization :		HMIS ( 2022-23)	HMIS ( 2023-24)	NFHS-5 ( 2019-20)			
23	Total reported live births	1,106	103.6	1,131	105.1	BCG	93.7
24	Total Still Birth	11	1.0	4	0.4	3 dose of DPT	87.8
25	Newborn weighted at birth to live birth	1,095	99.0	1,127	99.6	Measles First dose	86.6

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	99	9.0	92	8.2	3 doses of penta or hepatitis B vaccine	81
27	Newborns breastfed within 1 hour to total reported live birth.	1,005	90.9	1,062	93.9	Full Immunization	55.4
28	Fully immunized	762	71.4	830	77.1		
29	Children who have received BCG	1,067	99.9	1,041	96.7		
30	Children who have received Pentavalent 1	869	81.4	883	82.0		
31	Children who have received Pentavalent 3	833	78.0	858	79.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	763	71.5	838	77.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	428		648			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2022-23)	HMIS (2023-24)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.5
35	Number of Tubectomies performed	94	66	Spacing	8.2
36	Number of IUD insertion	150	108	Women using any method	46.6
37	Number of IUD removals	159	107	Women using modern method	38.9
F) Service delivery		HMIS (2022-23)	HMIS (2023-24)		
38	IPD cases per 10,000 population ***	463	511		
39	General OPD cases per 10,000 population ***	12642	12607		
40	Ayush OPD cases per 10,000 population ***	404	419		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2022-23)	HMIS (2023-24)		
41	Neonatal death within 24 hours	1	4		
42	Neonatal Deaths within 1 to 28 days	5	0		
43	<b>Total Neonatal Death</b>	6	4		
44	Deaths between (1 - 11) months	3	2		
45	<b>Total reported infant deaths</b>	9	6		
II)	Maternal Mortality	HMIS (2022-23)	HMIS (2023-24)		
Maternal Deaths (In Numbers)		HMIS (2022-23)	HMIS (2023-24)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		