

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	13,83,727				
2	Sex Ratio	920				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	401				
4	Primary Health Centers (PHC)	133				
5	Community Health Centers (CHC)	57				
6	SDH	0				
7	DH	20				
C) Maternal Health:		2024-25		2025-26		
8	Expected number of PW	31,755		31,812		
9	Expected number of Delivery	28,955		29,007		
			HMIS (2024-25)		HMIS (2025-26) 2nd QTR	
			Number	PC	Number	PC
10	PW register for ANC	27,132	85.4	14,254	44.8	ANC Check up in first trimester
11	Mothers registered in the first trimester	16,887	62.2	8,787	61.6	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	18,957	69.9	9,295	65.2	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	16,514	60.9	8,933	62.7	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	24,514	90.4	12,644	88.7	Home Delivery
15	Home Delivery against expected delivery *	1,221	4.2	560	1.9	Institutional Delivery
16	Institutional Delivery against expected delivery *	19,812	68.4	9,139	31.5	Home Delivery by SBA
17	Home Delivery against reported delivery **	1,221	5.8	560	5.8	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	19,812	94.2	9,139	94.2	Breastfeed within 1 hour of birth
19	Total reported Deliveries	21,033		9,699		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	358	29.3	193	34.5	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,979	52.2	5,704	58.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	28,320		28,342		
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)
23	Total reported live births	21,019	74.2	9,733	34.3	BCG
24	Total Still Birth	102	0.4	91	0.3	3 dose of DPT
25	Newborn weighted at birth to live birth	20,752	98.7	9,521	97.8	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,102	5.3	523	5.5	3 doses of penta or hepatitis B vaccine
						73

27	Newborns breastfed within 1 hour to total reported live birth.	17,505	83.3	8,327	85.6	Full Immunization	64.9
28	Fully immunized	20,787	73.4	11,298	39.9		
29	Children who have received BCG	21,744	76.8	9,825	34.7		
30	Children who have received Pentavalent 1	22,007	77.7	9,438	33.3		
31	Children who have received Pentavalent 3	20,979	74.1	10,827	38.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,960	74.0	11,365	40.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	10,514		5,932			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.5
35	Number of Tubectomies performed	786	278	Spacing	7
36	Number of IUD insertion	1,416	600	Women using any method	59.1
37	Number of IUD removals	1,101	542	Women using modern method	47.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	529	204		
39	General OPD cases per 10,000 population ***	12359	4529		
40	Ayush OPD cases per 10,000 population ***	1074	632		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	22	13	
42	Neonatal Deaths within 1 to 28 days	28	18	
43	Total Neonatal Death	50	31	
44	Deaths between (1 - 11) months	15	5	
45	Total reported infant deaths	65	36	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	1	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0	
52	Due to Other/Unknown Causes	2	0	
53	Total reported maternal deaths	3	1	

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)										
1	Population 2011	21,167								
2	Sex Ratio	805								
B) Infrastructure Details (HDI 2022-23)		Number								
3	Sub Centers (SC)	10								
4	Primary Health Centers(PHC)	6								
5	Community Health Centers (CHC)	4								
6	SDH	0								
7	DH	1								
C) Maternal Health:		2024-25	2025-26							
8	Expected number of PW	442		437						
9	Expected number of Delivery	403		399						
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)				
		Number	PC	Number	PC					
10	PW register for ANC	291	65.9	138	31.6	ANC Check up in first trimester	52.0			
11	Mothers registered in the first trimester	133	45.7	53	38.4	At least 4 ANC check up	32.3			
12	Mothers who had 4 or more ANC check ups	78	26.8	56	40.6	Neonatal tetanus received	80.2			
13	PW who got TT 2 / Booster injection	207	71.1	124	89.9	100 IFA tablets consumed	16.5			
14	PW who consumed 180 IFA tablets	291	100.0	136	98.6	Home Delivery	22.0			
15	Home Delivery against expected delivery *	12	3.0	6	1.5	Institutional Delivery	78.0			
16	Institutional Delivery against expected delivery *	42	10.4	20	5.0	Home Delivery by SBA	2.0			
17	Home Delivery against reported delivery **	12	22.2	6	23.1	PNC within 2days of delivery	55.8			
18	Institutional Delivery against reported delivery **	42	77.8	20	76.9	Breastfeed within 1 hour of birth	66.5			
19	Total reported Deliveries	54		26						
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	8.3	2	33.3					
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24	44.4	16	61.5					
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.										
22	Expected number of Live Birth	394		389						
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)				
23	Total reported live births	54	13.7	26	6.7	BCG	97.7			
24	Total Still Birth	2	0.5	0	0.0	3 dose of DPT	95.3			
25	Newborn weighted at birth to live birth	53	98.1	25	96.2	Measles First dose	97.6			

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	13.2	3	12.0	3 doses of penta or hepatitis B vaccine	85.6
27	Newborns breastfed within 1 hour to total reported live birth.	53	98.1	26	100.0	Full Immunization	93
28	Fully immunized	234	59.4	114	29.3		
29	Children who have received BCG	61	15.5	29	7.4		
30	Children who have received Pentavalent 1	224	56.9	118	30.3		
31	Children who have received Pentavalent 3	238	60.4	144	37.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	241	61.2	110	28.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	279		173			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.8
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	0	5	Women using any method	64.7
37	Number of IUD removals	10	5	Women using modern method	50.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	184	183		
39	General OPD cases per 10,000 population ***	7545	4133		
40	Ayush OPD cases per 10,000 population ***	627	280		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,48,226					
2	Sex Ratio	914					
B) Infrastructure Details (HDI 2022-23)							
3	Sub Centers (SC)	26					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	3,196		3,177			
9	Expected number of Delivery	2,914		2,897			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,836	88.7	1,558	49.0	ANC Check up in first trimester	65.0
11	Mothers registered in the first trimester	1,308	46.1	819	52.6	At least 4 ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	1,859	65.6	766	49.2	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	2,408	84.9	1,336	85.8	100 IFA tablets consumed	37.3
14	PW who consumed 180 IFA tablets	2,490	87.8	1,345	86.3	Home Delivery	24.9
15	Home Delivery against expected delivery *	213	7.3	113	3.9	Institutional Delivery	75.1
16	Institutional Delivery against expected delivery *	1,256	43.1	532	18.4	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	213	14.5	113	17.5	PNC within 2days of delivery	69.7
18	Institutional Delivery against reported delivery **	1,256	85.5	532	82.5	Breastfeed within 1 hour of birth	60.7
19	Total reported Deliveries	1,469		645			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	52	24.4	37	32.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	966	65.8	371	57.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,850		2,830			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	1,471	51.6	651	23.0	BCG	86.1
24	Total Still Birth	8	0.3	3	0.1	3 dose of DPT	84.4
25	Newborn weighted at birth to live birth	1,461	99.3	646	99.2	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	105	7.2	35	5.4	3 doses of penta or hepatitis B vaccine	84.4

27	Newborns breastfed within 1 hour to total reported live birth.	1,451	98.6	646	99.2	Full Immunization	70.9
28	Fully immunized	2,431	85.3	1,331	47.0		
29	Children who have received BCG	2,051	72.0	857	30.3		
30	Children who have received Pentavalent 1	2,491	87.4	1,072	37.9		
31	Children who have received Pentavalent 3	2,322	81.5	1,256	44.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,436	85.5	1,315	46.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	271		235			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.7
35	Number of Tubectomies performed	0	0	Spacing	3.5
36	Number of IUD insertion	25	31	Women using any method	71.4
37	Number of IUD removals	27	10	Women using modern method	46.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	249	129		
39	General OPD cases per 10,000 population ***	5063	2894		
40	Ayush OPD cases per 10,000 population ***	1842	820		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	1	0	
44	Deaths between (1 - 11) months	2	0	
45	Total reported infant deaths	3	0	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	8,004				
2	Sex Ratio	808				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	9				
4	Primary Health Centers(PHC)	1				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	161	159			
9	Expected number of Delivery	147	145			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	109	67.6	49	30.8	ANC Check up in first trimester 60.7
11	Mothers registered in the first trimester	57	52.3	37	75.5	At least 4 ANC check up 40.4
12	Mothers who had 4 or more ANC check ups	0	0.0	0	0.0	Neonatal tetanus received 85.2
13	PW who got TT 2 / Booster injection	37	33.9	9	18.4	100 IFA tablets consumed 25.4
14	PW who consumed 180 IFA tablets	103	94.5	47	95.9	Home Delivery 14.5
15	Home Delivery against expected delivery *	5	3.4	1	0.7	Institutional Delivery 85.5
16	Institutional Delivery against expected delivery *	24	16.3	8	5.5	Home Delivery by SBA 3.5
17	Home Delivery against reported delivery **	5	17.2	1	11.1	PNC within 2days of delivery 66.2
18	Institutional Delivery against reported delivery **	24	82.8	8	88.9	Breastfeed within 1 hour of birth 66.5
19	Total reported Deliveries	29		9		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	100.0	1	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	13.8	1	11.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	144		142		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	29	20.2	9	6.4	BCG 97.3
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT 90.7
25	Newborn weighted at birth to live birth	7	24.1	2	22.2	Measles First dose 90.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	3 doses of penta or hepatitis B vaccine 84

27	Newborns breastfed within 1 hour to total reported live birth.	18	62.1	9	100.0	Full Immunization	90.7
28	Fully immunized	84	58.4	41	29.0		
29	Children who have received BCG	32	22.3	11	7.8		
30	Children who have received Pentavalent 1	63	43.8	29	20.5		
31	Children who have received Pentavalent 3	70	48.7	37	26.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	85	59.1	40	28.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	56		27			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.6
35	Number of Tubectomies performed	0	0	Spacing	3.4
36	Number of IUD insertion	1	0	Women using any method	69.1
37	Number of IUD removals	13	3	Women using modern method	49.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	84	62		
39	General OPD cases per 10,000 population ***	16237	6983		
40	Ayush OPD cases per 10,000 population ***	367	421		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	63,332					
2	Sex Ratio	1,012					
B) Infrastructure Details (HDI 2022-23)		Number s					
3	Sub Centers (SC)	17					
4	Primary Health Centers(PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	1,585	1,606				
9	Expected number of Delivery	1,446	1,464				
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	1,021	64.4	427	26.6	ANC Check up in first trimester	41.7
11	Mothers registered in the first trimester	1,021	100.0	306	71.7	At least 4 ANC check up	29.1
12	Mothers who had 4 or more ANC check ups	1,225	120.0	549	128.6	Neonatal tetanus received	73.1
13	PW who got TT 2 / Booster injection	218	21.4	165	38.6	100 IFA tablets consumed	11.2
14	PW who consumed 180 IFA tablets	1,021	100.0	412	96.5	Home Delivery	24.0
15	Home Delivery against expected delivery *	31	2.1	14	1.0	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	1,194	82.6	485	33.1	Home Delivery by SBA	4.4
17	Home Delivery against reported delivery **	31	2.5	14	2.8	PNC within 2days of delivery	53.6
18	Institutional Delivery against reported delivery **	1,194	97.5	485	97.2	Breastfeed within 1 hour of birth	52.2
19	Total reported Deliveries	1,225		499			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	48.4	10	71.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	186	15.2	10	2.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,414		1,430			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	1,225	86.6	498	34.8	BCG	82.9
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	70.7
25	Newborn weighted at birth to live birth	1,217	99.3	494	99.2	Measles First dose	77.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.4	17	3.4	3 doses of penta or hepatitis B vaccine	64.4

27	Newborns breastfed within 1 hour to total reported live birth.	1,179	96.2	492	98.8	Full Immunization	60.8
28	Fully immunized	1,190	84.2	607	42.4		
29	Children who have received BCG	1,225	86.6	436	30.5		
30	Children who have received Pentavalent 1	1,193	84.4	505	35.3		
31	Children who have received Pentavalent 3	1,190	84.2	561	39.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,190	84.2	563	39.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	293		163			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	35	26	Women using any method	64.9
37	Number of IUD removals	15	19	Women using modern method	57.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	129	52		
39	General OPD cases per 10,000 population ***	4732	2242		
40	Ayush OPD cases per 10,000 population ***	526	158		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	70,956					
2	Sex Ratio	962					
B) Infrastructure Details (HDI 2022-23)		Number s					
3	Sub Centers (SC)	17					
4	Primary Health Centers(PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	1,475	1,459				
9	Expected number of Delivery	1,345	1,331				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,657	112.4	816	55.9	ANC Check up in first trimester	39.9
11	Mothers registered in the first trimester	1,065	64.3	590	72.3	At least 4 ANC check up	34.3
12	Mothers who had 4 or more ANC check ups	972	58.7	385	47.2	Neonatal tetanus received	75.2
13	PW who got TT 2 / Booster injection	1,055	63.7	665	81.5	100 IFA tablets consumed	11.4
14	PW who consumed 180 IFA tablets	1,592	96.1	760	93.1	Home Delivery	9.2
15	Home Delivery against expected delivery *	2	0.1	0	0.0	Institutional Delivery	90.8
16	Institutional Delivery against expected delivery *	2,056	152.9	901	67.7	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	2	0.1	0	0.0	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	2,056	99.9	901	100.0	Breastfeed within 1 hour of birth	49.4
19	Total reported Deliveries	2,058		901			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	100.0	0	-		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,982	96.3	856	95.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,315		1,300			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
23	Total reported live births	2,031	154.4	897	69.0	BCG	84.8
24	Total Still Birth	17	1.3	18	1.4	3 dose of DPT	71.2
25	Newborn weighted at birth to live birth	2,017	99.3	890	99.2	Measles First dose	81.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	128	6.3	52	5.8	3 doses of penta or hepatitis B vaccine	67.3

27	Newborns breastfed within 1 hour to total reported live birth.	2,010	99.0	884	98.6	Full Immunization	48.8
28	Fully immunized	1,293	98.3	695	53.5		
29	Children who have received BCG	2,159	164.2	925	71.2		
30	Children who have received Pentavalent 1	1,373	104.4	571	43.9		
31	Children who have received Pentavalent 3	1,338	101.7	625	48.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,300	98.8	682	52.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	142		91			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.6
35	Number of Tubectomies performed	94	34	Spacing	9.6
36	Number of IUD insertion	121	78	Women using any method	40
37	Number of IUD removals	96	42	Women using modern method	35.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1229	571		
39	General OPD cases per 10,000 population ***	17583	8980		
40	Ayush OPD cases per 10,000 population ***	265	166		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	9	2	
42	Neonatal Deaths within 1 to 28 days	1	0	
43	Total Neonatal Death	10	2	
44	Deaths between (1 - 11) months	2	0	
45	Total reported infant deaths	12	2	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	2	0	
53	Total reported maternal deaths	2	0	

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	19,697				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI 2022-23)						
3	Sub Centers (SC)	20				
4	Primary Health Centers(PHC)	4				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	539	552			
9	Expected number of Delivery	491	503			
HMIS (2024-25)			HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
	Number	PC	Number	PC		
10	PW register for ANC	187	34.7	81	14.7	ANC Check up in first trimester
11	Mothers registered in the first trimester	70	37.4	33	40.7	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	17	9.1	21	25.9	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	133	71.1	59	72.8	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	183	97.9	94	116.0	Home Delivery
15	Home Delivery against expected delivery *	16	3.3	8	1.6	Institutional Delivery
16	Institutional Delivery against expected delivery *	28	5.7	12	2.4	Home Delivery by SBA
17	Home Delivery against reported delivery **	16	36.4	8	40.0	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	28	63.6	12	60.0	Breastfeed within 1 hour of birth
19	Total reported Deliveries	44		20		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	31.3	3	37.5	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12	27.3	10	50.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	480		491		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	44	9.2	20	4.1	BCG
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT
25	Newborn weighted at birth to live birth	34	77.3	16	80.0	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	5.9	4	25.0	3 doses of penta or hepatitis B vaccine
27	Newborns breastfed within 1 hour to total reported live birth.	36	81.8	18	90.0	Full Immunization

28	Fully immunized	204	42.5	99	20.1		
29	Children who have received BCG	69	14.4	25	5.1		
30	Children who have received Pentavalent 1	179	37.3	87	17.7		
31	Children who have received Pentavalent 3	210	43.7	110	22.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	204	42.5	99	20.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	241		163			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	4	1	Women using any method	NA
37	Number of IUD removals	4	1	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	274	166		
39	General OPD cases per 10,000 population ***	5092	2990		
40	Ayush OPD cases per 10,000 population ***	1574	858		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	46,704				
2	Sex Ratio	1,029				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	10				
4	Primary Health Centers(PHC)	6				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	2,027	2,199			
9	Expected number of Delivery	1,849	2,006			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	296	14.6	169	7.7	ANC Check up in first trimester 62.5
11	Mothers registered in the first trimester	209	70.6	127	75.1	At least 4 ANC check up 18.3
12	Mothers who had 4 or more ANC check ups	217	73.3	118	69.8	Neonatal tetanus received 55.1
13	PW who got TT 2 / Booster injection	201	67.9	129	76.3	100 IFA tablets consumed 12.7
14	PW who consumed 180 IFA tablets	298	100.7	169	100.0	Home Delivery 26.5
15	Home Delivery against expected delivery *	20	1.1	13	0.6	Institutional Delivery 73.5
16	Institutional Delivery against expected delivery *	91	4.9	45	2.2	Home Delivery by SBA 7.7
17	Home Delivery against reported delivery **	20	18.0	13	22.4	PNC within 2days of delivery 34.9
18	Institutional Delivery against reported delivery **	91	82.0	45	77.6	Breastfeed within 1 hour of birth 35.9
19	Total reported Deliveries	111		58		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	55.0	10	76.9	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	72	64.9	42	72.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,808		1,960		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	110	6.1	55	2.8	BCG 92.2
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT 71.3
25	Newborn weighted at birth to live birth	104	94.5	53	96.4	Measles First dose 77.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	3.8	5	9.4	3 doses of penta or hepatitis B vaccine 71.3

27	Newborns breastfed within 1 hour to total reported live birth.	105	95.5	53	96.4	Full Immunization	63.6
28	Fully immunized	291	16.1	163	8.3		
29	Children who have received BCG	294	16.3	160	8.2		
30	Children who have received Pentavalent 1	291	16.1	157	8.0		
31	Children who have received Pentavalent 3	287	15.9	154	7.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	288	15.9	164	8.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	387		245			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.5
35	Number of Tubectomies performed	0	0	Spacing	13.1
36	Number of IUD insertion	21	7	Women using any method	46.1
37	Number of IUD removals	7	5	Women using modern method	39.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
38	IPD cases per 10,000 population ***	222	93	
39	General OPD cases per 10,000 population ***	1569	765	
40	Ayush OPD cases per 10,000 population ***	194	89	

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	1	0	
43	Total Neonatal Death	1	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	1	0	

II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	45,372					
2	Sex Ratio	1,029					
B) Infrastructure Details (HDI 2022-23)		Number s					
3	Sub Centers (SC)	14					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	1,970	2,137				
9	Expected number of Delivery	1,796	1,948				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	730	37.1	409	19.1	ANC Check up in first trimester	45.2
11	Mothers registered in the first trimester	674	92.3	387	94.6	At least 4 ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	596	81.6	328	80.2	Neonatal tetanus received	77.0
13	PW who got TT 2 / Booster injection	150	20.5	70	17.1	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	505	69.2	329	80.4	Home Delivery	30.8
15	Home Delivery against expected delivery *	12	0.7	12	0.6	Institutional Delivery	69.2
16	Institutional Delivery against expected delivery *	315	17.5	225	11.5	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	12	3.7	12	5.1	PNC within 2days of delivery	62.3
18	Institutional Delivery against reported delivery **	315	96.3	225	94.9	Breastfeed within 1 hour of birth	39.0
19	Total reported Deliveries	327		237			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	100.0	11	91.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	63	19.3	74	31.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,756		1,904			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
23	Total reported live births	327	18.6	237	12.4	BCG	100
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	86.6
25	Newborn weighted at birth to live birth	326	99.7	234	98.7	Measles First dose	89.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.6	0	0.0	3 doses of penta or hepatitis B vaccine	76.3

27	Newborns breastfed within 1 hour to total reported live birth.	326	99.7	226	95.4	Full Immunization	71.4
28	Fully immunized	480	27.3	313	16.4		
29	Children who have received BCG	444	25.3	228	12.0		
30	Children who have received Pentavalent 1	542	30.9	241	12.7		
31	Children who have received Pentavalent 3	546	31.1	263	13.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	624	35.5	381	20.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	31		12			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.4
35	Number of Tubectomies performed	0	0	Spacing	7.4
36	Number of IUD insertion	25	20	Women using any method	54.1
37	Number of IUD removals	35	22	Women using modern method	47.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	73	26		
39	General OPD cases per 10,000 population ***	831	143		
40	Ayush OPD cases per 10,000 population ***	27	28		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Leparada Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)								
1	Population 2011	20,152						
2	Sex Ratio	NA						
B) Infrastructure Details (HDI 2022-23)		Number s						
3	Sub Centers (SC)	12						
4	Primary Health Centers(PHC)	2						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	402	395					
9	Expected number of Delivery	366	361					
			HMIS (2024-25)		HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
			Number	PC	Number	PC		
10	PW register for ANC	272	67.7		175	44.3	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	115	42.3		94	53.7	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	108	39.7		83	47.4	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	134	49.3		82	46.9	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	231	84.9		176	100.6	Home Delivery	NA
15	Home Delivery against expected delivery *	1	0.3		2	0.6	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	86	23.5		28	7.8	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	1	1.1		2	6.7	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	86	98.9		28	93.3	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	87			30			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0		1	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7	8.0		17	56.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	358		352				
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)			
23	Total reported live births	87	24.3	30	8.5	BCG	NA	
24	Total Still Birth	1	0.3	0	0.0	3 dose of DPT	NA	
25	Newborn weighted at birth to live birth	83	95.4	30	100.0	Measles First dose	NA	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	2.4	0	0.0	3 doses of penta or hepatitis B vaccine	NA	

27	Newborns breastfed within 1 hour to total reported live birth.	79	90.8	30	100.0	Full Immunization	NA
28	Fully immunized	255	71.2	138	39.2		
29	Children who have received BCG	109	30.4	41	11.6		
30	Children who have received Pentavalent 1	243	67.8	109	30.9		
31	Children who have received Pentavalent 3	245	68.4	112	31.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	235	65.6	134	38.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	376		232			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	34	0	Spacing	NA
36	Number of IUD insertion	7	10	Women using any method	NA
37	Number of IUD removals	10	7	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	498	402		
39	General OPD cases per 10,000 population ***	10807	6236		
40	Ayush OPD cases per 10,000 population ***	873	1626		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	49,776				
2	Sex Ratio	901				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	15				
4	Primary Health Centers(PHC)	4				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	1,061	1,053			
9	Expected number of Delivery	967	960			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	949	89.5	532	50.5	ANC Check up in first trimester 66.9
11	Mothers registered in the first trimester	417	43.9	236	44.4	At least 4 ANC check up 39.6
12	Mothers who had 4 or more ANC check ups	736	77.6	294	55.3	Neonatal tetanus received 74.6
13	PW who got TT 2 / Booster injection	688	72.5	420	78.9	100 IFA tablets consumed 34.1
14	PW who consumed 180 IFA tablets	809	85.2	467	87.8	Home Delivery 9.8
15	Home Delivery against expected delivery *	10	1.0	1	0.1	Institutional Delivery 90.2
16	Institutional Delivery against expected delivery *	948	98.0	445	46.4	Home Delivery by SBA 2.6
17	Home Delivery against reported delivery **	10	1.0	1	0.2	PNC within 2days of delivery 66.2
18	Institutional Delivery against reported delivery **	948	99.0	445	99.8	Breastfeed within 1 hour of birth 52.3
19	Total reported Deliveries	958		446		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	904	94.4	404	90.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	946		938		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
23	Total reported live births	942	99.6	440	46.9	BCG 95.9
24	Total Still Birth	6	0.6	9	1.0	3 dose of DPT 86.8
25	Newborn weighted at birth to live birth	942	100.0	439	99.8	Measles First dose 87.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	78	8.3	42	9.6	3 doses of penta or hepatitis B vaccine 83.4

27	Newborns breastfed within 1 hour to total reported live birth.	938	99.6	437	99.3	Full Immunization	74
28	Fully immunized	826	87.3	425	45.3		
29	Children who have received BCG	954	100.9	439	46.8		
30	Children who have received Pentavalent 1	818	86.5	343	36.6		
31	Children who have received Pentavalent 3	806	85.2	395	42.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	825	87.2	425	45.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	661		368			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	98	31	Spacing	7.3
36	Number of IUD insertion	25	12	Women using any method	57
37	Number of IUD removals	24	20	Women using modern method	43.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	431	285		
39	General OPD cases per 10,000 population ***	10415	5454		
40	Ayush OPD cases per 10,000 population ***	1242	706		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	2	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	2	0	
44	Deaths between (1 - 11) months	1	3	
45	Total reported infant deaths	3	3	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,953					
2	Sex Ratio	931					
B) Infrastructure Details (HDI 2022-23)							
3	Sub Centers (SC)	9					
4	Primary Health Centers(PHC)	3					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	1,168	1,154				
9	Expected number of Delivery	1,065	1,052				
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	1,479	126.6	745	64.6	ANC Check up in first trimester	65.8
11	Mothers registered in the first trimester	632	42.7	347	46.6	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	558	37.7	253	34.0	Neonatal tetanus received	78.4
13	PW who got TT 2 / Booster injection	1,093	73.9	587	78.8	100 IFA tablets consumed	33.4
14	PW who consumed 180 IFA tablets	1,310	88.6	694	93.2	Home Delivery	35.5
15	Home Delivery against expected delivery *	372	34.9	145	13.8	Institutional Delivery	64.5
16	Institutional Delivery against expected delivery *	651	61.1	291	27.7	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	372	36.4	145	33.3	PNC within 2days of delivery	57.1
18	Institutional Delivery against reported delivery **	651	63.6	291	66.7	Breastfeed within 1 hour of birth	58.0
19	Total reported Deliveries	1,023		436			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	6.2	7	4.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	557	54.4	242	55.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,042		1,028			
D) Child Immunization :			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
23	Total reported live births	1,017	97.6	431	41.9	BCG	74.5
24	Total Still Birth	3	0.3	8	0.8	3 dose of DPT	59.7
25	Newborn weighted at birth to live birth	878	86.3	398	92.3	Measles First dose	61.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	0.7	4	1.0	3 doses of penta or hepatitis B vaccine	59.7

27	Newborns breastfed within 1 hour to total reported live birth.	929	91.3	416	96.5	Full Immunization	52.7
28	Fully immunized	986	94.6	640	62.2		
29	Children who have received BCG	1,031	99.0	490	47.7		
30	Children who have received Pentavalent 1	1,305	125.3	586	57.0		
31	Children who have received Pentavalent 3	1,278	122.7	728	70.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,036	99.4	678	65.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,778		960			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.3
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	66	12	Women using any method	68.6
37	Number of IUD removals	10	6	Women using modern method	49
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	181	111		
39	General OPD cases per 10,000 population ***	8981	5120		
40	Ayush OPD cases per 10,000 population ***	1901	1302		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	2	
42	Neonatal Deaths within 1 to 28 days	0	3	
43	Total Neonatal Death	0	5	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	5	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	54,080				
2	Sex Ratio	919				
B) Infrastructure Details (HDI 2022-23)						
3	Sub Centers (SC)	13				
4	Primary Health Centers (PHC)	4				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	1,069	1,052			
9	Expected number of Delivery	975	959			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	956	89.4	493	46.9	ANC Check up in first trimester 56.3
11	Mothers registered in the first trimester	470	49.2	293	59.4	At least 4 ANC check up 48.6
12	Mothers who had 4 or more ANC check ups	602	63.0	274	55.6	Neonatal tetanus received 87.5
13	PW who got TT 2 / Booster injection	762	79.7	434	88.0	100 IFA tablets consumed 25.8
14	PW who consumed 180 IFA tablets	893	93.4	489	99.2	Home Delivery 9.9
15	Home Delivery against expected delivery *	24	2.5	14	1.5	Institutional Delivery 90.1
16	Institutional Delivery against expected delivery *	469	48.1	208	21.7	Home Delivery by SBA 3.6
17	Home Delivery against reported delivery **	24	4.9	14	6.3	PNC within 2days of delivery 58.6
18	Institutional Delivery against reported delivery **	469	95.1	208	93.7	Breastfeed within 1 hour of birth 59.8
19	Total reported Deliveries	493		222		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	95.8	9	64.3	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	263	53.3	181	81.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	954		937		
D) Child Immunization :			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
23	Total reported live births	490	51.4	225	24.0	BCG 89.2
24	Total Still Birth	3	0.3	2	0.2	3 dose of DPT 77
25	Newborn weighted at birth to live birth	485	99.0	217	96.4	Measles First dose 84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	34	7.0	14	6.5	3 doses of penta or hepatitis B vaccine 79.2
27	Newborns breastfed within 1 hour to total reported live birth.	464	94.7	224	99.6	Full Immunization 73.8

28	Fully immunized	753	79.0	398	42.5		
29	Children who have received BCG	655	68.7	299	31.9		
30	Children who have received Pentavalent 1	821	86.1	358	38.2		
31	Children who have received Pentavalent 3	774	81.2	369	39.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	729	76.4	399	42.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	332		181			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.9
35	Number of Tubectomies performed	5	2	Spacing	4.6
36	Number of IUD insertion	35	5	Women using any method	75.3
37	Number of IUD removals	23	12	Women using modern method	56.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	216	108		
39	General OPD cases per 10,000 population ***	12939	6745		
40	Ayush OPD cases per 10,000 population ***	1001	529		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	3	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	22,630				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	6				
4	Primary Health Centers(PHC)	5				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	451	444			
9	Expected number of Delivery	411	405			
HMIS (2024-25)			HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
	Number	PC	Number	PC		
10	PW register for ANC	223	49.4	122	27.5	ANC Check up in first trimester
11	Mothers registered in the first trimester	135	60.5	60	49.2	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	138	61.9	40	32.8	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	208	93.3	99	81.1	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	175	78.5	76	62.3	Home Delivery
15	Home Delivery against expected delivery *	5	1.2	4	1.0	Institutional Delivery
16	Institutional Delivery against expected delivery *	71	17.3	24	5.9	Home Delivery by SBA
17	Home Delivery against reported delivery **	5	6.6	4	14.3	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	71	93.4	24	85.7	Breastfeed within 1 hour of birth
19	Total reported Deliveries	76		28		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	80.0	4	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	37	48.7	11	39.3	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	402		396		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	76	18.9	29	7.3	BCG
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT
25	Newborn weighted at birth to live birth	75	98.7	28	96.6	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	5.3	3	10.7	3 doses of penta or hepatitis B vaccine
27	Newborns breastfed within 1 hour to total reported live birth.	75	98.7	28	96.6	Full Immunization

28	Fully immunized	262	65.1	139	35.1		
29	Children who have received BCG	91	22.6	33	8.3		
30	Children who have received Pentavalent 1	251	62.4	90	22.7		
31	Children who have received Pentavalent 3	246	61.1	118	29.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	262	65.1	141	35.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	107		53			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	12	1	Women using any method	NA
37	Number of IUD removals	16	5	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	766	393		
39	General OPD cases per 10,000 population ***	12642	6248		
40	Ayush OPD cases per 10,000 population ***	718	479		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	67,751				
2	Sex Ratio	975				
B) Infrastructure Details (HDI 2022-23)						
3	Sub Centers (SC)	23				
4	Primary Health Centers(PHC)	5				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	1,853	1,897			
9	Expected number of Delivery	1,689	1,730			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	574	31.0	295	15.5	ANC Check up in first trimester 53.4
11	Mothers registered in the first trimester	222	38.7	91	30.8	At least 4 ANC check up 39.1
12	Mothers who had 4 or more ANC check ups	310	54.0	100	33.9	Neonatal tetanus received 82.3
13	PW who got TT 2 / Booster injection	455	79.3	214	72.5	100 IFA tablets consumed 15.2
14	PW who consumed 180 IFA tablets	570	99.3	295	100.0	Home Delivery 10.2
15	Home Delivery against expected delivery *	9	0.5	3	0.2	Institutional Delivery 89.8
16	Institutional Delivery against expected delivery *	381	22.6	199	11.5	Home Delivery by SBA 2.8
17	Home Delivery against reported delivery **	9	2.3	3	1.5	PNC within 2days of delivery 67.7
18	Institutional Delivery against reported delivery **	381	97.7	199	98.5	Breastfeed within 1 hour of birth 52.5
19	Total reported Deliveries	390		202		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	11.1	1	33.3	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	176	45.1	150	74.3	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,652		1,690		
D) Child Immunization :			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
23	Total reported live births	384	23.2	198	11.7	BCG 85
24	Total Still Birth	4	0.2	4	0.2	3 dose of DPT 69.6
25	Newborn weighted at birth to live birth	381	99.2	198	100.0	Measles First dose 76.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	23	6.0	13	6.6	3 doses of penta or hepatitis B vaccine 65.9
27	Newborns breastfed within 1 hour to total reported live birth.	271	70.6	140	70.7	Full Immunization 66.5

28	Fully immunized	569	34.4	289	17.1		
29	Children who have received BCG	394	23.8	207	12.2		
30	Children who have received Pentavalent 1	525	31.8	245	14.5		
31	Children who have received Pentavalent 3	570	34.5	292	17.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	566	34.3	293	17.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	263		126			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	10	9	Spacing	2.3
36	Number of IUD insertion	65	17	Women using any method	65.9
37	Number of IUD removals	49	25	Women using modern method	58
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	505	291		
39	General OPD cases per 10,000 population ***	6341	3469		
40	Ayush OPD cases per 10,000 population ***	1007	412		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	95,950					
2	Sex Ratio	901					
B) Infrastructure Details (HDI 2022-23)		Number s					
3	Sub Centers (SC)	15					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	2,044	2,029				
9	Expected number of Delivery	1,864	1,850				
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	2,274	111.2	1,122	55.3	ANC Check up in first trimester	61.6
11	Mothers registered in the first trimester	2,112	92.9	1,015	90.5	At least 4 ANC check up	35.4
12	Mothers who had 4 or more ANC check ups	1,934	85.0	1,048	93.4	Neonatal tetanus received	76.7
13	PW who got TT 2 / Booster injection	1,997	87.8	1,078	96.1	100 IFA tablets consumed	33.6
14	PW who consumed 180 IFA tablets	2,161	95.0	1,068	95.2	Home Delivery	36.4
15	Home Delivery against expected delivery *	54	2.9	34	1.8	Institutional Delivery	63.6
16	Institutional Delivery against expected delivery *	2,103	112.8	981	53.0	Home Delivery by SBA	6.4
17	Home Delivery against reported delivery **	54	2.5	34	3.3	PNC within 2days of delivery	51.2
18	Institutional Delivery against reported delivery **	2,103	97.5	981	96.7	Breastfeed within 1 hour of birth	47.4
19	Total reported Deliveries	2,157		1,015			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	50.0	21	61.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,485	68.8	455	44.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,823		1,808			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	2,166	118.8	1,010	55.9	BCG	83.5
24	Total Still Birth	7	0.4	10	0.6	3 dose of DPT	80.7
25	Newborn weighted at birth to live birth	2,166	100.0	1,010	100.0	Measles First dose	79.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	152	7.0	51	5.0	3 doses of penta or hepatitis B vaccine	75.1

27	Newborns breastfed within 1 hour to total reported live birth.	2,057	95.0	991	98.1	Full Immunization	67.2
28	Fully immunized	1,867	102.4	959	53.1		
29	Children who have received BCG	1,861	102.1	869	48.1		
30	Children who have received Pentavalent 1	1,892	103.8	803	44.4		
31	Children who have received Pentavalent 3	1,818	99.7	976	54.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,879	103.1	975	53.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	627		401			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	74	37	Spacing	5.2
36	Number of IUD insertion	99	61	Women using any method	69.5
37	Number of IUD removals	32	20	Women using modern method	48.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	446	207		
39	General OPD cases per 10,000 population ***	8566	4375		
40	Ayush OPD cases per 10,000 population ***	1494	746		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	2	3	
42	Neonatal Deaths within 1 to 28 days	4	0	
43	Total Neonatal Death	6	3	
44	Deaths between (1 - 11) months	5	2	
45	Total reported infant deaths	11	5	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	1	0	

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	15,358					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Number s					
3	Sub Centers (SC)	13					
4	Primary Health Centers(PHC)	3					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	384	389				
9	Expected number of Delivery	351	355				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	106	27.6	58	14.9	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	19	17.9	23	39.7	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	40	37.7	44	75.9	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	69	65.1	47	81.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	111	104.7	60	103.4	Home Delivery	NA
15	Home Delivery against expected delivery *	1	0.3	0	0.0	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	65	18.5	41	11.5	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	1	1.5	0	0.0	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	65	98.5	41	100.0	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	66		41			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	-		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	87.9	32	78.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	343		347			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	65	19.0	41	11.8	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	65	100.0	41	100.0	Measles First dose	NA

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	6.2	1	2.4	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	64	98.5	40	97.6	Full Immunization	NA
28	Fully immunized	128	37.3	70	20.2		
29	Children who have received BCG	90	26.2	47	13.5		
30	Children who have received Pentavalent 1	116	33.8	65	18.7		
31	Children who have received Pentavalent 3	121	35.3	72	20.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	129	37.6	71	20.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	216		147			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	3	1	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
38	IPD cases per 10,000 population ***	37	0	
39	General OPD cases per 10,000 population ***	4607	2554	
40	Ayush OPD cases per 10,000 population ***	681	150	

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	1,76,573				
2	Sex Ratio	950				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	40				
4	Primary Health Centers(PHC)	18				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	4,680	4,774			
9	Expected number of Delivery	4,268	4,353			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	7,079	151.2	3,926	82.2	ANC Check up in first trimester 38.4
11	Mothers registered in the first trimester	4,977	70.3	2,627	66.9	At least 4 ANC check up 39.3
12	Mothers who had 4 or more ANC check ups	5,575	78.8	2,656	67.7	Neonatal tetanus received 74.0
13	PW who got TT 2 / Booster injection	2,092	29.6	991	25.2	100 IFA tablets consumed 24.8
14	PW who consumed 180 IFA tablets	6,304	89.1	3,141	80.0	Home Delivery 12.0
15	Home Delivery against expected delivery *	3	0.1	11	0.3	Institutional Delivery 88.0
16	Institutional Delivery against expected delivery *	6,718	157.4	3,064	70.4	Home Delivery by SBA 1.1
17	Home Delivery against reported delivery **	3	0.0	11	0.4	PNC within 2days of delivery 53.2
18	Institutional Delivery against reported delivery **	6,718	100.0	3,064	99.6	Breastfeed within 1 hour of birth 52.9
19	Total reported Deliveries	6,721		3,075		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	10	90.9	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,460	36.6	1,775	57.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	4,174		4,253		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,785	162.6	3,118	73.3	BCG 88.1
24	Total Still Birth	26	0.6	24	0.6	3 dose of DPT 76.3
25	Newborn weighted at birth to live birth	6,779	99.9	3,071	98.5	Measles First dose 77.3

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	412	6.1	202	6.6	3 doses of penta or hepatitis B vaccine	64.3
27	Newborns breastfed within 1 hour to total reported live birth.	3,983	58.7	2,057	66.0	Full Immunization	60.7
28	Fully immunized	3,712	88.9	2,082	49.0		
29	Children who have received BCG	6,338	151.8	2,916	68.6		
30	Children who have received Pentavalent 1	4,377	104.9	1,874	44.1		
31	Children who have received Pentavalent 3	3,848	92.2	2,078	48.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,703	88.7	2,084	49.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,289		798			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20.3
35	Number of Tubectomies performed	337	107	Spacing	8.8
36	Number of IUD insertion	236	96	Women using any method	47.7
37	Number of IUD removals	100	47	Women using modern method	41
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1690	381		
39	General OPD cases per 10,000 population ***	39954	7892		
40	Ayush OPD cases per 10,000 population ***	1379	1102		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	5	3		
42	Neonatal Deaths within 1 to 28 days	20	9		
43	Total Neonatal Death	25	12		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	26	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011		13,310				
2	Sex Ratio		NA				
B) Infrastructure Details (HDI 2022-23)							
3	Sub Centers (SC)		3				
4	Primary Health Centers(PHC)		2				
5	Community Health Centers (CHC)		1				
6	SDH		0				
7	DH		0				
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	265		261			
9	Expected number of Delivery	242		238			
				HMIS (2024-25) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	167	62.9	118	45.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	68	40.7	54	45.8	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	35	21.0	21	17.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	127	76.0	94	79.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	129	77.2	122	103.4	Home Delivery	NA
15	Home Delivery against expected delivery *	18	7.4	7	2.9	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	43	17.8	19	8.0	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	18	29.5	7	26.9	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	43	70.5	19	73.1	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	61		26			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	5.6	2	28.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24	39.3	10	38.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	237		233			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	61	25.8	26	11.2	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	59	96.7	23	88.5	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	2	8.7	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	57	93.4	21	80.8	Full Immunization	NA
28	Fully immunized	177	74.8	83	35.7		
29	Children who have received BCG	52	22.0	26	11.2		
30	Children who have received Pentavalent 1	165	69.7	63	27.1		
31	Children who have received Pentavalent 3	162	68.5	81	34.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	175	73.9	83	35.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	363		145			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	4	7	Women using any method	NA
37	Number of IUD removals	2	2	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	181	120		
39	General OPD cases per 10,000 population ***	9900	4598		
40	Ayush OPD cases per 10,000 population ***	1415	1128		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	27,924				
2	Sex Ratio	962				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	27				
4	Primary Health Centers(PHC)	7				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	580	574			
9	Expected number of Delivery	529	524			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	260	44.8	136	23.7	ANC Check up in first trimester 50.8
11	Mothers registered in the first trimester	87	33.5	44	32.4	At least 4 ANC check up 31.1
12	Mothers who had 4 or more ANC check ups	60	23.1	21	15.4	Neonatal tetanus received 78.7
13	PW who got TT 2 / Booster injection	185	71.2	82	60.3	100 IFA tablets consumed 21.5
14	PW who consumed 180 IFA tablets	258	99.2	125	91.9	Home Delivery 18.9
15	Home Delivery against expected delivery *	13	2.5	7	1.3	Institutional Delivery 81.1
16	Institutional Delivery against expected delivery *	43	8.1	15	2.9	Home Delivery by SBA 2.1
17	Home Delivery against reported delivery **	13	23.2	7	31.8	PNC within 2days of delivery 56.0
18	Institutional Delivery against reported delivery **	43	76.8	15	68.2	Breastfeed within 1 hour of birth 51.4
19	Total reported Deliveries	56		22		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	7.7	4	57.1	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	3.6	0	0.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	518		512		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	56	10.8	22	4.3	BCG 80.8
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT 81.1
25	Newborn weighted at birth to live birth	51	91.1	20	90.9	Measles First dose 77.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	3.9	4	20.0	3 doses of penta or hepatitis B vaccine 74.7
27	Newborns breastfed within 1 hour to total reported live birth.	51	91.1	21	95.5	Full Immunization 60.3

28	Fully immunized	318	61.4	178	34.8		
29	Children who have received BCG	91	17.6	40	7.8		
30	Children who have received Pentavalent 1	311	60.1	108	21.1		
31	Children who have received Pentavalent 3	299	57.8	145	28.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	321	62.0	179	35.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	95		60			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5
35	Number of Tubectomies performed	0	0	Spacing	2.4
36	Number of IUD insertion	0	0	Women using any method	73.7
37	Number of IUD removals	5	1	Women using modern method	61
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	690	428		
39	General OPD cases per 10,000 population ***	6396	3658		
40	Ayush OPD cases per 10,000 population ***	150	80		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	49,977				
2	Sex Ratio	701				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	13				
4	Primary Health Centers(PHC)	6				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	1,169	1,173			
9	Expected number of Delivery	1,066	1,070			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	717	61.4	324	27.6	ANC Check up in first trimester 79.9
11	Mothers registered in the first trimester	306	42.7	165	50.9	At least 4 ANC check up 37.6
12	Mothers who had 4 or more ANC check ups	333	46.4	274	84.6	Neonatal tetanus received 85.3
13	PW who got TT 2 / Booster injection	624	87.0	266	82.1	100 IFA tablets consumed 28.2
14	PW who consumed 180 IFA tablets	559	78.0	288	88.9	Home Delivery 15.8
15	Home Delivery against expected delivery *	160	15.0	63	5.9	Institutional Delivery 84.2
16	Institutional Delivery against expected delivery *	468	43.9	199	18.6	Home Delivery by SBA 5.7
17	Home Delivery against reported delivery **	160	25.5	63	24.0	PNC within 2days of delivery 49.6
18	Institutional Delivery against reported delivery **	468	74.5	199	76.0	Breastfeed within 1 hour of birth 60.6
19	Total reported Deliveries	628		262		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	18.8	9	14.3	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	113	18.0	24	9.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,042		1,045		
D) Child Immunization :			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
23	Total reported live births	627	60.2	260	24.9	BCG 93.1
24	Total Still Birth	2	0.2	4	0.4	3 dose of DPT 81.9
25	Newborn weighted at birth to live birth	626	99.8	259	99.6	Measles First dose 90.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.8	4	1.5	3 doses of penta or hepatitis B vaccine 77.6
27	Newborns breastfed within 1 hour to total reported live birth.	509	81.2	230	88.5	Full Immunization 67.5

28	Fully immunized	714	68.5	380	36.3		
29	Children who have received BCG	603	57.9	296	28.3		
30	Children who have received Pentavalent 1	714	68.5	313	29.9		
31	Children who have received Pentavalent 3	687	65.9	365	34.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	714	68.5	378	36.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	490		365			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	6	4	Spacing	11.7
36	Number of IUD insertion	87	50	Women using any method	62.1
37	Number of IUD removals	69	25	Women using modern method	56.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	161	87		
39	General OPD cases per 10,000 population ***	10186	5919		
40	Ayush OPD cases per 10,000 population ***	1635	873		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	55,022				
2	Sex Ratio	931				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	13				
4	Primary Health Centers(PHC)	7				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	1,129	1,115			
9	Expected number of Delivery	1,029	1,017			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	901	79.8	472	42.3	ANC Check up in first trimester 59.3
11	Mothers registered in the first trimester	554	61.5	290	61.4	At least 4 ANC check up 35.7
12	Mothers who had 4 or more ANC check ups	639	70.9	295	62.5	Neonatal tetanus received 73.9
13	PW who got TT 2 / Booster injection	775	86.0	398	84.3	100 IFA tablets consumed 27.4
14	PW who consumed 180 IFA tablets	860	95.4	435	92.2	Home Delivery 29.8
15	Home Delivery against expected delivery *	178	17.3	77	7.6	Institutional Delivery 70.2
16	Institutional Delivery against expected delivery *	345	33.5	183	18.0	Home Delivery by SBA 4.6
17	Home Delivery against reported delivery **	178	34.0	77	29.6	PNC within 2days of delivery 49.8
18	Institutional Delivery against reported delivery **	345	66.0	183	70.4	Breastfeed within 1 hour of birth 72.0
19	Total reported Deliveries	523		260		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	61.8	37	48.1	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	384	73.4	199	76.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,007		993		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	520	51.7	257	25.9	BCG 82.8
24	Total Still Birth	3	0.3	5	0.5	3 dose of DPT 77.4
25	Newborn weighted at birth to live birth	514	98.8	256	99.6	Measles First dose 77.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	0.6	1	0.4	3 doses of penta or hepatitis B vaccine 77.4
27	Newborns breastfed within 1 hour to total reported live birth.	511	98.3	257	100.0	Full Immunization 66.3

28	Fully immunized	710	70.5	319	32.1		
29	Children who have received BCG	550	54.6	207	20.8		
30	Children who have received Pentavalent 1	787	78.2	244	24.6		
31	Children who have received Pentavalent 3	694	68.9	336	33.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	710	70.5	324	32.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	380		150			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10.6
35	Number of Tubectomies performed	0	0	Spacing	8.1
36	Number of IUD insertion	64	19	Women using any method	56.1
37	Number of IUD removals	38	31	Women using modern method	39.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	276	114		
39	General OPD cases per 10,000 population ***	6699	3483		
40	Ayush OPD cases per 10,000 population ***	1354	626		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	35,320				
2	Sex Ratio	891				
B) Infrastructure Details (HDI 2022-23)						
3	Sub Centers (SC)	14				
4	Primary Health Centers (PHC)	2				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	692	679			
9	Expected number of Delivery	631	619			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	667	96.4	240	35.3	ANC Check up in first trimester 54.5
11	Mothers registered in the first trimester	411	61.6	123	51.3	At least 4 ANC check up 34.0
12	Mothers who had 4 or more ANC check ups	410	61.5	226	94.2	Neonatal tetanus received 73.5
13	PW who got TT 2 / Booster injection	408	61.2	202	84.2	100 IFA tablets consumed 12.6
14	PW who consumed 180 IFA tablets	550	82.5	252	105.0	Home Delivery 24.0
15	Home Delivery against expected delivery *	18	2.9	4	0.6	Institutional Delivery 76.0
16	Institutional Delivery against expected delivery *	216	34.3	102	16.5	Home Delivery by SBA 3.3
17	Home Delivery against reported delivery **	18	7.7	4	3.8	PNC within 2days of delivery 56.4
18	Institutional Delivery against reported delivery **	216	92.3	102	96.2	Breastfeed within 1 hour of birth 28.2
19	Total reported Deliveries	234		106		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	50.0	0	0.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	221	94.4	76	71.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	617		605		
D) Child Immunization :			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
23	Total reported live births	232	37.6	107	17.7	BCG 86.7
24	Total Still Birth	2	0.3	0	0.0	3 dose of DPT 68.4
25	Newborn weighted at birth to live birth	231	99.6	105	98.1	Measles First dose 70
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.2	6	5.7	3 doses of penta or hepatitis B vaccine 63.4
27	Newborns breastfed within 1 hour to total reported live birth.	215	92.7	86	80.4	Full Immunization 61.4

28	Fully immunized	387	62.7	223	36.9		
29	Children who have received BCG	268	43.5	116	19.2		
30	Children who have received Pentavalent 1	429	69.6	169	27.9		
31	Children who have received Pentavalent 3	415	67.3	209	34.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	387	62.7	223	36.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	349		154			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.9
35	Number of Tubectomies performed	10	6	Spacing	6.6
36	Number of IUD insertion	28	3	Women using any method	62
37	Number of IUD removals	45	7	Women using modern method	54
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	389	242		
39	General OPD cases per 10,000 population ***	9248	4340		
40	Ayush OPD cases per 10,000 population ***	1184	855		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	79,030					
2	Sex Ratio	982					
B) Infrastructure Details (HDI 2022-23)		Number s					
3	Sub Centers (SC)	26					
4	Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	2,189	2,245				
9	Expected number of Delivery	1,996	2,047				
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	1,005	45.9	566	25.2	ANC Check up in first trimester	34.6
11	Mothers registered in the first trimester	625	62.2	349	61.7	At least 4 ANC check up	32.1
12	Mothers who had 4 or more ANC check ups	548	54.5	279	49.3	Neonatal tetanus received	79.1
13	PW who got TT 2 / Booster injection	648	64.5	414	73.1	100 IFA tablets consumed	23.6
14	PW who consumed 180 IFA tablets	1,007	100.2	571	100.9	Home Delivery	23.0
15	Home Delivery against expected delivery *	4	0.2	3	0.1	Institutional Delivery	77.0
16	Institutional Delivery against expected delivery *	645	32.3	295	14.4	Home Delivery by SBA	5.2
17	Home Delivery against reported delivery **	4	0.6	3	1.0	PNC within 2days of delivery	56.7
18	Institutional Delivery against reported delivery **	645	99.4	295	99.0	Breastfeed within 1 hour of birth	56.6
19	Total reported Deliveries	649		298			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	25.0	2	66.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	161	24.8	3	1.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,952		2,000			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	640	32.8	295	14.7	BCG	89.8
24	Total Still Birth	4	0.2	3	0.1	3 dose of DPT	75.6
25	Newborn weighted at birth to live birth	640	100.0	238	80.7	Measles First dose	84.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	4.4	22	9.2	3 doses of penta or hepatitis B vaccine	72.2

27	Newborns breastfed within 1 hour to total reported live birth.	598	93.4	236	80.0	Full Immunization	68.5
28	Fully immunized	783	40.1	455	22.7		
29	Children who have received BCG	679	34.8	300	15.0		
30	Children who have received Pentavalent 1	808	41.4	376	18.8		
31	Children who have received Pentavalent 3	790	40.5	414	20.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	789	40.4	466	23.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	225		119			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	0	0	Spacing	8.6
36	Number of IUD insertion	170	32	Women using any method	53.2
37	Number of IUD removals	151	105	Women using modern method	48.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	81	32		
39	General OPD cases per 10,000 population ***	2103	929		
40	Ayush OPD cases per 10,000 population ***	345	201		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,947					
2	Sex Ratio	755					
B) Infrastructure Details (HDI 2022-23)		Number s					
3	Sub Centers (SC)	21					
4	Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	1,791	1,778				
9	Expected number of Delivery	1,633	1,622				
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	1,344	75.0		717	40.3	ANC Check up in first trimester 45.1
11	Mothers registered in the first trimester	865	64.4		425	59.3	At least 4 ANC check up 27.6
12	Mothers who had 4 or more ANC check ups	1,109	82.5		498	69.5	Neonatal tetanus received 64.4
13	PW who got TT 2 / Booster injection	1,073	79.8		540	75.3	100 IFA tablets consumed 18.5
14	PW who consumed 180 IFA tablets	1,368	101.8		659	91.9	Home Delivery 6.4
15	Home Delivery against expected delivery *	27	1.7		15	0.9	Institutional Delivery 93.6
16	Institutional Delivery against expected delivery *	492	30.1		274	16.9	Home Delivery by SBA 4.6
17	Home Delivery against reported delivery **	27	5.2		15	5.2	PNC within 2days of delivery 38.9
18	Institutional Delivery against reported delivery **	492	94.8		274	94.8	Breastfeed within 1 hour of birth 42.6
19	Total reported Deliveries	519			289		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	48.1		9	60.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	342	65.9		214	74.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,598		1,584			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
23	Total reported live births	514	32.2	303	19.1	BCG	94
24	Total Still Birth	8	0.5	0	0.0	3 dose of DPT	65.8
25	Newborn weighted at birth to live birth	499	97.1	283	93.4	Measles First dose	65.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	4.4	13	4.6	3 doses of penta or hepatitis B vaccine	57.4

27	Newborns breastfed within 1 hour to total reported live birth.	497	96.7	286	94.4	Full Immunization	56.2
28	Fully immunized	1,206	75.5	658	41.5		
29	Children who have received BCG	655	41.0	344	21.7		
30	Children who have received Pentavalent 1	1,147	71.8	546	34.5		
31	Children who have received Pentavalent 3	1,143	71.5	583	36.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,208	75.6	659	41.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	442		140			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	3	9	Spacing	13.5
36	Number of IUD insertion	157	53	Women using any method	53.8
37	Number of IUD removals	163	73	Women using modern method	47.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	199	126		
39	General OPD cases per 10,000 population ***	7180	3429		
40	Ayush OPD cases per 10,000 population ***	1483	844		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,516					
2	Sex Ratio	916					
B) Infrastructure Details (HDI 2022-23)		Number s					
3	Sub Centers (SC)	15					
4	Primary Health Centers(PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	1,127	1,109				
9	Expected number of Delivery	1,027	1,011				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,032	91.6	566	51.0	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	335	32.5	199	35.2	At least 4 ANC check up	30.4
12	Mothers who had 4 or more ANC check ups	858	83.1	666	117.7	Neonatal tetanus received	72.0
13	PW who got TT 2 / Booster injection	767	74.3	428	75.6	100 IFA tablets consumed	9.9
14	PW who consumed 180 IFA tablets	736	71.3	434	76.7	Home Delivery	15.4
15	Home Delivery against expected delivery *	13	1.3	3	0.3	Institutional Delivery	84.6
16	Institutional Delivery against expected delivery *	1,062	103.4	543	53.7	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	13	1.2	3	0.5	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	1,062	98.8	543	99.5	Breastfeed within 1 hour of birth	37.6
19	Total reported Deliveries	1,075		546			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	84.6	3	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	476	44.3	531	97.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,005		988			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
23	Total reported live births	1,066	106.1	548	55.5	BCG	93.7
24	Total Still Birth	6	0.6	1	0.1	3 dose of DPT	87.8
25	Newborn weighted at birth to live birth	1,059	99.3	545	99.5	Measles First dose	86.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	51	4.8	25	4.6	3 doses of penta or hepatitis B vaccine	81

27	Newborns breastfed within 1 hour to total reported live birth.	1,029	96.5	473	86.3	Full Immunization	55.4
28	Fully immunized	927	92.3	499	50.5		
29	Children who have received BCG	988	98.3	484	49.0		
30	Children who have received Pentavalent 1	942	93.7	366	37.0		
31	Children who have received Pentavalent 3	882	87.8	404	40.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	924	92.0	499	50.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	821		424			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.5
35	Number of Tubectomies performed	115	39	Spacing	8.2
36	Number of IUD insertion	129	54	Women using any method	46.6
37	Number of IUD removals	154	48	Women using modern method	38.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	174	68		
39	General OPD cases per 10,000 population ***	14397	7452		
40	Ayush OPD cases per 10,000 population ***	275	206		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	2	
42	Neonatal Deaths within 1 to 28 days	1	5	
43	Total Neonatal Death	1	7	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	1	7	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	