

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	13,83,727				
2	Sex Ratio	920				
B) Infrastructure Details (RHS 2020-21)						
3	Sub Centers (SC)	347				
4	Primary Health Centers (PHC)	127				
5	Community Health Centers (CHC)	57				
6	SDH	0				
7	DH	19				
C) Maternal Health:		2020-21		2021-22		
8	Expected number of PW	34,303		34,603		
9	Expected number of Delivery	31,808		32,086		
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	31,636	92.2	32,301	93.3	ANC Check up in first trimester 53.1
11	Mothers registered in the first trimester	11,173	35.3	12,350	38.2	At least 4 ANC check up 36.5
12	Mothers who had 4 or more ANC check ups	9,329	29.5	11,524	35.7	Neonatal tetanus received 76.9
13	PW who got TT 2 / Booster injection	17,990	56.9	19,302	59.8	100 IFA tablets consumed 23.8
14	PW who consumed 180 IFA tablets	17,189	54.3	21,375	66.2	Home Delivery 20.8
15	Home Delivery against expected delivery *	1,754	5.5	1,906	5.9	Institutional Delivery 79.2
16	Institutional Delivery against expected delivery *	18,260	57.4	18,492	57.6	Home Delivery by SBA 4.0
17	Home Delivery against reported delivery **	1,754	8.8	1,906	9.3	PNC within 2days of delivery 56.4
18	Institutional Delivery against reported delivery **	18,260	91.2	18,492	90.7	Breastfeed within 1 hour of birth 52.0
19	Total reported Deliveries	20,014		20,398		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	800	45.6	879	46.1	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,071	35.3	6,597	32.3	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	31,185		31,457		
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
23	Total reported live births	19,861	63.7	20,201	64.2	BCG 87.9
24	Total Still Birth	231	0.7	242	0.8	3 dose of DPT 77.7
25	Newborn weighted at birth to live birth	19,418	97.8	19,948	98.7	Measles First dose 80.7

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	926	4.8	1,073	5.4	3 doses of penta or hepatitis B vaccine	73
27	Newborns breastfed within 1 hour to total reported live birth.	16,376	82.5	16,420	81.3	Full Immunization	64.9
28	Fully immunized	19,363	62.1	19,685	62.6		
29	Children who have received BCG	20,938	67.1	21,611	68.7		
30	Children who have received Pentavalent 1	21,814	70.0	21,743	69.1		
31	Children who have received Pentavalent 3	20,406	65.4	19,977	63.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,545	62.7	19,660	62.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,436		6,623			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.5
35	Number of Tubectomies performed	621	864	Spacing	7
36	Number of IUD insertion	1,839	1,850	Women using any method	59.1
37	Number of IUD removals	1,268	1,202	Women using modern method	47.2
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	295	351		
39	General OPD cases per 10,000 population ***	5838	7708		
40	Ayush OPD cases per 10,000 population ***	651	568		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	32	52		
42	Neonatal Deaths up to 4 weeks of birth	32	41		
43	Total Neonatal Death	64	93		
44	Deaths between (1 - 11) months	26	26		
45	Total reported infant deaths	90	119		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	6	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	9		
52	Total reported maternal deaths	10	11		

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	21,167
2	Sex Ratio	805

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers (PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22		
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
8	Expected number of PW	471		470		
9	Expected number of Delivery	437		436		
10	PW register for ANC	382	81.0	309	65.8	ANC Check up in first trimester 52.0
11	Mothers registered in the first trimester	158	41.4	135	43.7	At least 4 ANC check up 32.3
12	Mothers who had 4 or more ANC check ups	58	15.2	125	40.5	Neonatal tetanus received 80.2
13	PW who got TT 2 / Booster injection	251	65.7	224	72.5	100 IFA tablets consumed 16.5
14	PW who consumed 180 IFA tablets	312	81.7	285	92.2	Home Delivery 22.0
15	Home Delivery against expected delivery *	24	5.5	18	4.1	Institutional Delivery 78.0
16	Institutional Delivery against expected delivery *	84	19.2	58	13.3	Home Delivery by SBA 2.0
17	Home Delivery against reported delivery **	24	22.2	18	23.7	PNC within 2days of delivery 55.8
18	Institutional Delivery against reported delivery **	84	77.8	58	76.3	Breastfeed within 1 hour of birth 66.5
19	Total reported Deliveries	108		76		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	12	66.7	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	28	25.9	30	39.5	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22 Expected number of Live Birth

22	Expected number of Live Birth	429		427		
----	-------------------------------	-----	--	-----	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
23	Total reported live births	108	25.2	75	17.6	BCG 97.7
24	Total Still Birth	1	0.2	1	0.2	3 dose of DPT 95.3
25	Newborn weighted at birth to live birth	105	97.2	71	94.7	Measles First dose 97.6

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	10	9.5	2	2.8	3 doses of penta or hepatitis B vaccine	85.6
27	Newborns breastfed within 1 hour to total reported live birth.	106	98.1	71	94.7	Full Immunization	93
28	Fully immunized	274	63.9	256	59.9		
29	Children who have received BCG	167	39.0	112	26.2		
30	Children who have received Pentavalent 1	298	69.5	269	63.0		
31	Children who have received Pentavalent 3	339	79.1	278	65.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	290	67.7	260	60.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		255			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.8
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	15	5	Women using any method	64.7
37	Number of IUD removals	10	8	Women using modern method	50.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	131	136		
39	General OPD cases per 10,000 population ***	8127	8872		
40	Ayush OPD cases per 10,000 population ***	1774	744		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal deaths within 24 hours	1	0			
42	Neonatal Deaths up to 4 weeks of birth	0	0			
43	Total Neonatal Death	1	0			
44	Deaths between (1 - 11) months	0	0			
45	Total reported infant deaths	1	0			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0			
47	Due to Obstructed/prolonged labour	0	0			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	0	0			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	0	0			
52	Total reported maternal deaths	0	0			

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	1,48,226
2	Sex Ratio	914

B) Infrastructure Details (RHS 2020-21)

Numbers
3 Sub Centers (SC)
4 Primary Health Centers(PHC)
5 Community Health Centers (CHC)
6 SDH
7 DH

C) Maternal Health:

		2020-21		2021-22		
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
8	Expected number of PW	3,426		3,429		
9	Expected number of Delivery	3,177		3,179		
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	3,120	91.1	3,185	92.9	ANC Check up in first trimester 65.0
11	Mothers registered in the first trimester	1,012	32.4	1,152	36.2	At least 4 ANC check up 46.9
12	Mothers who had 4 or more ANC check ups	967	31.0	996	31.3	Neonatal tetanus received 88.1
13	PW who got TT 2 / Booster injection	2,527	81.0	2,456	77.1	100 IFA tablets consumed 37.3
14	PW who consumed 180 IFA tablets	1,927	61.8	1,641	51.5	Home Delivery 24.9
15	Home Delivery against expected delivery *	309	9.7	490	15.4	Institutional Delivery 75.1
16	Institutional Delivery against expected delivery *	1,272	40.0	1,341	42.2	Home Delivery by SBA 6.3
17	Home Delivery against reported delivery **	309	19.5	490	26.8	PNC within 2days of delivery 69.7
18	Institutional Delivery against reported delivery **	1,272	80.5	1,341	73.2	Breastfeed within 1 hour of birth 60.7
19	Total reported Deliveries	1,581		1,831		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	154	49.8	94	19.2	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	244	15.4	336	18.4	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22 Expected number of Live Birth

3,114 3,117

D) Child Immunization :

HMIS (2020-21) HMIS (2021-22) NFHS-5 (2019-20)

23	Total reported live births	1,574	50.5	1,822	58.5	BCG 86.1
24	Total Still Birth	7	0.2	11	0.4	3 dose of DPT 84.4
25	Newborn weighted at birth to live birth	1,571	99.8	1,805	99.1	Measles First dose 84.4

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	68	4.3	80	4.4	3 doses of penta or hepatitis B vaccine	84.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,562	99.2	1,804	99.0	Full Immunization	70.9
28	Fully immunized	2,391	76.8	2,428	77.9		
29	Children who have received BCG	2,506	80.5	2,281	73.2		
30	Children who have received Pentavalent 1	2,773	89.0	2,653	85.1		
31	Children who have received Pentavalent 3	2,516	80.8	2,345	75.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,410	77.4	2,372	76.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	121		192			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.7
35	Number of Tubectomies performed	0	57	Spacing	3.5
36	Number of IUD insertion	48	48	Women using any method	71.4
37	Number of IUD removals	57	35	Women using modern method	46.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	184	246		
39	General OPD cases per 10,000 population ***	2389	3201		
40	Ayush OPD cases per 10,000 population ***	906	915		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal deaths within 24 hours	0	0			
42	Neonatal Deaths up to 4 weeks of birth	2	0			
43	Total Neonatal Death	2	0			
44	Deaths between (1 - 11) months	1	2			
45	Total reported infant deaths	3	2			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0			
47	Due to Obstructed/prolonged labour	0	0			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	1	1			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	0	1			
52	Total reported maternal deaths	1	2			

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	8,004
2	Sex Ratio	808

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers (PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22				
		HMIS (2020-21)	Number	PC	HMIS (2021-22)	Number	PC	NFHS-5 (2019-20)
10	PW register for ANC	134	78.2		89	52.4	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	73	54.5		39	43.8	At least 4 ANC check up	40.4
12	Mothers who had 4 or more ANC check ups	6	4.5		1	1.1	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	69	51.5		40	44.9	100 IFA tablets consumed	25.4
14	PW who consumed 180 IFA tablets	99	73.9		71	79.8	Home Delivery	14.5
15	Home Delivery against expected delivery *	6	3.8		3	1.9	Institutional Delivery	85.5
16	Institutional Delivery against expected delivery *	28	17.6		27	17.1	Home Delivery by SBA	3.5
17	Home Delivery against reported delivery **	6	17.6		3	10.0	PNC within 2days of delivery	66.2
18	Institutional Delivery against reported delivery **	28	82.4		27	90.0	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	34			30			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	100.0		2	66.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5	14.7		1	3.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

156		155			
-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	34	21.8	28	18.1	BCG	97.3
24	Total Still Birth	0	0.0	1	0.6	3 dose of DPT	90.7
25	Newborn weighted at birth to live birth	19	55.9	6	21.4	Measles First dose	90.7

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	16.7	3 doses of penta or hepatitis B vaccine	84
27	Newborns breastfed within 1 hour to total reported live birth.	15	44.1	6	21.4	Full Immunization	90.7
28	Fully immunized	66	42.4	63	40.8		
29	Children who have received BCG	42	27.0	35	22.6		
30	Children who have received Pentavalent 1	60	38.5	60	38.8		
31	Children who have received Pentavalent 3	60	38.5	66	42.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	81	52.0	72	46.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	10		2			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.6
35	Number of Tubectomies performed	0	0	Spacing	3.4
36	Number of IUD insertion	0	0	Women using any method	69.1
37	Number of IUD removals	0	0	Women using modern method	49.7
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	180	95		
39	General OPD cases per 10,000 population ***	8826	10976		
40	Ayush OPD cases per 10,000 population ***	518	7		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	63,332
2	Sex Ratio	1,012

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers(PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
8	Expected number of PW	1,731		1,766			
9	Expected number of Delivery	1,605		1,637			
10	PW register for ANC	1,316	76.0	1,592	90.2	ANC Check up in first trimester	41.7
11	Mothers registered in the first trimester	968	73.6	1,184	74.4	At least 4 ANC check up	29.1
12	Mothers who had 4 or more ANC check ups	928	70.5	1,592	100.0	Neonatal tetanus received	73.1
13	PW who got TT 2 / Booster injection	1,592	121.0	2,960	185.9	100 IFA tablets consumed	11.2
14	PW who consumed 180 IFA tablets	1,314	99.8	1,592	100.0	Home Delivery	24.0
15	Home Delivery against expected delivery *	33	2.1	49	3.0	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	890	55.4	928	56.7	Home Delivery by SBA	4.4
17	Home Delivery against reported delivery **	33	3.6	49	5.0	PNC within 2days of delivery	53.6
18	Institutional Delivery against reported delivery **	890	96.4	928	95.0	Breastfeed within 1 hour of birth	52.2
19	Total reported Deliveries	923		977			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	69.7	40	81.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	621	67.3	159	16.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

1,574		1,605			
-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	918	58.3	965	60.1	BCG	82.9
24	Total Still Birth	5	0.3	12	0.7	3 dose of DPT	70.7
25	Newborn weighted at birth to live birth	918	100.0	965	100.0	Measles First dose	77.8

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	3 doses of penta or hepatitis B vaccine	64.4
27	Newborns breastfed within 1 hour to total reported live birth.	918	100.0	965	100.0	Full Immunization	60.8
28	Fully immunized	936	59.5	1,028	64.0		
29	Children who have received BCG	972	61.8	1,103	68.7		
30	Children who have received Pentavalent 1	981	62.3	1,083	67.5		
31	Children who have received Pentavalent 3	936	59.5	1,028	64.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	936	59.5	1,028	64.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	109		207			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	97	141	Women using any method	64.9
37	Number of IUD removals	38	30	Women using modern method	57.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	208	161		
39	General OPD cases per 10,000 population ***	3735	3844		
40	Ayush OPD cases per 10,000 population ***	426	261		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	70,956
2	Sex Ratio	962

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	17
4	Primary Health Centers(PHC)	9
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)	Number	PC	HMIS (2021-22)		NFHS-5 (2019-20)
8	Expected number of PW	1,574			1,568		
9	Expected number of Delivery	1,459			1,454		
		HMIS (2020-21)	Number	PC	HMIS (2021-22)		NFHS-5 (2019-20)
10	PW register for ANC	1,616	102.7		1,880	119.9	ANC Check up in first trimester 39.9
11	Mothers registered in the first trimester	870	53.8		986	52.4	At least 4 ANC check up 34.3
12	Mothers who had 4 or more ANC check ups	453	28.0		416	22.1	Neonatal tetanus received 75.2
13	PW who got TT 2 / Booster injection	1,277	79.0		1,309	69.6	100 IFA tablets consumed 11.4
14	PW who consumed 180 IFA tablets	1,068	66.1		1,326	70.5	Home Delivery 9.2
15	Home Delivery against expected delivery *	91	6.2		48	3.3	Institutional Delivery 90.8
16	Institutional Delivery against expected delivery *	1,849	126.7		1,884	129.6	Home Delivery by SBA 1.7
17	Home Delivery against reported delivery **	91	4.7		48	2.5	PNC within 2days of delivery 55.7
18	Institutional Delivery against reported delivery **	1,849	95.3		1,884	97.5	Breastfeed within 1 hour of birth 49.4
19	Total reported Deliveries	1,940			1,932		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	88	96.7		48	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,876	96.7		488	25.3	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

1,430

1,425

D) Child Immunization :

HMIS (2020-21)

HMIS (2021-22)

NFHS-5 (2019-20)

23	Total reported live births	1,905	133.2	1,890	132.6	BCG	84.8
24	Total Still Birth	35	2.4	42	2.9	3 dose of DPT	71.2
25	Newborn weighted at birth to live birth	1,907	100.1	1,920	101.6	Measles First dose	81.9

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	124	6.5	224	11.7	3 doses of penta or hepatitis B vaccine	67.3
27	Newborns breastfed within 1 hour to total reported live birth.	1,889	99.2	1,874	99.2	Full Immunization	48.8
28	Fully immunized	1,205	84.2	1,258	88.3		
29	Children who have received BCG	1,939	135.6	2,078	145.8		
30	Children who have received Pentavalent 1	1,353	94.6	1,437	100.8		
31	Children who have received Pentavalent 3	1,338	93.5	1,270	89.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,208	84.4	1,269	89.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	43		63			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.6
35	Number of Tubectomies performed	93	147	Spacing	9.6
36	Number of IUD insertion	113	124	Women using any method	40
37	Number of IUD removals	51	64	Women using modern method	35.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	997	1033		
39	General OPD cases per 10,000 population ***	10380	12296		
40	Ayush OPD cases per 10,000 population ***	322	400		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal deaths within 24 hours	13	8			
42	Neonatal Deaths up to 4 weeks of birth	13	23			
43	Total Neonatal Death	26	31			
44	Deaths between (1 - 11) months	10	3			
45	Total reported infant deaths	36	34			
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0			
47	Due to Obstructed/prolonged labour	0	0			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	1	0			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	1	5			
52	Total reported maternal deaths	2	5			

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	19,697
2	Sex Ratio	NA

B) Infrastructure Details (RHS 2020-21)

Numbers
3 Sub Centers (SC)
4 Primary Health Centers (PHC)
5 Community Health Centers (CHC)
6 SDH
7 DH

C) Maternal Health:

	2020-21		2021-22			
	HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
	Number	PC	Number	PC		
10 PW register for ANC	325	54.6	239	39.0	ANC Check up in first trimester	NA
11 Mothers registered in the first trimester	108	33.2	97	40.6	At least 4 ANC check up	NA
12 Mothers who had 4 or more ANC check ups	14	4.3	15	6.3	Neonatal tetanus received	NA
13 PW who got TT 2 / Booster injection	151	46.5	74	31.0	100 IFA tablets consumed	NA
14 PW who consumed 180 IFA tablets	197	60.6	94	39.3	Home Delivery	NA
15 Home Delivery against expected delivery *	16	2.9	8	1.4	Institutional Delivery	NA
16 Institutional Delivery against expected delivery *	38	6.9	31	5.5	Home Delivery by SBA	NA
17 Home Delivery against reported delivery **	16	29.6	8	20.5	PNC within 2days of delivery	NA
18 Institutional Delivery against reported delivery **	38	70.4	31	79.5	Breastfeed within 1 hour of birth	NA
19 Total reported Deliveries	54		39			
20 Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	25.0	3	37.5		
21 Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	29.6	13	33.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22 Expected number of Live Birth

541		557			
-----	--	-----	--	--	--

D) Child Immunization :

HMIS (2020-21)

HMIS (2021-22)

NFHS-5 (2019-20)

23 Total reported live births	54	10.0	39	7.0	BCG	NA
24 Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25 Newborn weighted at birth to live birth	50	92.6	38	97.4	Measles First dose	NA

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	4.0	2	5.3	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	49	90.7	38	97.4	Full Immunization	NA
28	Fully immunized	183	33.8	186	33.4		
29	Children who have received BCG	102	18.9	63	11.3		
30	Children who have received Pentavalent 1	220	40.7	172	30.9		
31	Children who have received Pentavalent 3	202	37.4	175	31.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	184	34.0	186	33.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	167		169			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	8	0	Women using any method	NA
37	Number of IUD removals	6	0	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	572	457		
39	General OPD cases per 10,000 population ***	4336	4569		
40	Ayush OPD cases per 10,000 population ***	1667	951		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	1	1		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	1	2		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	46,704
2	Sex Ratio	1,029

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers (PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

	2020-21		2021-22			
	HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
	Number	PC	Number	PC		
10	PW register for ANC	385	16.2	308	11.9	ANC Check up in first trimester
11	Mothers registered in the first trimester	265	68.8	206	66.9	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	263	68.3	193	62.7	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	140	36.4	106	34.4	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	369	95.8	302	98.1	Home Delivery
15	Home Delivery against expected delivery *	47	2.1	35	1.5	Institutional Delivery
16	Institutional Delivery against expected delivery *	97	4.4	80	3.3	Home Delivery by SBA
17	Home Delivery against reported delivery **	47	32.6	35	30.4	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	97	67.4	80	69.6	Breastfeed within 1 hour of birth
19	Total reported Deliveries	144		115		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	91.5	33	94.3	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	102	70.8	96	83.5	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22 Expected number of Live Birth

2,156

2,355

D) Child Immunization :

HMIS (2020-21)

HMIS (2021-22)

NFHS-5 (2019-20)

23	Total reported live births	143	6.6	116	4.9	BCG	92.2
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	71.3
25	Newborn weighted at birth to live birth	151	105.6	116	100.0	Measles First dose	77.1

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	5.3	2	1.7	3 doses of penta or hepatitis B vaccine	71.3
27	Newborns breastfed within 1 hour to total reported live birth.	151	105.6	116	100.0	Full Immunization	63.6
28	Fully immunized	278	12.9	300	12.7		
29	Children who have received BCG	293	13.6	289	12.3		
30	Children who have received Pentavalent 1	301	14.0	308	13.1		
31	Children who have received Pentavalent 3	297	13.8	295	12.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	279	12.9	332	14.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	136		84			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.5
35	Number of Tubectomies performed	0	1	Spacing	13.1
36	Number of IUD insertion	39	18	Women using any method	46.1
37	Number of IUD removals	6	11	Women using modern method	39.9

F) Service delivery		HMIS (2020-21)	HMIS (2021-22)	
38	IPD cases per 10,000 population ***	56	85	
39	General OPD cases per 10,000 population ***	1109	1021	
40	Ayush OPD cases per 10,000 population ***	177	69	

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)	
41	Neonatal deaths within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)	
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	45,372
2	Sex Ratio	1,029

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers(PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
8	Expected number of PW	2,304	2,517				
9	Expected number of Delivery	2,136	2,334				
		Number	PC	Number	PC		
10	PW register for ANC	690	29.9	1,102	43.8	ANC Check up in first trimester	45.2
11	Mothers registered in the first trimester	312	45.2	297	27.0	At least 4 ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	215	31.2	399	36.2	Neonatal tetanus received	77.0
13	PW who got TT 2 / Booster injection	274	39.7	174	15.8	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	659	95.5	1,056	95.8	Home Delivery	30.8
15	Home Delivery against expected delivery *	48	2.2	119	5.1	Institutional Delivery	69.2
16	Institutional Delivery against expected delivery *	230	10.8	376	16.1	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	48	17.3	119	24.0	PNC within 2days of delivery	62.3
18	Institutional Delivery against reported delivery **	230	82.7	376	76.0	Breastfeed within 1 hour of birth	39.0
19	Total reported Deliveries	278		495			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	75.0	105	88.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	208	74.8	277	56.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

2,095		2,288			
-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	278	13.3	488	21.3	BCG	100
24	Total Still Birth	2	0.1	2	0.1	3 dose of DPT	86.6
25	Newborn weighted at birth to live birth	277	99.6	494	101.2	Measles First dose	89.5

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	1.4	0	0.0	3 doses of penta or hepatitis B vaccine	76.3
27	Newborns breastfed within 1 hour to total reported live birth.	277	99.6	494	101.2	Full Immunization	71.4
28	Fully immunized	391	18.7	806	35.2		
29	Children who have received BCG	349	16.7	566	24.7		
30	Children who have received Pentavalent 1	394	18.8	591	25.8		
31	Children who have received Pentavalent 3	391	18.7	730	31.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	390	18.6	818	35.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	361		302			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.4
35	Number of Tubectomies performed	0	0	Spacing	7.4
36	Number of IUD insertion	100	48	Women using any method	54.1
37	Number of IUD removals	44	39	Women using modern method	47.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	93	101		
39	General OPD cases per 10,000 population ***	1474	1042		
40	Ayush OPD cases per 10,000 population ***	1	19		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	2	2		
42	Neonatal Deaths up to 4 weeks of birth	3	1		
43	Total Neonatal Death	5	3		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	7	3		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Leparada Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	20,152				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2020-21)						
3	Sub Centers (SC)	4				
4	Primary Health Centers (PHC)	0				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2020-21		2021-22		
8	Expected number of PW	426		423		
9	Expected number of Delivery	395		392		
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	306	71.8	261	61.8	ANC Check up in first trimester
11	Mothers registered in the first trimester	136	44.4	131	50.2	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	90	29.4	143	54.8	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	148	48.4	91	34.9	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	74	24.2	41	15.7	Home Delivery
15	Home Delivery against expected delivery *	15	3.8	10	2.6	Institutional Delivery
16	Institutional Delivery against expected delivery *	121	30.6	107	27.3	Home Delivery by SBA
17	Home Delivery against reported delivery **	15	11.0	10	8.5	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	121	89.0	107	91.5	Breastfeed within 1 hour of birth
19	Total reported Deliveries	136		117		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	53.3	10	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	2.9	0	0.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	388		384		
D) Child Immunization :		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
23	Total reported live births	135	34.8	116	30.2	BCG
24	Total Still Birth	0	0.0	1	0.3	3 dose of DPT
25	Newborn weighted at birth to live birth	127	94.1	115	99.1	Measles First dose

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	3.9	4	3.5	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	133	98.5	115	99.1	Full Immunization	NA
28	Fully immunized	260	67.1	256	66.6		
29	Children who have received BCG	142	36.6	125	32.5		
30	Children who have received Pentavalent 1	242	62.4	239	62.2		
31	Children who have received Pentavalent 3	260	67.1	247	64.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	260	67.1	256	66.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	0		53			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	13	21	Women using any method	NA
37	Number of IUD removals	13	11	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	216	247		
39	General OPD cases per 10,000 population ***	7104	6468		
40	Ayush OPD cases per 10,000 population ***	393	355		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	49,776
2	Sex Ratio	901

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	12
4	Primary Health Centers(PHC)	4
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2020-21		2021-22				
		HMIS (2020-21)	Number	PC	HMIS (2021-22)	Number	PC	NFHS-5 (2019-20)
10	PW register for ANC	1,214	107.0		1,069	94.2	ANC Check up in first trimester	66.9
11	Mothers registered in the first trimester	534	44.0		470	44.0	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	752	61.9		438	41.0	Neonatal tetanus received	74.6
13	PW who got TT 2 / Booster injection	711	58.6		699	65.4	100 IFA tablets consumed	34.1
14	PW who consumed 180 IFA tablets	659	54.3		636	59.5	Home Delivery	9.8
15	Home Delivery against expected delivery *	19	1.8		11	1.0	Institutional Delivery	90.2
16	Institutional Delivery against expected delivery *	1,239	117.7		970	92.2	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	19	1.5		11	1.1	PNC within 2days of delivery	66.2
18	Institutional Delivery against reported delivery **	1,239	98.5		970	98.9	Breastfeed within 1 hour of birth	52.3
19	Total reported Deliveries	1,258			981			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	68.4		0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42	3.3		851	86.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

1,032		1,031			
-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	1,241	120.3	971	94.2	BCG	95.9
24	Total Still Birth	31	3.0	17	1.6	3 dose of DPT	86.8
25	Newborn weighted at birth to live birth	1,242	100.1	971	100.0	Measles First dose	87.6

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	112	9.0	70	7.2	3 doses of penta or hepatitis B vaccine	83.4
27	Newborns breastfed within 1 hour to total reported live birth.	915	73.7	875	90.1	Full Immunization	74
28	Fully immunized	807	78.2	714	69.2		
29	Children who have received BCG	1,285	124.5	999	96.9		
30	Children who have received Pentavalent 1	886	85.9	786	76.2		
31	Children who have received Pentavalent 3	805	78.0	721	69.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	800	77.5	702	68.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	169		1,990			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	80	40	Spacing	7.3
36	Number of IUD insertion	58	58	Women using any method	57
37	Number of IUD removals	30	14	Women using modern method	43.5
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	565	455		
39	General OPD cases per 10,000 population ***	8108	7472		
40	Ayush OPD cases per 10,000 population ***	569	404		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	3	3		
45	Total reported infant deaths	4	3		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	56,953
2	Sex Ratio	931

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers(PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
	Number	PC	Number	PC			
10	PW register for ANC	1,019	81.9	1,266	102.3	ANC Check up in first trimester	65.8
11	Mothers registered in the first trimester	511	50.1	373	29.5	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	180	17.7	301	23.8	Neonatal tetanus received	78.4
13	PW who got TT 2 / Booster injection	833	81.7	970	76.6	100 IFA tablets consumed	33.4
14	PW who consumed 180 IFA tablets	651	63.9	824	65.1	Home Delivery	35.5
15	Home Delivery against expected delivery *	92	8.0	267	23.3	Institutional Delivery	64.5
16	Institutional Delivery against expected delivery *	363	31.5	477	41.6	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	92	20.2	267	35.9	PNC within 2days of delivery	57.1
18	Institutional Delivery against reported delivery **	363	79.8	477	64.1	Breastfeed within 1 hour of birth	58.0
19	Total reported Deliveries	455		744			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	33	35.9	107	40.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	40	8.8	145	19.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

1,131		1,125			
-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	455	40.2	733	65.1	BCG	74.5
24	Total Still Birth	2	0.2	11	1.0	3 dose of DPT	59.7
25	Newborn weighted at birth to live birth	434	95.4	599	81.7	Measles First dose	61.5

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	1.6	1	0.2	3 doses of penta or hepatitis B vaccine	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	451	99.1	688	93.9	Full Immunization	52.7
28	Fully immunized	683	60.4	697	61.9		
29	Children who have received BCG	882	78.0	880	78.2		
30	Children who have received Pentavalent 1	1,043	92.2	1,068	94.9		
31	Children who have received Pentavalent 3	828	73.2	891	79.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	744	65.8	711	63.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	248		533			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.3
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	30	7	Women using any method	68.6
37	Number of IUD removals	4	7	Women using modern method	49
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	67	151		
39	General OPD cases per 10,000 population ***	2771	4651		
40	Ayush OPD cases per 10,000 population ***	570	473		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	0	3		
45	Total reported infant deaths	0	4		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	1		

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	54,080
2	Sex Ratio	919

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	13
4	Primary Health Centers (PHC)	4
5	Community Health Centers (CHC)	4
6	SDH	0
7	DH	1

C) Maternal Health:

		2020-21		2021-22				
		HMIS (2020-21)	Number	PC	HMIS (2021-22)	Number	PC	NFHS-5 (2019-20)
10	PW register for ANC	1,156	101.9		1,066	94.9	ANC Check up in first trimester	56.3
11	Mothers registered in the first trimester	302	26.1		353	33.1	At least 4 ANC check up	48.6
12	Mothers who had 4 or more ANC check ups	217	18.8		222	20.8	Neonatal tetanus received	87.5
13	PW who got TT 2 / Booster injection	675	58.4		681	63.9	100 IFA tablets consumed	25.8
14	PW who consumed 180 IFA tablets	192	16.6		190	17.8	Home Delivery	9.9
15	Home Delivery against expected delivery *	65	6.2		26	2.5	Institutional Delivery	90.1
16	Institutional Delivery against expected delivery *	346	32.9		371	35.6	Home Delivery by SBA	3.6
17	Home Delivery against reported delivery **	65	15.8		26	6.5	PNC within 2days of delivery	58.6
18	Institutional Delivery against reported delivery **	346	84.2		371	93.5	Breastfeed within 1 hour of birth	59.8
19	Total reported Deliveries	411			397			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	52	80.0		23	88.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	85	20.7		89	22.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22 Expected number of Live Birth

1,031		1,021			
-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	408	39.6	392	38.4	BCG	89.2
24	Total Still Birth	2	0.2	5	0.5	3 dose of DPT	77
25	Newborn weighted at birth to live birth	406	99.5	389	99.2	Measles First dose	84.4

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	6.9	27	6.9	3 doses of penta or hepatitis B vaccine	79.2
27	Newborns breastfed within 1 hour to total reported live birth.	409	100.2	386	98.5	Full Immunization	73.8
28	Fully immunized	726	70.4	804	78.8		
29	Children who have received BCG	712	69.1	673	65.9		
30	Children who have received Pentavalent 1	945	91.7	815	79.8		
31	Children who have received Pentavalent 3	821	79.6	804	78.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	732	71.0	805	78.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	129		123			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.9
35	Number of Tubectomies performed	25	9	Spacing	4.6
36	Number of IUD insertion	22	35	Women using any method	75.3
37	Number of IUD removals	18	27	Women using modern method	56.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	155	158		
39	General OPD cases per 10,000 population ***	7784	9306		
40	Ayush OPD cases per 10,000 population ***	254	300		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	1		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	22,630
2	Sex Ratio	NA

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	3
4	Primary Health Centers(PHC)	5
5	Community Health Centers (CHC)	1
6	SDH	0
7	DH	1

C) Maternal Health:

		2020-21		2021-22				
		HMIS (2020-21)	Number	PC	HMIS (2021-22)	Number	PC	NFHS-5 (2019-20)
10	PW register for ANC	253	52.8		254	53.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	115	45.5		181	71.3	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	44	17.4		60	23.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	184	72.7		190	74.8	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	523	206.7		253	99.6	Home Delivery	NA
15	Home Delivery against expected delivery *	11	2.5		7	1.6	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	98	22.1		98	22.3	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	11	10.1		7	6.7	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	98	89.9		98	93.3	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	109			105			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	81.8		7	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	41	37.6		51	48.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

22	Expected number of Live Birth	435		431			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)		
23	Total reported live births	110	25.3	104	24.1	BCG
24	Total Still Birth	2	0.5	1	0.2	3 dose of DPT
25	Newborn weighted at birth to live birth	99	90.0	104	100.0	Measles First dose

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	12	12.1	0	0.0	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	99	90.0	103	99.0	Full Immunization	NA
28	Fully immunized	241	55.4	205	47.5		
29	Children who have received BCG	130	29.9	114	26.4		
30	Children who have received Pentavalent 1	248	57.0	195	45.2		
31	Children who have received Pentavalent 3	208	47.8	196	45.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	236	54.2	208	48.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	63		45			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	1	0	Spacing	NA
36	Number of IUD insertion	21	15	Women using any method	NA
37	Number of IUD removals	16	9	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	258	448		
39	General OPD cases per 10,000 population ***	4912	7946		
40	Ayush OPD cases per 10,000 population ***	343	264		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	1		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	67,751
2	Sex Ratio	975

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	22
4	Primary Health Centers(PHC)	5
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	670	32.8	628	29.8	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	220	32.8	213	33.9	At least 4 ANC check up	39.1
12	Mothers who had 4 or more ANC check ups	132	19.7	173	27.5	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	408	60.9	418	66.6	100 IFA tablets consumed	15.2
14	PW who consumed 180 IFA tablets	265	39.6	136	21.7	Home Delivery	10.2
15	Home Delivery against expected delivery *	30	1.6	26	1.3	Institutional Delivery	89.8
16	Institutional Delivery against expected delivery *	348	18.3	371	19.0	Home Delivery by SBA	2.8
17	Home Delivery against reported delivery **	30	7.9	26	6.5	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	348	92.1	371	93.5	Breastfeed within 1 hour of birth	52.5
19	Total reported Deliveries	378		397			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	16.7	10	38.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	204	54.0	139	35.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

1,860		1,918			
-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	372	20.0	383	20.0	BCG	85
24	Total Still Birth	6	0.3	14	0.7	3 dose of DPT	69.6
25	Newborn weighted at birth to live birth	372	100.0	391	102.1	Measles First dose	76.5

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	5.9	30	7.7	3 doses of penta or hepatitis B vaccine	65.9
27	Newborns breastfed within 1 hour to total reported live birth.	321	86.3	320	83.6	Full Immunization	66.5
28	Fully immunized	560	30.1	512	26.7		
29	Children who have received BCG	403	21.7	343	17.9		
30	Children who have received Pentavalent 1	522	28.1	511	26.6		
31	Children who have received Pentavalent 3	540	29.0	529	27.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	563	30.3	516	26.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	169		205			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	4	10	Spacing	2.3
36	Number of IUD insertion	50	36	Women using any method	65.9
37	Number of IUD removals	37	37	Women using modern method	58
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	134	171		
39	General OPD cases per 10,000 population ***	3179	3659		
40	Ayush OPD cases per 10,000 population ***	408	357		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	4		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	4		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	1	4		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	1		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	95,950
2	Sex Ratio	901

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	15
4	Primary Health Centers(PHC)	4
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2020-21		2021-22				
		HMIS (2020-21)	Number	PC	HMIS (2021-22)	Number	PC	NFHS-5 (2019-20)
10	PW register for ANC	2,203	100.7		2,021	92.4		ANC Check up in first trimester 61.6
11	Mothers registered in the first trimester	1,292	58.6		1,407	69.6		At least 4 ANC check up 35.4
12	Mothers who had 4 or more ANC check ups	1,467	66.6		1,317	65.2		Neonatal tetanus received 76.7
13	PW who got TT 2 / Booster injection	1,967	89.3		1,767	87.4		100 IFA tablets consumed 33.6
14	PW who consumed 180 IFA tablets	1,783	80.9		998	49.4		Home Delivery 36.4
15	Home Delivery against expected delivery *	405	20.0		265	13.1		Institutional Delivery 63.6
16	Institutional Delivery against expected delivery *	1,342	66.1		1,710	84.3		Home Delivery by SBA 6.4
17	Home Delivery against reported delivery **	405	23.2		265	13.4		PNC within 2days of delivery 51.2
18	Institutional Delivery against reported delivery **	1,342	76.8		1,710	86.6		Breastfeed within 1 hour of birth 47.4
19	Total reported Deliveries	1,747			1,975			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	13.6		117	44.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	431	24.7		421	21.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

1,989

1,988

D) Child Immunization :

HMIS (2020-21)

HMIS (2021-22)

NFHS-5 (2019-20)

23) Total reported live births

1,742

87.6

1,938

97.5

BCG

83.5

24) Total Still Birth

30

1.5

39

2.0

3 dose of DPT

80.7

25) Newborn weighted at birth to live birth

1,421

81.6

1,871

96.5

Measles First dose

79.3

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	105	7.4	111	5.9	3 doses of penta or hepatitis B vaccine	75.1
27	Newborns breastfed within 1 hour to total reported live birth.	1,657	95.1	1,865	96.2	Full Immunization	67.2
28	Fully immunized	1,825	91.8	1,597	80.3		
29	Children who have received BCG	1,938	97.4	2,266	114.0		
30	Children who have received Pentavalent 1	2,007	100.9	1,837	92.4		
31	Children who have received Pentavalent 3	1,929	97.0	1,642	82.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,850	93.0	1,576	79.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	47		56			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	46	137	Spacing	5.2
36	Number of IUD insertion	182	29	Women using any method	69.5
37	Number of IUD removals	16	25	Women using modern method	48.1
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	256	321		
39	General OPD cases per 10,000 population ***	4822	6186		
40	Ayush OPD cases per 10,000 population ***	517	676		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	4	2		
42	Neonatal Deaths up to 4 weeks of birth	1	2		
43	Total Neonatal Death	5	4		
44	Deaths between (1 - 11) months	5	3		
45	Total reported infant deaths	10	7		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	1	0		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	2	1		

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	15,358
2	Sex Ratio	NA

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	10
4	Primary Health Centers(PHC)	3
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	0

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	102	24.3	140	32.7	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	31	30.4	21	15.0	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	16	15.7	20	14.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	59	57.8	84	60.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	55	53.9	63	45.0	Home Delivery	NA
15	Home Delivery against expected delivery *	5	1.3	11	2.8	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	15	3.9	33	8.3	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	5	25.0	11	25.0	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	15	75.0	33	75.0	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	20		44			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	100.0	7	63.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3	15.0	38	86.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

22	Expected number of Live Birth	382		389			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	20	5.2	42	10.8	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	22	110.0	42	100.0	Measles First dose	NA

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	13.6	0	0.0	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	17	85.0	41	97.6	Full Immunization	NA
28	Fully immunized	62	16.2	67	17.2		
29	Children who have received BCG	28	7.3	106	27.2		
30	Children who have received Pentavalent 1	77	20.2	146	37.5		
31	Children who have received Pentavalent 3	65	17.0	144	37.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	64	16.8	97	24.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	42		63			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	2	Women using any method	NA
37	Number of IUD removals	0		Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	12	59		
39	General OPD cases per 10,000 population ***	1885	2787		
40	Ayush OPD cases per 10,000 population ***	76	94		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	1,76,573
2	Sex Ratio	950

B) Infrastructure Details (RHS 2020-21)

3	Sub Centers (SC)	37
4	Primary Health Centers(PHC)	16
5	Community Health Centers (CHC)	4
6	SDH	0
7	DH	1

C) Maternal Health:

		2020-21		2021-22				
		HMIS (2020-21)	Number	PC	HMIS (2021-22)	Number	PC	NFHS-5 (2019-20)
10	PW register for ANC	8,567	166.4		9,112	172.3	ANC Check up in first trimester	38.4
11	Mothers registered in the first trimester	736	8.6		1,967	21.6	At least 4 ANC check up	39.3
12	Mothers who had 4 or more ANC check ups	1,011	11.8		2,313	25.4	Neonatal tetanus received	74.0
13	PW who got TT 2 / Booster injection	2,001	23.4		2,442	26.8	100 IFA tablets consumed	24.8
14	PW who consumed 180 IFA tablets	2,050	23.9		7,535	82.7	Home Delivery	12.0
15	Home Delivery against expected delivery *	38	0.8		24	0.5	Institutional Delivery	88.0
16	Institutional Delivery against expected delivery *	5,832	122.2		5,993	122.2	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	38	0.6		24	0.4	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	5,832	99.4		5,993	99.6	Breastfeed within 1 hour of birth	52.9
19	Total reported Deliveries	5,870			6,017			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	68.4		17	70.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,169	19.9		1,962	32.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

4,680

4,807

D) Child Immunization :

HMIS (2020-21)

HMIS (2021-22)

NFHS-5 (2019-20)

23) Total reported live births

5,858

125.2

6,026

125.4

BCG

88.1

24) Total Still Birth

64

1.4

40

0.8

3 dose of DPT

76.3

25) Newborn weighted at birth to live birth

5,869

100.2

6,006

99.7

Measles First dose

77.3

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	262	4.5	302	5.0	3 doses of penta or hepatitis B vaccine	64.3
27	Newborns breastfed within 1 hour to total reported live birth.	3,455	59.0	3,220	53.4	Full Immunization	60.7
28	Fully immunized	3,033	64.8	3,219	67.0		
29	Children who have received BCG	4,209	89.9	5,068	105.4		
30	Children who have received Pentavalent 1	3,750	80.1	4,030	83.8		
31	Children who have received Pentavalent 3	3,318	70.9	3,359	69.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,040	65.0	3,171	66.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	526		542			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20.3
35	Number of Tubectomies performed	147	341	Spacing	8.8
36	Number of IUD insertion	189	429	Women using any method	47.7
37	Number of IUD removals	218	263	Women using modern method	41
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	574	759		
39	General OPD cases per 10,000 population ***	11549	20475		
40	Ayush OPD cases per 10,000 population ***	1244	1122		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	6	25		
42	Neonatal Deaths up to 4 weeks of birth	6	9		
43	Total Neonatal Death	12	34		
44	Deaths between (1 - 11) months	3	6		
45	Total reported infant deaths	15	40		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	1		
52	Total reported maternal deaths	2	1		

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	13,310
2	Sex Ratio	NA

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	0
4	Primary Health Centers(PHC)	2
5	Community Health Centers (CHC)	1
6	SDH	0
7	DH	0

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	177	67.5	257	99.7	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	84	47.5	98	38.1	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	25	14.1	26	10.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	106	59.9	181	70.4	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	111	62.7	99	38.5	Home Delivery	NA
15	Home Delivery against expected delivery *	29	11.9	9	3.8	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	47	19.3	36	15.1	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	29	38.2	9	20.0	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	47	61.8	36	80.0	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	76		45			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	41.4	3	33.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16	21.1	2	4.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

22	Expected number of Live Birth	238		234			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
--	--	-----------------	--	-----------------	--	-------------------	--

23) Total reported live births

23	Total reported live births	55	23.1	33	14.1	BCG	NA
----	----------------------------	----	------	----	------	-----	----

24) Total Still Birth

24	Total Still Birth	0	0.0	1	0.4	3 dose of DPT	NA
----	-------------------	---	-----	---	-----	---------------	----

25) Newborn weighted at birth to live birth

25	Newborn weighted at birth to live birth	54	98.2	29	87.9	Measles First dose	NA
----	---	----	------	----	------	--------------------	----

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	1.9	1	3.4	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	55	100.0	30	90.9	Full Immunization	NA
28	Fully immunized	171	71.8	183	78.1		
29	Children who have received BCG	114	47.8	83	35.4		
30	Children who have received Pentavalent 1	199	83.5	200	85.4		
31	Children who have received Pentavalent 3	201	84.4	202	86.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	171	71.8	190	81.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	125		171			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	27	24	Women using any method	NA
37	Number of IUD removals	10	17	Women using modern method	NA
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	89	117		
39	General OPD cases per 10,000 population ***	7434	7686		
40	Ayush OPD cases per 10,000 population ***	663	769		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	27,924
2	Sex Ratio	962

B) Infrastructure Details (RHS 2020-21)

		Numbers
3	Sub Centers (SC)	27
4	Primary Health Centers(PHC)	7
5	Community Health Centers (CHC)	3
6	SDH	0
7	DH	0

C) Maternal Health:

		2020-21		2021-22		
		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	300	48.4	295	47.8	ANC Check up in first trimester
11	Mothers registered in the first trimester	89	29.7	92	31.2	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	49	16.3	57	19.3	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	173	57.7	153	51.9	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	226	75.3	170	57.6	Home Delivery
15	Home Delivery against expected delivery *	34	5.9	28	4.9	Institutional Delivery
16	Institutional Delivery against expected delivery *	85	14.8	78	13.6	Home Delivery by SBA
17	Home Delivery against reported delivery **	34	28.6	28	26.4	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	85	71.4	78	73.6	Breastfeed within 1 hour of birth
19	Total reported Deliveries	119		106		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	79.4	20	71.4	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	7.6	11	10.4	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

22	Expected number of Live Birth	563		561			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)
23	Total reported live births	117	20.8	106	18.9	BCG
24	Total Still Birth	2	0.4	2	0.4	3 dose of DPT
25	Newborn weighted at birth to live birth	113	96.6	106	100.0	Measles First dose

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.8	2	1.9	3 doses of penta or hepatitis B vaccine	74.7
27	Newborns breastfed within 1 hour to total reported live birth.	117	100.0	106	100.0	Full Immunization	60.3
28	Fully immunized	255	45.3	294	52.4		
29	Children who have received BCG	144	25.6	147	26.2		
30	Children who have received Pentavalent 1	299	53.1	303	54.0		
31	Children who have received Pentavalent 3	300	53.3	296	52.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	255	45.3	319	56.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	21		13			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5
35	Number of Tubectomies performed	0	0	Spacing	2.4
36	Number of IUD insertion	10	12	Women using any method	73.7
37	Number of IUD removals	1	4	Women using modern method	61

F) Service delivery		HMIS (2020-21)	HMIS (2021-22)	
38	IPD cases per 10,000 population ***	253	318	
39	General OPD cases per 10,000 population ***	5055	5394	
40	Ayush OPD cases per 10,000 population ***	371	189	

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)	
41	Neonatal deaths within 24 hours	0	0	
42	Neonatal Deaths up to 4 weeks of birth	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)	
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	0	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	0	0	

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	49,977
2	Sex Ratio	701

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers(PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
8	Expected number of PW	1,265	1,279				
9	Expected number of Delivery	1,173	1,186				
		Number	PC	Number	PC		
10	PW register for ANC	807	63.8	844	66.0	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	300	37.2	276	32.7	At least 4 ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	181	22.4	188	22.3	Neonatal tetanus received	85.3
13	PW who got TT 2 / Booster injection	533	66.0	607	71.9	100 IFA tablets consumed	28.2
14	PW who consumed 180 IFA tablets	687	85.1	540	64.0	Home Delivery	15.8
15	Home Delivery against expected delivery *	154	13.1	179	15.1	Institutional Delivery	84.2
16	Institutional Delivery against expected delivery *	452	38.5	359	30.3	Home Delivery by SBA	5.7
17	Home Delivery against reported delivery **	154	25.4	179	33.3	PNC within 2days of delivery	49.6
18	Institutional Delivery against reported delivery **	452	74.6	359	66.7	Breastfeed within 1 hour of birth	60.6
19	Total reported Deliveries	606		538			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	29.2	47	26.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	257	42.4	182	33.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

1,150		1,163			
-------	--	-------	--	--	--

D) Child Immunization :

	HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)
--	-----------------	-----------------	-------------------

23	Total reported live births	598	52.0	531	45.7	BCG	93.1
24	Total Still Birth	10	0.9	10	0.9	3 dose of DPT	81.9
25	Newborn weighted at birth to live birth	560	93.6	518	97.6	Measles First dose	90.8

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	19	3.4	16	3.1	3 doses of penta or hepatitis B vaccine	77.6
27	Newborns breastfed within 1 hour to total reported live birth.	436	72.9	427	80.4	Full Immunization	67.5
28	Fully immunized	731	63.5	746	64.1		
29	Children who have received BCG	704	61.2	657	56.5		
30	Children who have received Pentavalent 1	752	65.4	729	62.7		
31	Children who have received Pentavalent 3	758	65.9	746	64.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	739	64.2	756	65.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	405		274			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	7	0	Spacing	11.7
36	Number of IUD insertion	98	136	Women using any method	62.1
37	Number of IUD removals	24	22	Women using modern method	56.3
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	216	229		
39	General OPD cases per 10,000 population ***	5435	6127		
40	Ayush OPD cases per 10,000 population ***	1187	720		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	3	1		
42	Neonatal Deaths up to 4 weeks of birth	3	0		
43	Total Neonatal Death	6	1		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	6	2		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	55,022
2	Sex Ratio	931

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers (PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
	Number	PC	Number	PC			
10	PW register for ANC	1,104	91.8	948	79.3	ANC Check up in first trimester	59.3
11	Mothers registered in the first trimester	556	50.4	411	43.4	At least 4 ANC check up	35.7
12	Mothers who had 4 or more ANC check ups	453	41.0	385	40.6	Neonatal tetanus received	73.9
13	PW who got TT 2 / Booster injection	969	87.8	831	87.7	100 IFA tablets consumed	27.4
14	PW who consumed 180 IFA tablets	940	85.1	729	76.9	Home Delivery	29.8
15	Home Delivery against expected delivery *	213	19.1	196	17.7	Institutional Delivery	70.2
16	Institutional Delivery against expected delivery *	490	44.0	488	44.0	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	213	30.3	196	28.7	PNC within 2days of delivery	49.8
18	Institutional Delivery against reported delivery **	490	69.7	488	71.3	Breastfeed within 1 hour of birth	72.0
19	Total reported Deliveries	703		684			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	86	40.4	117	59.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	572	81.4	669	97.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

1,093		1,087			
-------	--	-------	--	--	--

D) Child Immunization :

	HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
23	Total reported live births	696	63.7	677
24	Total Still Birth	8	0.7	8
25	Newborn weighted at birth to live birth	687	98.7	675

BCG 82.8

3 dose of DPT 77.4

Measles First dose 77.9

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.6	26	3.9	3 doses of penta or hepatitis B vaccine	77.4
27	Newborns breastfed within 1 hour to total reported live birth.	687	98.7	675	99.7	Full Immunization	66.3
28	Fully immunized	830	75.9	788	72.5		
29	Children who have received BCG	839	76.8	712	65.5		
30	Children who have received Pentavalent 1	935	85.5	980	90.1		
31	Children who have received Pentavalent 3	983	89.9	835	76.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	858	78.5	788	72.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	228		180			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		Total unmet need	10.6
35	Number of Tubectomies performed	6	13	Spacing	8.1
36	Number of IUD insertion	56	27	Women using any method	56.1
37	Number of IUD removals	34	42	Women using modern method	39.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	167	219		
39	General OPD cases per 10,000 population ***	3873	4188		
40	Ayush OPD cases per 10,000 population ***	941	809		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	1	1		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	1	2		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	1	3		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	35,320
2	Sex Ratio	891

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers (PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
	Number	PC	Number	PC			
10	PW register for ANC	562	76.7	580	80.1	ANC Check up in first trimester	54.5
11	Mothers registered in the first trimester	264	47.0	253	43.6	At least 4 ANC check up	34.0
12	Mothers who had 4 or more ANC check ups	196	34.9	220	37.9	Neonatal tetanus received	73.5
13	PW who got TT 2 / Booster injection	402	71.5	357	61.6	100 IFA tablets consumed	12.6
14	PW who consumed 180 IFA tablets	405	72.1	468	80.7	Home Delivery	24.0
15	Home Delivery against expected delivery *	25	3.7	19	2.8	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	278	40.9	259	38.6	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	25	8.3	19	6.8	PNC within 2days of delivery	56.4
18	Institutional Delivery against reported delivery **	278	91.7	259	93.2	Breastfeed within 1 hour of birth	28.2
19	Total reported Deliveries	303		278			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	60.0	15	78.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	230	75.9	207	74.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

22	Expected number of Live Birth	666		658			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	303	45.5	276	41.9	BCG	86.7
24	Total Still Birth	1	0.2	2	0.3	3 dose of DPT	68.4
25	Newborn weighted at birth to live birth	301	99.3	277	100.4	Measles First dose	70

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	1.0	14	5.1	3 doses of penta or hepatitis B vaccine	63.4
27	Newborns breastfed within 1 hour to total reported live birth.	283	93.4	256	92.8	Full Immunization	61.4
28	Fully immunized	456	68.5	471	71.5		
29	Children who have received BCG	371	55.7	278	42.2		
30	Children who have received Pentavalent 1	443	66.5	408	62.0		
31	Children who have received Pentavalent 3	448	67.3	403	61.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	452	67.9	471	71.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	301		155			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.9
35	Number of Tubectomies performed	26	19	Spacing	6.6
36	Number of IUD insertion	52	45	Women using any method	62
37	Number of IUD removals	40	40	Women using modern method	54
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	435	342		
39	General OPD cases per 10,000 population ***	7294	7508		
40	Ayush OPD cases per 10,000 population ***	1007	822		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal deaths within 24 hours	0	0			
42	Neonatal Deaths up to 4 weeks of birth	0	0			
43	Total Neonatal Death	0	0			
44	Deaths between (1 - 11) months	0	2			
45	Total reported infant deaths	0	2			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0			
47	Due to Obstructed/prolonged labour	0	0			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	0	0			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	0	0			
52	Total reported maternal deaths	0	0			

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	79,030
2	Sex Ratio	982

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers(PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)	Number	HMIS (2021-22)	PC	NFHS-5 (2019-20)	
8	Expected number of PW	2,421		2,500			
9	Expected number of Delivery	2,245		2,318			
10	PW register for ANC	2,439	100.7	2,156	86.2	ANC Check up in first trimester	34.6
11	Mothers registered in the first trimester	932	38.2	722	33.5	At least 4 ANC check up	32.1
12	Mothers who had 4 or more ANC check ups	338	13.9	314	14.6	Neonatal tetanus received	79.1
13	PW who got TT 2 / Booster injection	731	30.0	747	34.6	100 IFA tablets consumed	23.6
14	PW who consumed 180 IFA tablets	535	21.9	362	16.8	Home Delivery	23.0
15	Home Delivery against expected delivery *	13	0.6	13	0.6	Institutional Delivery	77.0
16	Institutional Delivery against expected delivery *	984	43.8	851	36.7	Home Delivery by SBA	5.2
17	Home Delivery against reported delivery **	13	1.3	13	1.5	PNC within 2days of delivery	56.7
18	Institutional Delivery against reported delivery **	984	98.7	851	98.5	Breastfeed within 1 hour of birth	56.6
19	Total reported Deliveries	997		864			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	76.9	5	38.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	434	43.5	10	1.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22) Expected number of Live Birth

22	Expected number of Live Birth	2,201		2,273			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	977	44.4	848	37.3	BCG	89.8
24	Total Still Birth	19	0.9	12	0.5	3 dose of DPT	75.6
25	Newborn weighted at birth to live birth	977	100.0	847	99.9	Measles First dose	84.3

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	56	5.7	44	5.2	3 doses of penta or hepatitis B vaccine	72.2
27	Newborns breastfed within 1 hour to total reported live birth.	974	99.7	609	71.8	Full Immunization	68.5
28	Fully immunized	796	36.2	824	36.3		
29	Children who have received BCG	771	35.0	805	35.4		
30	Children who have received Pentavalent 1	874	39.7	990	43.6		
31	Children who have received Pentavalent 3	851	38.7	912	40.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	796	36.2	823	36.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	192		271			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	77	3	Spacing	8.6
36	Number of IUD insertion	178	179	Women using any method	53.2
37	Number of IUD removals	167	123	Women using modern method	48.4
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	153	129		
39	General OPD cases per 10,000 population ***	2999	2756		
40	Ayush OPD cases per 10,000 population ***	282	254		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
41	Neonatal deaths within 24 hours	0	0			
42	Neonatal Deaths up to 4 weeks of birth	0	0			
43	Total Neonatal Death	0	0			
44	Deaths between (1 - 11) months	0	0			
45	Total reported infant deaths	0	0			
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)			
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)			
46	Due to Abortion	0	0			
47	Due to Obstructed/prolonged labour	0	0			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	0	0			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	0	0			
52	Total reported maternal deaths	0	0			

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,947					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2020-21)							
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2020-21	2021-22				
8	Expected number of PW	1,918	1,917				
9	Expected number of Delivery	1,778	1,777				
		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,645	85.8	1,571	82.0	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	1,074	65.3	1,000	63.7	At least 4 ANC check up	27.6
12	Mothers who had 4 or more ANC check ups	707	43.0	647	41.2	Neonatal tetanus received	64.4
13	PW who got TT 2 / Booster injection	1,065	64.7	1,065	67.8	100 IFA tablets consumed	18.5
14	PW who consumed 180 IFA tablets	1,010	61.4	913	58.1	Home Delivery	6.4
15	Home Delivery against expected delivery *	7	0.4	15	0.8	Institutional Delivery	93.6
16	Institutional Delivery against expected delivery *	683	38.4	548	30.8	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	7	1.0	15	2.7	PNC within 2days of delivery	38.9
18	Institutional Delivery against reported delivery **	683	99.0	548	97.3	Breastfeed within 1 hour of birth	42.6
19	Total reported Deliveries	690		563			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	85.7	8	53.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	98	14.2	178	31.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,743		1,743			
D) Child Immunization :		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
23	Total reported live births	688	39.5	560	32.1	BCG	94
24	Total Still Birth	2	0.1	4	0.2	3 dose of DPT	65.8
25	Newborn weighted at birth to live birth	677	98.4	551	98.4	Measles First dose	65.8

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	24	3.5	28	5.1	3 doses of penta or hepatitis B vaccine	57.4
27	Newborns breastfed within 1 hour to total reported live birth.	677	98.4	549	98.0	Full Immunization	56.2
28	Fully immunized	1,360	78.0	1,075	61.7		
29	Children who have received BCG	865	49.6	814	46.7		
30	Children who have received Pentavalent 1	1,247	71.5	1,061	60.9		
31	Children who have received Pentavalent 3	1,115	64.0	1,064	61.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,364	78.2	1,017	58.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	334		337			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	12	3	Spacing	13.5
36	Number of IUD insertion	283	224	Women using any method	53.8
37	Number of IUD removals	243	209	Women using modern method	47.8
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	221	216		
39	General OPD cases per 10,000 population ***	7114	6326		
40	Ayush OPD cases per 10,000 population ***	282	339		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2020-21)	HMIS (2021-22)		
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	56,516
2	Sex Ratio	916

B) Infrastructure Details (RHS 2020-21)

	Numbers
3	Sub Centers (SC)
4	Primary Health Centers (PHC)
5	Community Health Centers (CHC)
6	SDH
7	DH

C) Maternal Health:

		2020-21		2021-22			
		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)			
	Number	PC	Number	PC			
10	PW register for ANC	1,144	95.7	1,129	95.2	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	231	20.2	286	25.3	At least 4 ANC check up	30.4
12	Mothers who had 4 or more ANC check ups	567	49.6	963	85.3	Neonatal tetanus received	72.0
13	PW who got TT 2 / Booster injection	744	65.0	676	59.9	100 IFA tablets consumed	9.9
14	PW who consumed 180 IFA tablets	1,078	94.2	1,051	93.1	Home Delivery	15.4
15	Home Delivery against expected delivery *	25	2.3	30	2.7	Institutional Delivery	84.6
16	Institutional Delivery against expected delivery *	1,049	94.6	1,018	92.6	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	25	2.3	30	2.9	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	1,049	97.7	1,018	97.1	Breastfeed within 1 hour of birth	37.6
19	Total reported Deliveries	1,074		1,048			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	88.0	29	96.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	336	31.3	242	23.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22 Expected number of Live Birth

1,087		1,078			
-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2020-21)		HMIS (2021-22)		NFHS-5 (2019-20)	
23	Total reported live births	1,072	98.6	1,042	96.7	BCG	93.7
24	Total Still Birth	2	0.2	6	0.6	3 dose of DPT	87.8
25	Newborn weighted at birth to live birth	1,059	98.8	1,042	100.0	Measles First dose	86.6

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	38	3.6	86	8.3	3 doses of penta or hepatitis B vaccine	81
27	Newborns breastfed within 1 hour to total reported live birth.	723	67.4	787	75.5	Full Immunization	55.4
28	Fully immunized	843	77.5	908	84.3		
29	Children who have received BCG	1,031	94.8	1,014	94.1		
30	Children who have received Pentavalent 1	965	88.8	872	80.9		
31	Children who have received Pentavalent 3	897	82.5	799	74.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	843	77.5	917	85.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	188		338			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2020-21)	HMIS (2021-22)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.5
35	Number of Tubectomies performed	97	84	Spacing	8.2
36	Number of IUD insertion	150	187	Women using any method	46.6
37	Number of IUD removals	185	165	Women using modern method	38.9
F) Service delivery		HMIS (2020-21)	HMIS (2021-22)		
38	IPD cases per 10,000 population ***	97	431		
39	General OPD cases per 10,000 population ***	6963	9345		
40	Ayush OPD cases per 10,000 population ***	236	275		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
41	Neonatal deaths within 24 hours	1	6		
42	Neonatal Deaths up to 4 weeks of birth	1	4		
43	Total Neonatal Death	2	10		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	2	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2020-21)	HMIS (2021-22)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	1	0		