

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	13,83,727
2	Sex Ratio	920

B) Infrastructure Details (RHS 2021-22)

Numbers

3	Sub Centers (SC)	367
4	Primary Health Centers(PHC)	131
5	Community Health Centers (CHC)	57
6	SDH	0
7	DH	19

C) Maternal Health:

2021-22

2022-23

8	Expected number of PW	34,603	34,895
9	Expected number of Delivery	32,086	32,357

HMIS (2021-22)

HMIS (2022-23)

NFHS-5 (2019-20)

		Number	PC	Number	PC		
--	--	--------	----	--------	----	--	--

10	PW register for ANC	32,301	93.3	31,184	89.4	ANC Check up in first trimester	53.1
----	---------------------	--------	------	--------	------	---------------------------------	------

11	Mothers registered in the first trimester	12,350	38.2	15,082	48.4	At least 4 ANC check up	36.5
----	---	--------	------	--------	------	-------------------------	------

12	Mothers who had 4 or more ANC check ups	11,524	35.7	15,100	48.4	Neonatal tetanus received	76.9
----	---	--------	------	--------	------	---------------------------	------

13	PW who got TT 2 / Booster injection	19,302	59.8	17,865	57.3	100 IFA tablets consumed	23.8
----	-------------------------------------	--------	------	--------	------	--------------------------	------

14	PW who consumed 180 IFA tablets	21,375	66.2	23,108	74.1	Home Delivery	20.8
----	---------------------------------	--------	------	--------	------	---------------	------

15	Home Delivery against expected delivery *	1,906	5.9	1,655	5.1	Institutional Delivery	79.2
----	---	-------	-----	-------	-----	------------------------	------

16	Institutional Delivery against expected delivery *	18,492	57.6	20,230	62.5	Home Delivery by SBA	4.0
----	--	--------	------	--------	------	----------------------	-----

17	Home Delivery against reported delivery **	1,906	9.3	1,655	7.6	PNC within 2days of delivery	56.4
----	--	-------	-----	-------	-----	------------------------------	------

18	Institutional Delivery against reported delivery **	18,492	90.7	20,230	92.4	Breastfeed within 1 hour of birth	52.0
----	---	--------	------	--------	------	-----------------------------------	------

19	Total reported Deliveries	20,398		21,885			
----	---------------------------	--------	--	--------	--	--	--

20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	879	46.1	780	47.1		
----	--	-----	------	-----	------	--	--

21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,597	32.3	7,296	33.3		
----	--	-------	------	-------	------	--	--

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	31,457		31,722			
----	-------------------------------	--------	--	--------	--	--	--

D) Child Immunization :

HMIS (2021-22)

HMIS (2022-23)

NFHS-5 (2019-20)

23	Total reported live births	20,201	64.2	21,708	68.4	BCG	87.9
----	----------------------------	--------	------	--------	------	-----	------

24	Total Still Birth	242	0.8	245	0.8	3 dose of DPT	77.7
----	-------------------	-----	-----	-----	-----	---------------	------

25	Newborn weighted at birth to live birth	19,948	98.7	21,204	97.7	Measles First dose	80.7
----	---	--------	------	--------	------	--------------------	------

26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,073	5.4	1,297	6.1	3 doses of penta or hepatitis B vaccine	73
----	--	-------	-----	-------	-----	---	----

27	Newborns breastfed within 1 hour to total reported live birth.	16,420	81.3	17,753	81.8	Full Immunization	64.9
28	Fully immunized	19,685	62.6	21,613	68.1		
29	Children who have received BCG	21,611	68.7	21,921	69.1		
30	Children who have received Pentavalent 1	21,743	69.1	21,859	68.9		
31	Children who have received Pentavalent 3	19,977	63.5	20,666	65.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,660	62.5	21,951	69.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,623		7,242			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.5
35	Number of Tubectomies performed	864	1,108	Spacing	7
36	Number of IUD insertion	1,850	1,898	Women using any method	59.1
37	Number of IUD removals	1,202	1,323	Women using modern method	47.2

F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	351	416		
39	General OPD cases per 10,000 population ***	7708	8872		
40	Ayush OPD cases per 10,000 population ***	568	764		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)			
41	Neonatal deaths within 24 hours	52	47			
42	Neonatal Deaths up to 4 weeks of birth	41	51			
43	Total Neonatal Death	93	98			
44	Deaths between (1 - 11) months	26	37			
45	Total reported infant deaths	119	135			
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)			
46	Due to Abortion	0	2			
47	Due to Obstructed/prolonged labour	0	1			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	2	5			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	9	5			
52	Total reported maternal deaths	11	13			

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	21,167				
2	Sex Ratio	805				
B) Infrastructure Details (RHS 2021-22)		Numbers				
3	Sub Centers (SC)	8				
4	Primary Health Centers(PHC)	6				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	470		468		
9	Expected number of Delivery	436		434		
		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	309	65.8	325	69.4	ANC Check up in first trimester
11	Mothers registered in the first trimester	135	43.7	185	56.9	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	125	40.5	150	46.2	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	224	72.5	202	62.2	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	285	92.2	278	85.5	Home Delivery
15	Home Delivery against expected delivery *	18	4.1	34	7.8	Institutional Delivery
16	Institutional Delivery against expected delivery *	58	13.3	164	37.8	Home Delivery by SBA
17	Home Delivery against reported delivery **	18	23.7	34	17.2	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	58	76.3	164	82.8	Breastfeed within 1 hour of birth
19	Total reported Deliveries	76		198		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	66.7	7	20.6	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30	39.5	32	16.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	427		426		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	75	17.6	198	46.5	BCG
24	Total Still Birth	1	0.2	3	0.7	3 dose of DPT
25	Newborn weighted at birth to live birth	71	94.7	193	97.5	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	2.8	8	4.1	3 doses of penta or hepatitis B vaccine
						85.6

27	Newborns breastfed within 1 hour to total reported live birth.	71	94.7	193	97.5	Full Immunization	93
28	Fully immunized	256	59.9	276	64.8		
29	Children who have received BCG	112	26.2	192	45.1		
30	Children who have received Pentavalent 1	269	63.0	272	63.9		
31	Children who have received Pentavalent 3	278	65.1	280	65.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	260	60.9	282	66.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	255		307			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.8
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	5	6	Women using any method	64.7
37	Number of IUD removals	8	9	Women using modern method	50.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	136	210		
39	General OPD cases per 10,000 population ***	8872	7840		
40	Ayush OPD cases per 10,000 population ***	744	650		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	1,48,226				
2	Sex Ratio	914				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	25				
4	Primary Health Centers(PHC)	7				
5	Community Health Centers (CHC)	5				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	3,429		3,431		
9	Expected number of Delivery	3,179		3,181		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	3,185	92.9	3,102	90.4	ANC Check up in first trimester
11	Mothers registered in the first trimester	1,152	36.2	1,206	38.9	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	996	31.3	1,044	33.7	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	2,456	77.1	2,425	78.2	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	1,641	51.5	1,916	61.8	Home Delivery
15	Home Delivery against expected delivery *	490	15.4	230	7.2	Institutional Delivery
16	Institutional Delivery against expected delivery *	1,341	42.2	1,514	47.6	Home Delivery by SBA
17	Home Delivery against reported delivery **	490	26.8	230	13.2	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	1,341	73.2	1,514	86.8	Breastfeed within 1 hour of birth
19	Total reported Deliveries	1,831		1,744		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	19.2	36	15.7	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	336	18.4	251	14.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	3,117		3,119		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	1,822	58.5	1,736	55.7	BCG
24	Total Still Birth	11	0.4	12	0.4	3 dose of DPT
25	Newborn weighted at birth to live birth	1,805	99.1	1,733	99.8	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	80	4.4	96	5.5	3 doses of penta or hepatitis B vaccine
						84.4

27	Newborns breastfed within 1 hour to total reported live birth.	1,804	99.0	1,733	99.8	Full Immunization	70.9
28	Fully immunized	2,428	77.9	2,296	73.6		
29	Children who have received BCG	2,281	73.2	2,182	70.0		
30	Children who have received Pentavalent 1	2,653	85.1	2,495	80.0		
31	Children who have received Pentavalent 3	2,345	75.2	2,214	71.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,372	76.1	2,298	73.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	192		170			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.7
35	Number of Tubectomies performed	57	170	Spacing	3.5
36	Number of IUD insertion	48	53	Women using any method	71.4
37	Number of IUD removals	35	36	Women using modern method	46.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	246	270		
39	General OPD cases per 10,000 population ***	3201	4342		
40	Ayush OPD cases per 10,000 population ***	915	1127		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	2	1		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	2	0		

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	8,004				
2	Sex Ratio	808				
B) Infrastructure Details (RHS 2021-22)		Numbers				
3	Sub Centers (SC)	5				
4	Primary Health Centers(PHC)	1				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	170		169		
9	Expected number of Delivery	158		156		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	89	52.4	105	62.3	ANC Check up in first trimester
11	Mothers registered in the first trimester	39	43.8	50	47.6	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	1	1.1	4	3.8	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	40	44.9	55	52.4	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	71	79.8	59	56.2	Home Delivery
15	Home Delivery against expected delivery *	3	1.9	0	0.0	Institutional Delivery
16	Institutional Delivery against expected delivery *	27	17.1	39	24.9	Home Delivery by SBA
17	Home Delivery against reported delivery **	3	10.0	0	0.0	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	27	90.0	39	100.0	Breastfeed within 1 hour of birth
19	Total reported Deliveries	30		39		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	66.7	0	-	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	3.3	1	2.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	155		153		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	28	18.1	41	26.7	BCG
24	Total Still Birth	1	0.6	2	1.3	3 dose of DPT
25	Newborn weighted at birth to live birth	6	21.4	7	17.1	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	16.7	0	0.0	3 doses of penta or hepatitis B vaccine
						84

27	Newborns breastfed within 1 hour to total reported live birth.	6	21.4	7	17.1	Full Immunization	90.7
28	Fully immunized	63	40.8	47	30.7		
29	Children who have received BCG	35	22.6	33	21.5		
30	Children who have received Pentavalent 1	60	38.8	64	41.7		
31	Children who have received Pentavalent 3	66	42.7	60	39.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	72	46.6	46	30.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2		45			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		Total unmet need	4.6
35	Number of Tubectomies performed	0	#VALUE!	Spacing	3.4
36	Number of IUD insertion	0	0	Women using any method	69.1
37	Number of IUD removals	0	0	Women using modern method	49.7
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	95	190		
39	General OPD cases per 10,000 population ***		10976		
40	Ayush OPD cases per 10,000 population ***		12723		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	63,332				
2	Sex Ratio	1,012				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	17				
4	Primary Health Centers(PHC)	8				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	1,766		1,800		
9	Expected number of Delivery	1,637		1,669		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	1,592	90.2	1,495	83.1	ANC Check up in first trimester
11	Mothers registered in the first trimester	1,184	74.4	1,073	71.8	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	1,592	100.0	1,079	72.2	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	2,960	185.9	1,335	89.3	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	1,592	100.0	1,379	92.2	Home Delivery
15	Home Delivery against expected delivery *	49	3.0	36	2.2	Institutional Delivery
16	Institutional Delivery against expected delivery *	928	56.7	1,052	63.0	Home Delivery by SBA
17	Home Delivery against reported delivery **	49	5.0	36	3.3	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	928	95.0	1,052	96.7	Breastfeed within 1 hour of birth
19	Total reported Deliveries	977		1,088		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	40	81.6	26	72.2	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	159	16.3	17	1.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,605		1,636		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	965	60.1	1,058	64.7	BCG
24	Total Still Birth	12	0.7	15	0.9	3 dose of DPT
25	Newborn weighted at birth to live birth	965	100.0	1,058	100.0	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	4	0.4	3 doses of penta or hepatitis B vaccine
						64.4

27	Newborns breastfed within 1 hour to total reported live birth.	965	100.0	1,058	100.0	Full Immunization	60.8
28	Fully immunized	1,028	64.0	1,211	74.0		
29	Children who have received BCG	1,103	68.7	1,258	76.9		
30	Children who have received Pentavalent 1	1,083	67.5	1,272	77.7		
31	Children who have received Pentavalent 3	1,028	64.0	1,201	73.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,028	64.0	1,244	76.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	207		87			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	1	Spacing	4.7
36	Number of IUD insertion	141	73	Women using any method	64.9
37	Number of IUD removals	30	33	Women using modern method	57.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	161	127		
39	General OPD cases per 10,000 population ***	3844	4209		
40	Ayush OPD cases per 10,000 population ***	261	341		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	2		

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	70,956				
2	Sex Ratio	962				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	16				
4	Primary Health Centers(PHC)	9				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	1,568		1,561		
9	Expected number of Delivery	1,454		1,448		
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	1,880	119.9	2,284	146.3	ANC Check up in first trimester 39.9
11	Mothers registered in the first trimester	986	52.4	875	38.3	At least 4 ANC check up 34.3
12	Mothers who had 4 or more ANC check ups	416	22.1	577	25.3	Neonatal tetanus received 75.2
13	PW who got TT 2 / Booster injection	1,309	69.6	1,183	51.8	100 IFA tablets consumed 11.4
14	PW who consumed 180 IFA tablets	1,326	70.5	1,493	65.4	Home Delivery 9.2
15	Home Delivery against expected delivery *	48	3.3	38	2.6	Institutional Delivery 90.8
16	Institutional Delivery against expected delivery *	1,884	129.6	2,039	140.8	Home Delivery by SBA 1.7
17	Home Delivery against reported delivery **	48	2.5	38	1.8	PNC within 2days of delivery 55.7
18	Institutional Delivery against reported delivery **	1,884	97.5	2,039	98.2	Breastfeed within 1 hour of birth 49.4
19	Total reported Deliveries	1,932		2,077		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	100.0	38	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	488	25.3	1,074	51.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,425		1,420		
D) Child Immunization :			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
23	Total reported live births	1,890	132.6	2,034	143.3	BCG 84.8
24	Total Still Birth	42	2.9	44	3.1	3 dose of DPT 71.2
25	Newborn weighted at birth to live birth	1,920	101.6	2,022	99.4	Measles First dose 81.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	224	11.7	243	12.0	3 doses of penta or hepatitis B vaccine 67.3

27	Newborns breastfed within 1 hour to total reported live birth.	1,874	99.2	2,021	99.4	Full Immunization	48.8
28	Fully immunized	1,258	88.3	1,164	82.0		
29	Children who have received BCG	2,078	145.8	2,142	150.9		
30	Children who have received Pentavalent 1	1,437	100.8	1,318	92.8		
31	Children who have received Pentavalent 3	1,270	89.1	1,259	88.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,269	89.0	1,170	82.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	63		70			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.6
35	Number of Tubectomies performed	147	174	Spacing	9.6
36	Number of IUD insertion	124	155	Women using any method	40
37	Number of IUD removals	64	94	Women using modern method	35.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	1033	1210		
39	General OPD cases per 10,000 population ***	12296	13251		
40	Ayush OPD cases per 10,000 population ***	400	493		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	8	5		
42	Neonatal Deaths up to 4 weeks of birth	23	19		
43	Total Neonatal Death	31	24		
44	Deaths between (1 - 11) months	3	5		
45	Total reported infant deaths	34	29		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	2		
47	Due to Obstructed/prolonged labour	0	1		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	2		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	5	0		
52	Total reported maternal deaths	5	5		

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	19,697					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	613	632				
9	Expected number of Delivery	569	586				
		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	239	39.0	210	33.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	97	40.6	91	43.3	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	15	6.3	24	11.4	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	74	31.0	90	42.9	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	94	39.3	132	62.9	Home Delivery	NA
15	Home Delivery against expected delivery *	8	1.4	17	2.9	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	31	5.5	37	6.3	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	8	20.5	17	31.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	31	79.5	37	68.5	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	39		54			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	37.5	5	29.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13	33.3	25	46.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	557		575			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
23	Total reported live births	39	7.0	54	9.4	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	38	97.4	39	72.2	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	5.3	4	10.3	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	38	97.4	38	70.4	Full Immunization	NA
28	Fully immunized	186	33.4	167	29.1		
29	Children who have received BCG	63	11.3	72	12.5		
30	Children who have received Pentavalent 1	172	30.9	196	34.1		
31	Children who have received Pentavalent 3	175	31.4	171	29.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	186	33.4	166	28.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	169		165			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed			Total unmet need	NA
35	Number of Tubectomies performed	0	#VALUE!	Spacing	NA
36	Number of IUD insertion	0	11	Women using any method	NA
37	Number of IUD removals	0	2	Women using modern method	NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	457	705		
39	General OPD cases per 10,000 population ***	4569	3986		
40	Ayush OPD cases per 10,000 population ***	951	1216		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	1	#VALUE!		
43	Total Neonatal Death	1	#VALUE!		
44	Deaths between (1 - 11) months	1	#VALUE!		
45	Total reported infant deaths	2	#VALUE!		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0			
47	Due to Obstructed/prolonged labour				
48	Due to Severe hypertension/fits				
49	Due to Bleeding				
50	Due to High fever				
51	Due to Other Causes (including causes not known)				
52	Total reported maternal deaths	0	0		

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	46,704				
2	Sex Ratio	1,029				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	8				
4	Primary Health Centers(PHC)	6				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	2,591		2,829		
9	Expected number of Delivery	2,402		2,624		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	308	11.9	310	11.0	ANC Check up in first trimester
11	Mothers registered in the first trimester	206	66.9	199	64.2	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	193	62.7	173	55.8	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	106	34.4	101	32.6	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	302	98.1	307	99.0	Home Delivery
15	Home Delivery against expected delivery *	35	1.5	37	1.4	Institutional Delivery
16	Institutional Delivery against expected delivery *	80	3.3	76	2.9	Home Delivery by SBA
17	Home Delivery against reported delivery **	35	30.4	37	32.7	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	80	69.6	76	67.3	Breastfeed within 1 hour of birth
19	Total reported Deliveries	115		113		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	33	94.3	10	27.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	96	83.5	89	78.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	2,355		2,572		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	116	4.9	118	4.6	BCG
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT
25	Newborn weighted at birth to live birth	116	100.0	115	97.5	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.7	2	1.7	3 doses of penta or hepatitis B vaccine
						71.3

27	Newborns breastfed within 1 hour to total reported live birth.	116	100.0	111	94.1	Full Immunization	63.6
28	Fully immunized	300	12.7	283	11.0		
29	Children who have received BCG	289	12.3	274	10.7		
30	Children who have received Pentavalent 1	308	13.1	286	11.1		
31	Children who have received Pentavalent 3	295	12.5	272	10.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	332	14.1	293	11.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	84		165			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.5
35	Number of Tubectomies performed	1	0	Spacing	13.1
36	Number of IUD insertion	18	33	Women using any method	46.1
37	Number of IUD removals	11	3	Women using modern method	39.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	85	81		
39	General OPD cases per 10,000 population ***	1021	1129		
40	Ayush OPD cases per 10,000 population ***	69	70		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0			
42	Neonatal Deaths up to 4 weeks of birth	0	#VALUE!		
43	Total Neonatal Death	0	#VALUE!		
44	Deaths between (1 - 11) months	0	#VALUE!		
45	Total reported infant deaths	0	#VALUE!		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion				
47	Due to Obstructed/prolonged labour				
48	Due to Severe hypertension/fits				
49	Due to Bleeding				
50	Due to High fever				
51	Due to Other Causes (including causes not known)				
52	Total reported maternal deaths	0	0		

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	45,372				
2	Sex Ratio	1,029				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	13				
4	Primary Health Centers(PHC)	4				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	2,517		2,749		
9	Expected number of Delivery	2,334		2,549		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	1,102	43.8	647	23.5	ANC Check up in first trimester
11	Mothers registered in the first trimester	297	27.0	259	40.0	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	399	36.2	492	76.0	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	174	15.8	64	9.9	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	1,056	95.8	632	97.7	Home Delivery
15	Home Delivery against expected delivery *	119	5.1	94	3.7	Institutional Delivery
16	Institutional Delivery against expected delivery *	376	16.1	479	18.8	Home Delivery by SBA
17	Home Delivery against reported delivery **	119	24.0	94	16.4	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	376	76.0	479	83.6	Breastfeed within 1 hour of birth
19	Total reported Deliveries	495		573		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	105	88.2	90	95.7	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	277	56.0	148	25.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	2,288		2,499		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	488	21.3	551	22.1	BCG
24	Total Still Birth	2	0.1	11	0.4	3 dose of DPT
25	Newborn weighted at birth to live birth	494	101.2	551	100.0	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	3 doses of penta or hepatitis B vaccine
						76.3

27	Newborns breastfed within 1 hour to total reported live birth.	494	101.2	551	100.0	Full Immunization	71.4
28	Fully immunized	806	35.2	790	31.6		
29	Children who have received BCG	566	24.7	507	20.3		
30	Children who have received Pentavalent 1	591	25.8	625	25.0		
31	Children who have received Pentavalent 3	730	31.9	742	29.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	818	35.7	831	33.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		128			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.4
35	Number of Tubectomies performed	0	0	Spacing	7.4
36	Number of IUD insertion	48	8	Women using any method	54.1
37	Number of IUD removals	39	12	Women using modern method	47.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	101	35		
39	General OPD cases per 10,000 population ***	1042	582		
40	Ayush OPD cases per 10,000 population ***	19	29		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	2	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	3	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	3	0		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Leparada Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	20,152				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	10				
4	Primary Health Centers(PHC)	2				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	423		419		
9	Expected number of Delivery	392		388		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	261	61.8	269	64.2	ANC Check up in first trimester
11	Mothers registered in the first trimester	131	50.2	159	59.1	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	143	54.8	157	58.4	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	91	34.9	110	40.9	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	41	15.7	80	29.7	Home Delivery
15	Home Delivery against expected delivery *	10	2.6	8	2.1	Institutional Delivery
16	Institutional Delivery against expected delivery *	107	27.3	83	21.4	Home Delivery by SBA
17	Home Delivery against reported delivery **	10	8.5	8	8.8	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	107	91.5	83	91.2	Breastfeed within 1 hour of birth
19	Total reported Deliveries	117		91		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	100.0	7	87.5	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	1	1.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	384		381		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	116	30.2	91	23.9	BCG
24	Total Still Birth	1	0.3	0	0.0	3 dose of DPT
25	Newborn weighted at birth to live birth	115	99.1	88	96.7	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	3.5	4	4.5	3 doses of penta or hepatitis B vaccine
						NA

27	Newborns breastfed within 1 hour to total reported live birth.	115	99.1	88	96.7	Full Immunization	NA
28	Fully immunized	256	66.6	265	69.6		
29	Children who have received BCG	125	32.5	101	26.5		
30	Children who have received Pentavalent 1	239	62.2	278	73.0		
31	Children who have received Pentavalent 3	247	64.3	256	67.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	256	66.6	267	70.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	53		75			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	39	Spacing	NA
36	Number of IUD insertion	21	13	Women using any method	NA
37	Number of IUD removals	11	19	Women using modern method	NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	247	338		
39	General OPD cases per 10,000 population ***	6468	9931		
40	Ayush OPD cases per 10,000 population ***	355	1074		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,776					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2021-22)							
3	Sub Centers (SC)	13					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	1,134	1,133				
9	Expected number of Delivery	1,052	1,051				
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	1,069	94.2	1,069	94.3	ANC Check up in first trimester	
11	Mothers registered in the first trimester	470	44.0	637	59.6	At least 4 ANC check up	
12	Mothers who had 4 or more ANC check ups	438	41.0	793	74.2	Neonatal tetanus received	
13	PW who got TT 2 / Booster injection	699	65.4	753	70.4	100 IFA tablets consumed	
14	PW who consumed 180 IFA tablets	636	59.5	1,151	107.7	Home Delivery	
15	Home Delivery against expected delivery *	11	1.0	8	0.8	Institutional Delivery	
16	Institutional Delivery against expected delivery *	970	92.2	1,017	96.8	Home Delivery by SBA	
17	Home Delivery against reported delivery **	11	1.1	8	0.8	PNC within 2days of delivery	
18	Institutional Delivery against reported delivery **	970	98.9	1,017	99.2	Breastfeed within 1 hour of birth	
19	Total reported Deliveries	981		1,025			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	4	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	851	86.7	187	18.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,031		1,030			
D) Child Immunization :			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
23	Total reported live births	971	94.2	1,004	97.4	BCG	
24	Total Still Birth	17	1.6	17	1.7	3 dose of DPT	
25	Newborn weighted at birth to live birth	971	100.0	1,004	100.0	Measles First dose	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	70	7.2	67	6.7	3 doses of penta or hepatitis B vaccine	
						83.4	

27	Newborns breastfed within 1 hour to total reported live birth.	875	90.1	994	99.0	Full Immunization	74
28	Fully immunized	714	69.2	788	76.5		
29	Children who have received BCG	999	96.9	1,028	99.8		
30	Children who have received Pentavalent 1	786	76.2	837	81.2		
31	Children who have received Pentavalent 3	721	69.9	774	75.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	702	68.1	786	76.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,990		534			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	40	56	Spacing	7.3
36	Number of IUD insertion	58	44	Women using any method	57
37	Number of IUD removals	14	17	Women using modern method	43.5
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	455	546		
39	General OPD cases per 10,000 population ***	7472	10893		
40	Ayush OPD cases per 10,000 population ***	404	719		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	6		
42	Neonatal Deaths up to 4 weeks of birth	0	3		
43	Total Neonatal Death	0	9		
44	Deaths between (1 - 11) months	3	1		
45	Total reported infant deaths	3	10		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	56,953				
2	Sex Ratio	931				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	8				
4	Primary Health Centers(PHC)	2				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	1,238		1,231		
9	Expected number of Delivery	1,148		1,141		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	1,266	102.3	1,397	113.5	ANC Check up in first trimester 65.8
11	Mothers registered in the first trimester	373	29.5	363	26.0	At least 4 ANC check up 39.6
12	Mothers who had 4 or more ANC check ups	301	23.8	285	20.4	Neonatal tetanus received 78.4
13	PW who got TT 2 / Booster injection	970	76.6	1,067	76.4	100 IFA tablets consumed 33.4
14	PW who consumed 180 IFA tablets	824	65.1	971	69.5	Home Delivery 35.5
15	Home Delivery against expected delivery *	267	23.3	363	31.8	Institutional Delivery 64.5
16	Institutional Delivery against expected delivery *	477	41.6	542	47.5	Home Delivery by SBA 0.9
17	Home Delivery against reported delivery **	267	35.9	363	40.1	PNC within 2days of delivery 57.1
18	Institutional Delivery against reported delivery **	477	64.1	542	59.9	Breastfeed within 1 hour of birth 58.0
19	Total reported Deliveries	744		905		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	40.1	149	41.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	145	19.5	257	28.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,125		1,119		
D) Child Immunization :			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
23	Total reported live births	733	65.1	889	79.4	BCG 74.5
24	Total Still Birth	11	1.0	16	1.4	3 dose of DPT 59.7
25	Newborn weighted at birth to live birth	599	81.7	744	83.7	Measles First dose 61.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	6	0.8	3 doses of penta or hepatitis B vaccine 59.7

27	Newborns breastfed within 1 hour to total reported live birth.	688	93.9	862	97.0	Full Immunization	52.7
28	Fully immunized	697	61.9	786	70.2		
29	Children who have received BCG	880	78.2	915	81.8		
30	Children who have received Pentavalent 1	1,068	94.9	1,092	97.6		
31	Children who have received Pentavalent 3	891	79.2	940	84.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	711	63.2	894	79.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	533		1,223			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.3
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	7	51	Women using any method	68.6
37	Number of IUD removals	7	16	Women using modern method	49
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	151	194		
39	General OPD cases per 10,000 population ***	4651	6433		
40	Ayush OPD cases per 10,000 population ***	473	1039		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	1	1		
42	Neonatal Deaths up to 4 weeks of birth	0	7		
43	Total Neonatal Death	1	8		
44	Deaths between (1 - 11) months	3	3		
45	Total reported infant deaths	4	11		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	1		

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	54,080					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	1,123	1,111				
9	Expected number of Delivery	1,041	1,031				
		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,066	94.9	1,073	96.5	ANC Check up in first trimester	56.3
11	Mothers registered in the first trimester	353	33.1	389	36.3	At least 4 ANC check up	48.6
12	Mothers who had 4 or more ANC check ups	222	20.8	273	25.4	Neonatal tetanus received	87.5
13	PW who got TT 2 / Booster injection	681	63.9	740	69.0	100 IFA tablets consumed	25.8
14	PW who consumed 180 IFA tablets	190	17.8	215	20.0	Home Delivery	9.9
15	Home Delivery against expected delivery *	26	2.5	29	2.8	Institutional Delivery	90.1
16	Institutional Delivery against expected delivery *	371	35.6	512	49.7	Home Delivery by SBA	3.6
17	Home Delivery against reported delivery **	26	6.5	29	5.4	PNC within 2days of delivery	58.6
18	Institutional Delivery against reported delivery **	371	93.5	512	94.6	Breastfeed within 1 hour of birth	59.8
19	Total reported Deliveries	397		541			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	88.5	15	51.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	89	22.4	171	31.6		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>							
22	Expected number of Live Birth	1,021		1,010			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
23	Total reported live births	392	38.4	537	53.2	BCG	89.2
24	Total Still Birth	5	0.5	9	0.9	3 dose of DPT	77
25	Newborn weighted at birth to live birth	389	99.2	533	99.3	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	27	6.9	44	8.3	3 doses of penta or hepatitis B vaccine	79.2

27	Newborns breastfed within 1 hour to total reported live birth.	386	98.5	532	99.1	Full Immunization	73.8
28	Fully immunized	804	78.8	779	77.1		
29	Children who have received BCG	673	65.9	692	68.5		
30	Children who have received Pentavalent 1	815	79.8	853	84.4		
31	Children who have received Pentavalent 3	804	78.8	789	78.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	805	78.9	786	77.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	123		233			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.9
35	Number of Tubectomies performed	9	25	Spacing	4.6
36	Number of IUD insertion	35	54	Women using any method	75.3
37	Number of IUD removals	27	51	Women using modern method	56.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	158	198		
39	General OPD cases per 10,000 population ***	9306	10825		
40	Ayush OPD cases per 10,000 population ***	300	1022		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	1	1		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	0	2		
45	Total reported infant deaths	1	3		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	22,630				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	4				
4	Primary Health Centers(PHC)	5				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	475		470		
9	Expected number of Delivery	440		436		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	254	53.5	328	69.7	ANC Check up in first trimester
11	Mothers registered in the first trimester	181	71.3	226	68.9	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	60	23.6	93	28.4	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	190	74.8	253	77.1	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	253	99.6	297	90.5	Home Delivery
15	Home Delivery against expected delivery *	7	1.6	20	4.6	Institutional Delivery
16	Institutional Delivery against expected delivery *	98	22.3	240	55.0	Home Delivery by SBA
17	Home Delivery against reported delivery **	7	6.7	20	7.7	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	98	93.3	240	92.3	Breastfeed within 1 hour of birth
19	Total reported Deliveries	105		260		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	100.0	15	75.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	51	48.6	53	20.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	431		428		
D) Child Immunization :			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
23	Total reported live births	104	24.1	261	61.0	BCG
24	Total Still Birth	1	0.2	2	0.5	3 dose of DPT
25	Newborn weighted at birth to live birth	104	100.0	248	95.0	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	9	3.6	3 doses of penta or hepatitis B vaccine
						NA

27	Newborns breastfed within 1 hour to total reported live birth.	103	99.0	248	95.0	Full Immunization	NA
28	Fully immunized	205	47.5	202	47.2		
29	Children who have received BCG	114	26.4	247	57.8		
30	Children who have received Pentavalent 1	195	45.2	231	54.0		
31	Children who have received Pentavalent 3	196	45.4	202	47.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	208	48.2	203	47.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	45		53			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	15	17	Women using any method	NA
37	Number of IUD removals	9	10	Women using modern method	NA

F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	448	528		
39	General OPD cases per 10,000 population ***	7946	11000		
40	Ayush OPD cases per 10,000 population ***	264	295		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)			
41	Neonatal deaths within 24 hours	1	0			
42	Neonatal Deaths up to 4 weeks of birth	0	0			
43	Total Neonatal Death	1	0			
44	Deaths between (1 - 11) months	0	0			
45	Total reported infant deaths	1	0			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)			
46	Due to Abortion	0	0			
47	Due to Obstructed/prolonged labour	0	0			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	0	0			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	0	0			
52	Total reported maternal deaths	0	0			

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	67,751
2	Sex Ratio	975

B) Infrastructure Details (RHS 2021-22)

Numbers

3	Sub Centers (SC)	23
4	Primary Health Centers(PHC)	5
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

2021-22

2022-23

8	Expected number of PW	2,109	2,174
9	Expected number of Delivery	1,956	2,016

HMIS (2021-22)

HMIS (2022-23)

NFHS-5 (2019-20)

	Number	PC	Number	PC	
--	--------	----	--------	----	--

10	PW register for ANC	628	29.8	679	31.2
11	Mothers registered in the first trimester	213	33.9	235	34.6
12	Mothers who had 4 or more ANC check ups	173	27.5	188	27.7
13	PW who got TT 2 / Booster injection	418	66.6	479	70.5
14	PW who consumed 180 IFA tablets	136	21.7	159	23.4
15	Home Delivery against expected delivery *	26	1.3	20	1.0
16	Institutional Delivery against expected delivery *	371	19.0	401	19.9
17	Home Delivery against reported delivery **	26	6.5	20	4.8
18	Institutional Delivery against reported delivery **	371	93.5	401	95.2
19	Total reported Deliveries	397		421	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	38.5	1	5.0
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	139	35.0	142	33.7

22	Expected number of Live Birth	1,918		1,977	
----	-------------------------------	-------	--	-------	--

D) Child Immunization :

HMIS (2021-22)

HMIS (2022-23)

NFHS-5 (2019-20)

23	Total reported live births	383	20.0	417	21.1
24	Total Still Birth	14	0.7	5	0.3
25	Newborn weighted at birth to live birth	391	102.1	417	100.0
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	30	7.7	24	5.8

27	BCG	85
28	3 dose of DPT	69.6
29	Measles First dose	76.5
30	3 doses of penta or hepatitis B vaccine	65.9

31		
32		

33		
34		

35		
36		

37		
38		

39		
40		

41		
42		

43		
44		

45		
46		

47		
48		

49		
50		

51		
52		

53		
54		

55		
56		

57		
58		

59		
60		

61		
62		

63		
64		

65		
66		

67		
68		

69		
70		

71		
72		

73		
74		

75		
76		

77		
78		

79		
80		

81		
82		

83		
84		

85		
86		

87		
88		

89		
90		

91		
92		

93		
94		

95		
96		

97		
98		

99		
100		

101		
102		

103		
104		

105		
106		

107		
108		

109		
110		

111		
112		

113		
114		

27	Newborns breastfed within 1 hour to total reported live birth.	320	83.6	392	94.0	Full Immunization	66.5
28	Fully immunized	512	26.7	511	25.9		
29	Children who have received BCG	343	17.9	392	19.8		
30	Children who have received Pentavalent 1	511	26.6	548	27.7		
31	Children who have received Pentavalent 3	529	27.6	505	25.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	516	26.9	511	25.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	205		313			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	10	28	Spacing	2.3
36	Number of IUD insertion	36	54	Women using any method	65.9
37	Number of IUD removals	37	67	Women using modern method	58
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	171	335		
39	General OPD cases per 10,000 population ***	3659	4656		
40	Ayush OPD cases per 10,000 population ***	357	688		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	4	4		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	4	4		
44	Deaths between (1 - 11) months	0	9		
45	Total reported infant deaths	4	13		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	95,950					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2021-22)							
3	Sub Centers (SC)	15					
4	Primary Health Centers(PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	2,187	2,185				
9	Expected number of Delivery	2,028	2,026				
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	2,021	92.4	2,146	98.2	ANC Check up in first trimester	
11	Mothers registered in the first trimester	1,407	69.6	1,639	76.4	At least 4 ANC check up	
12	Mothers who had 4 or more ANC check ups	1,317	65.2	1,695	79.0	Neonatal tetanus received	
13	PW who got TT 2 / Booster injection	1,767	87.4	1,924	89.7	100 IFA tablets consumed	
14	PW who consumed 180 IFA tablets	998	49.4	1,677	78.1	Home Delivery	
15	Home Delivery against expected delivery *	265	13.1	227	11.2	Institutional Delivery	
16	Institutional Delivery against expected delivery *	1,710	84.3	1,864	92.0	Home Delivery by SBA	
17	Home Delivery against reported delivery **	265	13.4	227	10.9	PNC within 2days of delivery	
18	Institutional Delivery against reported delivery **	1,710	86.6	1,864	89.1	Breastfeed within 1 hour of birth	
19	Total reported Deliveries	1,975		2,091			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	44.2	86	37.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	421	21.3	1,367	65.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,988		1,986			
D) Child Immunization :			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
23	Total reported live births	1,938	97.5	2,068	104.1	BCG	
24	Total Still Birth	39	2.0	31	1.6	3 dose of DPT	
25	Newborn weighted at birth to live birth	1,871	96.5	2,062	99.7	Measles First dose	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	111	5.9	150	7.3	3 doses of penta or hepatitis B vaccine	
						75.1	

27	Newborns breastfed within 1 hour to total reported live birth.	1,865	96.2	2,058	99.5	Full Immunization	67.2
28	Fully immunized	1,597	80.3	1,695	85.3		
29	Children who have received BCG	2,266	114.0	2,076	104.5		
30	Children who have received Pentavalent 1	1,837	92.4	1,805	90.9		
31	Children who have received Pentavalent 3	1,642	82.6	1,856	93.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,576	79.3	1,698	85.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	56		412			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	137	94	Spacing	5.2
36	Number of IUD insertion	29	30	Women using any method	69.5
37	Number of IUD removals	25	29	Women using modern method	48.1

F) Service delivery		HMIS (2021-22)	HMIS (2022-23)	
38	IPD cases per 10,000 population ***	321	452	
39	General OPD cases per 10,000 population ***	6186	6762	
40	Ayush OPD cases per 10,000 population ***	676	1210	

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)	
41	Neonatal deaths within 24 hours	2	4	
42	Neonatal Deaths up to 4 weeks of birth	2	2	
43	Total Neonatal Death	4	6	
44	Deaths between (1 - 11) months	3	0	
45	Total reported infant deaths	7	6	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	0	0	
49	Due to Bleeding	1	0	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	0	0	
52	Total reported maternal deaths	1	0	

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	15,358				
2	Sex Ratio	NA				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	10				
4	Primary Health Centers(PHC)	3				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	428		436		
9	Expected number of Delivery	397		405		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	140	32.7	198	45.4	ANC Check up in first trimester
11	Mothers registered in the first trimester	21	15.0	41	20.7	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	20	14.3	15	7.6	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	84	60.0	95	48.0	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	63	45.0	95	48.0	Home Delivery
15	Home Delivery against expected delivery *	11	2.8	31	7.7	Institutional Delivery
16	Institutional Delivery against expected delivery *	33	8.3	38	9.4	Home Delivery by SBA
17	Home Delivery against reported delivery **	11	25.0	31	44.9	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	33	75.0	38	55.1	Breastfeed within 1 hour of birth
19	Total reported Deliveries	44		69		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	63.6	20	64.5	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	38	86.4	40	58.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	389		397		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	42	10.8	57	14.4	BCG
24	Total Still Birth	0	0.0	5	1.3	3 dose of DPT
25	Newborn weighted at birth to live birth	42	100.0	56	98.2	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	3	5.4	3 doses of penta or hepatitis B vaccine
						NA

27	Newborns breastfed within 1 hour to total reported live birth.	41	97.6	48	84.2	Full Immunization	NA
28	Fully immunized	67	17.2	166	41.8		
29	Children who have received BCG	106	27.2	87	21.9		
30	Children who have received Pentavalent 1	146	37.5	153	38.6		
31	Children who have received Pentavalent 3	144	37.0	177	44.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	97	24.9	165	41.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	63		159			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed			Total unmet need	NA
35	Number of Tubectomies performed	0	#VALUE!	Spacing	NA
36	Number of IUD insertion	2	0	Women using any method	NA
37	Number of IUD removals		1	Women using modern method	NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	59	71		
39	General OPD cases per 10,000 population ***	2787	4262		
40	Ayush OPD cases per 10,000 population ***	94	390		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	0	2		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	0	3		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion		0		
47	Due to Obstructed/prolonged labour		0		
48	Due to Severe hypertension/fits		0		
49	Due to Bleeding		0		
50	Due to High fever		0		
51	Due to Other Causes (including causes not known)		0		
52	Total reported maternal deaths	0	0		

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	1,76,573				
2	Sex Ratio	950				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	37				
4	Primary Health Centers(PHC)	17				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	5,287		5,429		
9	Expected number of Delivery	4,903		5,034		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	9,112	172.3	7,646	140.8	ANC Check up in first trimester
11	Mothers registered in the first trimester	1,967	21.6	4,022	52.6	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	2,313	25.4	4,760	62.3	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	2,442	26.8	2,127	27.8	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	7,535	82.7	5,650	73.9	Home Delivery
15	Home Delivery against expected delivery *	24	0.5	32	0.6	Institutional Delivery
16	Institutional Delivery against expected delivery *	5,993	122.2	6,462	128.4	Home Delivery by SBA
17	Home Delivery against reported delivery **	24	0.4	32	0.5	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	5,993	99.6	6,462	99.5	Breastfeed within 1 hour of birth
19	Total reported Deliveries	6,017		6,494		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	70.8	24	75.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,962	32.6	2,041	31.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	4,807		4,935		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	6,026	125.4	6,537	132.5	BCG
24	Total Still Birth	40	0.8	25	0.5	3 dose of DPT
25	Newborn weighted at birth to live birth	6,006	99.7	6,334	96.9	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	302	5.0	384	6.1	3 doses of penta or hepatitis B vaccine
						64.3

27	Newborns breastfed within 1 hour to total reported live birth.	3,220	53.4	3,236	49.5	Full Immunization	60.7
28	Fully immunized	3,219	67.0	5,216	105.7		
29	Children who have received BCG	5,068	105.4	5,525	112.0		
30	Children who have received Pentavalent 1	4,030	83.8	4,119	83.5		
31	Children who have received Pentavalent 3	3,359	69.9	3,683	74.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,171	66.0	5,279	107.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	542		816			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20.3
35	Number of Tubectomies performed	341	341	Spacing	8.8
36	Number of IUD insertion	429	495	Women using any method	47.7
37	Number of IUD removals	263	257	Women using modern method	41

F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	759	887		
39	General OPD cases per 10,000 population ***	20475	22244		
40	Ayush OPD cases per 10,000 population ***	1122	1108		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)			
41	Neonatal deaths within 24 hours	25	20			
42	Neonatal Deaths up to 4 weeks of birth	9	13			
43	Total Neonatal Death	34	33			
44	Deaths between (1 - 11) months	6	8			
45	Total reported infant deaths	40	41			
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)			
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)			
46	Due to Abortion	0	0			
47	Due to Obstructed/prolonged labour	0	0			
48	Due to Severe hypertension/fits	0	0			
49	Due to Bleeding	0	0			
50	Due to High fever	0	0			
51	Due to Other Causes (including causes not known)	1	5			
52	Total reported maternal deaths	1	5			

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)								
1	Population 2011	13,310						
2	Sex Ratio	NA						
B) Infrastructure Details (RHS 2021-22)								
3	Sub Centers (SC)	0						
4	Primary Health Centers(PHC)	2						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2021-22	2022-23					
8	Expected number of PW	258	253					
9	Expected number of Delivery	239	235					
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
			Number	PC	Number	PC		
10	PW register for ANC	257	99.7		213	84.1	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	98	38.1		82	38.5	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	26	10.1		39	18.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	181	70.4		152	71.4	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	99	38.5		89	41.8	Home Delivery	NA
15	Home Delivery against expected delivery *	9	3.8		17	7.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	36	15.1		65	27.7	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	9	20.0		17	20.7	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	36	80.0		65	79.3	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	45			82			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	33.3		14	82.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	4.4		30	36.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	234			230			
D) Child Immunization :			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)			
23	Total reported live births	33	14.1		83	36.0	BCG	NA
24	Total Still Birth	1	0.4		0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	29	87.9		77	92.8	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	3.4		3	3.9	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	30	90.9	75	90.4	Full Immunization	NA
28	Fully immunized	183	78.1	209	90.8		
29	Children who have received BCG	83	35.4	79	34.3		
30	Children who have received Pentavalent 1	200	85.4	186	80.8		
31	Children who have received Pentavalent 3	202	86.2	203	88.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	190	81.1	209	90.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	171		258			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	24	35	Women using any method	NA
37	Number of IUD removals	17	20	Women using modern method	NA
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	117	146		
39	General OPD cases per 10,000 population ***	7686	10408		
40	Ayush OPD cases per 10,000 population ***	769	2207		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	27,924					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2021-22)							
3	Sub Centers (SC)	27					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	617	615				
9	Expected number of Delivery	572	570				
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	295	47.8	276	44.9	ANC Check up in first trimester	
11	Mothers registered in the first trimester	92	31.2	83	30.1	At least 4 ANC check up	
12	Mothers who had 4 or more ANC check ups	57	19.3	49	17.8	Neonatal tetanus received	
13	PW who got TT 2 / Booster injection	153	51.9	162	58.7	100 IFA tablets consumed	
14	PW who consumed 180 IFA tablets	170	57.6	175	63.4	Home Delivery	
15	Home Delivery against expected delivery *	28	4.9	13	2.3	Institutional Delivery	
16	Institutional Delivery against expected delivery *	78	13.6	58	10.2	Home Delivery by SBA	
17	Home Delivery against reported delivery **	28	26.4	13	18.3	PNC within 2days of delivery	
18	Institutional Delivery against reported delivery **	78	73.6	58	81.7	Breastfeed within 1 hour of birth	
19	Total reported Deliveries	106		71			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	71.4	12	92.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11	10.4	3	4.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	561		559			
D) Child Immunization :			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
23	Total reported live births	106	18.9	71	12.7	BCG	
24	Total Still Birth	2	0.4	0	0.0	3 dose of DPT	
25	Newborn weighted at birth to live birth	106	100.0	71	100.0	Measles First dose	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	1.9	0	0.0	3 doses of penta or hepatitis B vaccine	
						74.7	

27	Newborns breastfed within 1 hour to total reported live birth.	106	100.0	68	95.8	Full Immunization	60.3
28	Fully immunized	294	52.4	235	42.1		
29	Children who have received BCG	147	26.2	115	20.6		
30	Children who have received Pentavalent 1	303	54.0	283	50.7		
31	Children who have received Pentavalent 3	296	52.8	256	45.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	319	56.9	300	53.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13		32			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5
35	Number of Tubectomies performed	0	0	Spacing	2.4
36	Number of IUD insertion	12	4	Women using any method	73.7
37	Number of IUD removals	4	9	Women using modern method	61
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	318	535		
39	General OPD cases per 10,000 population ***	5394	5476		
40	Ayush OPD cases per 10,000 population ***	189	274		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,977					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2021-22)							
3	Sub Centers (SC)	12					
4	Primary Health Centers(PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	1,279	1,293				
9	Expected number of Delivery	1,186	1,199				
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	844	66.0	840	65.0	ANC Check up in first trimester	
11	Mothers registered in the first trimester	276	32.7	367	43.7	At least 4 ANC check up	
12	Mothers who had 4 or more ANC check ups	188	22.3	181	21.5	Neonatal tetanus received	
13	PW who got TT 2 / Booster injection	607	71.9	613	73.0	100 IFA tablets consumed	
14	PW who consumed 180 IFA tablets	540	64.0	689	82.0	Home Delivery	
15	Home Delivery against expected delivery *	179	15.1	155	12.9	Institutional Delivery	
16	Institutional Delivery against expected delivery *	359	30.3	396	33.0	Home Delivery by SBA	
17	Home Delivery against reported delivery **	179	33.3	155	28.1	PNC within 2days of delivery	
18	Institutional Delivery against reported delivery **	359	66.7	396	71.9	Breastfeed within 1 hour of birth	
19	Total reported Deliveries	538		551			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	26.3	48	31.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	182	33.8	276	50.1		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>							
22	Expected number of Live Birth	1,163		1,176			
D) Child Immunization :			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
23	Total reported live births	531	45.7	551	46.9	BCG	
24	Total Still Birth	10	0.9	5	0.4	3 dose of DPT	
25	Newborn weighted at birth to live birth	518	97.6	536	97.3	Measles First dose	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	16	3.1	6	1.1	3 doses of penta or hepatitis B vaccine	
						77.6	

27	Newborns breastfed within 1 hour to total reported live birth.	427	80.4	496	90.0	Full Immunization	67.5
28	Fully immunized	746	64.1	716	60.9		
29	Children who have received BCG	657	56.5	633	53.8		
30	Children who have received Pentavalent 1	729	62.7	750	63.8		
31	Children who have received Pentavalent 3	746	64.1	720	61.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	756	65.0	710	60.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	274		648			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	0	7	Spacing	11.7
36	Number of IUD insertion	136	108	Women using any method	62.1
37	Number of IUD removals	22	31	Women using modern method	56.3
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	229	280		
39	General OPD cases per 10,000 population ***	6127	8463		
40	Ayush OPD cases per 10,000 population ***	720	989		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	1	2		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	1	2		
44	Deaths between (1 - 11) months	1	1		
45	Total reported infant deaths	2	3		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	55,022				
2	Sex Ratio	931				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	10				
4	Primary Health Centers(PHC)	7				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	1,196		1,189		
9	Expected number of Delivery	1,109		1,103		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	948	79.3	981	82.5	ANC Check up in first trimester
11	Mothers registered in the first trimester	411	43.4	455	46.4	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	385	40.6	518	52.8	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	831	87.7	867	88.4	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	729	76.9	879	89.6	Home Delivery
15	Home Delivery against expected delivery *	196	17.7	175	15.9	Institutional Delivery
16	Institutional Delivery against expected delivery *	488	44.0	456	41.4	Home Delivery by SBA
17	Home Delivery against reported delivery **	196	28.7	175	27.7	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	488	71.3	456	72.3	Breastfeed within 1 hour of birth
19	Total reported Deliveries	684		631		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	59.7	111	63.4	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	669	97.8	624	98.9	
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>						
22	Expected number of Live Birth	1,087		1,081		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	677	62.3	629	58.2	BCG
24	Total Still Birth	8	0.7	3	0.3	3 dose of DPT
25	Newborn weighted at birth to live birth	675	99.7	625	99.4	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	26	3.9	6	1.0	3 doses of penta or hepatitis B vaccine
						77.4

27	Newborns breastfed within 1 hour to total reported live birth.	675	99.7	625	99.4	Full Immunization	66.3
28	Fully immunized	788	72.5	770	71.2		
29	Children who have received BCG	712	65.5	627	58.0		
30	Children who have received Pentavalent 1	980	90.1	832	77.0		
31	Children who have received Pentavalent 3	835	76.8	836	77.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	788	72.5	770	71.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	180		296			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed			Total unmet need	10.6
35	Number of Tubectomies performed	13	#VALUE!	Spacing	8.1
36	Number of IUD insertion	27	48	Women using any method	56.1
37	Number of IUD removals	42	47	Women using modern method	39.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	219	206		
39	General OPD cases per 10,000 population ***	4188	5382		
40	Ayush OPD cases per 10,000 population ***	809	1047		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	1	2		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	2	2		
44	Deaths between (1 - 11) months	1	1		
45	Total reported infant deaths	3	3		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	35,320				
2	Sex Ratio	891				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	13				
4	Primary Health Centers(PHC)	2				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	724		716		
9	Expected number of Delivery	672		664		
			HMIS (2021-22)		HMIS (2022-23)	
			Number	PC	Number	PC
10	PW register for ANC	580	80.1	665	92.9	ANC Check up in first trimester
11	Mothers registered in the first trimester	253	43.6	279	42.0	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	220	37.9	619	93.1	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	357	61.6	472	71.0	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	468	80.7	642	96.5	Home Delivery
15	Home Delivery against expected delivery *	19	2.8	10	1.5	Institutional Delivery
16	Institutional Delivery against expected delivery *	259	38.6	268	40.4	Home Delivery by SBA
17	Home Delivery against reported delivery **	19	6.8	10	3.6	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	259	93.2	268	96.4	Breastfeed within 1 hour of birth
19	Total reported Deliveries	278		278		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	78.9	5	50.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	207	74.5	244	87.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	658		651		
D) Child Immunization :		HMIS (2021-22)		HMIS (2022-23)		NFHS-5 (2019-20)
23	Total reported live births	276	41.9	278	42.7	BCG
24	Total Still Birth	2	0.3	2	0.3	3 dose of DPT
25	Newborn weighted at birth to live birth	277	100.4	277	99.6	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	14	5.1	18	6.5	3 doses of penta or hepatitis B vaccine
						63.4

27	Newborns breastfed within 1 hour to total reported live birth.	256	92.8	248	89.2	Full Immunization	61.4
28	Fully immunized	471	71.5	422	64.8		
29	Children who have received BCG	278	42.2	302	46.4		
30	Children who have received Pentavalent 1	408	62.0	470	72.2		
31	Children who have received Pentavalent 3	403	61.2	463	71.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	471	71.5	422	64.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	155		158			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.9
35	Number of Tubectomies performed	19	17	Spacing	6.6
36	Number of IUD insertion	45	58	Women using any method	62
37	Number of IUD removals	40	32	Women using modern method	54
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	342	397		
39	General OPD cases per 10,000 population ***	7508	8842		
40	Ayush OPD cases per 10,000 population ***	822	576		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	2	0		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	79,030					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2021-22)							
3	Sub Centers (SC)	23					
4	Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	2,500	2,581				
9	Expected number of Delivery	2,318	2,394				
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	2,156	86.2	2,094	81.1	ANC Check up in first trimester	
11	Mothers registered in the first trimester	722	33.5	775	37.0	At least 4 ANC check up	
12	Mothers who had 4 or more ANC check ups	314	14.6	739	35.3	Neonatal tetanus received	
13	PW who got TT 2 / Booster injection	747	34.6	705	33.7	100 IFA tablets consumed	
14	PW who consumed 180 IFA tablets	362	16.8	2,022	96.6	Home Delivery	
15	Home Delivery against expected delivery *	13	0.6	12	0.5	Institutional Delivery	
16	Institutional Delivery against expected delivery **	851	36.7	770	32.2	Home Delivery by SBA	
17	Home Delivery against reported delivery **	13	1.5	12	1.5	PNC within 2days of delivery	
18	Institutional Delivery against reported delivery **	851	98.5	770	98.5	Breastfeed within 1 hour of birth	
19	Total reported Deliveries	864		782			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	38.5	10	83.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10	1.2	20	2.6		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>							
22	Expected number of Live Birth	2,273		2,347			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)		
23	Total reported live births	848	37.3	761	32.4	BCG	
24	Total Still Birth	12	0.5	21	0.9	3 dose of DPT	
25	Newborn weighted at birth to live birth	847	99.9	735	96.6	Measles First dose	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	44	5.2	81	11.0	3 doses of penta or hepatitis B vaccine	
						72.2	

27	Newborns breastfed within 1 hour to total reported live birth.	609	71.8	486	63.9	Full Immunization	68.5
28	Fully immunized	824	36.3	760	32.4		
29	Children who have received BCG	805	35.4	704	30.0		
30	Children who have received Pentavalent 1	990	43.6	922	39.3		
31	Children who have received Pentavalent 3	912	40.1	885	37.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	823	36.2	760	32.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	271		156			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	3	19	Spacing	8.6
36	Number of IUD insertion	179	171	Women using any method	53.2
37	Number of IUD removals	123	160	Women using modern method	48.4
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	129	127		
39	General OPD cases per 10,000 population ***	2756	2270		
40	Ayush OPD cases per 10,000 population ***	254	247		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,947					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers(PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2021-22	2022-23				
8	Expected number of PW	1,917	1,916				
9	Expected number of Delivery	1,777	1,776				
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	1,571	82.0	1,655	86.4	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	1,000	63.7	1,041	62.9	At least 4 ANC check up	27.6
12	Mothers who had 4 or more ANC check ups	647	41.2	383	23.1	Neonatal tetanus received	64.4
13	PW who got TT 2 / Booster injection	1,065	67.8	1,116	67.4	100 IFA tablets consumed	18.5
14	PW who consumed 180 IFA tablets	913	58.1	1,076	65.0	Home Delivery	6.4
15	Home Delivery against expected delivery *	15	0.8	11	0.6	Institutional Delivery	93.6
16	Institutional Delivery against expected delivery *	548	30.8	579	32.6	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	15	2.7	11	1.9	PNC within 2days of delivery	38.9
18	Institutional Delivery against reported delivery **	548	97.3	579	98.1	Breastfeed within 1 hour of birth	42.6
19	Total reported Deliveries	563		590			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	53.3	9	81.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	178	31.6	178	30.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,743		1,741			
D) Child Immunization :		HMIS (2021-22)	HMIS (2022-23)		NFHS-5 (2019-20)		
23	Total reported live births	560	32.1	578	33.2	BCG	94
24	Total Still Birth	4	0.2	6	0.3	3 dose of DPT	65.8
25	Newborn weighted at birth to live birth	551	98.4	584	101.0	Measles First dose	65.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	5.1	36	6.2	3 doses of penta or hepatitis B vaccine	57.4

27	Newborns breastfed within 1 hour to total reported live birth.	549	98.0	580	100.3	Full Immunization	56.2
28	Fully immunized	1,075	61.7	1,097	63.0		
29	Children who have received BCG	814	46.7	671	38.5		
30	Children who have received Pentavalent 1	1,061	60.9	1,103	63.3		
31	Children who have received Pentavalent 3	1,064	61.1	1,089	62.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,017	58.4	1,098	63.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	337		311			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	3	4	Spacing	13.5
36	Number of IUD insertion	224	227	Women using any method	53.8
37	Number of IUD removals	209	209	Women using modern method	47.8
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	216	208		
39	General OPD cases per 10,000 population ***	6326	7183		
40	Ayush OPD cases per 10,000 population ***	339	596		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	56,516				
2	Sex Ratio	916				
B) Infrastructure Details (RHS 2021-22)						
3	Sub Centers (SC)	15				
4	Primary Health Centers(PHC)	6				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2021-22		2022-23		
8	Expected number of PW	1,185		1,175		
9	Expected number of Delivery	1,099		1,089		
			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
			Number	PC	Number	PC
10	PW register for ANC	1,129	95.2	1,177	100.2	ANC Check up in first trimester
11	Mothers registered in the first trimester	286	25.3	351	29.8	At least 4 ANC check up
12	Mothers who had 4 or more ANC check ups	963	85.3	770	65.4	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	676	59.9	775	65.8	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	1,051	93.1	1,045	88.8	Home Delivery
15	Home Delivery against expected delivery *	30	2.7	38	3.5	Institutional Delivery
16	Institutional Delivery against expected delivery *	1,018	92.6	1,079	99.1	Home Delivery by SBA
17	Home Delivery against reported delivery **	30	2.9	38	3.4	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	1,018	97.1	1,079	96.6	Breastfeed within 1 hour of birth
19	Total reported Deliveries	1,048		1,117		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	96.7	38	100.0	
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	242	23.1	25	2.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,078		1,068		
D) Child Immunization :			HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
23	Total reported live births	1,042	96.7	1,106	103.6	BCG
24	Total Still Birth	6	0.6	11	1.0	3 dose of DPT
25	Newborn weighted at birth to live birth	1,042	100.0	1,095	99.0	Measles First dose
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	86	8.3	99	9.0	3 doses of penta or hepatitis B vaccine
						81

27	Newborns breastfed within 1 hour to total reported live birth.	787	75.5	1,005	90.9	Full Immunization	55.4
28	Fully immunized	908	84.3	762	71.4		
29	Children who have received BCG	1,014	94.1	1,067	99.9		
30	Children who have received Pentavalent 1	872	80.9	869	81.4		
31	Children who have received Pentavalent 3	799	74.1	833	78.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	917	85.1	763	71.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	338		428			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2021-22)	HMIS (2022-23)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.5
35	Number of Tubectomies performed	84	94	Spacing	8.2
36	Number of IUD insertion	187	150	Women using any method	46.6
37	Number of IUD removals	165	159	Women using modern method	38.9
F) Service delivery		HMIS (2021-22)	HMIS (2022-23)		
38	IPD cases per 10,000 population ***	431	463		
39	General OPD cases per 10,000 population ***	9345	12642		
40	Ayush OPD cases per 10,000 population ***	275	404		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
41	Neonatal deaths within 24 hours	6	1		
42	Neonatal Deaths up to 4 weeks of birth	4	5		
43	Total Neonatal Death	10	6		
44	Deaths between (1 - 11) months	1	3		
45	Total reported infant deaths	11	9		
II)	Maternal Mortality	HMIS (2021-22)	HMIS (2022-23)		
	Maternal Deaths (In Numbers)	HMIS (2021-22)	HMIS (2022-23)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		