

Manipur Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	28,55,794					
2	Sex Ratio	987					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	416					
4	Primary Health Centers (PHC)	96					
5	Community Health Centers (CHC)	17					
6	SDH	1					
7	DH	7					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	50,144		49,927			
9	Expected number of Delivery	46,132		45,933			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	52,597	104.9	17,567	35.2	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	34,319	65.2	10,582	60.2	At least 4ANC check up	79.4
12	Mothers who had 4 or more ANC check ups	42,260	80.3	8,457	48.1	Neonatal tetanus received	88.9
13	PW who got TT 2 / Booster injection	30,787	58.5	8,768	49.9	100 IFA tablets consumed	52.3
14	PW who consumed 180 IFA tablets	38,894	73.9	9,392	53.5	Home Delivery	20.1
15	Home Delivery against expected delivery *	4,197	9.1	963	2.1	Institutional Delivery	79.9
16	Institutional Delivery against expected delivery *	31,169	67.6	6,759	14.7	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	4,197	11.9	963	12.5	PNC within 2days of delivery	73.4
18	Institutional Delivery against reported delivery **	31,169	88.1	6,759	87.5		
19	Total reported Deliveries	35,366		7,722			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,544	60.6	647	67.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,281	20.6	1,334	17.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	45,449		45,252			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	35,527	78.2	7,739	17.1	Breastfed within 1 hour of birth	53.7
24	Total Still Birth	200	0.4	45	0.6	BCG	95.4
25	PC of newborn weighted at birth to live birth	35,117	98.8	7,511	97.1	3 dose of DPT	81.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,085	5.9	427	5.7	Measles First dose	76.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	28,693	80.8	6,120	79.1	3 doses of penta or hepatitis B vaccine	80
28	Children fully immunized	34,055	74.9	8,334	18.4	Full Immunization	68.8
29	Children who have received BCG	39,078	86.0	8,839	19.5		
30	Children who have received Pentavalent 1	38,730	85.2	9,475	20.9		
31	Children who have received Pentavalent 3	35,548	78.2	9,465	20.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	34,477	75.9	8,523	18.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,664		2,731			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	10	2	Total unmet need	12.2
35	Number of Tubectomies performed	421	98	Spacing	4.7
36	Number of IUD insertion	1,630	397	Women using any method	61.3
37	Number of IUD removals	1,406	310	Women using modern method	18.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	384	68		
39	General OPD cases per 10,000 population ***	13351	1956		
40	Ayush OPD cases per 10,000 population ***	434	131		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	24	0		
42	Neonatal Deaths within 1 to 28 days	51	10		
43	Total Neonatal Death	75	10		
44	Deaths between (1 - 11) months	53	7		
45	Total reported infant deaths	128	17		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	4	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	8	0		
53	Total reported maternal deaths	14	0		

Bishnupur Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,37,399					
2	Sex Ratio	1,000					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	4,161		4,130			
9	Expected number of Delivery	3,828		3,799			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,718	113.4	1,360	32.9	ANC Check up in first trimester	84.2
11	Mothers registered in the first trimester	3,783	80.2	1,103	81.1	At least 4ANC check up	77.4
12	Mothers who had 4 or more ANC check ups	5,735	121.6	1,517	111.5	Neonatal tetanus received	88.8
13	PW who got TT 2 / Booster injection	2,613	55.4	734	54.0	100 IFA tablets consumed	57.4
14	PW who consumed 180 IFA tablets	4,528	96.0	1,312	96.5	Home Delivery	10.5
15	Home Delivery against expected delivery *	13	0.3	5	0.1	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	688	18.0	167	4.4	Home Delivery by SBA	3.1
17	Home Delivery against reported delivery **	13	1.9	5	2.9	PNC within 2days of delivery	79.0
18	Institutional Delivery against reported delivery **	688	98.1	167	97.1		
19	Total reported Deliveries	701		172			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	23.1	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	553	78.9	158	91.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,771		3,743			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	701	18.6	172	4.6	Breastfed within 1 hour of birth	48.1
24	Total Still Birth	2	0.1	0	0.0	BCG	96.1
25	PC of newborn weighted at birth to live birth	701	100.0	123	71.5	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.9	5	4.1	Measles First dose	70.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	687	98.0	117	68.0	3 doses of penta or hepatitis B vaccine	81.5
28	Children fully immunized	3,224	85.5	772	20.6	Full Immunization	66.6
29	Children who have received BCG	1,195	31.7	328	8.8		
30	Children who have received Pentavalent 1	3,176	84.2	886	23.7		
31	Children who have received Pentavalent 3	3,072	81.5	891	23.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,250	86.2	765	20.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,037		502			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	20
35	Number of Tubectomies performed	17	0	Spacing	5.7
36	Number of IUD insertion	82	20	Women using any method	46.3
37	Number of IUD removals	131	20	Women using modern method	21.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	218	34		
39	General OPD cases per 10,000 population ***	12519	3257		
40	Ayush OPD cases per 10,000 population ***	776	254		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Chandel Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,44,182					
2	Sex Ratio	932					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,348	1,346				
9	Expected number of Delivery	1,240	1,238				
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,289	95.6	302	22.4	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	890	69.0	214	70.9	At least 4ANC check up	66.6
12	Mothers who had 4 or more ANC check ups	791	61.4	230	76.2	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	579	44.9	172	57.0	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	749	58.1	167	55.3	Home Delivery	44.5
15	Home Delivery against expected delivery *	165	13.3	28	2.3	Institutional Delivery	55.5
16	Institutional Delivery against expected delivery *	403	32.5	106	8.6	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	165	29.0	28	20.9	PNC within 2days of delivery	55.0
18	Institutional Delivery against reported delivery **	403	71.0	106	79.1		
19	Total reported Deliveries	568		134			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	47.9	16	57.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	313	55.1	80	59.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,221		1,220			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	565	46.3	134	11.0	Breastfed within 1 hour of birth	55.1
24	Total Still Birth	3	0.2	0	0.0	BCG	96.5
25	PC of newborn weighted at birth to live birth	565	100.0	134	100.0	3 dose of DPT	76.6
26	PC of newborn having weight less than 2.5 ka to newborn weighted at birth.	11	1.9	4	3.0	Measles First dose	60.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	430	76.1	104	77.6	3 doses of penta or hepatitis B vaccine	76.2
28	Children fully immunized	754	61.7	185	15.2	Full Immunization	55.5
29	Children who have received BCG	812	66.5	187	15.3		
30	Children who have received Pentavalent 1	854	69.9	202	16.6		
31	Children who have received Pentavalent 3	812	66.5	221	18.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	754	61.7	185	15.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	100		30			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11
35	Number of Tubectomies performed	19	3	Spacing	4.8
36	Number of IUD insertion	19	1	Women using any method	56.6
37	Number of IUD removals	18	2	Women using modern method	23.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	178	45		
39	General OPD cases per 10,000 population ***	5369	1386		
40	Ayush OPD cases per 10,000 population ***	266	57		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Churachandpur Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,74,143					
2	Sex Ratio	969					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	4,130		4,113			
9	Expected number of Delivery	3,799		3,784			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,307	128.5	1,548	37.6	ANC Check up in first trimester	69.0
11	Mothers registered in the first trimester	3,487	65.7	1,096	70.8	At least 4ANC check up	61.3
12	Mothers who had 4 or more ANC check ups	4,602	86.7	783	50.6	Neonatal tetanus received	79.5
13	PW who got TT 2 / Booster injection	3,111	58.6	1,070	69.1	100 IFA tablets consumed	28.5
14	PW who consumed 180 IFA tablets	1,617	30.5	988	63.8	Home Delivery	27.1
15	Home Delivery against expected delivery *	267	7.0	87	2.3	Institutional Delivery	72.9
16	Institutional Delivery against expected delivery *	3,758	98.9	898	23.7	Home Delivery by SBA	7.1
17	Home Delivery against reported delivery **	267	6.6	87	8.8	PNC within 2days of delivery	58.2
18	Institutional Delivery against reported delivery **	3,758	93.4	898	91.2		
19	Total reported Deliveries	4,025		985			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	164	61.4	76	87.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	163	4.0	21	2.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,743		3,728			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,977	106.3	981	26.3	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	55	1.5	8	0.8	BCG	88.9
25	PC of newborn weighted at birth to live birth	3,977	100.0	972	99.1	3 dose of DPT	76.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	221	5.6	33	3.4	Measles First dose	71.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,685	92.7	926	94.4	3 doses of penta or hepatitis B vaccine	68.2
28	Children fully immunized	3,884	103.8	961	25.8	Full Immunization	64.9
29	Children who have received BCG	4,056	108.4	1,074	28.8		
30	Children who have received Pentavalent 1	4,276	114.2	1,080	29.0		
31	Children who have received Pentavalent 3	3,789	101.2	926	24.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,769	100.7	938	25.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,608		325			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	39	11	Spacing	4.2
36	Number of IUD insertion	591	128	Women using any method	61.8
37	Number of IUD removals	311	60	Women using modern method	22.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	702	186		
39	General OPD cases per 10,000 population ***	7453	2134		
40	Ayush OPD cases per 10,000 population ***	69	10		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths within 1 to 28 days	35	5		
43	Total Neonatal Death	39	5		
44	Deaths between (1 - 11) months	28	2		
45	Total reported infant deaths	67	7		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	2	0		

Imphal East Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,56,113					
2	Sex Ratio	1,011					
	B)Infrastructure Details (HDI 2022-23)	Number s					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	8,081	8,015				
9	Expected number of Delivery	7,435	7,373				
		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	8,092	100.1	5,074	63.3	ANC Check up in first trimester	78.6
11	Mothers registered in the first trimester	6,311	78.0	2,478	48.8	At least 4ANC check up	87.1
12	Mothers who had 4 or more ANC check ups	5,493	67.9	831	16.4	Neonatal tetanus received	89.1
13	PW who got TT 2 / Booster injection	4,095	50.6	1,148	22.6	100 IFA tablets consumed	55.8
14	PW who consumed 180 IFA tablets	9,820	121.4	1,124	22.2	Home Delivery	8.3
15	Home Delivery against expected delivery *	18	0.2	2	0.0	Institutional Delivery	91.7
16	Institutional Delivery against expected delivery *	6,498	87.4	1,233	16.7	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	18	0.3	2	0.2	PNC within 2days of delivery	85.4
18	Institutional Delivery against reported delivery **	6,498	99.7	1,233	99.8		
19	Total reported Deliveries	6,516		1,235			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	66.7	1	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,065	16.3	318	25.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,325		7,264			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	6,568	89.7	1,236	17.0	Breastfed within 1 hour of birth	47.4
24	Total Still Birth	36	0.5	13	1.1	BCG	100
25	PC of newborn weighted at birth to live birth	6,433	97.9	1,228	99.4	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	161	2.5	31	2.5	Measles First dose	81.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	6,295	95.8	1,182	95.6	3 doses of penta or hepatitis B vaccine	81.9
28	Children fully immunized	5,178	70.7	1,278	17.6	Full Immunization	76.2
29	Children who have received BCG	7,351	100.4	1,353	18.6		
30	Children who have received Pentavalent 1	6,034	82.4	1,417	19.5		
31	Children who have received Pentavalent 3	5,524	75.4	1,575	21.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,358	73.1	1,357	18.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	574		173			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.7
35	Number of Tubectomies performed	14	7	Spacing	5.4
36	Number of IUD insertion	117	24	Women using any method	50.1
37	Number of IUD removals	93	21	Women using modern method	16.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	167	45		
39	General OPD cases per 10,000 population ***	6740	1954		
40	Ayush OPD cases per 10,000 population ***	351	68		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	6	0		
42	Neonatal Deaths within 1 to 28 days	7	0		
43	Total Neonatal Death	13	0		
44	Deaths between (1 - 11) months	8	1		
45	Total reported infant deaths	21	1		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Imphal West Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	5,17,992					
2	Sex Ratio	1,029					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	9,243	9,177				
9	Expected number of Delivery	8,503	8,443				
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,821	106.3	3,227	35.2	ANC Check up in first trimester	83.2
11	Mothers registered in the first trimester	7,030	71.6	2,057	63.7	At least 4ANC check up	93.4
12	Mothers who had 4 or more ANC check ups	11,866	120.8	2,365	73.3	Neonatal tetanus received	92.7
13	PW who got TT 2 / Booster injection	6,099	62.1	1,708	52.9	100 IFA tablets consumed	60.9
14	PW who consumed 180 IFA tablets	4,424	45.0	1,038	32.2	Home Delivery	4.3
15	Home Delivery against expected delivery *	82	1.0	22	0.3	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	11,912	140.1	2,626	31.1	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	82	0.7	22	0.8	PNC within 2days of delivery	90.8
18	Institutional Delivery against reported delivery **	11,912	99.3	2,626	99.2		
19	Total reported Deliveries	11,994		2,648			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	67	81.7	20	90.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,269	10.6	121	4.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,377		8,318			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	12,118	144.7	2,656	31.9	Breastfed within 1 hour of birth	62.6
24	Total Still Birth	69	0.8	17	0.6	BCG	94.7
25	PC of newborn weighted at birth to live birth	12,104	99.9	2,655	100.0	3 dose of DPT	94.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,388	11.5	292	11.0	Measles First dose	88.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	7,785	64.2	1,685	63.4	3 doses of penta or hepatitis B vaccine	94.4
28	Children fully immunized	5,921	70.7	1,560	18.8	Full Immunization	74.1
29	Children who have received BCG	11,929	142.4	2,628	31.6		
30	Children who have received Pentavalent 1	6,608	78.9	1,538	18.5		
31	Children who have received Pentavalent 3	5,966	71.2	1,767	21.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,001	71.6	1,556	18.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,253		285			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	12.5
35	Number of Tubectomies performed	274	70	Spacing	6.4
36	Number of IUD insertion	191	41	Women using any method	69.9
37	Number of IUD removals	165	29	Women using modern method	16.4

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	1059	127		
39	General OPD cases per 10,000 population ***	42476	2337		
40	Ayush OPD cases per 10,000 population ***	992	399		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths within 1 to 28 days	5	2		
43	Total Neonatal Death	9	2		
44	Deaths between (1 - 11) months	5	4		
45	Total reported infant deaths	14	6		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	7	0		
53	Total reported maternal deaths	10	0		

Jiribam Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	6					
4	Primary Health Centers (PHC)	1					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	797		791			
9	Expected number of Delivery	734		728			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	580	72.7	190	24.0	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	167	28.8	79	41.6	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	9	1.6	29	15.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	406	70.0	137	72.1	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	236	40.7	175	92.1	Home Delivery	NA
15	Home Delivery against expected delivery *	1	0.1	0	0.0	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	14	1.9	2	0.3	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	1	6.7	0	0.0	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	14	93.3	2	100.0		
19	Total reported Deliveries	15		2			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	723		717			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	15	2.1	2	0.3	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	15	100.0	2	100.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	15	100.0	2	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	244	33.8	144	20.1	Full Immunization	NA
29	Children who have received BCG	99	13.7	89	12.4		
30	Children who have received Pentavalent 1	367	50.8	152	21.2		
31	Children who have received Pentavalent 3	235	32.5	80	11.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	244	33.8	263	36.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5		18			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	0	0	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	32	14		
39	General OPD cases per 10,000 population ***	1990	261		
40	Ayush OPD cases per 10,000 population ***	0	0		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kakching Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,503		2,484			
9	Expected number of Delivery	2,302		2,285			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,237	129.3	963	38.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	1,764	54.5	623	64.7	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	2,231	68.9	173	18.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	1,411	43.6	406	42.2	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	2,799	86.5	803	83.4	Home Delivery	NA
15	Home Delivery against expected delivery *	28	1.2	9	0.4	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	365	15.9	70	3.1	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	28	7.1	9	11.4	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	365	92.9	70	88.6		
19	Total reported Deliveries	393		79			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	7.1	2	22.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	330	84.0	51	64.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,268		2,251			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	411	18.1	83	3.7	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.1	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	309	75.2	79	95.2	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	4.9	1	1.3	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	366	89.1	77	92.8	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	1,728	76.2	398	17.7	Full Immunization	NA
29	Children who have received BCG	719	31.7	195	8.7		
30	Children who have received Pentavalent 1	1,846	81.4	529	23.5		
31	Children who have received Pentavalent 3	1,765	77.8	504	22.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,677	73.9	384	17.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	786		191			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	20	12	Women using any method	NA
37	Number of IUD removals	42	17	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	514	92		
39	General OPD cases per 10,000 population ***	7225	1854		
40	Ayush OPD cases per 10,000 population ***	826	193		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kamjong Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	871		877			
9	Expected number of Delivery	802		807			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	355	40.7	66	7.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	117	33.0	19	28.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	201	56.6	46	69.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	207	58.3	43	65.2	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	272	76.6	59	89.4	Home Delivery	NA
15	Home Delivery against expected delivery *	127	15.8	30	3.7	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	46	5.7	18	2.2	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	127	73.4	30	62.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	46	26.6	18	37.5		
19	Total reported Deliveries	173		48			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	30.7	11	36.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	35	20.2	13	27.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	790		795			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	175	22.2	48	6.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	169	96.6	46	95.8	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	169	96.6	45	93.8	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	364	46.1	65	8.2	Full Immunization	NA
29	Children who have received BCG	268	33.9	54	6.8		
30	Children who have received Pentavalent 1	388	49.1	65	8.2		
31	Children who have received Pentavalent 3	352	44.6	76	9.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	361	45.7	65	8.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	35		16			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	5	1	Women using any method	NA
37	Number of IUD removals	4	0	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	54	15		
39	General OPD cases per 10,000 population ***	2634	484		
40	Ayush OPD cases per 10,000 population ***	37	2		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	2	1		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kangpokpi Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,734	2,739				
9	Expected number of Delivery	2,515	2,520				
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,133	78.0	662	24.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	1,246	58.4	361	54.5	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	807	37.8	239	36.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	1,132	53.1	366	55.3	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	788	36.9	251	37.9	Home Delivery	NA
15	Home Delivery against expected delivery *	578	23.0	112	4.4	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	489	19.4	70	2.8	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	578	54.2	112	61.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	489	45.8	70	38.5		
19	Total reported Deliveries	1,067		182			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	406	70.2	77	68.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	478	44.8	106	58.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,478		2,483			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,068	43.1	183	7.4	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.1	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	1,038	97.2	182	99.5	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.9	2	1.1	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,034	96.8	182	99.5	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	2,078	83.9	444	17.9	Full Immunization	NA
29	Children who have received BCG	1,992	80.4	460	18.5		
30	Children who have received Pentavalent 1	2,344	94.6	568	22.9		
31	Children who have received Pentavalent 3	2,153	86.9	505	20.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,089	84.3	460	18.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	862		319			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	75	20	Women using any method	NA
37	Number of IUD removals	79	19	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	120	31		
39	General OPD cases per 10,000 population ***	3322	1065		
40	Ayush OPD cases per 10,000 population ***	176	17		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	3	0		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Noney Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	758		760			
9	Expected number of Delivery	697		699			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,149	151.6	300	39.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	460	40.0	103	34.3	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	799	69.5	174	58.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	626	54.5	170	56.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	784	68.2	262	87.3	Home Delivery	NA
15	Home Delivery against expected delivery *	168	24.1	35	5.0	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	212	30.4	46	6.6	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	168	44.2	35	43.2	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	212	55.8	46	56.8		
19	Total reported Deliveries	380		81			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	11.9	3	8.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	2.4	2	2.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	687		689			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	382	55.6	81	11.8	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	352	92.1	70	86.4	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.7	2	2.9	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	337	88.2	66	81.5	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	515	75.0	152	22.1	Full Immunization	NA
29	Children who have received BCG	428	62.3	113	16.4		
30	Children who have received Pentavalent 1	700	101.9	194	28.2		
31	Children who have received Pentavalent 3	580	84.4	185	26.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	518	75.4	153	22.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		52			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	111	49	Women using any method	NA
37	Number of IUD removals	91	25	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	86	16		
39	General OPD cases per 10,000 population ***	3901	1097		
40	Ayush OPD cases per 10,000 population ***	0	0		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Pherzawl Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	689		686			
9	Expected number of Delivery	634		631			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	363	52.7	120	17.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	165	45.5	49	40.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	225	62.0	55	45.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	146	40.2	48	40.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	169	46.6	75	62.5	Home Delivery	NA
15	Home Delivery against expected delivery *	40	6.3	7	1.1	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	87	13.7	30	4.8	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	40	31.5	7	18.9	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	87	68.5	30	81.1		
19	Total reported Deliveries	127		37			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	12.5	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23	18.1	8	21.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	624		622			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	127	20.3	35	5.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	2	5.7	BCG	NA
25	PC of newborn weighted at birth to live birth	90	70.9	28	80.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	14.4	1	3.6	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	107	84.3	35	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	130	20.8	39	6.3	Full Immunization	NA
29	Children who have received BCG	148	23.7	41	6.6		
30	Children who have received Pentavalent 1	179	28.7	68	10.9		
31	Children who have received Pentavalent 3	142	22.7	57	9.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	130	20.8	44	7.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	57		29			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	2	0	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	78	27		
39	General OPD cases per 10,000 population ***	1577	436		
40	Ayush OPD cases per 10,000 population ***	93	19		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	3	0		
43	Total Neonatal Death	4	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	6	0		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,79,148					
2	Sex Ratio	939					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	31					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	5,175		5,185			
9	Expected number of Delivery	4,761		4,770			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,299	102.4	1,220	23.5	ANC Check up in first trimester	73.9
11	Mothers registered in the first trimester	2,031	38.3	535	43.9	At least 4ANC check up	64.9
12	Mothers who had 4 or more ANC check ups	2,266	42.8	620	50.8	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	4,679	88.3	1,122	92.0	100 IFA tablets consumed	28.4
14	PW who consumed 180 IFA tablets	5,511	104.0	1,255	102.9	Home Delivery	54.2
15	Home Delivery against expected delivery *	1,961	41.2	451	9.5	Institutional Delivery	45.8
16	Institutional Delivery against expected delivery *	1,878	39.4	413	8.7	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	1,961	51.1	451	52.2	PNC within 2days of delivery	37.0
18	Institutional Delivery against reported delivery **	1,878	48.9	413	47.8		
19	Total reported Deliveries	3,839		864			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,390	70.9	368	81.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	894	23.3	282	32.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,690		4,700			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,850	82.1	874	18.6	Breastfed within 1 hour of birth	57.6
24	Total Still Birth	19	0.4	0	0.0	BCG	87.2
25	PC of newborn weighted at birth to live birth	3,829	99.5	866	99.1	3 dose of DPT	77.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	28	0.7	13	1.5	Measles First dose	75.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,659	95.0	834	95.4	3 doses of penta or hepatitis B vaccine	77.2
28	Children fully immunized	3,211	68.5	761	16.2	Full Immunization	65
29	Children who have received BCG	3,894	83.0	897	19.1		
30	Children who have received Pentavalent 1	3,843	81.9	857	18.2		
31	Children who have received Pentavalent 3	3,731	79.6	838	17.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,478	74.2	806	17.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	374		116			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	29	0	Spacing	4.1
36	Number of IUD insertion	64	12	Women using any method	65.2
37	Number of IUD removals	53	21	Women using modern method	17.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	161	23		
39	General OPD cases per 10,000 population ***	4505	1283		
40	Ayush OPD cases per 10,000 population ***	29	6		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	0		

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,651					
2	Sex Ratio	953					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,122		1,125			
9	Expected number of Delivery	1,032		1,035			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,347	120.1	287	25.5	ANC Check up in first trimester	69.4
11	Mothers registered in the first trimester	838	62.2	174	60.6	At least 4ANC check up	56.4
12	Mothers who had 4 or more ANC check ups	725	53.8	111	38.7	Neonatal tetanus received	81.0
13	PW who got TT 2 / Booster injection	774	57.5	250	87.1	100 IFA tablets consumed	31.0
14	PW who consumed 180 IFA tablets	1,011	75.1	250	87.1	Home Delivery	42.3
15	Home Delivery against expected delivery *	309	29.9	93	9.0	Institutional Delivery	57.7
16	Institutional Delivery against expected delivery *	496	48.1	91	8.8	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	309	38.4	93	50.5	PNC within 2days of delivery	52.7
18	Institutional Delivery against reported delivery **	496	61.6	91	49.5		
19	Total reported Deliveries	805		184			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	59	19.1	10	10.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	151	18.8	34	18.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,017		1,019			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	799	78.6	182	17.9	Breastfed within 1 hour of birth	62.9
24	Total Still Birth	8	0.8	2	1.1	BCG	91.2
25	PC of newborn weighted at birth to live birth	785	98.2	179	98.4	3 dose of DPT	78.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	2.9	8	4.5	Measles First dose	77.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	698	87.4	177	97.3	3 doses of penta or hepatitis B vaccine	73.4
28	Children fully immunized	762	75.0	179	17.6	Full Immunization	67.4
29	Children who have received BCG	807	79.4	165	16.2		
30	Children who have received Pentavalent 1	1,031	101.4	179	17.6		
31	Children who have received Pentavalent 3	875	86.1	226	22.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	763	75.1	179	17.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	722		202			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.4
35	Number of Tubectomies performed	9	0	Spacing	3.2
36	Number of IUD insertion	254	61	Women using any method	65.2
37	Number of IUD removals	261	65	Women using modern method	22.2

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	269	70		
39	General OPD cases per 10,000 population ***	3876	964		
40	Ayush OPD cases per 10,000 population ***	89	49		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	7	0		
42	Neonatal Deaths within 1 to 28 days	1	2		
43	Total Neonatal Death	8	2		
44	Deaths between (1 - 11) months	6	0		
45	Total reported infant deaths	14	2		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	0		

Tengnoupal Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	9					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	919		917			
9	Expected number of Delivery	845		844			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	780	84.9	301	32.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	512	65.6	231	76.7	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	519	66.5	156	51.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	665	85.3	231	76.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	617	79.1	171	56.8	Home Delivery	NA
15	Home Delivery against expected delivery *	224	26.5	21	2.5	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	84	9.9	35	4.1	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	224	72.7	21	37.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	84	27.3	35	62.5		
19	Total reported Deliveries	308		56			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	197	87.9	19	90.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	60	19.5	29	51.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	832		831			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	310	37.2	56	6.7	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	291	93.9	55	98.2	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	2.7	0	0.0	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	293	94.5	54	96.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	620	74.5	119	14.3	Full Immunization	NA
29	Children who have received BCG	623	74.8	158	19.0		
30	Children who have received Pentavalent 1	668	80.2	144	17.3		
31	Children who have received Pentavalent 3	671	80.6	113	13.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	619	74.4	119	14.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	103		28			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	8	2	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	30	25		
39	General OPD cases per 10,000 population ***	3670	706		
40	Ayush OPD cases per 10,000 population ***	252	17		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Thoubal Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,22,168					
2	Sex Ratio	1,006					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	5,116	5,078				
9	Expected number of Delivery	4,707	4,672				
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,784	113.1	1,474	29.0	ANC Check up in first trimester	90.6
11	Mothers registered in the first trimester	4,544	78.6	1,206	81.8	At least 4ANC check up	89.9
12	Mothers who had 4 or more ANC check ups	4,077	70.5	792	53.7	Neonatal tetanus received	92.9
13	PW who got TT 2 / Booster injection	3,329	57.6	947	64.2	100 IFA tablets consumed	68.5
14	PW who consumed 180 IFA tablets	5,120	88.5	1,355	91.9	Home Delivery	12.2
15	Home Delivery against expected delivery *	10	0.2	6	0.1	Institutional Delivery	87.8
16	Institutional Delivery against expected delivery *	2,942	62.5	691	14.8	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	10	0.3	6	0.9	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	2,942	99.7	691	99.1		
19	Total reported Deliveries	2,952		697			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	70.0	3	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	513	17.4	102	14.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,637		4,603			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,960	63.8	698	15.2	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	1	0.0	3	0.4	BCG	98.7
25	PC of newborn weighted at birth to live birth	2,960	100.0	574	82.2	3 dose of DPT	84.6
26	PC of newborn having weight less than 2.5 ka to newborn weighted at birth.	115	3.9	28	4.9	Measles First dose	77.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,646	55.6	316	45.3	3 doses of penta or hepatitis B vaccine	83.2
28	Children fully immunized	4,366	94.2	983	21.4	Full Immunization	74.2
29	Children who have received BCG	3,147	67.9	764	16.6		
30	Children who have received Pentavalent 1	4,995	107.7	1,261	27.4		
31	Children who have received Pentavalent 3	4,701	101.4	1,187	25.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,391	94.7	956	20.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	841		437			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	7	0	Total unmet need	6
35	Number of Tubectomies performed	16	0	Spacing	2.3
36	Number of IUD insertion	71	13	Women using any method	72.2
37	Number of IUD removals	81	19	Women using modern method	17.8

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	157	51		
39	General OPD cases per 10,000 population ***	11051	3232		
40	Ayush OPD cases per 10,000 population ***	517	107		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Ukhrul Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,83,998					
2	Sex Ratio	948					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,550		2,567			
9	Expected number of Delivery	2,346		2,362			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,343	91.9	473	18.4	ANC Check up in first trimester	58.3
11	Mothers registered in the first trimester	974	41.6	254	53.7	At least 4ANC check up	38.8
12	Mothers who had 4 or more ANC check ups	1,914	81.7	336	71.0	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	915	39.1	216	45.7	100 IFA tablets consumed	25.1
14	PW who consumed 180 IFA tablets	449	19.2	107	22.6	Home Delivery	55.4
15	Home Delivery against expected delivery *	206	8.8	55	2.3	Institutional Delivery	44.6
16	Institutional Delivery against expected delivery *	1,297	55.3	263	11.1	Home Delivery by SBA	9.9
17	Home Delivery against reported delivery **	206	13.7	55	17.3	PNC within 2days of delivery	44.9
18	Institutional Delivery against reported delivery **	1,297	86.3	263	82.7		
19	Total reported Deliveries	1,503		318			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	93	45.1	41	74.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,425	94.8	9	2.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,311		2,327			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,501	64.9	318	13.7	Breastfed within 1 hour of birth	63.6
24	Total Still Birth	3	0.1	0	0.0	BCG	91.5
25	PC of newborn weighted at birth to live birth	1,499	99.9	318	100.0	3 dose of DPT	53.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	56	3.7	7	2.2	Measles First dose	53.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,487	99.1	318	100.0	3 doses of penta or hepatitis B vaccine	51.2
28	Children fully immunized	1,076	46.6	294	12.6	Full Immunization	39.4
29	Children who have received BCG	1,610	69.7	333	14.3		
30	Children who have received Pentavalent 1	1,421	61.5	335	14.4		
31	Children who have received Pentavalent 3	1,180	51.1	314	13.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,075	46.5	293	12.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5		8			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	12.7
35	Number of Tubectomies performed	4	7	Spacing	5.2
36	Number of IUD insertion	30	15	Women using any method	56.9
37	Number of IUD removals	67	10	Women using modern method	12.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	127	32		
39	General OPD cases per 10,000 population ***	3786	931		
40	Ayush OPD cases per 10,000 population ***	43	2		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		