

Manipur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	28,55,794					
1	Population 2011	28,55,794					
2	Sex Ratio	987					
B) Infrastructure Details (HDI 2022-23)	Numbers						
3	Sub Centers (SC)	416					
4	Primary Health Centers (PHC)	96					
5	Community Health Centers (CHC)	17					
6	SDH	1					
7	DH	7					
C) Maternal Health:	2024-25	2025-26					
8	Expected number of PW	50,144	49,927				
9	Expected number of Delivery	46,132	45,933				
	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)				
	Number	PC	Number	PC			
10	PW register for ANC	52,597	104.9	35,532	71.2	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	34,319	65.2	20,053	56.4	At least 4ANC check up	79.4
12	Mothers who had 4 or more ANC check ups	42,260	80.3	19,365	54.5	Neonatal tetanus received	88.9
13	PW who got TT 2 / Booster injection	30,787	58.5	18,518	52.1	100 IFA tablets consumed	52.3
14	PW who consumed 180 IFA tablets	38,894	73.9	23,026	64.8	Home Delivery	20.1
15	Home Delivery against expected delivery *	4,197	9.1	2,028	4.4	Institutional Delivery	79.9
16	Institutional Delivery against expected delivery *	31,169	67.6	14,303	31.1	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	4,197	11.9	2,028	12.4	PNC within 2days of delivery	73.4
18	Institutional Delivery against reported delivery **	31,169	88.1	14,303	87.6		
19	Total reported Deliveries	35,366		16,331			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,544	60.6	1,357	66.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,281	20.6	2,496	15.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.							
22	Expected number of Live Birth	45,449		45,252			
D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)				
	Number	PC	Number	PC			
23	Total reported live births	35,527	78.2	16,399	36.2	Breastfed within 1 hour of birth	53.7
24	Total Still Birth	200	0.4	85	0.5	BCG	95.4
25	PC of newborn weighted at birth to live birth	35,117	98.8	16,057	97.9	3 dose of DPT	81.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,085	5.9	1,006	6.3	Measles First dose	76.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	28,693	80.8	12,949	79.0	3 doses of penta or hepatitis B vaccine	80
28	Children fully immunized	34,055	74.9	18,352	40.6	Full Immunization	68.8
29	Children who have received BCG	39,078	86.0	18,134	40.1		
30	Children who have received Pentavalent 1	38,730	85.2	18,201	40.2		
31	Children who have received Pentavalent 3	35,548	78.2	19,077	42.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	34,477	75.9	18,669	41.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,664		5,442			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	10	3	Total unmet need	12.2
35	Number of Tubectomies performed	421	227	Spacing	4.7
36	Number of IUD insertion	1,630	767	Women using any method	61.3
37	Number of IUD removals	1,406	643	Women using modern method	18.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	384	141		
39	General OPD cases per 10,000 population ***	13351	3973		
40	Ayush OPD cases per 10,000 population ***	434	284		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	24	4	
42	Neonatal Deaths within 1 to 28 days	51	24	
43	Total Neonatal Death	75	28	
44	Deaths between (1 - 11) months	53	16	
45	Total reported infant deaths	128	44	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	4	5	
48	Due to Pregnancy related infection and sepsis, Fever	1	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	2	
52	Due to Other/Unknown Causes	8	0	
53	Total reported maternal deaths	14	7	

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number					
1	Population 2011	2,37,399					
2	Sex Ratio	1,000					
	B) Infrastructure Details (HDI 2022-23)	Number					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	4,161	4,130				
9	Expected number of Delivery	3,828	3,799				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	4,718	113.4	2,577	62.4	ANC Check up in first trimester	84.2
11	Mothers registered in the first trimester	3,783	80.2	2,039	79.1	At least 4ANC check up	77.4
12	Mothers who had 4 or more ANC check ups	5,735	121.6	3,453	134.0	Neonatal tetanus received	88.8
13	PW who got TT 2 / Booster injection	2,613	55.4	1,662	64.5	100 IFA tablets consumed	57.4
14	PW who consumed 180 IFA tablets	4,528	96.0	3,007	116.7	Home Delivery	10.5
15	Home Delivery against expected delivery *	13	0.3	19	0.5	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	688	18.0	341	9.0	Home Delivery by SBA	3.1
17	Home Delivery against reported delivery **	13	1.9	19	5.3	PNC within 2days of delivery	79.0
18	Institutional Delivery against reported delivery **	688	98.1	341	94.7		
19	Total reported Deliveries	701		360			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	23.1	5	26.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	553	78.9	289	80.3		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>							
22	Expected number of Live Birth	3,771		3,743			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	701	18.6	359	9.6	Breastfed within 1 hour of birth	48.1
24	Total Still Birth	2	0.1	1	0.3	BCG	96.1
25	PC of newborn weighted at birth to live birth	701	100.0	310	86.4	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.9	16	5.2	Measles First dose	70.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	687	98.0	298	83.0	3 doses of penta or hepatitis B vaccine	81.5
28	Children fully immunized	3,224	85.5	1,610	43.0	Full Immunization	66.6
29	Children who have received BCG	1,195	31.7	623	16.6		
30	Children who have received Pentavalent 1	3,176	84.2	1,638	43.8		
31	Children who have received Pentavalent 3	3,072	81.5	1,751	46.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,250	86.2	1,615	43.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,037		967			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	3	1	Total unmet need	20
35	Number of Tubectomies performed	17	5	Spacing	5.7
36	Number of IUD insertion	82	51	Women using any method	46.3
37	Number of IUD removals	131	33	Women using modern method	21.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	218	82		
39	General OPD cases per 10,000 population ***	12519	6366		
40	Ayush OPD cases per 10,000 population ***	776	547		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number					
1	Population 2011	1,44,182					
2	Sex Ratio	932					
	B) Infrastructure Details (HDI 2022-23)	Number					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	1,348	1,346				
9	Expected number of Delivery	1,240	1,238				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,289	95.6	626	46.5	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	890	69.0	423	67.6	At least 4ANC check up	66.6
12	Mothers who had 4 or more ANC check ups	791	61.4	449	71.7	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	579	44.9	348	55.6	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	749	58.1	444	70.9	Home Delivery	44.5
15	Home Delivery against expected delivery *	165	13.3	52	4.2	Institutional Delivery	55.5
16	Institutional Delivery against expected delivery *	403	32.5	216	17.4	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	165	29.0	52	19.4	PNC within 2days of delivery	55.0
18	Institutional Delivery against reported delivery **	403	71.0	216	80.6		
19	Total reported Deliveries	568		268			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	47.9	24	46.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	313	55.1	155	57.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22	Expected number of Live Birth	1,221		1,220			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	565	46.3	269	22.1	Breastfed within 1 hour of birth	55.1
24	Total Still Birth	3	0.2	0	0.0	BCG	96.5
25	PC of newborn weighted at birth to live birth	565	100.0	269	100.0	3 dose of DPT	76.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.9	5	1.9	Measles First dose	60.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	430	76.1	213	79.2	3 doses of penta or hepatitis B vaccine	76.2
28	Children fully immunized	754	61.7	440	36.1	Full Immunization	55.5
29	Children who have received BCG	812	66.5	373	30.6		
30	Children who have received Pentavalent 1	854	69.9	412	33.8		
31	Children who have received Pentavalent 3	812	66.5	412	33.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	754	61.7	440	36.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	100		82			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11
35	Number of Tubectomies performed	19	5	Spacing	4.8
36	Number of IUD insertion	19	4	Women using any method	56.6
37	Number of IUD removals	18	8	Women using modern method	23.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	178	110		
39	General OPD cases per 10,000 population ***	5369	2938		
40	Ayush OPD cases per 10,000 population ***	266	125		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number					
1	Population 2011	2,74,143					
2	Sex Ratio	969					
	B) Infrastructure Details (HDI 2022-23)	Number					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	4,130	4,113				
9	Expected number of Delivery	3,799	3,784				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	5,307	128.5	2,866	69.7	ANC Check up in first trimester	69.0
11	Mothers registered in the first trimester	3,487	65.7	2,082	72.6	At least 4ANC check up	61.3
12	Mothers who had 4 or more ANC check ups	4,602	86.7	1,706	59.5	Neonatal tetanus received	79.5
13	PW who got TT 2 / Booster injection	3,111	58.6	2,037	71.1	100 IFA tablets consumed	28.5
14	PW who consumed 180 IFA tablets	1,617	30.5	2,466	86.0	Home Delivery	27.1
15	Home Delivery against expected delivery *	267	7.0	156	4.1	Institutional Delivery	72.9
16	Institutional Delivery against expected delivery *	3,758	98.9	1,990	52.6	Home Delivery by SBA	7.1
17	Home Delivery against reported delivery **	267	6.6	156	7.3	PNC within 2days of delivery	58.2
18	Institutional Delivery against reported delivery **	3,758	93.4	1,990	92.7		
19	Total reported Deliveries	4,025		2,146			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	164	61.4	138	88.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	163	4.0	28	1.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.							
22	Expected number of Live Birth	3,743		3,728			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	3,977	106.3	2,139	57.4	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	55	1.5	12	0.6	BCG	88.9
25	PC of newborn weighted at birth to live birth	3,977	100.0	2,127	99.4	3 dose of DPT	76.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	221	5.6	91	4.3	Measles First dose	71.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,685	92.7	1,987	92.9	3 doses of penta or hepatitis B vaccine	68.2
28	Children fully immunized	3,884	103.8	1,922	51.6	Full Immunization	64.9
29	Children who have received BCG	4,056	108.4	2,015	54.0		
30	Children who have received Pentavalent 1	4,276	114.2	2,018	54.1		
31	Children who have received Pentavalent 3	3,789	101.2	1,920	51.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,769	100.7	1,905	51.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,608		733			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	39	12	Spacing	4.2
36	Number of IUD insertion	591	176	Women using any method	61.8
37	Number of IUD removals	311	110	Women using modern method	22.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	702	400		
39	General OPD cases per 10,000 population ***	7453	4547		
40	Ayush OPD cases per 10,000 population ***	69	27		

G) Mortality Details						
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR			
41	Neonatal death within 24 hours	4	3			
42	Neonatal Deaths within 1 to 28 days	35	11			
43	Total Neonatal Death	39	14			
44	Deaths between (1 - 11) months	28	4			
45	Total reported infant deaths	67	18			
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR			
46	Due to APH (Antepartum Haemorrhage)	0	0			
47	Due to PPH (Post-Partum Haemorrhage)	2	2			
48	Due to Pregnancy related infection and sepsis, Fever	0	0			
49	Due to Abortive complication	0	0			
50	Due to Obstructed/prolonged labour	0	0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1			
52	Due to Other/Unknown Causes	0	0			
53	Total reported maternal deaths	2	3			

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number				
1	Population 2011	4,56,113				
2	Sex Ratio	1,011	Number s			
	B) Infrastructure Details (HDI 2022-23)					
3	Sub Centers (SC)	43				
4	Primary Health Centers (PHC)	14				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	0				
C)	Maternal Health:	2024-25	2025-26			
8	Expected number of PW	8,081	8,015			
9	Expected number of Delivery	7,435	7,373			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
10	PW register for ANC	8,092	100.1	10,306	128.6	ANC Check up in first trimester 78.6
11	Mothers registered in the first trimester	6,311	78.0	4,547	44.1	At least 4ANC check up 87.1
12	Mothers who had 4 or more ANC check ups	5,493	67.9	2,154	20.9	Neonatal tetanus received 89.1
13	PW who got TT 2 / Booster injection	4,095	50.6	2,223	21.6	100 IFA tablets consumed 55.8
14	PW who consumed 180 IFA tablets	9,820	121.4	3,914	38.0	Home Delivery 8.3
15	Home Delivery against expected delivery *	18	0.2	9	0.1	Institutional Delivery 91.7
16	Institutional Delivery against expected delivery *	6,498	87.4	2,707	36.7	Home Delivery by SBA 1.6
17	Home Delivery against reported delivery **	18	0.3	9	0.3	PNC within 2days of delivery 85.4
18	Institutional Delivery against reported delivery **	6,498	99.7	2,707	99.7	
19	Total reported Deliveries	6,516		2,716		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	66.7	5	55.6	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,065	16.3	613	22.6	
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</p>						
22	Expected number of Live Birth	7,325		7,264		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
23	Total reported live births	6,568	89.7	2,725	37.5	Breastfed within 1 hour of birth 47.4
24	Total Still Birth	36	0.5	25	0.9	BCG 100
25	PC of newborn weighted at birth to live birth	6,433	97.9	2,702	99.2	3 dose of DPT 83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	161	2.5	53	2.0	Measles First dose 81.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	6,295	95.8	2,594	95.2	3 doses of penta or hepatitis B vaccine	81.9
28	Children fully immunized	5,178	70.7	2,911	40.1	Full Immunization	76.2
29	Children who have received BCG	7,351	100.4	2,975	41.0		
30	Children who have received Pentavalent 1	6,034	82.4	2,846	39.2		
31	Children who have received Pentavalent 3	5,524	75.4	3,127	43.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,358	73.1	3,006	41.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	574		366			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.7
35	Number of Tubectomies performed	14	14	Spacing	5.4
36	Number of IUD insertion	117	45	Women using any method	50.1
37	Number of IUD removals	93	56	Women using modern method	16.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	167	106		
39	General OPD cases per 10,000 population ***	6740	4151		
40	Ayush OPD cases per 10,000 population ***	351	169		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	6	0		
42	Neonatal Deaths within 1 to 28 days	7	0		
43	Total Neonatal Death	13	0		
44	Deaths between (1 - 11) months	8	1		
45	Total reported infant deaths	21	1		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number				
1	Population 2011	5,17,992				
2	Sex Ratio	1,029				
	B) Infrastructure Details (HDI 2022-23)	Number				
3	Sub Centers (SC)	54				
4	Primary Health Centers (PHC)	13				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	0				
	C) Maternal Health:	2024-25	2025-26			
8	Expected number of PW	9,243	9,177			
9	Expected number of Delivery	8,503	8,443			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)		
		Number	PC	Number	PC	
10	PW register for ANC	9,821	106.3	6,604	72.0	ANC Check up in first trimester 83.2
11	Mothers registered in the first trimester	7,030	71.6	3,795	57.5	At least 4ANC check up 93.4
12	Mothers who had 4 or more ANC check ups	11,866	120.8	5,290	80.1	Neonatal tetanus received 92.7
13	PW who got TT 2 / Booster injection	6,099	62.1	3,540	53.6	100 IFA tablets consumed 60.9
14	PW who consumed 180 IFA tablets	4,424	45.0	2,528	38.3	Home Delivery 4.3
15	Home Delivery against expected delivery *	82	1.0	45	0.5	Institutional Delivery 95.7
16	Institutional Delivery against expected delivery *	11,912	140.1	5,435	64.4	Home Delivery by SBA 2.3
17	Home Delivery against reported delivery **	82	0.7	45	0.8	PNC within 2days of delivery 90.8
18	Institutional Delivery against reported delivery **	11,912	99.3	5,435	99.2	
19	Total reported Deliveries	11,994		5,480		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	67	81.7	36	80.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,269	10.6	217	4.0	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	8,377		8,318			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	12,118	144.7	5,530	66.5	Breastfed within 1 hour of birth	62.6
24	Total Still Birth	69	0.8	34	0.6	BCG	94.7
25	PC of newborn weighted at birth to live birth	12,104	99.9	5,508	99.6	3 dose of DPT	94.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,388	11.5	621	11.3	Measles First dose	88.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	7,785	64.2	3,411	61.7	3 doses of penta or hepatitis B vaccine	94.4
28	Children fully immunized	5,921	70.7	3,374	40.6	Full Immunization	74.1
29	Children who have received BCG	11,929	142.4	5,546	66.7		
30	Children who have received Pentavalent 1	6,608	78.9	2,974	35.8		
31	Children who have received Pentavalent 3	5,966	71.2	3,364	40.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,001	71.6	3,337	40.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,253		554			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	12.5
35	Number of Tubectomies performed	274	166	Spacing	6.4
36	Number of IUD insertion	191	134	Women using any method	69.9
37	Number of IUD removals	165	79	Women using modern method	16.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1059	224		
39	General OPD cases per 10,000 population ***	42476	4332		
40	Ayush OPD cases per 10,000 population ***	992	805		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths within 1 to 28 days	5	8		
43	Total Neonatal Death	9	8		
44	Deaths between (1 - 11) months	5	6		
45	Total reported infant deaths	14	14		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	3		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1		
52	Due to Other/Unknown Causes	7	0		
53	Total reported maternal deaths	10	4		

Jiribam Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
	B) Infrastructure Details (HDI 2022-23)	Number s				
3	Sub Centers (SC)	6				
4	Primary Health Centers (PHC)	1				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	0				
	C) Maternal Health:	2024-25	2025-26			
8	Expected number of PW	797	791			
9	Expected number of Delivery	734	728			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)		
		Number	PC	Number	PC	
10	PW register for ANC	580	72.7	331	41.9	ANC Check up in first trimester
11	Mothers registered in the first trimester	167	28.8	174	52.6	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	9	1.6	79	23.9	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	406	70.0	315	95.2	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	236	40.7	340	102.7	Home Delivery
15	Home Delivery against expected delivery *	1	0.1	0	0.0	Institutional Delivery
16	Institutional Delivery against expected delivery *	14	1.9	3	0.4	Home Delivery by SBA
17	Home Delivery against reported delivery **	1	6.7	0	0.0	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	14	93.3	3	100.0	
19	Total reported Deliveries	15		3		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	0	-	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	723		717			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	15	2.1	3	0.4	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	15	100.0	3	100.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	15	100.0	3	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	244	33.8	297	41.4	Full Immunization	NA
29	Children who have received BCG	99	13.7	131	18.3		
30	Children who have received Pentavalent 1	367	50.8	260	36.3		
31	Children who have received Pentavalent 3	235	32.5	185	25.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	244	33.8	525	73.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5		18			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	0	0	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	32	20		
39	General OPD cases per 10,000 population ***	1990	637		
40	Ayush OPD cases per 10,000 population ***	0	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kakching Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
	B) Infrastructure Details (HDI 2022-23)	Number s				
3	Sub Centers (SC)	13				
4	Primary Health Centers (PHC)	6				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	0				
	C) Maternal Health:	2024-25	2025-26			
8	Expected number of PW	2,503	2,484			
9	Expected number of Delivery	2,302	2,285			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)		
		Number	PC	Number	PC	
10	PW register for ANC	3,237	129.3	2,114	85.1	ANC Check up in first trimester
11	Mothers registered in the first trimester	1,764	54.5	1,263	59.7	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	2,231	68.9	657	31.1	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	1,411	43.6	1,118	52.9	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	2,799	86.5	2,252	106.5	Home Delivery
15	Home Delivery against expected delivery *	28	1.2	20	0.9	Institutional Delivery
16	Institutional Delivery against expected delivery *	365	15.9	154	6.7	Home Delivery by SBA
17	Home Delivery against reported delivery **	28	7.1	20	11.5	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	365	92.9	154	88.5	
19	Total reported Deliveries	393		174		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	7.1	5	25.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	330	84.0	112	64.4	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	2,268		2,251			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	411	18.1	179	8.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.1	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	309	75.2	150	83.8	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	4.9	3	2.0	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	366	89.1	148	82.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	1,728	76.2	850	37.8	Full Immunization	NA
29	Children who have received BCG	719	31.7	358	15.9		
30	Children who have received Pentavalent 1	1,846	81.4	970	43.1		
31	Children who have received Pentavalent 3	1,765	77.8	1,059	47.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,677	73.9	841	37.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	786		353			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	20	18	Women using any method	NA
37	Number of IUD removals	42	34	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	514	222		
39	General OPD cases per 10,000 population ***	7225	4217		
40	Ayush OPD cases per 10,000 population ***	826	392		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kamjong Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	21				
4	Primary Health Centers (PHC)	2				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	0				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	871	877			
9	Expected number of Delivery	802	807			
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
			Number	PC	Number	PC
10	PW register for ANC	355	40.7	164	18.7	ANC Check up in first trimester
11	Mothers registered in the first trimester	117	33.0	48	29.3	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	201	56.6	91	55.5	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	207	58.3	86	52.4	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	272	76.6	116	70.7	Home Delivery
15	Home Delivery against expected delivery *	127	15.8	70	8.7	Institutional Delivery
16	Institutional Delivery against expected delivery *	46	5.7	30	3.7	Home Delivery by SBA
17	Home Delivery against reported delivery **	127	73.4	70	70.0	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	46	26.6	30	30.0	
19	Total reported Deliveries	173		100		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	30.7	33	47.1	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	35	20.2	21	21.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	790		795		
D) Child Immunization :			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
			Number	PC	Number	PC
23	Total reported live births	175	22.2	100	12.6	Breastfed within 1 hour of birth
24	Total Still Birth	0	0.0	2	2.0	BCG
25	PC of newborn weighted at birth to live birth	169	96.6	95	95.0	3 dose of DPT
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	1.1	Measles First dose

27	PC of newborns breastfed within 1 hour to total reported live birth.	169	96.6	93	93.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	364	46.1	150	18.9	Full Immunization	NA
29	Children who have received BCG	268	33.9	94	11.8		
30	Children who have received Pentavalent 1	388	49.1	137	17.2		
31	Children who have received Pentavalent 3	352	44.6	143	18.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	361	45.7	152	19.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	35		23			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	5	3	Women using any method	NA
37	Number of IUD removals	4	0	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	54	35		
39	General OPD cases per 10,000 population ***	2634	1068		
40	Ayush OPD cases per 10,000 population ***	37	2		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kangpokpi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA	Numbers				
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	2,734	2,739				
9	Expected number of Delivery	2,515	2,520				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	2,133	78.0	1,255	45.8	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	1,246	58.4	650	51.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	807	37.8	523	41.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	1,132	53.1	690	55.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	788	36.9	571	45.5	Home Delivery	NA
15	Home Delivery against expected delivery *	578	23.0	272	10.8	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	489	19.4	216	8.6	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	578	54.2	272	55.7	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	489	45.8	216	44.3		
19	Total reported Deliveries	1,067		488			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	406	70.2	181	66.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	478	44.8	190	38.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,478		2,483			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	1,068	43.1	489	19.7	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.1	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	1,038	97.2	484	99.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.9	6	1.2	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,034	96.8	486	99.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	2,078	83.9	1,063	42.8	Full Immunization	NA
29	Children who have received BCG	1,992	80.4	1,086	43.7		
30	Children who have received Pentavalent 1	2,344	94.6	1,162	46.8		
31	Children who have received Pentavalent 3	2,153	86.9	1,097	44.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,089	84.3	1,090	43.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	862		632			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	75	61	Women using any method	NA
37	Number of IUD removals	79	48	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	120	65		
39	General OPD cases per 10,000 population ***	3322	2458		
40	Ayush OPD cases per 10,000 population ***	176	46		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	3	1		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Noney Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number					
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Number s					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	758	760				
9	Expected number of Delivery	697	699				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,149	151.6	566	74.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	460	40.0	219	38.7	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	799	69.5	383	67.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	626	54.5	349	61.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	784	68.2	574	101.4	Home Delivery	NA
15	Home Delivery against expected delivery *	168	24.1	78	11.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	212	30.4	104	14.9	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	168	44.2	78	42.9	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	212	55.8	104	57.1		
19	Total reported Deliveries	380		182			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	11.9	8	10.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	2.4	5	2.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	687		689			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	382	55.6	182	26.4	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	1	0.5	BCG	NA
25	PC of newborn weighted at birth to live birth	352	92.1	157	86.3	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.7	2	1.3	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	337	88.2	141	77.5	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	515	75.0	330	47.9	Full Immunization	NA
29	Children who have received BCG	428	62.3	236	34.3		
30	Children who have received Pentavalent 1	700	101.9	368	53.4		
31	Children who have received Pentavalent 3	580	84.4	350	50.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	518	75.4	331	48.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		71			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	111	70	Women using any method	NA
37	Number of IUD removals	91	42	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	86	35		
39	General OPD cases per 10,000 population ***	3901	2459		
40	Ayush OPD cases per 10,000 population ***	0	10		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Pherzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	NA				
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	21				
4	Primary Health Centers (PHC)	4				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	0				
C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	689	686			
9	Expected number of Delivery	634	631			
	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
	Number	PC	Number	PC		
10	PW register for ANC	363	52.7	222	32.3	ANC Check up in first trimester
11	Mothers registered in the first trimester	165	45.5	94	42.3	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	225	62.0	108	48.6	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	146	40.2	112	50.5	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	169	46.6	107	48.2	Home Delivery
15	Home Delivery against expected delivery *	40	6.3	22	3.5	Institutional Delivery
16	Institutional Delivery against expected delivery *	87	13.7	59	9.3	Home Delivery by SBA
17	Home Delivery against reported delivery **	40	31.5	22	27.2	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	87	68.5	59	72.8	
19	Total reported Deliveries	127		81		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	12.5	6	27.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23	18.1	16	19.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	624		622		
D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
	Number	PC	Number	PC		
23	Total reported live births	127	20.3	79	12.7	Breastfed within 1 hour of birth
24	Total Still Birth	0	0.0	2	2.5	BCG
25	PC of newborn weighted at birth to live birth	90	70.9	61	77.2	3 dose of DPT
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	14.4	2	3.3	Measles First dose

27	PC of newborns breastfed within 1 hour to total reported live birth.	107	84.3	79	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	130	20.8	97	15.6	Full Immunization	NA
29	Children who have received BCG	148	23.7	122	19.6		
30	Children who have received Pentavalent 1	179	28.7	142	22.8		
31	Children who have received Pentavalent 3	142	22.7	131	21.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	130	20.8	103	16.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	57		48			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	2	0	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	78	48		
39	General OPD cases per 10,000 population ***	1577	810		
40	Ayush OPD cases per 10,000 population ***	93	48		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	3	0		
43	Total Neonatal Death	4	0		
44	Deaths between (1 - 11) months	2	2		
45	Total reported infant deaths	6	2		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number					
1	Population 2011	4,79,148					
2	Sex Ratio	939					
	B) Infrastructure Details (HDI 2022-23)	Number					
3	Sub Centers (SC)	31					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	5,175	5,185				
9	Expected number of Delivery	4,761	4,770				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	5,299	102.4	2,481	47.8	ANC Check up in first trimester	73.9
11	Mothers registered in the first trimester	2,031	38.3	1,089	43.9	At least 4ANC check up	64.9
12	Mothers who had 4 or more ANC check ups	2,266	42.8	1,173	47.3	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	4,679	88.3	2,458	99.1	100 IFA tablets consumed	28.4
14	PW who consumed 180 IFA tablets	5,511	104.0	2,701	108.9	Home Delivery	54.2
15	Home Delivery against expected delivery *	1,961	41.2	911	19.1	Institutional Delivery	45.8
16	Institutional Delivery against expected delivery *	1,878	39.4	899	18.8	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	1,961	51.1	911	50.3	PNC within 2days of delivery	37.0
18	Institutional Delivery against reported delivery **	1,878	48.9	899	49.7		
19	Total reported Deliveries	3,839		1,810			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,390	70.9	733	80.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	894	23.3	548	30.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	4,690		4,700			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	3,850	82.1	1,819	38.7	Breastfed within 1 hour of birth	57.6
24	Total Still Birth	19	0.4	3	0.2	BCG	87.2
25	PC of newborn weighted at birth to live birth	3,829	99.5	1,797	98.8	3 dose of DPT	77.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	28	0.7	24	1.3	Measles First dose	75.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,659	95.0	1,656	91.0	3 doses of penta or hepatitis B vaccine	77.2
28	Children fully immunized	3,211	68.5	1,673	35.6	Full Immunization	65
29	Children who have received BCG	3,894	83.0	1,819	38.7		
30	Children who have received Pentavalent 1	3,843	81.9	1,722	36.6		
31	Children who have received Pentavalent 3	3,731	79.6	1,691	36.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,478	74.2	1,716	36.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	374		204			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	29	13	Spacing	4.1
36	Number of IUD insertion	64	33	Women using any method	65.2
37	Number of IUD removals	53	45	Women using modern method	17.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	161	46		
39	General OPD cases per 10,000 population ***	4505	2782		
40	Ayush OPD cases per 10,000 population ***	29	16		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	0		

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number					
1	Population 2011	1,40,651					
2	Sex Ratio	953					
	B) Infrastructure Details (HDI 2022-23)	Number					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	1,122	1,125				
9	Expected number of Delivery	1,032	1,035				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	1,347	120.1	533	47.4	ANC Check up in first trimester	69.4
11	Mothers registered in the first trimester	838	62.2	315	59.1	At least 4ANC check up	56.4
12	Mothers who had 4 or more ANC check ups	725	53.8	276	51.8	Neonatal tetanus received	81.0
13	PW who got TT 2 / Booster injection	774	57.5	492	92.3	100 IFA tablets consumed	31.0
14	PW who consumed 180 IFA tablets	1,011	75.1	499	93.6	Home Delivery	42.3
15	Home Delivery against expected delivery *	309	29.9	163	15.8	Institutional Delivery	57.7
16	Institutional Delivery against expected delivery *	496	48.1	194	18.8	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	309	38.4	163	45.7	PNC within 2days of delivery	52.7
18	Institutional Delivery against reported delivery **	496	61.6	194	54.3		
19	Total reported Deliveries	805		357			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	59	19.1	25	15.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	151	18.8	67	18.8		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.</p>							
22	Expected number of Live Birth	1,017		1,019			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	799	78.6	356	34.9	Breastfed within 1 hour of birth	62.9
24	Total Still Birth	8	0.8	2	0.6	BCG	91.2
25	PC of newborn weighted at birth to live birth	785	98.2	351	98.6	3 dose of DPT	78.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	2.9	13	3.7	Measles First dose	77.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	698	87.4	349	98.0	3 doses of penta or hepatitis B vaccine	73.4
28	Children fully immunized	762	75.0	445	43.7	Full Immunization	67.4
29	Children who have received BCG	807	79.4	344	33.8		
30	Children who have received Pentavalent 1	1,031	101.4	359	35.2		
31	Children who have received Pentavalent 3	875	86.1	412	40.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	763	75.1	446	43.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	722		428			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.4
35	Number of Tubectomies performed	9	0	Spacing	3.2
36	Number of IUD insertion	254	117	Women using any method	65.2
37	Number of IUD removals	261	128	Women using modern method	22.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	269	161		
39	General OPD cases per 10,000 population ***	3876	2189		
40	Ayush OPD cases per 10,000 population ***	89	108		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	7	1		
42	Neonatal Deaths within 1 to 28 days	1	3		
43	Total Neonatal Death	8	4		
44	Deaths between (1 - 11) months	6	3		
45	Total reported infant deaths	14	7		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	0		

Tengnoupal Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)								
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	9						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2024-25		2025-26				
8	Expected number of PW	919		917				
9	Expected number of Delivery	845		844				
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	780	84.9	555	60.5	ANC Check up in first trimester		
11	Mothers registered in the first trimester	512	65.6	396	71.4	At least 4ANC check up		
12	Mothers who had 4 or more ANC check ups	519	66.5	262	47.2	Neonatal tetanus received		
13	PW who got TT 2 / Booster injection	665	85.3	403	72.6	100 IFA tablets consumed		
14	PW who consumed 180 IFA tablets	617	79.1	363	65.4	Home Delivery		
15	Home Delivery against expected delivery *	224	26.5	80	9.5	Institutional Delivery		
16	Institutional Delivery against expected delivery *	84	9.9	60	7.1	Home Delivery by SBA		
17	Home Delivery against reported delivery **	224	72.7	80	57.1	PNC within 2days of delivery		
18	Institutional Delivery against reported delivery **	84	27.3	60	42.9			
19	Total reported Deliveries	308		140				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	197	87.9	75	93.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	60	19.5	44	31.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	832		831				
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	310	37.2	141	17.0	Breastfed within 1 hour of birth		
24	Total Still Birth	0	0.0	0	0.0	BCG		
25	PC of newborn weighted at birth to live birth	291	93.9	139	98.6	3 dose of DPT		
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	2.7	0	0.0	Measles First dose		

27	PC of newborns breastfed within 1 hour to total reported live birth.	293	94.5	134	95.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	620	74.5	229	27.5	Full Immunization	NA
29	Children who have received BCG	623	74.8	304	36.6		
30	Children who have received Pentavalent 1	668	80.2	291	35.0		
31	Children who have received Pentavalent 3	671	80.6	242	29.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	619	74.4	227	27.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	103		104			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	2	Women using any method	NA
37	Number of IUD removals	8	2	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	30	73		
39	General OPD cases per 10,000 population ***	3670	1925		
40	Ayush OPD cases per 10,000 population ***	252	59		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number					
1	Population 2011	4,22,168					
2	Sex Ratio	1,006					
	B) Infrastructure Details (HDI 2022-23)	Number					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	5,116	5,078				
9	Expected number of Delivery	4,707	4,672				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	5,784	113.1	3,364	66.2	ANC Check up in first trimester	90.6
11	Mothers registered in the first trimester	4,544	78.6	2,463	73.2	At least 4ANC check up	89.9
12	Mothers who had 4 or more ANC check ups	4,077	70.5	1,834	54.5	Neonatal tetanus received	92.9
13	PW who got TT 2 / Booster injection	3,329	57.6	2,201	65.4	100 IFA tablets consumed	68.5
14	PW who consumed 180 IFA tablets	5,120	88.5	2,788	82.9	Home Delivery	12.2
15	Home Delivery against expected delivery *	10	0.2	12	0.3	Institutional Delivery	87.8
16	Institutional Delivery against expected delivery *	2,942	62.5	1,341	28.7	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	10	0.3	12	0.9	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	2,942	99.7	1,341	99.1		
19	Total reported Deliveries	2,952		1,353			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	70.0	6	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	513	17.4	170	12.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last birth in the 5 years before the survey.

22	Expected number of Live Birth	4,637		4,603			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	2,960	63.8	1,356	29.5	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	1	0.0	3	0.2	BCG	98.7
25	PC of newborn weighted at birth to live birth	2,960	100.0	1,231	90.8	3 dose of DPT	84.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	115	3.9	147	11.9	Measles First dose	77.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,646	55.6	689	50.8	3 doses of penta or hepatitis B vaccine	83.2
28	Children fully immunized	4,366	94.2	2,344	50.9	Full Immunization	74.2
29	Children who have received BCG	3,147	67.9	1,404	30.5		
30	Children who have received Pentavalent 1	4,995	107.7	2,257	49.0		
31	Children who have received Pentavalent 3	4,701	101.4	2,545	55.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,391	94.7	2,319	50.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	841		825			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	7	0	Total unmet need	6
35	Number of Tubectomies performed	16	5	Spacing	2.3
36	Number of IUD insertion	71	31	Women using any method	72.2
37	Number of IUD removals	81	29	Women using modern method	17.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	157	102		
39	General OPD cases per 10,000 population ***	11051	6257		
40	Ayush OPD cases per 10,000 population ***	517	291		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Ukhrul Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,83,998					
2	Sex Ratio	948					
B) Infrastructure Details (HDI 2022-23)							
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,550		2,567			
9	Expected number of Delivery	2,346		2,362			
			HMIS (2024-25)		HMIS (2025-26) 2nd QTR		
			Number	PC	Number	PC	
10	PW register for ANC	2,343	91.9	968	37.7	ANC Check up in first trimester 58.3	
11	Mothers registered in the first trimester	974	41.6	456	47.1	At least 4ANC check up 38.8	
12	Mothers who had 4 or more ANC check ups	1,914	81.7	927	95.8	Neonatal tetanus received 81.6	
13	PW who got TT 2 / Booster injection	915	39.1	484	50.0	100 IFA tablets consumed 25.1	
14	PW who consumed 180 IFA tablets	449	19.2	356	36.8	Home Delivery 55.4	
15	Home Delivery against expected delivery *	206	8.8	119	5.0	Institutional Delivery 44.6	
16	Institutional Delivery against expected delivery *	1,297	55.3	554	23.5	Home Delivery by SBA 9.9	
17	Home Delivery against reported delivery **	206	13.7	119	17.7	PNC within 2days of delivery 44.9	
18	Institutional Delivery against reported delivery **	1,297	86.3	554	82.3		
19	Total reported Deliveries	1,503		673			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	93	45.1	77	64.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,425	94.8	21	3.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,311		2,327			
D) Child Immunization :			HMIS (2024-25)		HMIS (2025-26) 2nd QTR		
			Number	PC	Number	PC	
23	Total reported live births	1,501	64.9	673	28.9	Breastfed within 1 hour of birth 63.6	
24	Total Still Birth	3	0.1	0	0.0	BCG 91.5	
25	PC of newborn weighted at birth to live birth	1,499	99.9	673	100.0	3 dose of DPT 53.3	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	56	3.7	22	3.3	Measles First dose 53.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,487	99.1	668	99.3	3 doses of penta or hepatitis B vaccine	51.2
28	Children fully immunized	1,076	46.6	617	26.5	Full Immunization	39.4
29	Children who have received BCG	1,610	69.7	704	30.3		
30	Children who have received Pentavalent 1	1,421	61.5	645	27.7		
31	Children who have received Pentavalent 3	1,180	51.1	648	27.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,075	46.5	616	26.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5		34			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	12.7
35	Number of Tubectomies performed	4	7	Spacing	5.2
36	Number of IUD insertion	30	22	Women using any method	56.9
37	Number of IUD removals	67	29	Women using modern method	12.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	127	62		
39	General OPD cases per 10,000 population ***	3786	1900		
40	Ayush OPD cases per 10,000 population ***	43	4		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		