

Meghalaya Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	29,66,889					
2	Sex Ratio	986					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	463					
4	Primary Health Centers (PHC)	147					
5	Community Health Centers (CHC)	29					
6	SDH	1					
7	DH	11					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	98,763		1,00,186			
9	Expected number of Delivery	92,478		93,811			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,02,987	104.3	26,472	26.4	ANC Check up in first trimester	53.9
11	Mothers registered in the first trimester	49,896	48.4	13,394	50.6	At least 4ANC check up	52.2
12	Mothers who had 4 or more ANC check ups	79,189	76.9	16,688	63.0	Neonatal tetanus received	82.1
13	PW who got TT 2 / Booster injection	76,498	74.3	19,575	73.9	100 IFA tablets consumed	43.1
14	PW who consumed 180 IFA tablets	71,810	69.7	15,387	58.1	Home Delivery	41.9
15	Home Delivery against expected delivery *	21,287	23.0	4,182	4.5	Institutional Delivery	58.1
16	Institutional Delivery Against expected delivery *	64,006	69.2	13,719	14.6	Home Delivery by SBA	6.6
17	Home Delivery against reported delivery **	21,287	25.0	4,182	23.4	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	64,006	75.0	13,719	76.6		
19	Total reported Deliveries	85,293		17,901			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,134	5.3	288	6.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	43,559	51.1	10,585	59.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	87,091		87,982			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	84,202	96.7	17,694	20.1	Breastfed within 1 hour of birth	78.8
24	Total Still Birth	2,039	2.3	446	2.5	BCG	89.3
25	PC of newborn weighted at birth to live birth	83,277	98.9	17,513	99.0	3 dose of DPT	73.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	7,654	9.2	1,624	9.3	Measles First dose	72.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	73,860	87.7	15,318	86.6	3 doses of penta or hepatitis B vaccine	65.7

28	Children fully immunized	72,931	83.7	15,759	17.9	Full Immunization	63.8
29	Children who have received BCG	82,556	94.8	17,944	20.4		
30	Children who have received Pentavalent 1	77,717	89.2	17,756	20.2		
31	Children who have received Pentavalent 3	71,337	81.9	18,006	20.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	72,995	83.8	15,683	17.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	75,187		22,134			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	26.9
35	Number of Tubectomies performed	2,999	663	Spacing	18.3
36	Number of IUD insertion	2,004	420	Women using any method	27.4
37	Number of IUD removals	2,004	461	Women using modern method	22.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	768	199		
39	General OPD cases per 10,000 population ***	13397	3559		
40	Ayush OPD cases per 10,000 population ***	831	281		

G) Mortality Details				
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR	
41	Neonatal death within 24 hours	270	47	
42	Neonatal Deaths within 1 to 28 days	678	149	
43	Total Neonatal Death	948	196	
44	Deaths between (1 - 11) months	1,124	255	
45	Total reported infant deaths	2,072	451	

II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR	
46	Due to APH (Antepartum Haemorrhage)	2	1	
47	Due to PPH (Post-Partum Haemorrhage)	14	0	
48	Due to Pregnancy related infection and sepsis, Fever	16	2	
49	Due to Abortive complication	2	0	
50	Due to Obstructed/prolonged labour	3	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	6	3	
52	Due to Other/Unknown Causes	39	9	
53	Total reported maternal deaths	82	15	

Eastern West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,14,228					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	3,779		3,959			
9	Expected number of Delivery	3,539		3,707			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,372	168.6	1,556	39.3	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	3,175	49.8	796	51.2	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	4,548	71.4	794	51.0	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	4,874	76.5	1,175	75.5	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	4,305	67.6	703	45.2	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,218	34.4	266	7.2	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	3,838	108.5	798	21.5	Home Delivery by SBA	7.2
17	Home Delivery against reported delivery **	1,218	24.1	266	25.0	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	3,838	75.9	798	75.0		
19	Total reported Deliveries	5,056		1,064			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	4.5	6	2.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,450	28.7	408	38.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,332		3,477			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	4,979	149.4	1,035	29.8	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	117	3.5	33	3.2	BCG	86.7
25	PC of newborn weighted at birth to live birth	4,969	99.8	1,032	99.7	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	490	9.9	108	10.5	Measles First dose	71.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,734	95.1	992	95.8	3 doses of penta or hepatitis B vaccine	66.4

28	Children fully immunized	4,598	138.0	955	27.5	Full Immunization	62.5
29	Children who have received BCG	5,053	151.6	963	27.7		
30	Children who have received Pentavalent 1	4,906	147.2	1,037	29.8		
31	Children who have received Pentavalent 3	4,644	139.4	1,098	31.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,621	138.7	957	27.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,990		1,704			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	25.8		
35	Number of Tubectomies performed	196	48	Spacing	21.1		
36	Number of IUD insertion	107	22	Women using any method	26.3		
37	Number of IUD removals	98	20	Women using modern method	15.3		
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	1162	310				
39	General OPD cases per 10,000 population ***	21991	5246				
40	Ayush OPD cases per 10,000 population ***	3365	962				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	19	1				
42	Neonatal Deaths within 1 to 28 days	28	10				
43	Total Neonatal Death	47	11				
44	Deaths between (1 - 11) months	75	14				
45	Total reported infant deaths	122	25				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	2	0				
53	Total reported maternal deaths	2	0				

East Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,45,798					
2	Sex Ratio	968					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	31					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	4,761		4,820			
9	Expected number of Delivery	4,458		4,513			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,845	101.8	1,245	25.8	ANC Check up in first trimester	59.2
11	Mothers registered in the first trimester	2,101	43.4	568	45.6	At least 4ANC check up	25.5
12	Mothers who had 4 or more ANC check ups	3,517	72.6	780	62.7	Neonatal tetanus received	74.5
13	PW who got TT 2 / Booster injection	3,742	77.2	943	75.7	100 IFA tablets consumed	28.8
14	PW who consumed 180 IFA tablets	3,585	74.0	644	51.7	Home Delivery	26.2
15	Home Delivery against expected delivery *	607	13.6	154	3.4	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	3,723	83.5	953	21.1	Home Delivery by SBA	7.5
17	Home Delivery against reported delivery **	607	14.0	154	13.9	PNC within 2days of delivery	59.9
18	Institutional Delivery against reported delivery **	3,723	86.0	953	86.1		
19	Total reported Deliveries	4,330		1,107			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	153	25.2	14	9.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,849	65.8	757	68.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,198		4,233			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	4,319	102.9	1,097	25.9	Breastfed within 1 hour of birth	48.0
24	Total Still Birth	86	2.0	31	2.8	BCG	81.5
25	PC of newborn weighted at birth to live birth	4,243	98.2	1,090	99.4	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	333	7.8	113	10.4	Measles First dose	83.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,147	96.0	1,069	97.4	3 doses of penta or hepatitis B vaccine	74.8

28	Children fully immunized	4,281	102.0	861	20.3	Full Immunization	72.4
29	Children who have received BCG	4,202	100.1	1,066	25.2		
30	Children who have received Pentavalent 1	4,279	101.9	1,043	24.6		
31	Children who have received Pentavalent 3	3,940	93.9	929	21.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,281	102.0	866	20.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,508		446			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	21.0		
35	Number of Tubectomies performed	204	35	Spacing	12.4		
36	Number of IUD insertion	259	64	Women using any method	37.0		
37	Number of IUD removals	91	16	Women using modern method	35.8		
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	439	107				
39	General OPD cases per 10,000 population ***	6658	1787				
40	Ayush OPD cases per 10,000 population ***	458	155				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	12	3				
42	Neonatal Deaths within 1 to 28 days	33	10				
43	Total Neonatal Death	45	13				
44	Deaths between (1 - 11) months	23	6				
45	Total reported infant deaths	68	19				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	0	1				
47	Due to PPH (Post-Partum Haemorrhage)	1	0				
48	Due to Pregnancy related infection and sepsis, Fever	1	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	3	1				

East Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,22,939					
2	Sex Ratio	1,008					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	36					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	4,235		4,311			
9	Expected number of Delivery	3,965		4,036			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,193	99.0	1,192	27.7	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	1,835	43.8	554	46.5	At least 4ANC check up	58.6
12	Mothers who had 4 or more ANC check ups	2,309	55.1	516	43.3	Neonatal tetanus received	87.7
13	PW who got TT 2 / Booster injection	3,728	88.9	987	82.8	100 IFA tablets consumed	51.9
14	PW who consumed 180 IFA tablets	3,785	90.3	1,072	89.9	Home Delivery	51.6
15	Home Delivery against expected delivery *	549	13.8	68	1.7	Institutional Delivery	48.4
16	Institutional Delivery Against expected delivery *	1,788	45.1	343	8.5	Home Delivery by SBA	6.8
17	Home Delivery against reported delivery **	549	23.5	68	16.5	PNC within 2days of delivery	49.1
18	Institutional Delivery against reported delivery **	1,788	76.5	343	83.5		
19	Total reported Deliveries	2,337		411			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	136	24.8	18	26.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,188	50.8	249	60.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,734		3,785			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	2,306	61.8	410	10.8	Breastfed within 1 hour of birth	85.3
24	Total Still Birth	42	1.1	2	0.5	BCG	92.6
25	PC of newborn weighted at birth to live birth	2,259	98.0	405	98.8	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	175	7.7	29	7.2	Measles First dose	83.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,195	95.2	395	96.3	3 doses of penta or hepatitis B vaccine	77.8

28	Children fully immunized	4,000	107.1	823	21.7	Full Immunization	74.4
29	Children who have received BCG	2,583	69.2	491	13.0		
30	Children who have received Pentavalent 1	4,021	107.7	874	23.1		
31	Children who have received Pentavalent 3	3,899	104.4	1,061	28.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,997	107.0	824	21.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,287		1,916			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	26.0	
35	Number of Tubectomies performed	0	0		Spacing	20.1	
36	Number of IUD insertion	40	7		Women using any method	33.6	
37	Number of IUD removals	33	9		Women using modern method	24	
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	543	164				
39	General OPD cases per 10,000 population ***	14121	3790				
40	Ayush OPD cases per 10,000 population ***	853	258				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	8	1				
42	Neonatal Deaths within 1 to 28 days	17	0				
43	Total Neonatal Death	25	1				
44	Deaths between (1 - 11) months	38	14				
45	Total reported infant deaths	63	15				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	1	0				
53	Total reported maternal deaths	1	0				

East Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,25,922					
2	Sex Ratio	1,008					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	77					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	2					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	26,665		26,967			
9	Expected number of Delivery	24,968		25,251			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	29,070	109.0	7,305	27.1	ANC Check up in first trimester	56.7
11	Mothers registered in the first trimester	15,632	53.8	3,960	54.2	At least 4ANC check up	57.5
12	Mothers who had 4 or more ANC check ups	25,883	89.0	4,845	66.3	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	17,601	60.5	4,444	60.8	100 IFA tablets consumed	40.1
14	PW who consumed 180 IFA tablets	19,105	65.7	3,460	47.4	Home Delivery	36.6
15	Home Delivery against expected delivery *	4,343	17.4	930	3.7	Institutional Delivery	63.4
16	Institutional Delivery Against expected delivery *	20,856	83.5	4,502	17.8	Home Delivery by SBA	6.2
17	Home Delivery against reported delivery **	4,343	17.2	930	17.1	PNC within 2days of delivery	33.6
18	Institutional Delivery against reported delivery **	20,856	82.8	4,502	82.9		
19	Total reported Deliveries	25,199		5,432			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	1.1	16	1.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,996	71.4	5,397	99.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,514		23,682			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	24,929	106.0	5,378	22.7	Breastfed within 1 hour of birth	86.3
24	Total Still Birth	625	2.7	126	2.3	BCG	84.2
25	PC of newborn weighted at birth to live birth	24,812	99.5	5,362	99.7	3 dose of DPT	59.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,509	10.1	498	9.3	Measles First dose	56.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,387	77.8	4,136	76.9	3 doses of penta or hepatitis B vaccine	46.8

28	Children fully immunized	15,445	65.7	3,503	14.8	Full Immunization	49.1
29	Children who have received BCG	23,669	100.7	5,054	21.3		
30	Children who have received Pentavalent 1	17,848	75.9	3,930	16.6		
31	Children who have received Pentavalent 3	15,391	65.5	3,801	16.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,502	65.9	3,552	15.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	16,300		5,052			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	1	0		Total unmet need	33.0	
35	Number of Tubectomies performed	1,122	283		Spacing	25.2	
36	Number of IUD insertion	568	101		Women using any method	12.1	
37	Number of IUD removals	696	160		Women using modern method	10.6	
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	1276	328				
39	General OPD cases per 10,000 population ***	19928	5465				
40	Ayush OPD cases per 10,000 population ***	777	316				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	91	21				
42	Neonatal Deaths within 1 to 28 days	270	57				
43	Total Neonatal Death	361	78				
44	Deaths between (1 - 11) months	408	117				
45	Total reported infant deaths	769	195				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	2	0				
48	Due to Pregnancy related infection and sepsis, Fever	9	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0				
52	Due to Other/Unknown Causes	16	5				
53	Total reported maternal deaths	28	5				

North Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,72,119					
2	Sex Ratio	968					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	5,620		5,690			
9	Expected number of Delivery	5,262		5,328			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,683	83.3	1,202	21.1	ANC Check up in first trimester	40.3
11	Mothers registered in the first trimester	2,258	48.2	691	57.5	At least 4ANC check up	24.3
12	Mothers who had 4 or more ANC check ups	4,696	100.3	1,148	95.5	Neonatal tetanus received	55.5
13	PW who got TT 2 / Booster injection	4,117	87.9	1,065	88.6	100 IFA tablets consumed	23.7
14	PW who consumed 180 IFA tablets	4,160	88.8	865	72.0	Home Delivery	38.5
15	Home Delivery against expected delivery *	1,095	20.8	238	4.5	Institutional Delivery	61.5
16	Institutional Delivery Against expected delivery *	2,123	40.3	489	9.2	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	1,095	34.0	238	32.7	PNC within 2days of delivery	40.5
18	Institutional Delivery against reported delivery **	2,123	66.0	489	67.3		
19	Total reported Deliveries	3,218		727			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	10.0	24	10.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,550	48.2	337	46.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,956		4,997			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,192	64.4	720	14.4	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	57	1.2	15	2.1	BCG	65.9
25	PC of newborn weighted at birth to live birth	3,151	98.7	711	98.8	3 dose of DPT	57.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	137	4.3	27	3.8	Measles First dose	58.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,117	97.7	709	98.5	3 doses of penta or hepatitis B vaccine	39.5

28	Children fully immunized	3,640	73.4	904	18.1	Full Immunization	47.5
29	Children who have received BCG	3,402	68.6	792	15.8		
30	Children who have received Pentavalent 1	3,717	75.0	907	18.2		
31	Children who have received Pentavalent 3	3,333	67.3	902	18.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,629	73.2	882	17.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,929		651			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.2
35	Number of Tubectomies performed	1		0		Spacing	12.9
36	Number of IUD insertion	25		11		Women using any method	19.2
37	Number of IUD removals	48		8		Women using modern method	17.7
F) Service delivery		HMIS (2024-25)		HMIS (2025-26) 1st QTR			
38	IPD cases per 10,000 population ***	246		57			
39	General OPD cases per 10,000 population ***	8378		2406			
40	Ayush OPD cases per 10,000 population ***	198		94			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)		HMIS (2025-26) 1st QTR			
41	Neonatal death within 24 hours	5		0			
42	Neonatal Deaths within 1 to 28 days	23		2			
43	Total Neonatal Death	28		2			
44	Deaths between (1 - 11) months	28		7			
45	Total reported infant deaths	56		9			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)		HMIS (2025-26) 1st QTR			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	1		0			
48	Due to Pregnancy related infection and sepsis, Fever	1		0			
49	Due to Abortive complication	1		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	2		0			
53	Total reported maternal deaths	5		0			

Ri Bhoi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,58,840					
2	Sex Ratio	951					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	9,150		9,338			
9	Expected number of Delivery	8,568		8,744			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,761	95.7	2,061	22.1	ANC Check up in first trimester	56.1
11	Mothers registered in the first trimester	5,397	61.6	1,422	69.0	At least 4ANC check up	61.0
12	Mothers who had 4 or more ANC check ups	8,626	98.5	2,104	102.1	Neonatal tetanus received	86.2
13	PW who got TT 2 / Booster injection	7,121	81.3	1,665	80.8	100 IFA tablets consumed	48.8
14	PW who consumed 180 IFA tablets	4,991	57.0	1,332	64.6	Home Delivery	43.1
15	Home Delivery against expected delivery *	2,026	23.6	341	3.9	Institutional Delivery	56.9
16	Institutional Delivery Against expected delivery *	4,281	50.0	930	10.6	Home Delivery by SBA	8.4
17	Home Delivery against reported delivery **	2,026	32.1	341	26.8	PNC within 2days of delivery	39.5
18	Institutional Delivery against reported delivery **	4,281	67.9	930	73.2		
19	Total reported Deliveries	6,307		1,271			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	1.6	56	16.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,894	30.0	473	37.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,069		8,201			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	6,252	77.5	1,269	15.5	Breastfed within 1 hour of birth	85.9
24	Total Still Birth	117	1.4	25	2.0	BCG	94
25	PC of newborn weighted at birth to live birth	6,155	98.4	1,248	98.3	3 dose of DPT	82.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	385	6.3	81	6.5	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,908	94.5	1,227	96.7	3 doses of penta or hepatitis B vaccine	71.5

28	Children fully immunized	6,663	82.6	1,471	17.9	Full Immunization	74.8
29	Children who have received BCG	6,954	86.2	1,526	18.6		
30	Children who have received Pentavalent 1	7,190	89.1	1,562	19.0		
31	Children who have received Pentavalent 3	6,682	82.8	1,724	21.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,704	83.1	1,482	18.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,424		2,937			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	27.0	
35	Number of Tubectomies performed	201	31		Spacing	18.4	
36	Number of IUD insertion	213	49		Women using any method	33.1	
37	Number of IUD removals	245	40		Women using modern method	19.7	
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	484	126				
39	General OPD cases per 10,000 population ***	12582	2965				
40	Ayush OPD cases per 10,000 population ***	1304	462				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	8	0				
42	Neonatal Deaths within 1 to 28 days	35	7				
43	Total Neonatal Death	43	7				
44	Deaths between (1 - 11) months	60	17				
45	Total reported infant deaths	103	24				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	1				
53	Total reported maternal deaths	0	1				

South Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,42,334					
2	Sex Ratio	944					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	4,808		4,885			
9	Expected number of Delivery	4,502		4,574			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,498	93.6	1,324	27.1	ANC Check up in first trimester	68.7
11	Mothers registered in the first trimester	1,987	44.2	689	52.0	At least 4ANC check up	33.3
12	Mothers who had 4 or more ANC check ups	3,318	73.8	678	51.2	Neonatal tetanus received	86.0
13	PW who got TT 2 / Booster injection	3,410	75.8	989	74.7	100 IFA tablets consumed	51.8
14	PW who consumed 180 IFA tablets	4,080	90.7	1,132	85.5	Home Delivery	11.7
15	Home Delivery against expected delivery *	1,186	26.3	247	5.4	Institutional Delivery	88.3
16	Institutional Delivery Against expected delivery *	1,917	42.6	369	8.1	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	1,186	38.2	247	40.1	PNC within 2days of delivery	65.9
18	Institutional Delivery against reported delivery **	1,917	61.8	369	59.9		
19	Total reported Deliveries	3,103		616			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	164	13.8	36	14.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,187	38.3	232	37.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,240		4,290			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,064	72.3	604	14.1	Breastfed within 1 hour of birth	59.8
24	Total Still Birth	64	1.5	16	2.6	BCG	100
25	PC of newborn weighted at birth to live birth	3,048	99.5	598	99.0	3 dose of DPT	86.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	180	5.9	38	6.4	Measles First dose	89.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,027	98.8	598	99.0	3 doses of penta or hepatitis B vaccine	86.8

28	Children fully immunized	3,711	87.5	762	17.8	Full Immunization	86.8
29	Children who have received BCG	2,748	64.8	668	15.6		
30	Children who have received Pentavalent 1	3,650	86.1	828	19.3		
31	Children who have received Pentavalent 3	3,372	79.5	814	19.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,703	87.3	752	17.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,238		349			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	25.3	
35	Number of Tubectomies performed	0	0		Spacing	14.4	
36	Number of IUD insertion	7	1		Women using any method	37.6	
37	Number of IUD removals	7	0		Women using modern method	33.3	
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	261	52				
39	General OPD cases per 10,000 population ***	7562	1957				
40	Ayush OPD cases per 10,000 population ***	314	58				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	12	1				
42	Neonatal Deaths within 1 to 28 days	17	3				
43	Total Neonatal Death	29	4				
44	Deaths between (1 - 11) months	22	3				
45	Total reported infant deaths	51	7				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	1	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	1	0				

South West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,77,556					
2	Sex Ratio	979					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	5,848		5,926			
9	Expected number of Delivery	5,476		5,549			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,166	71.2	1,060	17.9	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	2,399	57.6	643	60.7	At least 4ANC check up	28.5
12	Mothers who had 4 or more ANC check ups	3,193	76.6	690	65.1	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	3,426	82.2	801	75.6	100 IFA tablets consumed	28.3
14	PW who consumed 180 IFA tablets	3,569	85.7	876	82.6	Home Delivery	16.3
15	Home Delivery against expected delivery *	323	5.9	46	0.8	Institutional Delivery	83.7
16	Institutional Delivery Against expected delivery *	2,820	51.5	569	10.3	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	323	10.3	46	7.5	PNC within 2days of delivery	60.6
18	Institutional Delivery against reported delivery **	2,820	89.7	569	92.5		
19	Total reported Deliveries	3,143		615			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	21	6.5	1	2.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,279	72.5	495	80.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,157		5,204			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,102	60.2	608	11.7	Breastfed within 1 hour of birth	54.5
24	Total Still Birth	61	1.2	12	2.0	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,086	99.5	602	99.0	3 dose of DPT	90.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	315	10.2	67	11.1	Measles First dose	92.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,046	98.2	598	98.4	3 doses of penta or hepatitis B vaccine	89.5

28	Children fully immunized	3,933	76.3	718	13.8	Full Immunization	85.4
29	Children who have received BCG	3,082	59.8	629	12.1		
30	Children who have received Pentavalent 1	3,641	70.6	925	17.8		
31	Children who have received Pentavalent 3	3,668	71.1	969	18.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,922	76.1	717	13.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,860		580			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	30.4	
35	Number of Tubectomies performed	51	8		Spacing	16.7	
36	Number of IUD insertion	97	17		Women using any method	36.7	
37	Number of IUD removals	144	45		Women using modern method	32.3	
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	401	104				
39	General OPD cases per 10,000 population ***	8258	2315				
40	Ayush OPD cases per 10,000 population ***	411	137				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	8	1				
42	Neonatal Deaths within 1 to 28 days	24	6				
43	Total Neonatal Death	32	7				
44	Deaths between (1 - 11) months	74	7				
45	Total reported infant deaths	106	14				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	4	0				
53	Total reported maternal deaths	4	0				

South West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	99,171					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	3,380		3,437			
9	Expected number of Delivery	3,165		3,218			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,854	114.0	1,078	31.4	ANC Check up in first trimester	48.5
11	Mothers registered in the first trimester	1,748	45.4	494	45.8	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,560	40.5	322	29.9	Neonatal tetanus received	85.6
13	PW who got TT 2 / Booster injection	3,063	79.5	858	79.6	100 IFA tablets consumed	53.8
14	PW who consumed 180 IFA tablets	2,703	70.1	459	42.6	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,572	49.7	259	8.0	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	1,538	48.6	314	9.8	Home Delivery by SBA	7.6
17	Home Delivery against reported delivery **	1,572	50.5	259	45.2	PNC within 2days of delivery	42.9
18	Institutional Delivery against reported delivery **	1,538	49.5	314	54.8		
19	Total reported Deliveries	3,110		573			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	1.2	2	0.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,472	47.3	121	21.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,981		3,018			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,042	102.1	566	18.8	Breastfed within 1 hour of birth	76.8
24	Total Still Birth	85	2.9	13	2.3	BCG	95.8
25	PC of newborn weighted at birth to live birth	3,035	99.8	565	99.8	3 dose of DPT	86.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	183	6.0	57	10.1	Measles First dose	86.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,885	94.8	530	93.6	3 doses of penta or hepatitis B vaccine	82.4

28	Children fully immunized	2,689	90.2	612	20.3	Full Immunization	78.8
29	Children who have received BCG	2,877	96.5	649	21.5		
30	Children who have received Pentavalent 1	3,196	107.2	737	24.4		
31	Children who have received Pentavalent 3	2,870	96.3	733	24.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,655	89.1	608	20.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,593		1,661			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	26.2
35	Number of Tubectomies performed	13		5		Spacing	20.1
36	Number of IUD insertion	26		5		Women using any method	26.5
37	Number of IUD removals	9		5		Women using modern method	15.7
F) Service delivery		HMIS (2024-25)		HMIS (2025-26) 1st QTR			
38	IPD cases per 10,000 population ***	623		147			
39	General OPD cases per 10,000 population ***	14507		3475			
40	Ayush OPD cases per 10,000 population ***	963		365			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)		HMIS (2025-26) 1st QTR			
41	Neonatal death within 24 hours	19		3			
42	Neonatal Deaths within 1 to 28 days	21		3			
43	Total Neonatal Death	40		6			
44	Deaths between (1 - 11) months	94		10			
45	Total reported infant deaths	134		16			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)		HMIS (2025-26) 1st QTR			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	1		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	1		0			

West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,65,735					
2	Sex Ratio	979					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	66					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	2					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	15,340		15,544			
9	Expected number of Delivery	14,364		14,555			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,798	89.9	3,851	24.8	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	6,028	43.7	1,737	45.1	At least 4ANC check up	48.0
12	Mothers who had 4 or more ANC check ups	12,325	89.3	2,589	67.2	Neonatal tetanus received	91.3
13	PW who got TT 2 / Booster injection	11,845	85.8	3,185	82.7	100 IFA tablets consumed	48.2
14	PW who consumed 180 IFA tablets	11,091	80.4	2,503	65.0	Home Delivery	10.4
15	Home Delivery against expected delivery *	3,858	26.9	749	5.1	Institutional Delivery	89.6
16	Institutional Delivery Against expected delivery *	9,718	67.7	1,874	12.9	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	3,858	28.4	749	28.6	PNC within 2days of delivery	70.9
18	Institutional Delivery against reported delivery **	9,718	71.6	1,874	71.4		
19	Total reported Deliveries	13,576		2,623			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	223	5.8	36	4.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,829	50.3	883	33.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	13,527		13,651			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	13,290	98.2	2,562	18.8	Breastfed within 1 hour of birth	47.2
24	Total Still Birth	393	2.9	84	3.3	BCG	100
25	PC of newborn weighted at birth to live birth	13,059	98.3	2,521	98.4	3 dose of DPT	84.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,583	12.1	286	11.3	Measles First dose	87.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,747	88.4	2,209	86.2	3 doses of penta or hepatitis B vaccine	78.5

28	Children fully immunized	10,719	79.2	2,180	16.0	Full Immunization	77.1
29	Children who have received BCG	12,465	92.1	2,583	18.9		
30	Children who have received Pentavalent 1	11,182	82.7	2,634	19.3		
31	Children who have received Pentavalent 3	10,230	75.6	2,608	19.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,724	79.3	2,146	15.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,040		1,267			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	19.7	
35	Number of Tubectomies performed	550	112		Spacing	9.2	
36	Number of IUD insertion	370	81		Women using any method	44.1	
37	Number of IUD removals	383	99		Women using modern method	39.9	
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	499	117				
39	General OPD cases per 10,000 population ***	7884	2093				
40	Ayush OPD cases per 10,000 population ***	397	95				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	34	6				
42	Neonatal Deaths within 1 to 28 days	111	26				
43	Total Neonatal Death	145	32				
44	Deaths between (1 - 11) months	130	24				
45	Total reported infant deaths	275	56				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	2	0				
47	Due to PPH (Post-Partum Haemorrhage)	3	0				
48	Due to Pregnancy related infection and sepsis, Fever	5	2				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	2	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	0				
52	Due to Other/Unknown Causes	9	1				
53	Total reported maternal deaths	24	3				

West Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,72,185					
2	Sex Ratio	1,008					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	46					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	9,376		9,543			
9	Expected number of Delivery	8,779		8,936			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,485	133.2	2,982	31.2	ANC Check up in first trimester	44.0
11	Mothers registered in the first trimester	4,837	38.7	1,232	41.3	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	4,659	37.3	1,136	38.1	Neonatal tetanus received	79.2
13	PW who got TT 2 / Booster injection	8,178	65.5	2,105	70.6	100 IFA tablets consumed	32.7
14	PW who consumed 180 IFA tablets	6,217	49.8	1,484	49.8	Home Delivery	57.8
15	Home Delivery against expected delivery *	2,587	29.5	499	5.6	Institutional Delivery	42.2
16	Institutional Delivery Against expected delivery *	7,982	90.9	1,845	20.6	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	2,587	24.5	499	21.3	PNC within 2days of delivery	28.6
18	Institutional Delivery against reported delivery **	7,982	75.5	1,845	78.7		
19	Total reported Deliveries	10,569		2,344			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	68	2.6	51	10.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,184	30.1	824	35.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,268		8,381			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	10,486	126.8	2,318	27.7	Breastfed within 1 hour of birth	88.5
24	Total Still Birth	262	3.2	70	3.0	BCG	90.9
25	PC of newborn weighted at birth to live birth	10,246	97.7	2,276	98.2	3 dose of DPT	77
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,105	10.8	252	11.1	Measles First dose	72.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,553	81.6	1,783	76.9	3 doses of penta or hepatitis B vaccine	72

28	Children fully immunized	8,245	99.7	1,877	22.4	Full Immunization	59.7
29	Children who have received BCG	9,820	118.8	2,391	28.5		
30	Children who have received Pentavalent 1	8,651	104.6	2,187	26.1		
31	Children who have received Pentavalent 3	8,306	100.5	2,188	26.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,236	99.6	1,828	21.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13,311		3,974			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	29.3
35	Number of Tubectomies performed	573		122		Spacing	21.7
36	Number of IUD insertion	142		25		Women using any method	19.3
37	Number of IUD removals	129		33		Women using modern method	17.5
F) Service delivery		HMIS (2024-25)		HMIS (2025-26) 1st QTR			
38	IPD cases per 10,000 population ***	1001		298			
39	General OPD cases per 10,000 population ***	14138		3982			
40	Ayush OPD cases per 10,000 population ***	1004		339			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)		HMIS (2025-26) 1st QTR			
41	Neonatal death within 24 hours	41		9			
42	Neonatal Deaths within 1 to 28 days	54		13			
43	Total Neonatal Death	95		22			
44	Deaths between (1 - 11) months	85		14			
45	Total reported infant deaths	180		36			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)		HMIS (2025-26) 1st QTR			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	5		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	1		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		1			
52	Due to Other/Unknown Causes	2		1			
53	Total reported maternal deaths	8		2			

West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,70,062					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	5,796		5,894			
9	Expected number of Delivery	5,427		5,519			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,262	108.0	1,616	27.4	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	2,499	39.9	608	37.6	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	4,555	72.7	1,086	67.2	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	5,393	86.1	1,358	84.0	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	4,219	67.4	857	53.0	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,923	35.4	385	7.0	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	3,422	63.0	733	13.3	Home Delivery by SBA	7.2
17	Home Delivery against reported delivery **	1,923	36.0	385	34.4	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	3,422	64.0	733	65.6		
19	Total reported Deliveries	5,345		1,118			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	5.6	28	7.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,681	31.4	409	36.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,111		5,176			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
23	Total reported live births	5,241	102.5	1,127	21.8	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	130	2.5	19	1.7	BCG	86.7
25	PC of newborn weighted at birth to live birth	5,214	99.5	1,103	97.9	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	259	5.0	68	6.2	Measles First dose	71.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,114	97.6	1,072	95.1	3 doses of penta or hepatitis B vaccine	66.4

28	Children fully immunized	5,007	98.0	1,093	21.1	Full Immunization	62.5
29	Children who have received BCG	5,701	111.5	1,132	21.9		
30	Children who have received Pentavalent 1	5,436	106.4	1,092	21.1		
31	Children who have received Pentavalent 3	5,002	97.9	1,179	22.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,021	98.2	1,069	20.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,707		1,597			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	25.8	
35	Number of Tubectomies performed	88	19		Spacing	21.1	
36	Number of IUD insertion	150	37		Women using any method	26.3	
37	Number of IUD removals	121	26		Women using modern method	15.3	
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR				
38	IPD cases per 10,000 population ***	769	193				
39	General OPD cases per 10,000 population ***	11684	2776				
40	Ayush OPD cases per 10,000 population ***	1238	350				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
41	Neonatal death within 24 hours	13	1				
42	Neonatal Deaths within 1 to 28 days	45	12				
43	Total Neonatal Death	58	13				
44	Deaths between (1 - 11) months	87	22				
45	Total reported infant deaths	145	35				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 1st QTR				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	1	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	2				
52	Due to Other/Unknown Causes	3	1				
53	Total reported maternal deaths	5	3				