

## Meghalaya Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	29,66,889				
1	Population 2011	29,66,889				
2	Sex Ratio	986				
B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	463				
4	Primary Health Centers (PHC)	147				
5	Community Health Centers (CHC)	29				
6	SDH	1				
7	DH	11				
C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	98,763	1,00,186			
9	Expected number of Delivery	92,478	93,811			
	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
	Number	PC	Number	PC		
10	PW register for ANC	1,02,987	104.3	52,853	52.8	ANC Check up in first trimester 53.9
11	Mothers registered in the first trimester	49,896	48.4	26,935	51.0	At least 4ANC check up 52.2
12	Mothers who had 4 or more ANC check ups	79,189	76.9	38,171	72.2	Neonatal tetanus received 82.1
13	PW who got TT 2 / Booster injection	76,498	74.3	40,159	76.0	100 IFA tablets consumed 43.1
14	PW who consumed 180 IFA tablets	71,810	69.7	34,658	65.6	Home Delivery 41.9
15	Home Delivery against expected delivery *	21,287	23.0	8,694	9.3	Institutional Delivery 58.1
16	Institutional Delivery Against expected delivery *	64,006	69.2	30,446	32.5	Home Delivery by SBA 6.6
17	Home Delivery against reported delivery **	21,287	25.0	8,694	22.2	PNC within 2days of delivery 43.9
18	Institutional Delivery against reported delivery **	64,006	75.0	30,446	77.8	
19	Total reported Deliveries	85,293		39,140		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,134	5.3	761	8.8	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	43,559	51.1	22,779	58.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	87,091		87,982		
D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	84,202	96.7	38,758	44.1	Breastfed within 1 hour of birth 78.8
24	Total Still Birth	2,039	2.3	888	2.3	BCG 89.3
25	PC of newborn weighted at birth to live birth	83,277	98.9	38,342	98.9	3 dose of DPT 73.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	7,654	9.2	3,625	9.5	Measles First dose 72.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	73,860	87.7	33,326	86.0	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	72,931	83.7	35,574	40.4	Full Immunization	63.8
29	Children who have received BCG	82,556	94.8	38,313	43.5		
30	Children who have received Pentavalent 1	77,717	89.2	35,137	39.9		
31	Children who have received Pentavalent 3	71,337	81.9	35,430	40.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	72,995	83.8	35,648	40.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	75,187		40,477			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	1	Total unmet need	26.9
35	Number of Tubectomies performed	2,999	1,632	Spacing	18.3
36	Number of IUD insertion	2,004	904	Women using any method	27.4
37	Number of IUD removals	2,004	953	Women using modern method	22.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	768	416		
39	General OPD cases per 10,000 population ***	13397	7537		
40	Ayush OPD cases per 10,000 population ***	831	580		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	270	107		
42	Neonatal Deaths within 1 to 28 days	678	312		
43	<b>Total Neonatal Death</b>	<b>948</b>	<b>419</b>		
44	Deaths between (1 - 11) months	1,124	474		
45	<b>Total reported infant deaths</b>	<b>2,072</b>	<b>893</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	1		
47	Due to PPH (Post-Partum Haemorrhage)	14	0		
48	Due to Pregnancy related infection and sepsis, Fever	16	2		
49	Due to Abortive complication	2	0		
50	Due to Obstructed/prolonged labour	3	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	6	6		
52	Due to Other/Unknown Causes	39	15		
53	<b>Total reported maternal deaths</b>	<b>82</b>	<b>24</b>		

## Eastern West Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number				
1	Population 2011	1,14,228				
2	Sex Ratio	981				
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number</b>				
3	Sub Centers (SC)	19				
4	Primary Health Centers (PHC)	11				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
	<b>C) Maternal Health:</b>	<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	3,779	3,959			
9	Expected number of Delivery	3,539	3,707			
		<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	6,372	168.6	3,121	78.8	ANC Check up in first trimester 45.3
11	Mothers registered in the first trimester	3,175	49.8	1,647	52.8	At least 4ANC check up 64.0
12	Mothers who had 4 or more ANC check ups	4,548	71.4	1,724	55.2	Neonatal tetanus received 81.6
13	PW who got TT 2 / Booster injection	4,874	76.5	2,420	77.5	100 IFA tablets consumed 51.6
14	PW who consumed 180 IFA tablets	4,305	67.6	1,619	51.9	Home Delivery 58.3
15	Home Delivery against expected delivery *	1,218	34.4	563	15.2	Institutional Delivery 41.7
16	Institutional Delivery Against expected delivery *	3,838	108.5	1,871	50.5	Home Delivery by SBA 7.2
17	Home Delivery against reported delivery **	1,218	24.1	563	23.1	PNC within 2days of delivery 42.0
18	Institutional Delivery against reported delivery **	3,838	75.9	1,871	76.9	
19	Total reported Deliveries	5,056		2,434		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	4.5	17	3.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,450	28.7	890	36.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	3,332		3,477		
	<b>D) Child Immunization :</b>	<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
23	Total reported live births	4,979	149.4	2,396	68.9	Breastfed within 1 hour of birth 81.2
24	Total Still Birth	117	3.5	53	2.2	BCG 86.7
25	PC of newborn weighted at birth to live birth	4,969	99.8	2,391	99.8	3 dose of DPT 68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	490	9.9	240	10.0	Measles First dose 71.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,734	95.1	2,248	93.8	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	4,598	138.0	2,223	63.9	Full Immunization	62.5
29	Children who have received BCG	5,053	151.6	2,324	66.8		
30	Children who have received Pentavalent 1	4,906	147.2	2,165	62.3		
31	Children who have received Pentavalent 3	4,644	139.4	2,119	61.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,621	138.7	2,227	64.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,990		3,365			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	25.8
35	Number of Tubectomies performed	196	101	Spacing	21.1
36	Number of IUD insertion	107	48	Women using any method	26.3
37	Number of IUD removals	98	45	Women using modern method	15.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1162	631		
39	General OPD cases per 10,000 population ***	21991	10711		
40	Ayush OPD cases per 10,000 population ***	3365	1854		

#### G) Mortality Details

I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	19	3	
42	Neonatal Deaths within 1 to 28 days	28	18	
43	<b>Total Neonatal Death</b>	<b>47</b>	<b>21</b>	
44	Deaths between (1 - 11) months	75	28	
45	<b>Total reported infant deaths</b>	<b>122</b>	<b>49</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	2	0	
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>	

## East Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,45,798				
2	Sex Ratio	968				
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>				
3	Sub Centers (SC)	31				
4	Primary Health Centers (PHC)	9				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
	<b>C) Maternal Health:</b>	<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	4,761	4,820			
9	Expected number of Delivery	4,458	4,513			
		<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	4,845	101.8	2,560	53.1	ANC Check up in first trimester 59.2
11	Mothers registered in the first trimester	2,101	43.4	1,221	47.7	At least 4ANC check up 25.5
12	Mothers who had 4 or more ANC check ups	3,517	72.6	1,650	64.5	Neonatal tetanus received 74.5
13	PW who got TT 2 / Booster injection	3,742	77.2	2,038	79.6	100 IFA tablets consumed 28.8
14	PW who consumed 180 IFA tablets	3,585	74.0	1,475	57.6	Home Delivery 26.2
15	Home Delivery against expected delivery *	607	13.6	265	5.9	Institutional Delivery 73.8
16	Institutional Delivery Against expected delivery *	3,723	83.5	1,895	42.0	Home Delivery by SBA 7.5
17	Home Delivery against reported delivery **	607	14.0	265	12.3	PNC within 2days of delivery 59.9
18	Institutional Delivery against reported delivery **	3,723	86.0	1,895	87.7	
19	Total reported Deliveries	4,330		2,160		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	153	25.2	27	10.2	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,849	65.8	1,508	69.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	4,198		4,233		
	<b>D) Child Immunization :</b>	<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
23	Total reported live births	4,319	102.9	2,138	50.5	Breastfed within 1 hour of birth 48.0
24	Total Still Birth	86	2.0	52	2.4	BCG 81.5
25	PC of newborn weighted at birth to live birth	4,243	98.2	2,124	99.3	3 dose of DPT 83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	333	7.8	193	9.1	Measles First dose 83.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,147	96.0	2,066	96.6	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	4,281	102.0	1,875	44.3	Full Immunization	72.4
29	Children who have received BCG	4,202	100.1	2,067	48.8		
30	Children who have received Pentavalent 1	4,279	101.9	1,975	46.7		
31	Children who have received Pentavalent 3	3,940	93.9	1,991	47.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,281	102.0	1,896	44.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,508		850			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	21.0
35	Number of Tubectomies performed	204	69	Spacing	12.4
36	Number of IUD insertion	259	134	Women using any method	37.0
37	Number of IUD removals	91	30	Women using modern method	35.8

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	439	237		
39	General OPD cases per 10,000 population ***	6658	3911		
40	Ayush OPD cases per 10,000 population ***	458	383		

G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	12	5		
42	Neonatal Deaths within 1 to 28 days	33	22		
43	<b>Total Neonatal Death</b>	<b>45</b>	<b>27</b>		
44	Deaths between (1 - 11) months	23	9		
45	<b>Total reported infant deaths</b>	<b>68</b>	<b>36</b>		

II) Maternal Mortality					
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	1		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>2</b>		

## East Jaintia Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,22,939				
2	Sex Ratio	1,008				
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>				
3	Sub Centers (SC)	36				
4	Primary Health Centers (PHC)	6				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	0				
	<b>C) Maternal Health:</b>	<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	4,235	4,311			
9	Expected number of Delivery	3,965	4,036			
		<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	4,193	99.0	2,272	52.7	ANC Check up in first trimester 55.5
11	Mothers registered in the first trimester	1,835	43.8	1,072	47.2	At least 4ANC check up 58.6
12	Mothers who had 4 or more ANC check ups	2,309	55.1	1,370	60.3	Neonatal tetanus received 87.7
13	PW who got TT 2 / Booster injection	3,728	88.9	1,993	87.7	100 IFA tablets consumed 51.9
14	PW who consumed 180 IFA tablets	3,785	90.3	2,271	100.0	Home Delivery 51.6
15	Home Delivery against expected delivery *	549	13.8	186	4.6	Institutional Delivery 48.4
16	Institutional Delivery Against expected delivery *	1,788	45.1	823	20.4	Home Delivery by SBA 6.8
17	Home Delivery against reported delivery **	549	23.5	186	18.4	PNC within 2days of delivery 49.1
18	Institutional Delivery against reported delivery **	1,788	76.5	823	81.6	
19	Total reported Deliveries	2,337		1,009		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	136	24.8	50	26.9	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,188	50.8	645	63.9	
<p><b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.</b></p>						
22	Expected number of Live Birth	3,734		3,785		
	<b>D) Child Immunization :</b>	<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
23	Total reported live births	2,306	61.8	1,007	26.6	Breastfed within 1 hour of birth 85.3
24	Total Still Birth	42	1.1	5	0.5	BCG 92.6
25	PC of newborn weighted at birth to live birth	2,259	98.0	998	99.1	3 dose of DPT 84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	175	7.7	82	8.2	Measles First dose 83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,195	95.2	972	96.5	3 doses of penta or hepatitis B vaccine	77.8
28	Children fully immunized	4,000	107.1	1,872	49.5	Full Immunization	74.4
29	Children who have received BCG	2,583	69.2	1,136	30.0		
30	Children who have received Pentavalent 1	4,021	107.7	1,752	46.3		
31	Children who have received Pentavalent 3	3,899	104.4	2,018	53.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,997	107.0	1,891	50.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,287		3,322			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	26.0
35	Number of Tubectomies performed	0	0	Spacing	20.1
36	Number of IUD insertion	40	20	Women using any method	33.6
37	Number of IUD removals	33	15	Women using modern method	24
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	543	336		
39	General OPD cases per 10,000 population ***	14121	8115		
40	Ayush OPD cases per 10,000 population ***	853	528		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	8	3		
42	Neonatal Deaths within 1 to 28 days	17	1		
43	<b>Total Neonatal Death</b>	<b>25</b>	<b>4</b>		
44	Deaths between (1 - 11) months	38	23		
45	<b>Total reported infant deaths</b>	<b>63</b>	<b>27</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## East Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	8,25,922				
2	Sex Ratio	1,008				
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>				
3	Sub Centers (SC)	77				
4	Primary Health Centers (PHC)	44				
5	Community Health Centers (CHC)	7				
6	SDH	0				
7	DH	2				
	<b>C) Maternal Health:</b>	<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	26,665	26,967			
9	Expected number of Delivery	24,968	25,251			
		<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	29,070	109.0	14,597	54.1	ANC Check up in first trimester 56.7
11	Mothers registered in the first trimester	15,632	53.8	7,864	53.9	At least 4ANC check up 57.5
12	Mothers who had 4 or more ANC check ups	25,883	89.0	11,052	75.7	Neonatal tetanus received 80.2
13	PW who got TT 2 / Booster injection	17,601	60.5	9,168	62.8	100 IFA tablets consumed 40.1
14	PW who consumed 180 IFA tablets	19,105	65.7	8,120	55.6	Home Delivery 36.6
15	Home Delivery against expected delivery *	4,343	17.4	1,960	7.8	Institutional Delivery 63.4
16	Institutional Delivery Against expected delivery *	20,856	83.5	9,871	39.1	Home Delivery by SBA 6.2
17	Home Delivery against reported delivery **	4,343	17.2	1,960	16.6	PNC within 2days of delivery 33.6
18	Institutional Delivery against reported delivery **	20,856	82.8	9,871	83.4	
19	Total reported Deliveries	25,199		11,831		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	1.1	26	1.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,996	71.4	10,785	91.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	23,514		23,682		
	<b>D) Child Immunization :</b>	<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
23	Total reported live births	24,929	106.0	11,732	49.5	Breastfed within 1 hour of birth 86.3
24	Total Still Birth	625	2.7	270	2.3	BCG 84.2
25	PC of newborn weighted at birth to live birth	24,812	99.5	11,700	99.7	3 dose of DPT 59.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,509	10.1	1,153	9.9	Measles First dose 56.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	19,387	77.8	8,962	76.4	3 doses of penta or hepatitis B vaccine	46.8
28	Children fully immunized	15,445	65.7	7,783	32.9	Full Immunization	49.1
29	Children who have received BCG	23,669	100.7	11,140	47.0		
30	Children who have received Pentavalent 1	17,848	75.9	8,010	33.8		
31	Children who have received Pentavalent 3	15,391	65.5	7,543	31.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,502	65.9	7,921	33.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	16,300		8,482			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	33.0
35	Number of Tubectomies performed	1,122	655	Spacing	25.2
36	Number of IUD insertion	568	231	Women using any method	12.1
37	Number of IUD removals	696	342	Women using modern method	10.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1276	680		
39	General OPD cases per 10,000 population ***	19928	11480		
40	Ayush OPD cases per 10,000 population ***	777	671		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	91	41		
42	Neonatal Deaths within 1 to 28 days	270	117		
43	<b>Total Neonatal Death</b>	<b>361</b>	<b>158</b>		
44	Deaths between (1 - 11) months	408	210		
45	<b>Total reported infant deaths</b>	<b>769</b>	<b>368</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	9	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	2		
52	Due to Other/Unknown Causes	16	9		
53	<b>Total reported maternal deaths</b>	<b>28</b>	<b>11</b>		

## North Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,72,119				
2	Sex Ratio	968				
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>				
3	Sub Centers (SC)	50				
4	Primary Health Centers (PHC)	11				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	0				
	<b>C) Maternal Health:</b>	<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	5,620	5,690			
9	Expected number of Delivery	5,262	5,328			
		<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	4,683	83.3	2,392	42.0	ANC Check up in first trimester 40.3
11	Mothers registered in the first trimester	2,258	48.2	1,298	54.3	At least 4ANC check up 24.3
12	Mothers who had 4 or more ANC check ups	4,696	100.3	2,619	109.5	Neonatal tetanus received 55.5
13	PW who got TT 2 / Booster injection	4,117	87.9	2,106	88.0	100 IFA tablets consumed 23.7
14	PW who consumed 180 IFA tablets	4,160	88.8	1,903	79.6	Home Delivery 38.5
15	Home Delivery against expected delivery *	1,095	20.8	493	9.3	Institutional Delivery 61.5
16	Institutional Delivery Against expected delivery *	2,123	40.3	1,054	19.8	Home Delivery by SBA 5.9
17	Home Delivery against reported delivery **	1,095	34.0	493	31.9	PNC within 2days of delivery 40.5
18	Institutional Delivery against reported delivery **	2,123	66.0	1,054	68.1	
19	Total reported Deliveries	3,218		1,547		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	10.0	76	15.4	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,550	48.2	684	44.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	4,956		4,997		
	<b>D) Child Immunization :</b>	<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
23	Total reported live births	3,192	64.4	1,521	30.4	Breastfed within 1 hour of birth 62.3
24	Total Still Birth	57	1.2	41	2.7	BCG 65.9
25	PC of newborn weighted at birth to live birth	3,151	98.7	1,508	99.1	3 dose of DPT 57.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	137	4.3	71	4.7	Measles First dose 58.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,117	97.7	1,499	98.6	3 doses of penta or hepatitis B vaccine	39.5
28	Children fully immunized	3,640	73.4	1,815	36.3	Full Immunization	47.5
29	Children who have received BCG	3,402	68.6	1,638	32.8		
30	Children who have received Pentavalent 1	3,717	75.0	1,733	34.7		
31	Children who have received Pentavalent 3	3,333	67.3	1,762	35.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,629	73.2	1,789	35.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,929		1,124			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	25.2
35	Number of Tubectomies performed	1	0	Spacing	12.9
36	Number of IUD insertion	25	24	Women using any method	19.2
37	Number of IUD removals	48	12	Women using modern method	17.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	246	127		
39	General OPD cases per 10,000 population ***	8378	5224		
40	Ayush OPD cases per 10,000 population ***	198	203		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	5	1		
42	Neonatal Deaths within 1 to 28 days	23	5		
43	<b>Total Neonatal Death</b>	<b>28</b>	<b>6</b>		
44	Deaths between (1 - 11) months	28	12		
45	<b>Total reported infant deaths</b>	<b>56</b>	<b>18</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	0		
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>0</b>		

## Ri Bhoi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	2,58,840	
2	Sex Ratio	951	
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>	
3	Sub Centers (SC)	35	
4	Primary Health Centers (PHC)	10	
5	Community Health Centers (CHC)	3	
6	SDH	0	
7	DH	1	

### C) Maternal Health:

		2024-25		2025-26		
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	8,761	95.7	4,066	43.5	ANC Check up in first trimester 56.1
11	Mothers registered in the first trimester	5,397	61.6	2,815	69.2	At least 4ANC check up 61.0
12	Mothers who had 4 or more ANC check ups	8,626	98.5	4,317	106.2	Neonatal tetanus received 86.2
13	PW who got TT 2 / Booster injection	7,121	81.3	3,342	82.2	100 IFA tablets consumed 48.8
14	PW who consumed 180 IFA tablets	4,991	57.0	2,922	71.9	Home Delivery 43.1
15	Home Delivery against expected delivery *	2,026	23.6	755	8.6	Institutional Delivery 56.9
16	Institutional Delivery Against expected delivery *	4,281	50.0	2,096	24.0	Home Delivery by SBA 8.4
17	Home Delivery against reported delivery **	2,026	32.1	755	26.5	PNC within 2days of delivery 39.5
18	Institutional Delivery against reported delivery **	4,281	67.9	2,096	73.5	
19	Total reported Deliveries	6,307		2,851		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	1.6	167	22.1	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,894	30.0	1,088	38.2	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

	Expected number of Live Birth	8,069		8,201			
	<b>D) Child Immunization :</b>	<b>HMIS (2024-25)</b>		<b>HMIS (2025-26) 2nd QTR</b>		<b>NFHS-5 (2019-20)</b>	
23	Total reported live births	6,252	77.5	2,843	34.7	Breastfed within 1 hour of birth	85.9
24	Total Still Birth	117	1.4	49	1.7	BCG	94
25	PC of newborn weighted at birth to live birth	6,155	98.4	2,790	98.1	3 dose of DPT	82.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	385	6.3	188	6.7	Measles First dose	80.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,908	94.5	2,764	97.2	3 doses of penta or hepatitis B vaccine	71.5
28	Children fully immunized	6,663	82.6	3,284	40.0	Full Immunization	74.8
29	Children who have received BCG	6,954	86.2	3,223	39.3		
30	Children who have received Pentavalent 1	7,190	89.1	3,210	39.1		
31	Children who have received Pentavalent 3	6,682	82.8	3,241	39.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,704	83.1	3,305	40.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,424		5,003			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	27.0
35	Number of Tubectomies performed	201	86	Spacing	18.4
36	Number of IUD insertion	213	89	Women using any method	33.1
37	Number of IUD removals	245	86	Women using modern method	19.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	484	272		
39	General OPD cases per 10,000 population ***	12582	6453		
40	Ayush OPD cases per 10,000 population ***	1304	933		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	8	0		
42	Neonatal Deaths within 1 to 28 days	35	15		
43	<b>Total Neonatal Death</b>	<b>43</b>	<b>15</b>		
44	Deaths between (1 - 11) months	60	30		
45	<b>Total reported infant deaths</b>	<b>103</b>	<b>45</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## South Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number				
1	Population 2011	1,42,334				
2	Sex Ratio	944				
B) Infrastructure Details (HDI 2022-23)		Number				
3	Sub Centers (SC)	26				
4	Primary Health Centers (PHC)	7				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	4,808	4,885			
9	Expected number of Delivery	4,502	4,574			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	4,498	93.6	2,653	54.3	ANC Check up in first trimester 68.7
11	Mothers registered in the first trimester	1,987	44.2	1,346	50.7	At least 4ANC check up 33.3
12	Mothers who had 4 or more ANC check ups	3,318	73.8	1,734	65.4	Neonatal tetanus received 86.0
13	PW who got TT 2 / Booster injection	3,410	75.8	2,127	80.2	100 IFA tablets consumed 51.8
14	PW who consumed 180 IFA tablets	4,080	90.7	2,496	94.1	Home Delivery 11.7
15	Home Delivery against expected delivery *	1,186	26.3	513	11.2	Institutional Delivery 88.3
16	Institutional Delivery Against expected delivery *	1,917	42.6	885	19.3	Home Delivery by SBA 3.9
17	Home Delivery against reported delivery **	1,186	38.2	513	36.7	PNC within 2days of delivery 65.9
18	Institutional Delivery against reported delivery **	1,917	61.8	885	63.3	
19	Total reported Deliveries	3,103		1,398		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	164	13.8	76	14.8	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,187	38.3	524	37.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	4,240		4,290		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	3,064	72.3	1,377	32.1	Breastfed within 1 hour of birth 59.8
24	Total Still Birth	64	1.5	32	2.3	BCG 100
25	PC of newborn weighted at birth to live birth	3,048	99.5	1,368	99.3	3 dose of DPT 86.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	180	5.9	91	6.7	Measles First dose 89.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,027	98.8	1,359	98.7	3 doses of penta or hepatitis B vaccine	86.8
28	Children fully immunized	3,711	87.5	1,627	37.9	Full Immunization	86.8
29	Children who have received BCG	2,748	64.8	1,372	32.0		
30	Children who have received Pentavalent 1	3,650	86.1	1,486	34.6		
31	Children who have received Pentavalent 3	3,372	79.5	1,604	37.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,703	87.3	1,615	37.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,238		671			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	25.3
35	Number of Tubectomies performed	0	2	Spacing	14.4
36	Number of IUD insertion	7	4	Women using any method	37.6
37	Number of IUD removals	7	44	Women using modern method	33.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	261	132		
39	General OPD cases per 10,000 population ***	7562	4148		
40	Ayush OPD cases per 10,000 population ***	314	156		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	12	4		
42	Neonatal Deaths within 1 to 28 days	17	6		
43	<b>Total Neonatal Death</b>	<b>29</b>	<b>10</b>		
44	Deaths between (1 - 11) months	22	8		
45	<b>Total reported infant deaths</b>	<b>51</b>	<b>18</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## South West Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number				
1	Population 2011	1,77,556				
2	Sex Ratio	979				
B) Infrastructure Details (HDI 2022-23)		Number				
3	Sub Centers (SC)	27				
4	Primary Health Centers (PHC)	9				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	5,848	5,926			
9	Expected number of Delivery	5,476	5,549			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	4,166	71.2	2,121	35.8	ANC Check up in first trimester 57.0
11	Mothers registered in the first trimester	2,399	57.6	1,283	60.5	At least 4ANC check up 28.5
12	Mothers who had 4 or more ANC check ups	3,193	76.6	1,645	77.6	Neonatal tetanus received 80.7
13	PW who got TT 2 / Booster injection	3,426	82.2	1,730	81.6	100 IFA tablets consumed 28.3
14	PW who consumed 180 IFA tablets	3,569	85.7	1,938	91.4	Home Delivery 16.3
15	Home Delivery against expected delivery *	323	5.9	98	1.8	Institutional Delivery 83.7
16	Institutional Delivery Against expected delivery *	2,820	51.5	1,213	21.9	Home Delivery by SBA 4.9
17	Home Delivery against reported delivery **	323	10.3	98	7.5	PNC within 2days of delivery 60.6
18	Institutional Delivery against reported delivery **	2,820	89.7	1,213	92.5	
19	Total reported Deliveries	3,143		1,311		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	21	6.5	7	7.1	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,279	72.5	952	72.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	5,157		5,204		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
23	Total reported live births	3,102	60.2	1,292	24.8	Breastfed within 1 hour of birth 54.5
24	Total Still Birth	61	1.2	24	1.9	BCG 98.6
25	PC of newborn weighted at birth to live birth	3,086	99.5	1,286	99.5	3 dose of DPT 90.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	315	10.2	141	11.0	Measles First dose 92.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,046	98.2	1,246	96.4	3 doses of penta or hepatitis B vaccine	89.5
28	Children fully immunized	3,933	76.3	1,764	33.9	Full Immunization	85.4
29	Children who have received BCG	3,082	59.8	1,310	25.2		
30	Children who have received Pentavalent 1	3,641	70.6	1,679	32.3		
31	Children who have received Pentavalent 3	3,668	71.1	1,819	35.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,922	76.1	1,765	33.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,860		1,120			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	30.4
35	Number of Tubectomies performed	51	24	Spacing	16.7
36	Number of IUD insertion	97	43	Women using any method	36.7
37	Number of IUD removals	144	88	Women using modern method	32.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	401	209		
39	General OPD cases per 10,000 population ***	8258	4727		
40	Ayush OPD cases per 10,000 population ***	411	324		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	8	1		
42	Neonatal Deaths within 1 to 28 days	24	14		
43	<b>Total Neonatal Death</b>	<b>32</b>	<b>15</b>		
44	Deaths between (1 - 11) months	74	17		
45	<b>Total reported infant deaths</b>	<b>106</b>	<b>32</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	4	0		
53	<b>Total reported maternal deaths</b>	<b>4</b>	<b>0</b>		

## South West Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	99,171				
2	Sex Ratio	981				
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>				
3	Sub Centers (SC)	22				
4	Primary Health Centers (PHC)	4				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	0				
	<b>C) Maternal Health:</b>	<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	3,380	3,437			
9	Expected number of Delivery	3,165	3,218			
		<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	3,854	114.0	2,090	60.8	ANC Check up in first trimester 48.5
11	Mothers registered in the first trimester	1,748	45.4	981	46.9	At least 4ANC check up 63.4
12	Mothers who had 4 or more ANC check ups	1,560	40.5	897	42.9	Neonatal tetanus received 85.6
13	PW who got TT 2 / Booster injection	3,063	79.5	1,696	81.1	100 IFA tablets consumed 53.8
14	PW who consumed 180 IFA tablets	2,703	70.1	1,196	57.2	Home Delivery 58.3
15	Home Delivery against expected delivery *	1,572	49.7	619	19.2	Institutional Delivery 41.7
16	Institutional Delivery Against expected delivery *	1,538	48.6	771	24.0	Home Delivery by SBA 7.6
17	Home Delivery against reported delivery **	1,572	50.5	619	44.5	PNC within 2days of delivery 42.9
18	Institutional Delivery against reported delivery **	1,538	49.5	771	55.5	
19	Total reported Deliveries	3,110		1,390		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	1.2	7	1.1	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,472	47.3	321	23.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	2,981		3,018		
	<b>D) Child Immunization :</b>	<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
23	Total reported live births	3,042	102.1	1,363	45.2	Breastfed within 1 hour of birth 76.8
24	Total Still Birth	85	2.9	35	2.6	BCG 95.8
25	PC of newborn weighted at birth to live birth	3,035	99.8	1,351	99.1	3 dose of DPT 86.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	183	6.0	138	10.2	Measles First dose 86.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,885	94.8	1,298	95.2	3 doses of penta or hepatitis B vaccine	82.4
28	Children fully immunized	2,689	90.2	1,481	49.1	Full Immunization	78.8
29	Children who have received BCG	2,877	96.5	1,337	44.3		
30	Children who have received Pentavalent 1	3,196	107.2	1,431	47.4		
31	Children who have received Pentavalent 3	2,870	96.3	1,549	51.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,655	89.1	1,481	49.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,593		3,036			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	26.2
35	Number of Tubectomies performed	13	10	Spacing	20.1
36	Number of IUD insertion	26	8	Women using any method	26.5
37	Number of IUD removals	9	6	Women using modern method	15.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	623	333		
39	General OPD cases per 10,000 population ***	14507	7517		
40	Ayush OPD cases per 10,000 population ***	963	765		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	19	9		
42	Neonatal Deaths within 1 to 28 days	21	5		
43	<b>Total Neonatal Death</b>	<b>40</b>	<b>14</b>		
44	Deaths between (1 - 11) months	94	28		
45	<b>Total reported infant deaths</b>	<b>134</b>	<b>42</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## West Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	4,65,735	
2	Sex Ratio	979	
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>	
3	Sub Centers (SC)	66	
4	Primary Health Centers (PHC)	15	
5	Community Health Centers (CHC)	6	
6	SDH	1	
7	DH	2	

	2024-25		2025-26			
	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
	Number	PC	Number	PC		
10	PW register for ANC	13,798	89.9	7,622	49.0	ANC Check up in first trimester
11	Mothers registered in the first trimester	6,028	43.7	3,521	46.2	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	12,325	89.3	5,997	78.7	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	11,845	85.8	6,508	85.4	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	11,091	80.4	5,940	77.9	Home Delivery
15	Home Delivery against expected delivery *	3,858	26.9	1,401	9.6	Institutional Delivery
16	Institutional Delivery Against expected delivery **	9,718	67.7	4,520	31.1	Home Delivery by SBA
17	Home Delivery against reported delivery **	3,858	28.4	1,401	23.7	PNC within 2days of delivery
18	Institutional Delivery against reported delivery **	9,718	71.6	4,520	76.3	
19	Total reported Deliveries	13,576		5,921		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	223	5.8	172	12.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,829	50.3	2,555	43.2	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

	22	Expected number of Live Birth	13,527		13,651			
	D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
23	Total reported live births	13,290	98.2	5,842	42.8	Breastfed within 1 hour of birth	47.2	
24	Total Still Birth	393	2.9	159	2.7	BCG	100	
25	PC of newborn weighted at birth to live birth	13,059	98.3	5,696	97.5	3 dose of DPT	84.8	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,583	12.1	652	11.4	Measles First dose	87.4	

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,747	88.4	4,904	83.9	3 doses of penta or hepatitis B vaccine	78.5
28	Children fully immunized	10,719	79.2	5,146	37.7	Full Immunization	77.1
29	Children who have received BCG	12,465	92.1	5,550	40.7		
30	Children who have received Pentavalent 1	11,182	82.7	5,027	36.8		
31	Children who have received Pentavalent 3	10,230	75.6	5,154	37.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,724	79.3	5,110	37.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,040		2,504			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	19.7
35	Number of Tubectomies performed	550	318	Spacing	9.2
36	Number of IUD insertion	370	165	Women using any method	44.1
37	Number of IUD removals	383	172	Women using modern method	39.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	499	258		
39	General OPD cases per 10,000 population ***	7884	4344		
40	Ayush OPD cases per 10,000 population ***	397	163		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	34	17		
42	Neonatal Deaths within 1 to 28 days	111	58		
43	<b>Total Neonatal Death</b>	<b>145</b>	<b>75</b>		
44	Deaths between (1 - 11) months	130	45		
45	<b>Total reported infant deaths</b>	<b>275</b>	<b>120</b>		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	3	0		
48	Due to Pregnancy related infection and sepsis, Fever	5	2		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	2	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	0		
52	Due to Other/Unknown Causes	9	3		
53	<b>Total reported maternal deaths</b>	<b>24</b>	<b>5</b>		

## West Jaintia Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	2,72,185				
2	Sex Ratio	1,008				
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>				
3	Sub Centers (SC)	46				
4	Primary Health Centers (PHC)	15				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	1				
	<b>C) Maternal Health:</b>	<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	9,376	9,543			
9	Expected number of Delivery	8,779	8,936			
		<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	12,485	133.2	6,201	65.0	ANC Check up in first trimester 44.0
11	Mothers registered in the first trimester	4,837	38.7	2,622	42.3	At least 4ANC check up 43.1
12	Mothers who had 4 or more ANC check ups	4,659	37.3	2,771	44.7	Neonatal tetanus received 79.2
13	PW who got TT 2 / Booster injection	8,178	65.5	4,380	70.6	100 IFA tablets consumed 32.7
14	PW who consumed 180 IFA tablets	6,217	49.8	2,970	47.9	Home Delivery 57.8
15	Home Delivery against expected delivery *	2,587	29.5	978	10.9	Institutional Delivery 42.2
16	Institutional Delivery Against expected delivery *	7,982	90.9	3,849	43.1	Home Delivery by SBA 7.7
17	Home Delivery against reported delivery **	2,587	24.5	978	20.3	PNC within 2days of delivery 28.6
18	Institutional Delivery against reported delivery **	7,982	75.5	3,849	79.7	
19	Total reported Deliveries	10,569		4,827		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	68	2.6	77	7.9	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,184	30.1	1,867	38.7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	8,268		8,381		
	<b>D) Child Immunization :</b>	<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
23	Total reported live births	10,486	126.8	4,792	57.2	Breastfed within 1 hour of birth 88.5
24	Total Still Birth	262	3.2	120	2.5	BCG 90.9
25	PC of newborn weighted at birth to live birth	10,246	97.7	4,704	98.2	3 dose of DPT 77
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,105	10.8	529	11.2	Measles First dose 72.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,553	81.6	3,681	76.8	3 doses of penta or hepatitis B vaccine	72
28	Children fully immunized	8,245	99.7	4,083	48.7	Full Immunization	59.7
29	Children who have received BCG	9,820	118.8	4,782	57.1		
30	Children who have received Pentavalent 1	8,651	104.6	4,241	50.6		
31	Children who have received Pentavalent 3	8,306	100.5	4,270	50.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,236	99.6	4,053	48.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13,311		7,794			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	29.3
35	Number of Tubectomies performed	573	293	Spacing	21.7
36	Number of IUD insertion	142	65	Women using any method	19.3
37	Number of IUD removals	129	62	Women using modern method	17.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1001	591		
39	General OPD cases per 10,000 population ***	14138	8662		
40	Ayush OPD cases per 10,000 population ***	1004	644		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	41	14		
42	Neonatal Deaths within 1 to 28 days	54	27		
43	<b>Total Neonatal Death</b>	<b>95</b>	<b>41</b>		
44	Deaths between (1 - 11) months	85	29		
45	<b>Total reported infant deaths</b>	<b>180</b>	<b>70</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	5	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	2	1		
53	<b>Total reported maternal deaths</b>	<b>8</b>	<b>2</b>		

## West Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,70,062				
2	Sex Ratio	981				
	<b>B) Infrastructure Details (HDI 2022-23 )</b>	<b>Number s</b>				
3	Sub Centers (SC)	28				
4	Primary Health Centers (PHC)	6				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
	<b>C) Maternal Health:</b>	<b>2024-25</b>	<b>2025-26</b>			
8	Expected number of PW	5,796	5,894			
9	Expected number of Delivery	5,427	5,519			
		<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>	
10	PW register for ANC	6,262	108.0	3,158	53.6	ANC Check up in first trimester 45.3
11	Mothers registered in the first trimester	2,499	39.9	1,265	40.1	At least 4ANC check up 64.0
12	Mothers who had 4 or more ANC check ups	4,555	72.7	2,395	75.8	Neonatal tetanus received 81.6
13	PW who got TT 2 / Booster injection	5,393	86.1	2,651	83.9	100 IFA tablets consumed 51.6
14	PW who consumed 180 IFA tablets	4,219	67.4	1,808	57.3	Home Delivery 58.3
15	Home Delivery against expected delivery *	1,923	35.4	863	15.6	Institutional Delivery 41.7
16	Institutional Delivery Against expected delivery *	3,422	63.0	1,598	29.0	Home Delivery by SBA 7.2
17	Home Delivery against reported delivery **	1,923	36.0	863	35.1	PNC within 2days of delivery 42.0
18	Institutional Delivery against reported delivery **	3,422	64.0	1,598	64.9	
19	Total reported Deliveries	5,345		2,461		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	5.6	59	6.8	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,681	31.4	960	39.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	5,111		5,176		
	<b>D) Child Immunization :</b>	<b>HMIS ( 2024-25)</b>	<b>HMIS ( 2025-26) 2nd QTR</b>	<b>NFHS-5 ( 2019-20)</b>		
23	Total reported live births	5,241	102.5	2,455	47.4	Breastfed within 1 hour of birth 81.2
24	Total Still Birth	130	2.5	48	2.0	BCG 86.7
25	PC of newborn weighted at birth to live birth	5,214	99.5	2,426	98.8	3 dose of DPT 68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	259	5.0	147	6.1	Measles First dose 71.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,114	97.6	2,327	94.8	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	5,007	98.0	2,621	50.6	Full Immunization	62.5
29	Children who have received BCG	5,701	111.5	2,434	47.0		
30	Children who have received Pentavalent 1	5,436	106.4	2,428	46.9		
31	Children who have received Pentavalent 3	5,002	97.9	2,360	45.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,021	98.2	2,595	50.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,707		3,206			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	25.8
35	Number of Tubectomies performed	88	74	Spacing	21.1
36	Number of IUD insertion	150	73	Women using any method	26.3
37	Number of IUD removals	121	51	Women using modern method	15.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	769	402		
39	General OPD cases per 10,000 population ***	11684	5941		
40	Ayush OPD cases per 10,000 population ***	1238	793		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	13	9		
42	Neonatal Deaths within 1 to 28 days	45	24		
43	<b>Total Neonatal Death</b>	<b>58</b>	<b>33</b>		
44	Deaths between (1 - 11) months	87	35		
45	<b>Total reported infant deaths</b>	<b>145</b>	<b>68</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	2		
52	Due to Other/Unknown Causes	3	1		
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>3</b>		