

Mizoram Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,97,206					
2	Sex Ratio	975					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	369					
4	Primary Health Centers (PHC)	66					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	12					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	22,434		22,626			
9	Expected number of Delivery	20,639		20,816			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,036	93.8	5,529	24.4	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	17,117	81.4	4,614	83.5	At least 4ANC check up	58.0
12	Mothers who had 4 or more ANC check ups	14,321	68.1	3,349	60.6	Neonatal tetanus received	80.0
13	PW who got TT 2 / Booster injection	19,188	91.2	5,129	92.8	100 IFA tablets consumed	61.9
14	PW who consumed 180 IFA tablets	17,631	83.8	3,988	72.1	Home Delivery	14.2
15	Home Delivery against expected delivery *	1,753	8.5	345	1.7	Institutional Delivery	85.8
16	Institutional Delivery Against expected delivery *	17,628	85.4	4,233	20.3	Home Delivery by SBA	3.5
17	Reported Home Delivery **	1,753	9.0	345	7.5	PNC within 2days of delivery	68.0
18	Reported institutional Delivery **	17,628	91.0	4,233	92.5		
19	Total reported Deliveries	19,381		4,578			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	292	16.7	52	15.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,838	76.6	3,862	84.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	20,170		20,302			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	19,377	96.1	4,571	22.5	Breastfed within 1 hour of birth	60.1
24	Total Still Birth	233	1.2	52	1.1	BCG	83.4
25	PC of newborn weighted at birth to live birth	18,675	96.4	4,450	97.4	3 dose of DPT	80.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,125	6.0	287	6.4	Measles First dose	80.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,950	87.5	4,119	90.1	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	17,967	89.1	4,210	20.7	Full Immunization	72.5
29	Children who have received BCG	19,290	95.6	4,475	22.0		
30	Children who have received Pentavalent 1	19,252	95.4	4,623	22.8		
31	Children who have received Pentavalent 3	18,788	93.1	4,798	23.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,109	89.8	4,199	20.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	14,832		4,700			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	18.9
35	Number of Tubectomies performed	1,068	336	Spacing	12.8
36	Number of IUD insertion	1,063	246	Women using any method	31.2
37	Number of IUD removals	964	308	Women using modern method	30.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	703	208		
39	General OPD cases per 10,000 population ***	17386	4449		
40	Ayush OPD cases per 10,000 population ***	910	222		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	45	19		
42	Neonatal Deaths within 1 to 28 days	124	17		
43	Total Neonatal Death	169	36		
44	Deaths between (1 - 11) months	106	26		
45	Total reported infant deaths	275	62		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	4	1		
48	Due to Pregnancy related infection and sepsis, Fever	3	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1		
52	Due to Other/Unknown Causes	8	2		
53	Total reported maternal deaths	16	4		

Aizawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,00,309					
2	Sex Ratio	1,009					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	73					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	2					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,836		8,923			
9	Expected number of Delivery	8,129		8,210			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,615	74.9	1,769	19.8	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	6,179	93.4	1,692	95.6	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	5,559	84.0	1,278	72.2	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	6,240	94.3	1,782	100.7	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	6,791	102.7	1,525	86.2	Home Delivery	2.6
15	Home Delivery against expected delivery *	18	0.2	2	0.0	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	8,530	104.9	2,047	24.9	Home Delivery by SBA	0.3
17	Reported Home Delivery **	18	0.2	2	0.1	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	8,530	99.8	2,047	99.9		
19	Total reported Deliveries	8,548		2,049			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	44.4	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,962	104.8	2,435	118.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,945		8,007			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	8,648	108.9	2,058	25.7	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	26	0.3	17	0.8	BCG	81.6
25	PC of newborn weighted at birth to live birth	8,435	97.5	2,025	98.4	3 dose of DPT	79.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	535	6.3	136	6.7	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,173	82.9	1,846	89.7	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	6,349	79.9	1,502	18.8	Full Immunization	66.4
29	Children who have received BCG	8,363	105.3	1,931	24.1		
30	Children who have received Pentavalent 1	6,553	82.5	1,592	19.9		
31	Children who have received Pentavalent 3	6,552	82.5	1,681	21.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,444	81.1	1,507	18.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,032		1,731			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	24
35	Number of Tubectomies performed	586	212	Spacing	14
36	Number of IUD insertion	503	127	Women using any method	21.6
37	Number of IUD removals	372	170	Women using modern method	21

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	921	302		
39	General OPD cases per 10,000 population ***	22137	6200		
40	Ayush OPD cases per 10,000 population ***	713	136		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	17	12		
42	Neonatal Deaths within 1 to 28 days	69	11		
43	Total Neonatal Death	86	23		
44	Deaths between (1 - 11) months	20	7		
45	Total reported infant deaths	106	30		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	2	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	5	0		
53	Total reported maternal deaths	9	0		

Champhai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,341		1,344			
9	Expected number of Delivery	1,234		1,236			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,598	119.2	432	32.1	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,404	87.9	369	85.4	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,237	77.4	273	63.2	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,532	95.9	429	99.3	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,250	78.2	289	66.9	Home Delivery	3.3
15	Home Delivery against expected delivery *	32	2.6	5	0.4	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,446	117.2	301	24.3	Home Delivery by SBA	1.6
17	Reported Home Delivery **	32	2.2	5	1.6	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,446	97.8	301	98.4		
19	Total reported Deliveries	1,478		306			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	31.3	1	20.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	485	32.8	183	59.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,206		1,206			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,457	120.9	305	25.3	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	24	2.0	2	0.7	BCG	97.6
25	PC of newborn weighted at birth to live birth	1,415	97.1	303	99.3	3 dose of DPT	90.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	95	6.7	23	7.6	Measles First dose	92.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,266	86.9	291	95.4	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,475	122.4	388	32.2	Full Immunization	85.3
29	Children who have received BCG	1,565	129.8	369	30.6		
30	Children who have received Pentavalent 1	1,657	137.5	360	29.9		
31	Children who have received Pentavalent 3	1,545	128.2	439	36.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,483	123.0	381	31.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	960		278			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.2
35	Number of Tubectomies performed	45	9	Spacing	8.3
36	Number of IUD insertion	128	16	Women using any method	50
37	Number of IUD removals	124	27	Women using modern method	49.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	609	144		
39	General OPD cases per 10,000 population ***	14705	3113		
40	Ayush OPD cases per 10,000 population ***	1152	351		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	19	0		
43	Total Neonatal Death	20	0		
44	Deaths between (1 - 11) months	7	1		
45	Total reported infant deaths	27	1		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Hnahthial Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Number s					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	422		421			
9	Expected number of Delivery	388		387			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	436	103.4	150	35.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	397	91.1	124	82.7	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	373	85.6	76	50.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	375	86.0	122	81.3	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	405	92.9	93	62.0	Home Delivery	NA
15	Home Delivery against expected delivery *	3	0.8	2	0.5	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	178	45.9	38	9.8	Home Delivery by SBA	NA
17	Reported Home Delivery **	3	1.7	2	5.0	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	178	98.3	38	95.0		
19	Total reported Deliveries	181		40			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	1	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	291	160.8	64	160.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	379		378			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	181	47.7	39	10.3	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	1	2.6	BCG	NA
25	PC of newborn weighted at birth to live birth	181	100.0	39	100.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	2.2	1	2.6	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	177	97.8	38	97.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	416	109.7	98	25.9	Full Immunization	NA
29	Children who have received BCG	177	46.7	34	9.0		
30	Children who have received Pentavalent 1	421	111.0	99	26.2		
31	Children who have received Pentavalent 3	406	107.1	107	28.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	424	111.8	98	25.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	326		110			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	10	5	Women using any method	NA
37	Number of IUD removals	22	6	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	375	99		
39	General OPD cases per 10,000 population ***	21241	4000		
40	Ayush OPD cases per 10,000 population ***	2191	551		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	3	0		
45	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Khawzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Number s					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	719	721				
9	Expected number of Delivery	662	663				
		HMIS (2024-25)	HMIS (2025-26) 1st QTR			NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	603	83.8	159	22.1	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	538	89.2	144	90.6	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	445	73.8	117	73.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	526	87.2	148	93.1	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	524	86.9	114	71.7	Home Delivery	NA
15	Home Delivery against expected delivery *	4	0.6	1	0.2	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	230	34.8	53	8.0	Home Delivery by SBA	NA
17	Reported Home Delivery **	4	1.7	1	1.9	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	230	98.3	53	98.1		
19	Total reported Deliveries	234		54			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	25.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	256	109.4	44	81.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	647		647			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 1st QTR			NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	234	36.2	54	8.3	Breastfed within 1 hour of birth	NA
24	Total Still Birth	1	0.2	1	1.9	BCG	NA
25	PC of newborn weighted at birth to live birth	217	92.7	50	92.6	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.3	0	0.0	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	219	93.6	51	94.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	564	87.2	117	18.1	Full Immunization	NA
29	Children who have received BCG	202	31.2	49	7.6		
30	Children who have received Pentavalent 1	568	87.8	113	17.5		
31	Children who have received Pentavalent 3	581	89.8	145	22.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	570	88.1	123	19.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	610		166			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	18	11	Women using any method	NA
37	Number of IUD removals	24	11	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	260	76		
39	General OPD cases per 10,000 population ***	9863	2650		
40	Ayush OPD cases per 10,000 population ***	1809	406		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kolasib Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,561		1,579			
9	Expected number of Delivery	1,436		1,453			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,683	107.8	430	27.2	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,316	78.2	351	81.6	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,053	62.6	239	55.6	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,602	95.2	429	99.8	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,193	70.9	269	62.6	Home Delivery	8.6
15	Home Delivery against expected delivery *	32	2.2	2	0.1	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,093	76.1	235	16.2	Home Delivery by SBA	2.7
17	Reported Home Delivery **	32	2.8	2	0.8	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,093	97.2	235	99.2		
19	Total reported Deliveries	1,125		237			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	28.1	1	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,144	101.7	258	108.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,403		1,417			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,105	78.7	232	16.4	Breastfed within 1 hour of birth	63
24	Total Still Birth	26	1.9	6	2.6	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,096	99.2	232	100.0	3 dose of DPT	85.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	64	5.8	20	8.6	Measles First dose	83.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,015	91.9	216	93.1	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,322	94.2	334	23.6	Full Immunization	80.4
29	Children who have received BCG	1,118	79.7	250	17.6		
30	Children who have received Pentavalent 1	1,454	103.6	351	24.8		
31	Children who have received Pentavalent 3	1,395	99.4	335	23.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,341	95.6	330	23.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,486		314			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.6
35	Number of Tubectomies performed	70	12	Spacing	11.7
36	Number of IUD insertion	59	18	Women using any method	38.1
37	Number of IUD removals	74	18	Women using modern method	37.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	463	130		
39	General OPD cases per 10,000 population ***	13794	3279		
40	Ayush OPD cases per 10,000 population ***	1039	192		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	3	3		
42	Neonatal Deaths within 1 to 28 days	3	0		
43	Total Neonatal Death	6	3		
44	Deaths between (1 - 11) months	5	2		
45	Total reported infant deaths	11	5		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	0		

Lawngtlai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	2,418		2,466			
9	Expected number of Delivery	2,224		2,268			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,855	118.1	658	26.7	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,803	63.2	454	69.0	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	1,267	44.4	262	39.8	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	2,243	78.6	549	83.4	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,661	58.2	365	55.5	Home Delivery	46.3
15	Home Delivery against expected delivery *	741	33.3	138	6.1	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,508	67.8	372	16.4	Home Delivery by SBA	9.3
17	Reported Home Delivery **	741	32.9	138	27.1	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,508	67.1	372	72.9		
19	Total reported Deliveries	2,249		510			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	10.5	25	18.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	797	35.4	173	33.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,174		2,212			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,239	103.0	503	22.7	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	25	1.2	13	2.6	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,969	87.9	462	91.8	3 dose of DPT	74.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	160	8.1	39	8.4	Measles First dose	76.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,037	91.0	447	88.9	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,839	84.6	375	17.0	Full Immunization	70.2
29	Children who have received BCG	2,460	113.2	483	21.8		
30	Children who have received Pentavalent 1	2,361	108.6	522	23.6		
31	Children who have received Pentavalent 3	2,200	101.2	537	24.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,834	84.4	371	16.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,565		522			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	67	17	Spacing	13
36	Number of IUD insertion	45	18	Women using any method	29.7
37	Number of IUD removals	74	16	Women using modern method	29.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	555	155		
39	General OPD cases per 10,000 population ***	11053	2751		
40	Ayush OPD cases per 10,000 population ***	1059	280		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths within 1 to 28 days	8	2		
43	Total Neonatal Death	12	2		
44	Deaths between (1 - 11) months	15	6		
45	Total reported infant deaths	27	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	2	1		

Lunglei Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	52					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	2,200		2,196			
9	Expected number of Delivery	2,024		2,020			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,196	99.8	585	26.6	ANC Check up in first trimester	68.8
11	Mothers registered in the first trimester	1,446	65.8	386	66.0	At least 4ANC check up	56.7
12	Mothers who had 4 or more ANC check ups	1,202	54.7	332	56.8	Neonatal tetanus received	79.9
13	PW who got TT 2 / Booster injection	2,346	106.8	500	85.5	100 IFA tablets consumed	64.7
14	PW who consumed 180 IFA tablets	2,211	100.7	457	78.1	Home Delivery	17.3
15	Home Delivery against expected delivery *	390	19.3	78	3.9	Institutional Delivery	82.7
16	Institutional Delivery Against expected delivery *	2,013	99.5	457	22.6	Home Delivery by SBA	3.9
17	Reported Home Delivery **	390	16.2	78	14.6	PNC within 2days of delivery	67.1
18	Reported institutional Delivery **	2,013	83.8	457	85.4		
19	Total reported Deliveries	2,403		535			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	9.2	6	7.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	675	28.1	134	25.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,978		1,970			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,385	120.6	531	27.0	Breastfed within 1 hour of birth	63.8
24	Total Still Birth	79	4.0	10	1.9	BCG	79.3
25	PC of newborn weighted at birth to live birth	2,335	97.9	523	98.5	3 dose of DPT	85
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	115	4.9	34	6.5	Measles First dose	85

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,007	84.2	437	82.3	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,943	98.2	392	19.9	Full Immunization	73.8
29	Children who have received BCG	2,344	118.5	505	25.6		
30	Children who have received Pentavalent 1	1,956	98.9	457	23.2		
31	Children who have received Pentavalent 3	1,900	96.1	460	23.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,923	97.2	393	19.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	778		291			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.4
35	Number of Tubectomies performed	240	59	Spacing	12.5
36	Number of IUD insertion	152	30	Women using any method	33
37	Number of IUD removals	91	30	Women using modern method	33
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	845	196		
39	General OPD cases per 10,000 population ***	20097	4515		
40	Ayush OPD cases per 10,000 population ***	1368	307		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	13	3		
42	Neonatal Deaths within 1 to 28 days	9	2		
43	Total Neonatal Death	22	5		
44	Deaths between (1 - 11) months	15	4		
45	Total reported infant deaths	37	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	1		
53	Total reported maternal deaths	3	2		

Mamit Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,771		1,810			
9	Expected number of Delivery	1,629		1,665			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,797	101.5	491	27.1	ANC Check up in first trimester	64.5
11	Mothers registered in the first trimester	1,326	73.8	378	77.0	At least 4ANC check up	52.5
12	Mothers who had 4 or more ANC check ups	1,142	63.6	222	45.2	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	1,495	83.2	396	80.7	100 IFA tablets consumed	68.8
14	PW who consumed 180 IFA tablets	1,319	73.4	260	53.0	Home Delivery	25.0
15	Home Delivery against expected delivery *	379	23.3	77	4.6	Institutional Delivery	75.0
16	Institutional Delivery Against expected delivery *	755	46.3	187	11.2	Home Delivery by SBA	7.1
17	Reported Home Delivery **	379	33.4	77	29.2	PNC within 2days of delivery	63.9
18	Reported institutional Delivery **	755	66.6	187	70.8		
19	Total reported Deliveries	1,134		264			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	123	32.5	12	15.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	367	32.4	101	38.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,592		1,624			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,124	70.6	265	16.3	Breastfed within 1 hour of birth	56.8
24	Total Still Birth	13	0.8	0	0.0	BCG	98.5
25	PC of newborn weighted at birth to live birth	1,028	91.5	240	90.6	3 dose of DPT	95.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	4.0	7	2.9	Measles First dose	95.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,068	95.0	257	97.0	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,365	85.7	301	18.5	Full Immunization	85.9
29	Children who have received BCG	1,078	67.7	265	16.3		
30	Children who have received Pentavalent 1	1,529	96.0	351	21.6		
31	Children who have received Pentavalent 3	1,415	88.9	325	20.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,388	87.2	310	19.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,385		412			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	29	6	Spacing	14
36	Number of IUD insertion	47	3	Women using any method	41.6
37	Number of IUD removals	49	18	Women using modern method	41.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	367	91		
39	General OPD cases per 10,000 population ***	11686	2528		
40	Ayush OPD cases per 10,000 population ***	238	63		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	3	0		
42	Neonatal Deaths within 1 to 28 days	4	0		
43	Total Neonatal Death	7	0		
44	Deaths between (1 - 11) months	6	0		
45	Total reported infant deaths	13	0		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		

Saiha Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,148		1,154			
9	Expected number of Delivery	1,056		1,062			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,334	116.2	202	17.5	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	1,076	80.7	177	87.6	At least 4ANC check up	35.5
12	Mothers who had 4 or more ANC check ups	731	54.8	135	66.8	Neonatal tetanus received	72.6
13	PW who got TT 2 / Booster injection	1,095	82.1	183	90.6	100 IFA tablets consumed	51.4
14	PW who consumed 180 IFA tablets	791	59.3	175	86.6	Home Delivery	26.2
15	Home Delivery against expected delivery *	144	13.6	1	0.1	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	996	94.3	85	8.0	Home Delivery by SBA	10.0
17	Reported Home Delivery **	144	12.6	1	1.2	PNC within 2days of delivery	59.6
18	Reported institutional Delivery **	996	87.4	85	98.8		
19	Total reported Deliveries	1,140		86			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	11.8	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	936	82.1	122	141.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,032		1,036			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,125	109.0	85	8.2	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	23	2.2	1	1.2	BCG	69.9
25	PC of newborn weighted at birth to live birth	1,125	100.0	85	100.0	3 dose of DPT	60.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	62	5.5	5	5.9	Measles First dose	65.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,120	99.6	85	100.0	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,039	100.7	180	17.4	Full Immunization	60.3
29	Children who have received BCG	1,112	107.8	86	8.3		
30	Children who have received Pentavalent 1	1,160	112.4	180	17.4		
31	Children who have received Pentavalent 3	1,134	109.9	201	19.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,050	101.8	180	17.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,250		312			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	22.5
35	Number of Tubectomies performed	23	2	Spacing	15.2
36	Number of IUD insertion	60	6	Women using any method	22.6
37	Number of IUD removals	59	3	Women using modern method	21.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	812	91		
39	General OPD cases per 10,000 population ***	13146	2830		
40	Ayush OPD cases per 10,000 population ***	838	219		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	9	0		
43	Total Neonatal Death	10	0		
44	Deaths between (1 - 11) months	31	1		
45	Total reported infant deaths	41	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Saitual Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	948		958			
9	Expected number of Delivery	872		881			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	820	86.5	308	32.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	717	87.4	264	85.7	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	587	71.6	198	64.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	742	90.5	277	89.9	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	669	81.6	211	68.5	Home Delivery	NA
15	Home Delivery against expected delivery *	7	0.8	1	0.1	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	354	40.6	154	17.5	Home Delivery by SBA	NA
17	Reported Home Delivery **	7	1.9	1	0.6	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	354	98.1	154	99.4		
19	Total reported Deliveries	361		155			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	57.1	1	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	486	134.6	121	78.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	853		859			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	362	42.5	155	18.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	5	0.6	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	357	98.6	155	100.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.9	5	3.2	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	356	98.3	149	96.1	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	707	82.9	238	27.7	Full Immunization	NA
29	Children who have received BCG	336	39.4	157	18.3		
30	Children who have received Pentavalent 1	719	84.3	287	33.4		
31	Children who have received Pentavalent 3	717	84.1	261	30.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	704	82.6	237	27.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	875		174			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	12	Spacing	NA
36	Number of IUD insertion	25	10	Women using any method	NA
37	Number of IUD removals	25	5	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	367	151		
39	General OPD cases per 10,000 population ***	13666	4432		
40	Ayush OPD cases per 10,000 population ***	1021	447		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	1		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	2	1		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	3	1		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Serchhip Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,126		1,131			
9	Expected number of Delivery	1,035		1,041			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,099	97.6	345	30.5	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	915	83.3	275	79.7	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	725	66.0	217	62.9	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	992	90.3	314	91.0	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	817	74.3	230	66.7	Home Delivery	3.8
15	Home Delivery against expected delivery *	3	0.3	38	3.7	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	525	50.7	304	29.2	Home Delivery by SBA	0.6
17	Reported Home Delivery **	3	0.6	38	11.1	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	525	99.4	304	88.9		
19	Total reported Deliveries	528		342			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	5	13.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	439	83.1	227	66.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,012		1,015			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	517	51.1	344	33.9	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	11	1.1	1	0.3	BCG	89.8
25	PC of newborn weighted at birth to live birth	517	100.0	336	97.7	3 dose of DPT	84.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	30	5.8	17	5.1	Measles First dose	85.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	512	99.0	302	87.8	3 doses of penta or	58.2

						hepatitis B vaccine	
28	Children fully immunized	948	93.7	285	28.1	Full Immunization	84.7
29	Children who have received BCG	535	52.9	346	34.1		
30	Children who have received Pentavalent 1	874	86.4	311	30.6		
31	Children who have received Pentavalent 3	943	93.2	307	30.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	948	93.7	269	26.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	565		390			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.9
35	Number of Tubectomies performed	8	7	Spacing	11.8
36	Number of IUD insertion	16	2	Women using any method	40
37	Number of IUD removals	50	4	Women using modern method	39.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	544	250		
39	General OPD cases per 10,000 population ***	15512	3184		
40	Ayush OPD cases per 10,000 population ***	723	307		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	2		
43	Total Neonatal Death	1	2		
44	Deaths between (1 - 11) months	1	5		
45	Total reported infant deaths	2	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	0		