

## Mizoram Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,97,206					
2	Sex Ratio	975					
	B) Infrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	373					
4	Primary Health Centers (PHC)	66					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	12					
	C) Maternal Health:	2022-23		2023-24			
8	Expected number of PW	21,934		22,434			
9	Expected number of Delivery	20,180		20,639			
		HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	24,306	110.8	20,855	93.0	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	18,888	77.7	16,804	80.6	At least 4ANC check up	58.0
12	Mothers who had 4 or more ANC check ups	15,209	62.6	14,721	70.6	Neonatal tetanus received	80.0
13	PW who got TT 2 / Booster injection	21,530	88.6	19,081	91.5	100 IFA tablets consumed	61.9
14	PW who consumed 180 IFA tablets	17,752	73.0	17,295	82.9	Home Delivery	14.2
15	Home Delivery against expected delivery *	2,237	11.1	1,862	9.0	Institutional Delivery	85.8
16	Institutional Delivery Against expected delivery *	17,724	87.8	18,424	89.3	Home Delivery by SBA	3.5
17	Reported Home Delivery **	2,237	11.2	1,862	9.2	PNC within 2days of delivery	68.0
18	Reported institutional Delivery **	17,724	88.8	18,424	90.8		
19	Total reported Deliveries	19,961		20,286			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	513	22.9	351	18.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,767	13.9	10,924	53.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,940		20,395			
	D) Child Immunization :	HMIS (2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	19,936	100.0	20,219	99.1	Breastfed within 1 hour of birth	60.1
24	Total Still Birth	174	0.9	165	0.8	BCG	83.4
25	PC of newborn weighted at birth to live birth	19,012	95.4	19,572	96.8	3 dose of DPT	80.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,032	5.4	1,113	5.7	Measles First dose	80.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	17,864	89.6	18,458	91.3	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	17,627	88.4	18,124	88.9	Full Immunization	72.5
29	Children who have received BCG	15,340	76.9	19,554	95.9		
30	Children who have received Pentavalent 1	19,528	97.9	19,769	96.9		
31	Children who have received Pentavalent 3	19,151	96.0	19,277	94.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,893	89.7	18,236	89.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,527		10,014			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	18.9		
35	Number of Tubectomies performed	1,131	1,158	Spacing	12.8		
36	Number of IUD insertion	1,359	977	Women using any method	31.2		
37	Number of IUD removals	966	959	Women using modern method	30.8		
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	698	657				
39	General OPD cases per 10,000 population ***	14336	17118				
40	Ayush OPD cases per 10,000 population ***	454	704				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	52	67				
42	Neonatal Deaths within 1 to 28 days	148	130				
43	Total Neonatal Death	200	197				
44	Deaths between (1 - 11) months	163	121				
45	Total reported infant deaths	363	318				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemorrhage)	6	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	4				
48	Due to Pregnancy related infection and sepsis, Fever	0	3				
49	Due to Abortive complication	1	0				
50	Due to Obstructed/prolonged labour	3	1				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1				
52	Due to Other/Unknown Causes	8	7				
53	Total reported maternal deaths	18	16				

## Aizawl Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,00,309					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	67					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	2					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	8,629	8,836				
9	Expected number of Delivery	7,938	8,129				
		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	7,367	85.4	6,761	76.5	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	6,765	91.8	6,163	91.2	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	6,554	89.0	6,063	89.7	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	6,861	93.1	6,214	91.9	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	6,812	92.5	7,047	104.2	Home Delivery	2.6
15	Home Delivery against expected delivery *	21	0.3	14	0.2	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	8,456	106.5	9,127	112.3	Home Delivery by SBA	0.3
17	Reported Home Delivery **	21	0.2	14	0.2	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	8,456	99.8	9,127	99.8		
19	Total reported Deliveries	8,477		9,141			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	47.6	7	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	44	0.5	5,749	62.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,844		8,033			
D) Child Immunization :		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	8,452	107.7	9,152	113.9	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	41	0.5	32	0.4	BCG	81.6
25	PC of newborn weighted at birth to live birth	8,458	100.1	9,068	99.1	3 dose of DPT	79.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	469	5.5	539	5.9	Measles First dose	77.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	7,356	87.0	8,369	91.4	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	5,976	76.2	6,632	82.6	Full Immunization	66.4
29	Children who have received BCG	4,230	53.9	8,500	105.8		
30	Children who have received Pentavalent 1	6,646	84.7	6,927	86.2		
31	Children who have received Pentavalent 3	6,480	82.6	6,726	83.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,093	77.7	6,676	83.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,535		2,576			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)	NFHS-5 (20119-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	24		
35	Number of Tubectomies performed	697	645	Spacing	14		
36	Number of IUD insertion	589	388	Women using any method	21.6		
37	Number of IUD removals	345	386	Women using modern method	21		
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	856	818				
39	General OPD cases per 10,000 population ***	20021	23324				
40	Ayush OPD cases per 10,000 population ***	505	652				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	18	54				
42	Neonatal Deaths within 1 to 28 days	88	72				
43	Total Neonatal Death	106	126				
44	Deaths between (1 - 11) months	56	35				
45	Total reported infant deaths	162	161				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemorrhage)	3	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	1				
48	Due to Pregnancy related infection and sepsis, Fever	0	3				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1				
52	Due to Other/Unknown Causes	2	1				
53	Total reported maternal deaths	5	6				

## Champhai Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	1,319	1,341				
9	Expected number of Delivery	1,214	1,234				
		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	2,525	191.4	1,683	125.5	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,497	59.3	1,443	85.7	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,257	49.8	1,296	77.0	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,621	64.2	1,550	92.1	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,230	48.7	1,241	73.7	Home Delivery	3.3
15	Home Delivery against expected delivery *	52	4.3	42	3.4	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,597	131.6	1,411	114.4	Home Delivery by SBA	1.6
17	Reported Home Delivery **	52	3.2	42	2.9	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,597	96.8	1,411	97.1		
19	Total reported Deliveries	1,649		1,453			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	46.2	17	40.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36	2.2	474	32.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,199		1,219			
D) Child Immunization :		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	1,646	137.2	1,430	117.3	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	28	2.3	29	2.4	BCG	97.6
25	PC of newborn weighted at birth to live birth	1,534	93.2	1,420	99.3	3 dose of DPT	90.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	105	6.8	137	9.6	Measles First dose	92.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,549	94.1	1,342	93.8	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,360	113.4	1,497	122.8	Full Immunization	85.3
29	Children who have received BCG	1,334	111.2	1,418	116.3		
30	Children who have received Pentavalent 1	1,470	122.6	1,560	128.0		
31	Children who have received Pentavalent 3	1,476	123.1	1,609	132.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,341	111.8	1,488	122.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	557		527			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	11.2	
35	Number of Tubectomies performed	85	53		Spacing	8.3	
36	Number of IUD insertion	157	146		Women using any method	50	
37	Number of IUD removals	125	127		Women using modern method	49.6	
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	865	428				
39	General OPD cases per 10,000 population ***	11479	14202				
40	Ayush OPD cases per 10,000 population ***	366	1386				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	3	1				
42	Neonatal Deaths within 1 to 28 days	17	6				
43	Total Neonatal Death	20	7				
44	Deaths between (1 - 11) months	23	8				
45	Total reported infant deaths	43	15				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemorrhage)	2	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	2				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	1	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	1	0				
53	Total reported maternal deaths	4	2				

## Hnahthial Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	14					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	417	422				
9	Expected number of Delivery	383	388				
		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	540	129.6	433	102.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	456	84.4	368	85.0	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	359	66.5	329	76.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	443	82.0	407	94.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	377	69.8	388	89.6	Home Delivery	NA
15	Home Delivery against expected delivery *	10	2.6	9	2.3	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	241	62.9	230	59.3	Home Delivery by SBA	NA
17	Reported Home Delivery **	10	4.0	9	3.8	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	241	96.0	230	96.2		
19	Total reported Deliveries	251		239			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	20.0	4	44.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	23.1	138	57.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	379		383			
D) Child Immunization :		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	255	67.3	238	62.1	Breastfed within 1 hour of birth	NA
24	Total Still Birth	3	0.8	2	0.5	BCG	NA
25	PC of newborn weighted at birth to live birth	251	98.4	235	98.7	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.0	6	2.6	Measles First dose	NA



27	PC of newborns breastfed within 1 hour to total reported live birth.	250	98.0	235	98.7	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	438	115.6	471	122.8	Full Immunization	NA
29	Children who have received BCG	260	68.6	236	61.5		
30	Children who have received Pentavalent 1	443	116.9	454	118.4		
31	Children who have received Pentavalent 3	459	121.2	458	119.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	468	123.5	477	124.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	167		219			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)		HMIS (2023-24)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	14		8		Women using any method	NA
37	Number of IUD removals	11		13		Women using modern method	NA
F) Service delivery		HMIS ( 2022-23)		HMIS (2023-24)			
38	IPD cases per 10,000 population ***	648		554			
39	General OPD cases per 10,000 population ***	18028		22303			
40	Ayush OPD cases per 10,000 population ***	1663		1534			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)		HMIS (2023-24)			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		4			
45	Total reported infant deaths	0		4			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)		HMIS (2023-24)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			



## Khawzawl Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	<b>B) Infrastructure Details (RHS 2021-22)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	<b>C) Maternal Health:</b>	<b>2022-23</b>		<b>2023-24</b>			
8	Expected number of PW	708		719			
9	Expected number of Delivery	651		662			
		<b>HMIS ( 2022-23)</b>		<b>HMIS (2023-24)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	698	98.6	631	87.7	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	620	88.8	539	85.4	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	407	58.3	422	66.9	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	589	84.4	549	87.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	507	72.6	543	86.1	Home Delivery	NA
15	Home Delivery against expected delivery *	5	0.8	5	0.8	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	229	35.2	264	39.9	Home Delivery by SBA	NA
17	Reported Home Delivery **	5	2.1	5	1.9	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	229	97.9	264	98.1		
19	Total reported Deliveries	234		269			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	20.0	1	20.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	54	23.1	172	63.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	644		654			
	<b>D) Child Immunization :</b>	<b>HMIS ( 2022-23)</b>		<b>HMIS (2023-24)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	261	40.6	284	43.4	Breastfed within 1 hour of birth	NA
24	Total Still Birth	6	0.9	3	0.5	BCG	NA
25	PC of newborn weighted at birth to live birth	237	90.8	261	91.9	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.4	20	7.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	234	89.7	260	91.5	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	529	82.2	486	74.3	Full Immunization	NA
29	Children who have received BCG	252	39.2	272	41.6		
30	Children who have received Pentavalent 1	485	75.4	544	83.2		
31	Children who have received Pentavalent 3	501	77.9	528	80.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	554	86.1	500	76.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	337		428			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)		HMIS (2023-24)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	36		24		Women using any method	NA
37	Number of IUD removals	54		34		Women using modern method	NA
F) Service delivery		HMIS ( 2022-23)		HMIS (2023-24)			
38	IPD cases per 10,000 population ***	314		303			
39	General OPD cases per 10,000 population ***	7004		8799			
40	Ayush OPD cases per 10,000 population ***	883		683			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)		HMIS (2023-24)			
41	Neonatal death within 24 hours	1		0			
42	Neonatal Deaths within 1 to 28 days	6		3			
43	Total Neonatal Death	7		3			
44	Deaths between (1 - 11) months	5		2			
45	Total reported infant deaths	12		5			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)		HMIS (2023-24)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

## Kolasib Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
	B) Infrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2022-23		2023-24			
8	Expected number of PW	1,521		1,561			
9	Expected number of Delivery	1,400		1,436			
		HMIS ( 2022-23)		HMIS (2023-24)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,779	116.9	1,671	107.1	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,460	82.1	1,340	80.2	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,235	69.4	1,155	69.1	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,802	101.3	1,578	94.4	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,321	74.3	1,198	71.7	Home Delivery	8.6
15	Home Delivery against expected delivery *	45	3.2	36	2.5	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,121	80.1	1,159	80.7	Home Delivery by SBA	2.7
17	Reported Home Delivery **	45	3.9	36	3.0	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,121	96.1	1,159	97.0		
19	Total reported Deliveries	1,166		1,195			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	48.9	1	2.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,211	103.9	1,173	98.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,383		1,419			
	D) Child Immunization :	HMIS ( 2022-23)		HMIS (2023-24)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,157	83.7	1,163	82.0	Breastfed within 1 hour of birth	63
24	Total Still Birth	9	0.7	32	2.3	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,000	86.4	1,151	99.0	3 dose of DPT	85.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	90	9.0	66	5.7	Measles First dose	83.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,141	98.6	1,105	95.0	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,430	103.4	1,355	95.5	Full Immunization	80.4
29	Children who have received BCG	1,178	85.2	1,181	83.2		
30	Children who have received Pentavalent 1	1,560	112.8	1,524	107.4		
31	Children who have received Pentavalent 3	1,468	106.1	1,468	103.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,457	105.3	1,362	96.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,031		1,531			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)	NFHS-5 (20119-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	15.6		
35	Number of Tubectomies performed	0	57	Spacing	11.7		
36	Number of IUD insertion	47	20	Women using any method	38.1		
37	Number of IUD removals	67	59	Women using modern method	37.9		
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	560	525				
39	General OPD cases per 10,000 population ***	10099	12709				
40	Ayush OPD cases per 10,000 population ***	431	418				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	7	2				
42	Neonatal Deaths within 1 to 28 days	3	6				
43	Total Neonatal Death	10	8				
44	Deaths between (1 - 11) months	9	9				
45	Total reported infant deaths	19	17				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	1	0				
53	Total reported maternal deaths	1	0				

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
	B) Infrastructure Details (RHS 2021-22)	Numbers					
3	Sub Centers (SC)	38					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2022-23		2023-24			
8	Expected number of PW	2,338		2,418			
9	Expected number of Delivery	2,151		2,224			
		HMIS ( 2022-23)		HMIS (2023-24)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,982	127.5	2,516	104.1	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,944	65.2	1,587	63.1	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	1,117	37.5	1,161	46.1	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	2,512	84.2	2,003	79.6	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,546	51.8	1,518	60.3	Home Delivery	46.3
15	Home Delivery against expected delivery *	955	44.4	727	32.7	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,436	66.8	1,584	71.2	Home Delivery by SBA	9.3
17	Reported Home Delivery **	955	39.9	727	31.5	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,436	60.1	1,584	68.5		
19	Total reported Deliveries	2,391		2,311			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	189	19.8	110	15.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	302	12.6	820	35.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,126		2,198			
	D) Child Immunization :	HMIS ( 2022-23)		HMIS (2023-24)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,389	112.4	2,299	104.6	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	23	1.1	20	0.9	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,932	80.9	2,006	87.3	3 dose of DPT	74.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	86	4.5	127	6.3	Measles First dose	76.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,067	86.5	2,013	87.6	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,936	91.1	1,720	78.3	Full Immunization	70.2
29	Children who have received BCG	2,556	120.2	2,238	101.8		
30	Children who have received Pentavalent 1	2,517	118.4	2,172	98.8		
31	Children who have received Pentavalent 3	2,464	115.9	2,052	93.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,980	93.2	1,729	78.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,024		1,109			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	17.3	
35	Number of Tubectomies performed	62	43		Spacing	13	
36	Number of IUD insertion	81	48		Women using any method	29.7	
37	Number of IUD removals	81	44		Women using modern method	29.1	
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	550	506				
39	General OPD cases per 10,000 population ***	7655	9896				
40	Ayush OPD cases per 10,000 population ***	148	684				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	0	5				
42	Neonatal Deaths within 1 to 28 days	6	8				
43	Total Neonatal Death	6	13				
44	Deaths between (1 - 11) months	11	27				
45	Total reported infant deaths	17	40				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemorrhage)	1	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	1	0				
50	Due to Obstructed/prolonged labour	2	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	3	3				
53	Total reported maternal deaths	7	3				

## Lunglei Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	2,173	2,200				
9	Expected number of Delivery	1,999	2,024				
		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	2,958	136.1	2,205	100.2	ANC Check up in first trimester	68.8
11	Mothers registered in the first trimester	1,757	59.4	1,493	67.7	At least 4ANC check up	56.7
12	Mothers who had 4 or more ANC check ups	1,284	43.4	1,379	62.5	Neonatal tetanus received	79.9
13	PW who got TT 2 / Booster injection	2,777	93.9	2,168	98.3	100 IFA tablets consumed	64.7
14	PW who consumed 180 IFA tablets	2,549	86.2	1,919	87.0	Home Delivery	17.3
15	Home Delivery against expected delivery *	494	24.7	443	21.9	Institutional Delivery	82.7
16	Institutional Delivery Against expected delivery *	1,909	95.5	2,052	101.4	Home Delivery by SBA	3.9
17	Reported Home Delivery **	494	20.6	443	17.8	PNC within 2days of delivery	67.1
18	Reported institutional Delivery **	1,909	79.4	2,052	82.2		
19	Total reported Deliveries	2,403		2,495			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	52	10.5	18	4.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	580	24.1	431	17.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,975		2,000			
D) Child Immunization :		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	2,404	121.7	2,490	124.5	Breastfed within 1 hour of birth	63.8
24	Total Still Birth	18	0.9	10	0.5	BCG	79.3
25	PC of newborn weighted at birth to live birth	2,330	96.9	2,359	94.7	3 dose of DPT	85
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	140	6.0	100	4.2	Measles First dose	85



27	PC of newborns breastfed within 1 hour to total reported live birth.	2,029	84.4	2,040	81.9	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,898	96.1	1,940	97.0	Full Immunization	73.8
29	Children who have received BCG	2,244	113.6	2,448	122.4		
30	Children who have received Pentavalent 1	2,017	102.1	2,065	103.3		
31	Children who have received Pentavalent 3	2,080	105.3	2,092	104.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,935	98.0	1,977	98.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	486		735			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	15.4	
35	Number of Tubectomies performed	197	308		Spacing	12.5	
36	Number of IUD insertion	132	152		Women using any method	33	
37	Number of IUD removals	75	89		Women using modern method	33	
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	827	855				
39	General OPD cases per 10,000 population ***	14669	18958				
40	Ayush OPD cases per 10,000 population ***	381	973				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	8	2				
42	Neonatal Deaths within 1 to 28 days	9	19				
43	Total Neonatal Death	17	21				
44	Deaths between (1 - 11) months	17	5				
45	Total reported infant deaths	34	26				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	1				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	1	3				
53	Total reported maternal deaths	1	4				

## Mamit Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23		2023-24			
8	Expected number of PW	1,708	1,771				
9	Expected number of Delivery	1,572	1,629				
		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,913	112.0	1,732	97.8	ANC Check up in first trimester	64.5
11	Mothers registered in the first trimester	1,488	77.8	1,267	73.2	At least 4ANC check up	52.5
12	Mothers who had 4 or more ANC check ups	1,073	56.1	1,039	60.0	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	1,768	92.4	1,583	91.4	100 IFA tablets consumed	68.8
14	PW who consumed 180 IFA tablets	1,280	66.9	1,234	71.2	Home Delivery	25.0
15	Home Delivery against expected delivery *	456	29.0	404	24.8	Institutional Delivery	75.0
16	Institutional Delivery Against expected delivery *	768	48.9	743	45.6	Home Delivery by SBA	7.1
17	Reported Home Delivery **	456	37.3	404	35.2	PNC within 2days of delivery	63.9
18	Reported institutional Delivery **	768	62.7	743	64.8		
19	Total reported Deliveries	1,224		1,147			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	176	38.6	164	40.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	210	17.2	340	29.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,553		1,610			
D) Child Immunization :		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	1,224	78.8	1,150	71.4	Breastfed within 1 hour of birth	56.8
24	Total Still Birth	4	0.3	3	0.2	BCG	98.5
25	PC of newborn weighted at birth to live birth	1,154	94.3	1,074	93.4	3 dose of DPT	95.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	52	4.5	42	3.9	Measles First dose	95.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,165	95.2	1,108	96.3	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,485	95.6	1,407	87.4	Full Immunization	85.9
29	Children who have received BCG	1,241	79.9	1,117	69.4		
30	Children who have received Pentavalent 1	1,654	106.5	1,651	102.6		
31	Children who have received Pentavalent 3	1,563	100.7	1,569	97.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,487	95.8	1,427	88.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	853		1,082			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)	NFHS-5 (20119-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	17		
35	Number of Tubectomies performed	43	21	Spacing	14		
36	Number of IUD insertion	34	41	Women using any method	41.6		
37	Number of IUD removals	57	65	Women using modern method	41.3		
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	367	367				
39	General OPD cases per 10,000 population ***	9373	10511				
40	Ayush OPD cases per 10,000 population ***	131	172				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	2	1				
42	Neonatal Deaths within 1 to 28 days	5	3				
43	Total Neonatal Death	7	4				
44	Deaths between (1 - 11) months	14	5				
45	Total reported infant deaths	21	9				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemmorhage)	0	0				
47	Due to PPH (Post-Partum Haemmorhage)	NA	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

## Saiha Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	25					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	1,126	1,148				
9	Expected number of Delivery	1,036	1,056				
		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,436	127.6	1,278	111.3	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	1,161	80.8	1,010	79.0	At least 4ANC check up	35.5
12	Mothers who had 4 or more ANC check ups	683	47.6	660	51.6	Neonatal tetanus received	72.6
13	PW who got TT 2 / Booster injection	1,292	90.0	1,271	99.5	100 IFA tablets consumed	51.4
14	PW who consumed 180 IFA tablets	731	50.9	737	57.7	Home Delivery	26.2
15	Home Delivery against expected delivery *	183	17.7	175	16.6	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	1,126	108.7	1,051	99.5	Home Delivery by SBA	10.0
17	Reported Home Delivery **	183	14.0	175	14.3	PNC within 2days of delivery	59.6
18	Reported institutional Delivery **	1,126	86.0	1,051	85.7		
19	Total reported Deliveries	1,309		1,226			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	12.6	24	13.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	55	4.2	896	73.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,023		1,043			
D) Child Immunization :		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	1,282	125.3	1,211	116.1	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	32	3.1	26	2.5	BCG	69.9
25	PC of newborn weighted at birth to live birth	1,282	100.0	1,208	99.8	3 dose of DPT	60.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	55	4.3	51	4.2	Measles First dose	65.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,262	98.4	1,206	99.6	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,022	99.9	1,015	97.3	Full Immunization	60.3
29	Children who have received BCG	1,082	105.7	1,209	115.9		
30	Children who have received Pentavalent 1	1,116	109.1	1,121	107.4		
31	Children who have received Pentavalent 3	1,060	103.6	1,035	99.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,022	99.9	997	95.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	608		895			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)	NFHS-5 (20119-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	22.5		
35	Number of Tubectomies performed	47	31	Spacing	15.2		
36	Number of IUD insertion	166	99	Women using any method	22.6		
37	Number of IUD removals	73	62	Women using modern method	21.7		
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	670	759				
39	General OPD cases per 10,000 population ***	8827	10136				
40	Ayush OPD cases per 10,000 population ***	710	686				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	10	2				
42	Neonatal Deaths within 1 to 28 days	10	9				
43	Total Neonatal Death	20	11				
44	Deaths between (1 - 11) months	16	20				
45	Total reported infant deaths	36	31				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

## Saitual Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	<b>B) Infrastructure Details (RHS 2021-22)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	25					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	<b>C) Maternal Health:</b>	<b>2022-23</b>		<b>2023-24</b>			
8	Expected number of PW	926		948			
9	Expected number of Delivery	852		872			
		<b>HMIS ( 2022-23)</b>		<b>HMIS (2023-24)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	854	92.2	834	88.0	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	700	82.0	695	83.3	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	503	58.9	535	64.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	745	87.2	751	90.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	584	68.4	676	81.1	Home Delivery	NA
15	Home Delivery against expected delivery *	3	0.4	3	0.3	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	372	43.7	388	44.5	Home Delivery by SBA	NA
17	Reported Home Delivery **	3	0.8	3	0.8	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	372	99.2	388	99.2		
19	Total reported Deliveries	375		391			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	66.7	2	66.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	104	27.7	390	99.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	842		862			
	<b>D) Child Immunization :</b>	<b>HMIS ( 2022-23)</b>		<b>HMIS (2023-24)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	389	46.2	387	44.9	Breastfed within 1 hour of birth	NA
24	Total Still Birth	5	0.6	4	0.5	BCG	NA
25	PC of newborn weighted at birth to live birth	384	98.7	376	97.2	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	3.9	11	2.9	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	374	96.1	371	95.9	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	663	78.8	656	76.1	Full Immunization	NA
29	Children who have received BCG	380	45.1	343	39.8		
30	Children who have received Pentavalent 1	643	76.4	699	81.1		
31	Children who have received Pentavalent 3	647	76.9	679	78.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	666	79.1	658	76.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	317		369			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	43	25	Women using any method	NA
37	Number of IUD removals	28	35	Women using modern method	NA
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)		
38	IPD cases per 10,000 population ***	369	397		
39	General OPD cases per 10,000 population ***	9418	12105		
40	Ayush OPD cases per 10,000 population ***	468	698		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	<b>Total Neonatal Death</b>	2	1		
44	Deaths between (1 - 11) months	5	4		
45	<b>Total reported infant deaths</b>	7	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	0	1		



## Serchhip Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (RHS 2021-22)		Numbers					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2022-23	2023-24				
8	Expected number of PW	1,104	1,126				
9	Expected number of Delivery	1,016	1,035				
		HMIS ( 2022-23)	HMIS (2023-24)				
		Number	PC	Number	PC		
10	PW register for ANC	1,254	113.5	1,111	98.7	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	1,040	82.9	899	80.9	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	737	58.8	682	61.4	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	1,120	89.3	1,007	90.6	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	815	65.0	794	71.5	Home Delivery	3.8
15	Home Delivery against expected delivery *	13	1.3	4	0.4	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	469	46.2	415	40.1	Home Delivery by SBA	0.6
17	Reported Home Delivery **	13	2.7	4	1.0	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	469	97.3	415	99.0		
19	Total reported Deliveries	482		419			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	92.3	3	75.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	113	23.4	341	81.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,004		1,023			
D) Child Immunization :		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	477	47.5	415	40.6	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	5	0.5	4	0.4	BCG	89.8
25	PC of newborn weighted at birth to live birth	450	94.3	414	99.8	3 dose of DPT	84.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.1	14	3.4	Measles First dose	85.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	437	91.6	409	98.6	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	890	88.6	945	92.4	Full Immunization	84.7
29	Children who have received BCG	583	58.1	592	57.9		
30	Children who have received Pentavalent 1	977	97.3	1,052	102.8		
31	Children who have received Pentavalent 3	953	94.9	1,061	103.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	890	88.6	945	92.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	612		543			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS ( 2022-23)	HMIS (2023-24)		NFHS-5 (20119-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	15.9	
35	Number of Tubectomies performed	0	0		Spacing	11.8	
36	Number of IUD insertion	60	26		Women using any method	40	
37	Number of IUD removals	50	45		Women using modern method	39.4	
F) Service delivery		HMIS ( 2022-23)	HMIS (2023-24)				
38	IPD cases per 10,000 population ***	571	583				
39	General OPD cases per 10,000 population ***	12928	14185				
40	Ayush OPD cases per 10,000 population ***	469	742				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
41	Neonatal death within 24 hours	1	0				
42	Neonatal Deaths within 1 to 28 days	4	3				
43	Total Neonatal Death	5	3				
44	Deaths between (1 - 11) months	7	2				
45	Total reported infant deaths	12	5				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS ( 2022-23)	HMIS (2023-24)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	NA	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

