

Mizoram Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)								
1	Population 2011	10,97,206						
2	Sex Ratio	975						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	369						
4	Primary Health Centers (PHC)	66						
5	Community Health Centers (CHC)	9						
6	SDH	2						
7	DH	12						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	22,434	22,626					
9	Expected number of Delivery	20,639	20,816					
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)				
		Number	PC	Number	PC			
10	PW register for ANC	21,036	93.8	10,510	46.5	ANC Check up in first trimester	72.7	
11	Mothers registered in the first trimester	17,117	81.4	8,568	81.5	At least 4ANC check up	58.0	
12	Mothers who had 4 or more ANC check ups	14,321	68.1	7,531	71.7	Neonatal tetanus received	80.0	
13	PW who got TT 2 / Booster injection	19,188	91.2	9,781	93.1	100 IFA tablets consumed	61.9	
14	PW who consumed 180 IFA tablets	17,631	83.8	8,328	79.2	Home Delivery	14.2	
15	Home Delivery against expected delivery *	1,753	8.5	749	3.6	Institutional Delivery	85.8	
16	Institutional Delivery Against expected delivery *	17,628	85.4	8,852	42.5	Home Delivery by SBA	3.5	
17	Reported Home Delivery **	1,753	9.0	749	7.8	PNC within 2days of delivery	68.0	
18	Reported institutional Delivery **	17,628	91.0	8,852	92.2			
19	Total reported Deliveries	19,381		9,601				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	292	16.7	108	14.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,838	76.6	7,620	79.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	20,170		20,302				
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)				
		Number	PC	Number	PC			
23	Total reported live births	19,377	96.1	9,574	47.2	Breastfed within 1 hour of birth	60.1	
24	Total Still Birth	233	1.2	100	1.0	BCG	83.4	
25	PC of newborn weighted at birth to live birth	18,675	96.4	9,296	97.1	3 dose of DPT	80.7	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,125	6.0	552	5.9	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,950	87.5	8,438	88.1	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	17,967	89.1	8,726	43.0	Full Immunization	72.5
29	Children who have received BCG	19,290	95.6	9,537	47.0		
30	Children who have received Pentavalent 1	19,252	95.4	8,882	43.7		
31	Children who have received Pentavalent 3	18,788	93.1	9,181	45.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,109	89.8	8,836	43.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	14,832		8,679			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)
34	Number of Vasectomies performed	0	0	Total unmet need 18.9
35	Number of Tubectomies performed	1,068	702	Spacing 12.8
36	Number of IUD insertion	1,063	527	Women using any method 31.2
37	Number of IUD removals	964	565	Women using modern method 30.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
38	IPD cases per 10,000 population ***	703	444	
39	General OPD cases per 10,000 population ***	17386	9334	
40	Ayush OPD cases per 10,000 population ***	910	438	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	45	38	
42	Neonatal Deaths within 1 to 28 days	124	53	
43	Total Neonatal Death	169	91	
44	Deaths between (1 - 11) months	106	55	
45	Total reported infant deaths	275	146	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	4	2	
48	Due to Pregnancy related infection and sepsis, Fever	3	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1	
52	Due to Other/Unknown Causes	8	3	
53	Total reported maternal deaths	16	6	

Aizawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	4,00,309				
2	Sex Ratio	1,009				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	73				
4	Primary Health Centers (PHC)	12				
5	Community Health Centers (CHC)	3				
6	SDH	1				
7	DH	2				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	8,836	8,923			
9	Expected number of Delivery	8,129	8,210			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
10	PW register for ANC	6,615	74.9	3,469	38.9	ANC Check up in first trimester 82.8
11	Mothers registered in the first trimester	6,179	93.4	3,119	89.9	At least 4ANC check up 68.5
12	Mothers who had 4 or more ANC check ups	5,559	84.0	2,913	84.0	Neonatal tetanus received 82.3
13	PW who got TT 2 / Booster injection	6,240	94.3	3,402	98.1	100 IFA tablets consumed 58.5
14	PW who consumed 180 IFA tablets	6,791	102.7	3,133	90.3	Home Delivery 2.6
15	Home Delivery against expected delivery *	18	0.2	6	0.1	Institutional Delivery 97.4
16	Institutional Delivery Against expected delivery *	8,530	104.9	4,280	52.1	Home Delivery by SBA 0.3
17	Reported Home Delivery **	18	0.2	6	0.1	PNC within 2days of delivery 73.4
18	Reported institutional Delivery **	8,530	99.8	4,280	99.9	
19	Total reported Deliveries	8,548		4,286		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	44.4	1	16.7	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,962	104.8	4,864	113.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	7,945		8,007		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
23	Total reported live births	8,648	108.9	4,293	53.6	Breastfed within 1 hour of birth 58.5
24	Total Still Birth	26	0.3	32	0.7	BCG 81.6
25	PC of newborn weighted at birth to live birth	8,435	97.5	4,175	97.3	3 dose of DPT 79.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	535	6.3	250	6.0	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,173	82.9	3,636	84.7	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	6,349	79.9	3,091	38.6	Full Immunization	66.4
29	Children who have received BCG	8,363	105.3	4,183	52.2		
30	Children who have received Pentavalent 1	6,553	82.5	3,084	38.5		
31	Children who have received Pentavalent 3	6,552	82.5	3,166	39.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,444	81.1	3,177	39.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,032		3,258			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2011-19-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	24
35	Number of Tubectomies performed	586	398	Spacing	14
36	Number of IUD insertion	503	258	Women using any method	21.6
37	Number of IUD removals	372	269	Women using modern method	21
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	921	644		
39	General OPD cases per 10,000 population ***	22137	12591		
40	Ayush OPD cases per 10,000 population ***	713	261		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	17	25	
42	Neonatal Deaths within 1 to 28 days	69	32	
43	Total Neonatal Death	86	57	
44	Deaths between (1 - 11) months	20	19	
45	Total reported infant deaths	106	76	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	1	
48	Due to Pregnancy related infection and sepsis, Fever	2	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0	
52	Due to Other/Unknown Causes	5	0	
53	Total reported maternal deaths	9	1	

Champhai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		
1	Population 2011	1,25,745	
2	Sex Ratio	981	
	B) Infrastructure Details (HDI 2022-23)	Number	
3	Sub Centers (SC)	30	
4	Primary Health Centers (PHC)	6	
5	Community Health Centers (CHC)	0	
6	SDH	0	
7	DH	1	

C) Maternal Health:		2024-25		2025-26			
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,598	119.2	806	60.0	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,404	87.9	701	87.0	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,237	77.4	571	70.8	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,532	95.9	807	100.1	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,250	78.2	593	73.6	Home Delivery	3.3
15	Home Delivery against expected delivery *	32	2.6	15	1.2	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,446	117.2	691	55.9	Home Delivery by SBA	1.6
17	Reported Home Delivery **	32	2.2	15	2.1	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,446	97.8	691	97.9		
19	Total reported Deliveries	1,478		706			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	31.3	2	13.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	485	32.8	333	47.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,206		1,206			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,457	120.9	703	58.3	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	24	2.0	4	0.6	BCG	97.6
25	PC of newborn weighted at birth to live birth	1,415	97.1	694	98.7	3 dose of DPT	90.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	95	6.7	53	7.6	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,266	86.9	661	94.0	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,475	122.4	794	65.9	Full Immunization	85.3
29	Children who have received BCG	1,565	129.8	819	67.9		
30	Children who have received Pentavalent 1	1,657	137.5	714	59.2		
31	Children who have received Pentavalent 3	1,545	128.2	806	66.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,483	123.0	785	65.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	960		481			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.2
35	Number of Tubectomies performed	45	58	Spacing	8.3
36	Number of IUD insertion	128	45	Women using any method	50
37	Number of IUD removals	124	50	Women using modern method	49.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	609	326		
39	General OPD cases per 10,000 population ***	14705	7373		
40	Ayush OPD cases per 10,000 population ***	1152	702		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	1	2	
42	Neonatal Deaths within 1 to 28 days	19	1	
43	Total Neonatal Death	20	3	
44	Deaths between (1 - 11) months	7	2	
45	Total reported infant deaths	27	5	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Hnahthial Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number				
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI 2022-23)		Number				
3	Sub Centers (SC)	15				
4	Primary Health Centers (PHC)	5				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	422	421			
9	Expected number of Delivery	388	387			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
10	PW register for ANC	436	103. 4	255	60.6	ANC Check up in first trimester
11	Mothers registered in the first trimester	397	91.1	220	86.3	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	373	85.6	159	62.4	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	375	86.0	235	92.2	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	405	92.9	173	67.8	Home Delivery
15	Home Delivery against expected delivery *	3	0.8	3	0.8	Institutional Delivery
16	Institutional Delivery Against expected delivery *	178	45.9	82	21.2	Home Delivery by SBA
17	Reported Home Delivery **	3	1.7	3	3.5	PNC within 2days of delivery
18	Reported institutional Delivery **	178	98.3	82	96.5	
19	Total reported Deliveries	181		85		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100. 0	1	33.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	291	160. 8	122	143. 5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	379		378		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
23	Total reported live births	181	47.7	83	22.0	Breastfed within 1 hour of birth
24	Total Still Birth	0	0.0	2	2.4	BCG
25	PC of newborn weighted at birth to live birth	181	100. 0	82	98.8	3 dose of DPT
						NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	2.2	1	1.2	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	177	97.8	78	94.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	416	109.7	208	55.1	Full Immunization	NA
29	Children who have received BCG	177	46.7	78	20.6		
30	Children who have received Pentavalent 1	421	111.0	184	48.7		
31	Children who have received Pentavalent 3	406	107.1	198	52.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	424	111.8	210	55.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	326		176			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	10	8	Women using any method	NA
37	Number of IUD removals	22	13	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	375	189		
39	General OPD cases per 10,000 population ***	21241	8699		
40	Ayush OPD cases per 10,000 population ***	2191	1239		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	1	0	
43	Total Neonatal Death	1	0	
44	Deaths between (1 - 11) months	3	0	
45	Total reported infant deaths	4	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Khawzawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number				
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI 2022-23)		Number				
3	Sub Centers (SC)	19				
4	Primary Health Centers (PHC)	4				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	719	721			
9	Expected number of Delivery	662	663			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
10	PW register for ANC	603	83.8	287	39.8	ANC Check up in first trimester
11	Mothers registered in the first trimester	538	89.2	262	91.3	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	445	73.8	218	76.0	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	526	87.2	281	97.9	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	524	86.9	224	78.0	Home Delivery
15	Home Delivery against expected delivery *	4	0.6	4	0.6	Institutional Delivery
16	Institutional Delivery Against expected delivery *	230	34.8	105	15.8	Home Delivery by SBA
17	Reported Home Delivery **	4	1.7	4	3.7	PNC within 2days of delivery
18	Reported institutional Delivery **	230	98.3	105	96.3	
19	Total reported Deliveries	234		109		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	25.0	2	50.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	256	109.	119	109.	
22	Expected number of Live Birth	647		647		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
23	Total reported live births	234	36.2	108	16.7	Breastfed within 1 hour of birth
24	Total Still Birth	1	0.2	2	1.9	BCG
25	PC of newborn weighted at birth to live birth	217	92.7	101	93.5	3 dose of DPT

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22 Expected number of Live Birth

D) Child Immunization :

23 Total reported live births

24 Total Still Birth

25 PC of newborn weighted at birth to live birth

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.3	1	1.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	219	93.6	104	96.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	564	87.2	255	39.4	Full Immunization	NA
29	Children who have received BCG	202	31.2	101	15.6		
30	Children who have received Pentavalent 1	568	87.8	249	38.5		
31	Children who have received Pentavalent 3	581	89.8	287	44.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	570	88.1	258	39.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	610		342			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	18	14	Women using any method	NA
37	Number of IUD removals	24	15	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	260	168		
39	General OPD cases per 10,000 population ***	9863	5682		
40	Ayush OPD cases per 10,000 population ***	1809	948		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	1	0	
43	Total Neonatal Death	2	0	
44	Deaths between (1 - 11) months	2	0	
45	Total reported infant deaths	4	0	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Kolasib Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number				
1	Population 2011	83,955				
2	Sex Ratio	956				
B) Infrastructure Details (HDI 2022-23)		Number				
3	Sub Centers (SC)	26				
4	Primary Health Centers (PHC)	5				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	1,561	1,579			
9	Expected number of Delivery	1,436	1,453			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)		
		Number	PC	Number	PC	
10	PW register for ANC	1,683	107. 8	801	50.7	ANC Check up in first trimester 72.7
11	Mothers registered in the first trimester	1,316	78.2	660	82.4	At least 4ANC check up 66.0
12	Mothers who had 4 or more ANC check ups	1,053	62.6	534	66.7	Neonatal tetanus received 76.4
13	PW who got TT 2 / Booster injection	1,602	95.2	806	100. 6	100 IFA tablets consumed 67.7
14	PW who consumed 180 IFA tablets	1,193	70.9	591	73.8	Home Delivery 8.6
15	Home Delivery against expected delivery *	32	2.2	9	0.6	Institutional Delivery 91.4
16	Institutional Delivery Against expected delivery *	1,093	76.1	496	34.1	Home Delivery by SBA 2.7
17	Reported Home Delivery **	32	2.8	9	1.8	PNC within 2days of delivery 71.5
18	Reported institutional Delivery **	1,093	97.2	496	98.2	
19	Total reported Deliveries	1,125		505		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	28.1	2	22.2	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,144	101. 7	569	112. 7	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,403		1,417		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)		
		Number	PC	Number	PC	
23	Total reported live births	1,105	78.7	495	34.9	Breastfed within 1 hour of birth 63
24	Total Still Birth	26	1.9	12	2.4	BCG 88.1
25	PC of newborn weighted at birth to live birth	1,096	99.2	493	99.6	3 dose of DPT 85.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	64	5.8	45	9.1	Measles First dose	83.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,015	91.9	460	92.9	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,322	94.2	709	50.0	Full Immunization	80.4
29	Children who have received BCG	1,118	79.7	521	36.8		
30	Children who have received Pentavalent 1	1,454	103.6	643	45.4		
31	Children who have received Pentavalent 3	1,395	99.4	657	46.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,341	95.6	709	50.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,486		601			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.6
35	Number of Tubectomies performed	70	30	Spacing	11.7
36	Number of IUD insertion	59	38	Women using any method	38.1
37	Number of IUD removals	74	40	Women using modern method	37.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	463	278		
39	General OPD cases per 10,000 population ***	13794	6704		
40	Ayush OPD cases per 10,000 population ***	1039	358		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	3	4	
42	Neonatal Deaths within 1 to 28 days	3	2	
43	Total Neonatal Death	6	6	
44	Deaths between (1 - 11) months	5	5	
45	Total reported infant deaths	11	11	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	1	0	
53	Total reported maternal deaths	1	0	

Lawngtlai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)	Number					
1	Population 2011	1,17,894					
2	Sex Ratio	945					
B) Infrastructure Details (HDI 2022-23)		Number					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	2,418	2,466				
9	Expected number of Delivery	2,224	2,268				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	2,855	118.1	1,265	51.3	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,803	63.2	852	67.4	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	1,267	44.4	590	46.6	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	2,243	78.6	1,022	80.8	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,661	58.2	791	62.5	Home Delivery	46.3
15	Home Delivery against expected delivery *	741	33.3	310	13.7	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,508	67.8	779	34.3	Home Delivery by SBA	9.3
17	Reported Home Delivery **	741	32.9	310	28.5	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,508	67.1	779	71.5		
19	Total reported Deliveries	2,249		1,089			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	10.5	51	16.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	797	35.4	344	31.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,174		2,212			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	2,239	103.0	1,080	48.8	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	25	1.2	20	1.9	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,969	87.9	1,023	94.7	3 dose of DPT	74.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	160	8.1	61	6.0	Measles First dose	76.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,037	91.0	963	89.2	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,839	84.6	806	36.4	Full Immunization	70.2
29	Children who have received BCG	2,460	113.2	1,000	45.2		
30	Children who have received Pentavalent 1	2,361	108.6	1,046	47.3		
31	Children who have received Pentavalent 3	2,200	101.2	1,084	49.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,834	84.4	817	36.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,565		897			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	67	45	Spacing	13
36	Number of IUD insertion	45	44	Women using any method	29.7
37	Number of IUD removals	74	33	Women using modern method	29.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	555	327		
39	General OPD cases per 10,000 population ***	11053	5885		
40	Ayush OPD cases per 10,000 population ***	1059	496		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	4	2	
42	Neonatal Deaths within 1 to 28 days	8	6	
43	Total Neonatal Death	12	8	
44	Deaths between (1 - 11) months	15	12	
45	Total reported infant deaths	27	20	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	2	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	1	
53	Total reported maternal deaths	2	1	

Lunglei Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,61,428				
2	Sex Ratio	944				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	52				
4	Primary Health Centers (PHC)	7				
5	Community Health Centers (CHC)	0				
6	SDH	1				
7	DH	1				
C) Maternal Health:		2024-25		2025-26		
8	Expected number of PW	2,200		2,196		
9	Expected number of Delivery	2,024		2,020		
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)
		Number	PC	Number	PC	
10	PW register for ANC	2,196	99.8	1,119	51.0	ANC Check up in first trimester 68.8
11	Mothers registered in the first trimester	1,446	65.8	713	63.7	At least 4ANC check up 56.7
12	Mothers who had 4 or more ANC check ups	1,202	54.7	906	81.0	Neonatal tetanus received 79.9
13	PW who got TT 2 / Booster injection	2,346	106.8	995	88.9	100 IFA tablets consumed 64.7
14	PW who consumed 180 IFA tablets	2,211	100.7	987	88.2	Home Delivery 17.3
15	Home Delivery against expected delivery *	390	19.3	166	8.2	Institutional Delivery 82.7
16	Institutional Delivery Against expected delivery *	2,013	99.5	954	47.2	Home Delivery by SBA 3.9
17	Reported Home Delivery **	390	16.2	166	14.8	PNC within 2days of delivery 67.1
18	Reported institutional Delivery **	2,013	83.8	954	85.2	
19	Total reported Deliveries	2,403		1,120		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	9.2	15	9.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	675	28.1	284	25.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,978		1,970		
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)
		Number	PC	Number	PC	
23	Total reported live births	2,385	120.6	1,110	56.3	Breastfed within 1 hour of birth 63.8
24	Total Still Birth	79	4.0	18	1.6	BCG 79.3
25	PC of newborn weighted at birth to live birth	2,335	97.9	1,087	97.9	3 dose of DPT 85

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	115	4.9	67	6.2	Measles First dose	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,007	84.2	939	84.6	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,943	98.2	851	43.2	Full Immunization	73.8
29	Children who have received BCG	2,344	118.5	1,076	54.6		
30	Children who have received Pentavalent 1	1,956	98.9	875	44.4		
31	Children who have received Pentavalent 3	1,900	96.1	895	45.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,923	97.2	862	43.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	778		474			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.4
35	Number of Tubectomies performed	240	122	Spacing	12.5
36	Number of IUD insertion	152	54	Women using any method	33
37	Number of IUD removals	91	51	Women using modern method	33
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	845	406		
39	General OPD cases per 10,000 population ***	20097	9915		
40	Ayush OPD cases per 10,000 population ***	1368	588		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	13	4		
42	Neonatal Deaths within 1 to 28 days	9	7		
43	Total Neonatal Death	22	11		
44	Deaths between (1 - 11) months	15	8		
45	Total reported infant deaths	37	19		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	2		
53	Total reported maternal deaths	3	3		

Mamit Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	86,364				
2	Sex Ratio	924				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)		39			
4	Primary Health Centers (PHC)		8			
5	Community Health Centers (CHC)		1			
6	SDH		0			
7	DH		1			
C) Maternal Health:		2024-25		2025-26		
8	Expected number of PW	1,771		1,810		
9	Expected number of Delivery	1,629		1,665		
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)
		Number	PC	Number	PC	
10	PW register for ANC	1,797	101.5	888	49.1	ANC Check up in first trimester 64.5
11	Mothers registered in the first trimester	1,326	73.8	684	77.0	At least 4ANC check up 52.5
12	Mothers who had 4 or more ANC check ups	1,142	63.6	517	58.2	Neonatal tetanus received 80.7
13	PW who got TT 2 / Booster injection	1,495	83.2	774	87.2	100 IFA tablets consumed 68.8
14	PW who consumed 180 IFA tablets	1,319	73.4	555	62.5	Home Delivery 25.0
15	Home Delivery against expected delivery *	379	23.3	155	9.3	Institutional Delivery 75.0
16	Institutional Delivery Against expected delivery *	755	46.3	387	23.2	Home Delivery by SBA 7.1
17	Reported Home Delivery **	379	33.4	155	28.6	PNC within 2days of delivery 63.9
18	Reported institutional Delivery **	755	66.6	387	71.4	
19	Total reported Deliveries	1,134		542		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	123	32.5	25	16.1	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	367	32.4	181	33.4	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,592		1,624		
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)
		Number	PC	Number	PC	
23	Total reported live births	1,124	70.6	544	33.5	Breastfed within 1 hour of birth 56.8
24	Total Still Birth	13	0.8	1	0.2	BCG 98.5
25	PC of newborn weighted at birth to live birth	1,028	91.5	497	91.4	3 dose of DPT 95.2

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	4.0	19	3.8	Measles First dose	95.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,068	95.0	529	97.2	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,365	85.7	643	39.6	Full Immunization	85.9
29	Children who have received BCG	1,078	67.7	552	34.0		
30	Children who have received Pentavalent 1	1,529	96.0	649	40.0		
31	Children who have received Pentavalent 3	1,415	88.9	616	37.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,388	87.2	642	39.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,385		791			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	29	8	Spacing	14
36	Number of IUD insertion	47	5	Women using any method	41.6
37	Number of IUD removals	49	38	Women using modern method	41.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	367	199		
39	General OPD cases per 10,000 population ***	11686	5527		
40	Ayush OPD cases per 10,000 population ***	238	119		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	3	0	
42	Neonatal Deaths within 1 to 28 days	4	1	
43	Total Neonatal Death	7	1	
44	Deaths between (1 - 11) months	6	0	
45	Total reported infant deaths	13	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	1	

Saiha Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574				
2	Sex Ratio	978				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	24				
4	Primary Health Centers (PHC)	4				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25		2025-26		
8	Expected number of PW	1,148		1,154		
9	Expected number of Delivery	1,056		1,062		
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)
		Number	PC	Number	PC	
10	PW register for ANC	1,334	116. 2	609	52.8	ANC Check up in first trimester 60.7
11	Mothers registered in the first trimester	1,076	80.7	495	81.3	At least 4ANC check up 35.5
12	Mothers who had 4 or more ANC check ups	731	54.8	417	68.5	Neonatal tetanus received 72.6
13	PW who got TT 2 / Booster injection	1,095	82.1	556	91.3	100 IFA tablets consumed 51.4
14	PW who consumed 180 IFA tablets	791	59.3	472	77.5	Home Delivery 26.2
15	Home Delivery against expected delivery *	144	13.6	76	7.2	Institutional Delivery 73.8
16	Institutional Delivery Against expected delivery *	996	94.3	596	56.1	Home Delivery by SBA 10.0
17	Reported Home Delivery **	144	12.6	76	11.3	PNC within 2days of delivery 59.6
18	Reported institutional Delivery **	996	87.4	596	88.7	
19	Total reported Deliveries	1,140		672		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	11.8	5	6.6	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	936	82.1	331	49.3	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,032		1,036		
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)
		Number	PC	Number	PC	
23	Total reported live births	1,125	109. 0	671	64.8	Breastfed within 1 hour of birth 46.4
24	Total Still Birth	23	2.2	7	1.0	BCG 69.9
25	PC of newborn weighted at birth to live birth	1,125	100. 0	657	97.9	3 dose of DPT 60.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	62	5.5	32	4.9	Measles First dose	65.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,120	99.6	594	88.5	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,039	100.7	541	52.2	Full Immunization	60.3
29	Children who have received BCG	1,112	107.8	669	64.6		
30	Children who have received Pentavalent 1	1,160	112.4	585	56.5		
31	Children who have received Pentavalent 3	1,134	109.9	554	53.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,050	101.8	545	52.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,250		663			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	22.5
35	Number of Tubectomies performed	23	24	Spacing	15.2
36	Number of IUD insertion	60	34	Women using any method	22.6
37	Number of IUD removals	59	40	Women using modern method	21.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	812	507		
39	General OPD cases per 10,000 population ***	13146	6670		
40	Ayush OPD cases per 10,000 population ***	838	634		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	9	4	
43	Total Neonatal Death	10	4	
44	Deaths between (1 - 11) months	31	8	
45	Total reported infant deaths	41	12	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Saitual Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	26				
4	Primary Health Centers (PHC)	5				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	948	958			
9	Expected number of Delivery	872	881			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
10	PW register for ANC	820	86.5	404	42.2	ANC Check up in first trimester
11	Mothers registered in the first trimester	717	87.4	353	87.4	At least 4ANC check up
12	Mothers who had 4 or more ANC check ups	587	71.6	277	68.6	Neonatal tetanus received
13	PW who got TT 2 / Booster injection	742	90.5	359	88.9	100 IFA tablets consumed
14	PW who consumed 180 IFA tablets	669	81.6	338	83.7	Home Delivery
15	Home Delivery against expected delivery *	7	0.8	1	0.1	Institutional Delivery
16	Institutional Delivery Against expected delivery *	354	40.6	170	19.3	Home Delivery by SBA
17	Reported Home Delivery **	7	1.9	1	0.6	PNC within 2days of delivery
18	Reported institutional Delivery **	354	98.1	170	99.4	
19	Total reported Deliveries	361		171		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	57.1	0	0.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	486	134.6	214	125.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	853		859		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
23	Total reported live births	362	42.5	170	19.8	Breastfed within 1 hour of birth
24	Total Still Birth	5	0.6	1	0.6	BCG
25	PC of newborn weighted at birth to live birth	357	98.6	170	100.0	3 dose of DPT

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.9	6	3.5	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	356	98.3	169	99.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	707	82.9	337	39.2	Full Immunization	NA
29	Children who have received BCG	336	39.4	182	21.2		
30	Children who have received Pentavalent 1	719	84.3	330	38.4		
31	Children who have received Pentavalent 3	717	84.1	383	44.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	704	82.6	341	39.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	875		590			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	3	Spacing	NA
36	Number of IUD insertion	25	13	Women using any method	NA
37	Number of IUD removals	25	7	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	367	244		
39	General OPD cases per 10,000 population ***	13666	7594		
40	Ayush OPD cases per 10,000 population ***	1021	587		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	1	0	
43	Total Neonatal Death	2	0	
44	Deaths between (1 - 11) months	1	1	
45	Total reported infant deaths	3	1	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Sorghip Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	64,937				
2	Sex Ratio	976				
B) Infrastructure Details (HDI 2022-23)		Number s				
3	Sub Centers (SC)	28				
4	Primary Health Centers (PHC)	5				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	1,126		1,131		
9	Expected number of Delivery	1,035		1,041		
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
10	PW register for ANC	1,099	97.6	607	53.7	ANC Check up in first trimester 77.6
11	Mothers registered in the first trimester	915	83.3	509	83.9	At least 4ANC check up 60.3
12	Mothers who had 4 or more ANC check ups	725	66.0	429	70.7	Neonatal tetanus received 85.1
13	PW who got TT 2 / Booster injection	992	90.3	544	89.6	100 IFA tablets consumed 73.0
14	PW who consumed 180 IFA tablets	817	74.3	471	77.6	Home Delivery 3.8
15	Home Delivery against expected delivery *	3	0.3	4	0.4	Institutional Delivery 96.2
16	Institutional Delivery Against expected delivery *	525	50.7	312	30.0	Home Delivery by SBA 0.6
17	Reported Home Delivery **	3	0.6	4	1.3	PNC within 2days of delivery 86.2
18	Reported institutional Delivery **	525	99.4	312	98.7	
19	Total reported Deliveries	528		316		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	4	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	439	83.1	259	82.0	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,012		1,015		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (20119-20)	
		Number	PC	Number	PC	
23	Total reported live births	517	51.1	317	31.2	Breastfed within 1 hour of birth 58.8
24	Total Still Birth	11	1.1	1	0.3	BCG 89.8
25	PC of newborn weighted at birth to live birth	517	100.0	317	100.0	3 dose of DPT 84.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	30	5.8	17	5.4	Measles First dose	85.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	512	99.0	305	96.2	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	948	93.7	491	48.4	Full Immunization	84.7
29	Children who have received BCG	535	52.9	356	35.1		
30	Children who have received Pentavalent 1	874	86.4	523	51.5		
31	Children who have received Pentavalent 3	943	93.2	535	52.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	948	93.7	490	48.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	565		406			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.9
35	Number of Tubectomies performed	8	14	Spacing	11.8
36	Number of IUD insertion	16	14	Women using any method	40
37	Number of IUD removals	50	9	Women using modern method	39.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	544	296		
39	General OPD cases per 10,000 population ***	15512	8255		
40	Ayush OPD cases per 10,000 population ***	723	751		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	1	1	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	1	1	
44	Deaths between (1 - 11) months	1	0	
45	Total reported infant deaths	2	1	
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	1	0	