

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	19,78,502					
2	Sex Ratio	931					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	465					
4	Primary Health Centers (PHC)	136					
5	Community Health Centers (CHC)	23					
6	SDH	0					
7	DH	12					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	35,019		34,105			
9	Expected number of Delivery	32,217		31,377			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	22,790	65.1	6,545	19.2	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	8,988	39.4	2,606	39.8	At least 4ANC check up	20.7
12	Mothers who had 4 or more ANC check ups	9,035	39.6	2,239	34.2	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	15,739	69.1	4,444	67.9	100 IFA tablets consumed	10.2
14	PW who consumed 180 IFA tablets	16,935	74.3	5,186	79.2	Home Delivery	54.3
15	Home Delivery against expected delivery *	3,240	10.1	710	2.3	Institutional Delivery	45.7
16	Institutional Delivery against expected delivery *	16,035	49.8	3,437	11.0	Home Delivery by SBA	10.4
17	Home Delivery against reported delivery **	3,240	16.8	710	17.1	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	16,035	83.2	3,437	82.9		
19	Total reported Deliveries	19,275		4,147			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,482	45.7	343	48.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,065	41.8	1,475	35.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,549		30,695			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	19,136	60.7	4,123	13.4	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	277	1.4	53	1.3	BCG	85.5
25	PC of newborn weighted at birth to live birth	18,631	97.4	4,046	98.1	3 dose of DPT	71.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	748	4.0	210	5.2	Measles First dose	73.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,371	85.6	3,510	85.1	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	17,395	55.1	3,890	12.7	Full Immunization	57.9
29	Children who have received BCG	19,553	62.0	3,963	12.9		
30	Children who have received Pentavalent 1	20,013	63.4	4,386	14.3		
31	Children who have received Pentavalent 3	17,680	56.0	4,549	14.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,399	55.1	3,873	12.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,604		2,271			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	9.1
35	Number of Tubectomies performed	1,326	245	Spacing	4.5
36	Number of IUD insertion	2,950	440	Women using any method	57.4
37	Number of IUD removals	1,964	442	Women using modern method	45.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	369	94		
39	General OPD cases per 10,000 population ***	6817	1831		
40	Ayush OPD cases per 10,000 population ***	292	75		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	30	12		
42	Neonatal Deaths within 1 to 28 days	100	23		
43	Total Neonatal Death	130	35		
44	Deaths between (1 - 11) months	28	7		
45	Total reported infant deaths	158	42		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	1	0		
47	Due to PPH (Post-Partum Haemmorhage)	5	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	5	3		
53	Total reported maternal deaths	13	5		

Dimapur Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	3,78,811					
2	Sex Ratio	916					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	6,628	6,456				
9	Expected number of Delivery	6,098	5,939				
		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	7,791	117.5	2,368	36.7	ANC Check up in first trimester	71.4
11	Mothers registered in the first trimester	3,565	45.8	1,042	44.0	At least 4ANC check up	50.1
12	Mothers who had 4 or more ANC check ups	3,435	44.1	634	26.8	Neonatal tetanus received	86.4
13	PW who got TT 2 / Booster injection	5,909	75.8	1,564	66.0	100 IFA tablets consumed	14.9
14	PW who consumed 180 IFA tablets	6,351	81.5	2,130	89.9	Home Delivery	26.3
15	Home Delivery against expected delivery *	490	8.0	84	1.4	Institutional Delivery	73.7
16	Institutional Delivery against expected delivery *	6,174	101.2	1,309	22.0	Home Delivery by SBA	9.4
17	Home Delivery against reported delivery **	490	7.4	84	6.0	PNC within 2days of delivery	68.7
18	Institutional Delivery against reported delivery **	6,174	92.6	1,309	94.0		
19	Total reported Deliveries	6,664		1,393			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	8.6	17	20.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,509	22.6	72	5.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,972		5,810			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	6,605	110.6	1,385	23.8	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	137	2.1	25	1.8	BCG	85.1
25	PC of newborn weighted at birth to live birth	6,391	96.8	1,376	99.4	3 dose of DPT	73.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	470	7.4	118	8.6	Measles First dose	74.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,018	76.0	1,023	73.9	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	5,403	90.5	1,059	18.2	Full Immunization	55.9
29	Children who have received BCG	6,956	116.5	1,252	21.5		
30	Children who have received Pentavalent 1	6,493	108.7	1,284	22.1		
31	Children who have received Pentavalent 3	5,347	89.5	1,242	21.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,420	90.8	1,016	17.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,193		238			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	14.3
35	Number of Tubectomies performed	438	101	Spacing	5.8
36	Number of IUD insertion	184	83	Women using any method	46.9
37	Number of IUD removals	261	56	Women using modern method	38.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	932	234		
39	General OPD cases per 10,000 population ***	11513	3143		
40	Ayush OPD cases per 10,000 population ***	310	88		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	17	5		
42	Neonatal Deaths within 1 to 28 days	57	11		
43	Total Neonatal Death	74	16		
44	Deaths between (1 - 11) months	21	2		
45	Total reported infant deaths	95	18		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	1	0		
47	Due to PPH (Post-Partum Haemmorhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	4	2		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	25					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,295		1,261			
9	Expected number of Delivery	1,191		1,160			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	882	68.1	224	17.8	ANC Check up in first trimester	27.2
11	Mothers registered in the first trimester	358	40.6	84	37.5	At least 4ANC check up	5.8
12	Mothers who had 4 or more ANC check ups	467	52.9	105	46.9	Neonatal tetanus received	63
13	PW who got TT 2 / Booster injection	640	72.6	184	82.1	100 IFA tablets consumed	1.6
14	PW who consumed 180 IFA tablets	579	65.6	197	87.9	Home Delivery	65.2
15	Home Delivery against expected delivery *	109	9.1	41	3.5	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	624	52.4	140	12.1	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	109	14.9	41	22.7	PNC within 2days of delivery	31.9
18	Institutional Delivery against reported delivery **	624	85.1	140	77.3		
19	Total reported Deliveries	733		181			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	31.2	12	29.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	548	74.8	135	74.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,167		1,135			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	722	61.9	179	15.8	Breastfed within 1 hour of birth	55.5
24	Total Still Birth	16	2.2	2	1.1	BCG	82.1
25	PC of newborn weighted at birth to live birth	712	98.6	171	95.5	3 dose of DPT	60.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	2.7	4	2.3	Measles First dose	66.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	712	98.6	172	96.1	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	713	61.1	143	12.6	Full Immunization	42.8
29	Children who have received BCG	734	62.9	174	15.3		
30	Children who have received Pentavalent 1	778	66.7	173	15.2		
31	Children who have received Pentavalent 3	698	59.8	159	14.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	716	61.4	144	12.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	524		149			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	32	0	Spacing	10.2
36	Number of IUD insertion	194	37	Women using any method	42.5
37	Number of IUD removals	198	46	Women using modern method	32.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	228	54		
39	General OPD cases per 10,000 population ***	5421	1380		
40	Ayush OPD cases per 10,000 population ***	166	31		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths within 1 to 28 days	3	0		
43	Total Neonatal Death	6	1		
44	Deaths between (1 - 11) months	1	1		
45	Total reported infant deaths	7	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,67,988					
2	Sex Ratio	927					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	42					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	4,689		4,567			
9	Expected number of Delivery	4,314		4,202			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,766	59.0	769	16.8	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	1,130	40.9	371	48.2	At least 4ANC check up	28.3
12	Mothers who had 4 or more ANC check ups	1,493	54.0	616	80.1	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	1,636	59.1	388	50.5	100 IFA tablets consumed	17.2
14	PW who consumed 180 IFA tablets	2,059	74.4	622	80.9	Home Delivery	33.1
15	Home Delivery against expected delivery *	107	2.5	19	0.5	Institutional Delivery	66.9
16	Institutional Delivery against expected delivery *	2,785	64.6	584	13.9	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	107	3.7	19	3.2	PNC within 2days of delivery	58.9
18	Institutional Delivery against reported delivery **	2,785	96.3	584	96.8		
19	Total reported Deliveries	2,892		603			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	51	47.7	8	42.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,499	51.8	332	55.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,225		4,110			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,863	67.8	604	14.7	Breastfed within 1 hour of birth	60.3
24	Total Still Birth	37	1.3	4	0.7	BCG	100
25	PC of newborn weighted at birth to live birth	2,817	98.4	600	99.3	3 dose of DPT	88.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	97	3.4	37	6.2	Measles First dose	86.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,272	79.4	476	78.8	3 doses of penta or hepatitis B vaccine	88.7
28	Children fully immunized	2,511	59.4	681	16.6	Full Immunization	82.8
29	Children who have received BCG	2,959	70.0	582	14.2		
30	Children who have received Pentavalent 1	2,808	66.5	619	15.1		
31	Children who have received Pentavalent 3	2,641	62.5	707	17.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,516	59.6	682	16.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,536		333			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.1
35	Number of Tubectomies performed	278	71	Spacing	7.2
36	Number of IUD insertion	533	77	Women using any method	60.7
37	Number of IUD removals	247	39	Women using modern method	46.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	546	135		
39	General OPD cases per 10,000 population ***	11095	2874		
40	Ayush OPD cases per 10,000 population ***	383	93		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths within 1 to 28 days	25	5		
43	Total Neonatal Death	28	6		
44	Deaths between (1 - 11) months	2	2		
45	Total reported infant deaths	30	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	2	2		
53	Total reported maternal deaths	5	3		

Longleng Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	883		860			
9	Expected number of Delivery	813		791			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	500	56.6	124	14.4	ANC Check up in first trimester	42.3
11	Mothers registered in the first trimester	162	32.4	57	46.0	At least 4ANC check up	15.4
12	Mothers who had 4 or more ANC check ups	205	41.0	60	48.4	Neonatal tetanus received	75.5
13	PW who got TT 2 / Booster injection	324	64.8	86	69.4	100 IFA tablets consumed	2.6
14	PW who consumed 180 IFA tablets	371	74.2	73	58.9	Home Delivery	61.3
15	Home Delivery against expected delivery *	31	3.8	9	1.1	Institutional Delivery	38.7
16	Institutional Delivery against expected delivery *	324	39.9	91	11.5	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	31	8.7	9	9.0	PNC within 2days of delivery	28.5
18	Institutional Delivery against reported delivery **	324	91.3	91	91.0		
19	Total reported Deliveries	355		100			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	16.1	2	22.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	81	22.8	11	11.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	796		774			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	357	44.9	100	12.9	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	2	0.6	0	0.0	BCG	88.3
25	PC of newborn weighted at birth to live birth	321	89.9	95	95.0	3 dose of DPT	64.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	3.4	6	6.3	Measles First dose	73.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	333	93.3	97	97.0	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	434	54.5	88	11.4	Full Immunization	53
29	Children who have received BCG	421	52.9	82	10.6		
30	Children who have received Pentavalent 1	469	58.9	87	11.2		
31	Children who have received Pentavalent 3	443	55.7	123	15.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	421	52.9	92	11.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	116		61			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.3
35	Number of Tubectomies performed	30	0	Spacing	2.9
36	Number of IUD insertion	181	20	Women using any method	66.5
37	Number of IUD removals	132	39	Women using modern method	56.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	260	69		
39	General OPD cases per 10,000 population ***	6861	1845		
40	Ayush OPD cases per 10,000 population ***	321	91		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Mokokchung Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622					
2	Sex Ratio	927					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	17					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	3,406		3,317			
9	Expected number of Delivery	3,133		3,051			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,531	45.0	435	13.1	ANC Check up in first trimester	51.6
11	Mothers registered in the first trimester	953	62.2	262	60.2	At least 4ANC check up	18.2
12	Mothers who had 4 or more ANC check ups	956	62.4	260	59.8	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	866	56.6	272	62.5	100 IFA tablets consumed	12.5
14	PW who consumed 180 IFA tablets	971	63.4	279	64.1	Home Delivery	48.5
15	Home Delivery against expected delivery *	119	3.8	20	0.7	Institutional Delivery	51.5
16	Institutional Delivery against expected delivery *	977	31.2	216	7.1	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	119	10.9	20	8.5	PNC within 2days of delivery	47.4
18	Institutional Delivery against reported delivery **	977	89.1	216	91.5		
19	Total reported Deliveries	1,096		236			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103	86.6	18	90.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	931	84.9	220	93.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,068		2,985			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,088	35.5	231	7.7	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	17	1.6	6	2.6	BCG	96.8
25	PC of newborn weighted at birth to live birth	1,056	97.1	227	98.3	3 dose of DPT	99
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.8	15	6.6	Measles First dose	100

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,065	97.9	228	98.7	3 doses of penta or hepatitis B vaccine	96
28	Children fully immunized	1,122	36.6	240	8.0	Full Immunization	92
29	Children who have received BCG	1,187	38.7	237	7.9		
30	Children who have received Pentavalent 1	1,155	37.6	287	9.6		
31	Children who have received Pentavalent 3	1,164	37.9	334	11.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,130	36.8	245	8.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	505		224			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.4
35	Number of Tubectomies performed	89	18	Spacing	3.4
36	Number of IUD insertion	120	17	Women using any method	66.7
37	Number of IUD removals	91	32	Women using modern method	52.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	227	64		
39	General OPD cases per 10,000 population ***	6018	1628		
40	Ayush OPD cases per 10,000 population ***	470	120		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths within 1 to 28 days	5	4		
43	Total Neonatal Death	5	6		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	6	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	3	0		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	4,379		4,265			
9	Expected number of Delivery	4,029		3,924			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,635	60.2	777	18.2	ANC Check up in first trimester	44.6
11	Mothers registered in the first trimester	815	30.9	242	31.1	At least 4ANC check up	9.7
12	Mothers who had 4 or more ANC check ups	720	27.3	140	18.0	Neonatal tetanus received	78
13	PW who got TT 2 / Booster injection	1,976	75.0	679	87.4	100 IFA tablets consumed	10.6
14	PW who consumed 180 IFA tablets	2,025	76.9	534	68.7	Home Delivery	78.6
15	Home Delivery against expected delivery *	953	23.7	211	5.4	Institutional Delivery	21.4
16	Institutional Delivery against expected delivery *	1,676	41.6	380	9.7	Home Delivery by SBA	9.5
17	Home Delivery against reported delivery **	953	36.2	211	35.7	PNC within 2days of delivery	25.6
18	Institutional Delivery against reported delivery **	1,676	63.8	380	64.3		
19	Total reported Deliveries	2,629		591			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	325	34.1	70	33.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,357	51.6	281	47.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,945		3,838			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,620	66.4	589	15.3	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	15	0.6	8	1.4	BCG	87.1
25	PC of newborn weighted at birth to live birth	2,590	98.9	572	97.1	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	31	1.2	13	2.3	Measles First dose	83.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,443	93.2	552	93.7	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,334	59.2	628	16.4	Full Immunization	62.4
29	Children who have received BCG	2,491	63.1	545	14.2		
30	Children who have received Pentavalent 1	2,677	67.9	588	15.3		
31	Children who have received Pentavalent 3	2,327	59.0	647	16.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,306	58.5	596	15.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,522		551			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.7
35	Number of Tubectomies performed	115	19	Spacing	0.6
36	Number of IUD insertion	859	75	Women using any method	68.7
37	Number of IUD removals	492	67	Women using modern method	55.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	223	51		
39	General OPD cases per 10,000 population ***	4714	1364		
40	Ayush OPD cases per 10,000 population ***	160	36		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	2	0		
43	Total Neonatal Death	2	1		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	3	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	0		

Noklak Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	399		388			
9	Expected number of Delivery	367		357			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	495	124.1	105	27.0	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	121	24.4	24	22.9	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	70	14.1	13	12.4	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	275	55.6	53	50.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	367	74.1	61	58.1	Home Delivery	NA
15	Home Delivery against expected delivery *	134	36.5	26	7.3	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	274	74.7	49	13.7	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	134	32.8	26	34.7	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	274	67.2	49	65.3		
19	Total reported Deliveries	408		75			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	108	80.6	23	88.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	145	35.5	30	40.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	359		350			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	406	113.0	75	21.5	Breastfed within 1 hour of birth	NA
24	Total Still Birth	8	2.0	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	380	93.6	72	96.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.7	1	1.4	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	377	92.9	73	97.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	277	77.1	44	12.6	Full Immunization	NA
29	Children who have received BCG	320	89.0	85	24.3		
30	Children who have received Pentavalent 1	409	113.8	83	23.7		
31	Children who have received Pentavalent 3	309	86.0	84	24.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	268	74.6	52	14.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	160		79			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	58	8	Women using any method	NA
37	Number of IUD removals	39	13	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	369	102		
39	General OPD cases per 10,000 population ***	10589	2626		
40	Ayush OPD cases per 10,000 population ***	473	75		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Peren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,666		1,623			
9	Expected number of Delivery	1,533		1,493			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,283	77.0	343	21.1	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	360	28.1	102	29.7	At least 4ANC check up	14.5
12	Mothers who had 4 or more ANC check ups	253	19.7	58	16.9	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	874	68.1	281	81.9	100 IFA tablets consumed	6.1
14	PW who consumed 180 IFA tablets	857	66.8	222	64.7	Home Delivery	56.5
15	Home Delivery against expected delivery *	301	19.6	70	4.7	Institutional Delivery	43.5
16	Institutional Delivery against expected delivery *	489	31.9	115	7.7	Home Delivery by SBA	9.6
17	Home Delivery against reported delivery **	301	38.1	70	37.8	PNC within 2days of delivery	46.9
18	Institutional Delivery against reported delivery **	489	61.9	115	62.2		
19	Total reported Deliveries	790		185			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103	34.2	25	35.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	121	15.3	60	32.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,501		1,460			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	786	52.4	184	12.6	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	5	0.6	1	0.5	BCG	86.8
25	PC of newborn weighted at birth to live birth	732	93.1	171	92.9	3 dose of DPT	71.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	2.3	4	2.3	Measles First dose	74.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	735	93.5	155	84.2	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	793	52.8	176	12.1	Full Immunization	63.3
29	Children who have received BCG	821	54.7	215	14.7		
30	Children who have received Pentavalent 1	1,024	68.2	263	18.0		
31	Children who have received Pentavalent 3	828	55.2	250	17.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	786	52.4	204	14.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	159		49			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.2
35	Number of Tubectomies performed	15	0	Spacing	4.5
36	Number of IUD insertion	89	14	Women using any method	58.6
37	Number of IUD removals	76	14	Women using modern method	42
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	98	29		
39	General OPD cases per 10,000 population ***	4253	1167		
40	Ayush OPD cases per 10,000 population ***	442	100		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	3	1		
43	Total Neonatal Death	3	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	3	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,63,418					
2	Sex Ratio	951					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	49					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	2,860		2,785			
9	Expected number of Delivery	2,631		2,562			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,552	54.3	418	15.0	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	602	38.8	169	40.4	At least 4ANC check up	9.5
12	Mothers who had 4 or more ANC check ups	470	30.3	95	22.7	Neonatal tetanus received	83.8
13	PW who got TT 2 / Booster injection	1,382	89.0	380	90.9	100 IFA tablets consumed	13.5
14	PW who consumed 180 IFA tablets	1,265	81.5	361	86.4	Home Delivery	67.8
15	Home Delivery against expected delivery *	330	12.5	71	2.8	Institutional Delivery	32.2
16	Institutional Delivery against expected delivery *	846	32.2	173	6.8	Home Delivery by SBA	18.5
17	Home Delivery against reported delivery **	330	28.1	71	29.1	PNC within 2days of delivery	39.6
18	Institutional Delivery against reported delivery **	846	71.9	173	70.9		
19	Total reported Deliveries	1,176		244			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	218	66.1	35	49.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	546	46.4	97	39.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,576		2,506			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,173	45.5	242	9.7	Breastfed within 1 hour of birth	64.8
24	Total Still Birth	9	0.8	2	0.8	BCG	87.6
25	PC of newborn weighted at birth to live birth	1,155	98.5	238	98.3	3 dose of DPT	65.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	0.9	0	0.0	Measles First dose	71.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,106	94.3	229	94.6	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,160	45.0	235	9.4	Full Immunization	54.6
29	Children who have received BCG	1,160	45.0	236	9.4		
30	Children who have received Pentavalent 1	1,336	51.9	328	13.1		
31	Children who have received Pentavalent 3	1,202	46.7	295	11.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,153	44.8	233	9.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	404		117			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	6.5
35	Number of Tubectomies performed	134	4	Spacing	3.5
36	Number of IUD insertion	263	38	Women using any method	56.3
37	Number of IUD removals	146	39	Women using modern method	47.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	180	45		
39	General OPD cases per 10,000 population ***	4703	1230		
40	Ayush OPD cases per 10,000 population ***	328	98		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	2	2		
43	Total Neonatal Death	2	2		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	2	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	3,440		3,350			
9	Expected number of Delivery	3,165		3,082			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,288	37.4	422	12.6	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	335	26.0	95	22.5	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	466	36.2	130	30.8	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	653	50.7	219	51.9	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	1,031	80.0	369	87.4	Home Delivery	65.2
15	Home Delivery against expected delivery *	307	9.7	74	2.4	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	746	23.6	172	5.6	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	307	29.2	74	30.1	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	746	70.8	172	69.9		
19	Total reported Deliveries	1,053		246			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	61.2	59	79.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	269	25.5	55	22.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,099		3,015			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,041	33.6	245	8.1	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	19	1.8	1	0.4	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,010	97.0	236	96.3	3 dose of DPT	56.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	1.9	4	1.7	Measles First dose	53.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,003	96.3	237	96.7	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,054	34.0	230	7.6	Full Immunization	39.9
29	Children who have received BCG	1,123	36.2	288	9.6		
30	Children who have received Pentavalent 1	1,222	39.4	322	10.7		
31	Children who have received Pentavalent 3	1,084	35.0	308	10.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,064	34.3	242	8.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	165		77			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.9
35	Number of Tubectomies performed	47	15	Spacing	5.9
36	Number of IUD insertion	198	40	Women using any method	52.6
37	Number of IUD removals	114	38	Women using modern method	37.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	162	51		
39	General OPD cases per 10,000 population ***	2429	640		
40	Ayush OPD cases per 10,000 population ***	30	12		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	6	2		
42	Neonatal Deaths within 1 to 28 days	2	0		
43	Total Neonatal Death	8	2		
44	Deaths between (1 - 11) months	2	2		
45	Total reported infant deaths	10	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	2,911		2,835			
9	Expected number of Delivery	2,678		2,608			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	960	33.0	245	8.6	ANC Check up in first trimester	57.8
11	Mothers registered in the first trimester	287	29.9	64	26.1	At least 4ANC check up	34.7
12	Mothers who had 4 or more ANC check ups	264	27.5	57	23.3	Neonatal tetanus received	77.6
13	PW who got TT 2 / Booster injection	782	81.5	209	85.3	100 IFA tablets consumed	12.9
14	PW who consumed 180 IFA tablets	690	71.9	217	88.6	Home Delivery	56.4
15	Home Delivery against expected delivery *	190	7.1	33	1.3	Institutional Delivery	43.6
16	Institutional Delivery against expected delivery *	473	17.7	77	3.0	Home Delivery by SBA	19.9
17	Home Delivery against reported delivery **	190	28.7	33	30.0	PNC within 2days of delivery	50.7
18	Institutional Delivery against reported delivery **	473	71.3	77	70.0		
19	Total reported Deliveries	663		110			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	173	91.1	31	93.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	457	68.9	58	52.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,622		2,551			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	663	25.3	109	4.3	Breastfed within 1 hour of birth	48.5
24	Total Still Birth	4	0.6	1	0.9	BCG	73.3
25	PC of newborn weighted at birth to live birth	660	99.5	109	100.0	3 dose of DPT	61.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.3	3	2.8	Measles First dose	66.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	660	99.5	109	100.0	3 doses of penta or hepatitis B vaccine	55.1
28	Children fully immunized	760	29.0	185	7.3	Full Immunization	42.8
29	Children who have received BCG	670	25.6	128	5.0		
30	Children who have received Pentavalent 1	775	29.6	172	6.7		
31	Children who have received Pentavalent 3	782	29.8	202	7.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	762	29.1	186	7.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	263		100			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.2
35	Number of Tubectomies performed	71	6	Spacing	1.4
36	Number of IUD insertion	36	5	Women using any method	64.6
37	Number of IUD removals	36	9	Women using modern method	50.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	99	28		
39	General OPD cases per 10,000 population ***	3806	1135		
40	Ayush OPD cases per 10,000 population ***	331	88		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorrhage)	0	0		
47	Due to PPH (Post-Partum Haemmorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,757					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	2,463		2,399			
9	Expected number of Delivery	2,266		2,207			
		HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,107	44.9	315	13.1	ANC Check up in first trimester	46.5
11	Mothers registered in the first trimester	300	27.1	94	29.8	At least 4ANC check up	11.2
12	Mothers who had 4 or more ANC check ups	236	21.3	71	22.5	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	422	38.1	129	41.0	100 IFA tablets consumed	5.5
14	PW who consumed 180 IFA tablets	369	33.3	121	38.4	Home Delivery	65
15	Home Delivery against expected delivery *	169	7.5	52	2.4	Institutional Delivery	35
16	Institutional Delivery against expected delivery *	647	28.6	131	5.9	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	169	20.7	52	28.4	PNC within 2days of delivery	24.9
18	Institutional Delivery against reported delivery **	647	79.3	131	71.6		
19	Total reported Deliveries	816		183			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	132	78.1	43	82.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	602	73.8	124	67.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,219		2,159			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 1st QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	812	36.6	180	8.3	Breastfed within 1 hour of birth	38.4
24	Total Still Birth	8	1.0	3	1.7	BCG	82.2
25	PC of newborn weighted at birth to live birth	807	99.4	179	99.4	3 dose of DPT	72.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	2.2	5	2.8	Measles First dose	76.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	647	79.7	159	88.3	3 doses of penta or hepatitis B vaccine	72.3
28	Children fully immunized	834	37.6	181	8.4	Full Immunization	60.7
29	Children who have received BCG	711	32.0	139	6.4		
30	Children who have received Pentavalent 1	867	39.1	180	8.3		
31	Children who have received Pentavalent 3	855	38.5	198	9.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	857	38.6	181	8.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,057		293			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.8
35	Number of Tubectomies performed	77	11	Spacing	0.7
36	Number of IUD insertion	235	26	Women using any method	68.8
37	Number of IUD removals	132	50	Women using modern method	56.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	93	30		
39	General OPD cases per 10,000 population ***	4855	1163		
40	Ayush OPD cases per 10,000 population ***	265	52		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

