

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)	Numbers					
1	Population 2011	19,78,502					
2	Sex Ratio	931					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	465					
4	Primary Health Centers (PHC)	136					
5	Community Health Centers (CHC)	23					
6	SDH	0					
7	DH	12					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	35,019	34,105				
9	Expected number of Delivery	32,217	31,377				
			HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
			Number	PC	Number	PC	
10	PW register for ANC	22,790	65.1	13,370	39.2	ANC Check up in first trimester 49.5	
11	Mothers registered in the first trimester	8,988	39.4	5,010	37.5	At least 4ANC check up 20.7	
12	Mothers who had 4 or more ANC check ups	9,035	39.6	5,229	39.1	Neonatal tetanus received 81.3	
13	PW who got TT 2 / Booster injection	15,739	69.1	9,131	68.3	100 IFA tablets consumed 10.2	
14	PW who consumed 180 IFA tablets	16,935	74.3	10,392	77.7	Home Delivery 54.3	
15	Home Delivery against expected delivery *	3,240	10.1	1,567	5.0	Institutional Delivery 45.7	
16	Institutional Delivery against expected delivery *	16,035	49.8	7,804	24.9	Home Delivery by SBA 10.4	
17	Home Delivery against reported delivery **	3,240	16.8	1,567	16.7	PNC within 2days of delivery 43.9	
18	Institutional Delivery against reported delivery **	16,035	83.2	7,804	83.3		
19	Total reported Deliveries	19,275		9,371			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,482	45.7	792	50.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,065	41.8	3,083	32.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,549		30,695			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
23	Total reported live births	19,136	60.7	9,322	30.4	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	277	1.4	131	1.4	BCG	85.5
25	PC of newborn weighted at birth to live birth	18,631	97.4	9,134	98.0	3 dose of DPT	71.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	748	4.0	423	4.6	Measles First dose	73.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,371	85.6	7,841	84.1	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	17,395	55.1	8,403	27.4	Full Immunization	57.9
29	Children who have received BCG	19,553	62.0	8,954	29.2		
30	Children who have received Pentavalent 1	20,013	63.4	8,762	28.5		
31	Children who have received Pentavalent 3	17,680	56.0	8,540	27.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,399	55.1	8,449	27.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,604		4,068			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	2	0	Total unmet need	9.1		
35	Number of Tubectomies performed	1,326	619	Spacing	4.5		
36	Number of IUD insertion	2,950	1,454	Women using any method	57.4		
37	Number of IUD removals	1,964	957	Women using modern method	45.3		
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR				
38	IPD cases per 10,000 population ***	369	200				
39	General OPD cases per 10,000 population ***	6817	3846				
40	Ayush OPD cases per 10,000 population ***	292	152				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR				
41	Neonatal death within 24 hours	30	19				
42	Neonatal Deaths within 1 to 28 days	100	52				
43	Total Neonatal Death	130	71				
44	Deaths between (1 - 11) months	28	15				
45	Total reported infant deaths	158	86				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR				
46	Due to APH (Antepartum Haemorrhage)	1	1				
47	Due to PPH (Post-Partum Haemorrhage)	5	3				
48	Due to Pregnancy related infection and sepsis, Fever	1	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	1	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	3				
52	Due to Other/Unknown Causes	5	5				
53	Total reported maternal deaths	13	12				

Dimapur Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,811				
2	Sex Ratio	916				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	54				
4	Primary Health Centers (PHC)	12				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25		2025-26		
8	Expected number of PW	6,628		6,456		
9	Expected number of Delivery	6,098		5,939		
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	7,791	117.5	4,957	76.8	ANC Check up in first trimester 71.4
11	Mothers registered in the first trimester	3,565	45.8	1,984	40.0	At least 4ANC check up 50.1
12	Mothers who had 4 or more ANC check ups	3,435	44.1	1,546	31.2	Neonatal tetanus received 86.4
13	PW who got TT 2 / Booster injection	5,909	75.8	3,336	67.3	100 IFA tablets consumed 14.9
14	PW who consumed 180 IFA tablets	6,351	81.5	3,847	77.6	Home Delivery 26.3
15	Home Delivery against expected delivery *	490	8.0	228	3.8	Institutional Delivery 73.7
16	Institutional Delivery against expected delivery *	6,174	101.2	3,102	52.2	Home Delivery by SBA 9.4
17	Home Delivery against reported delivery **	490	7.4	228	6.8	PNC within 2days of delivery 68.7
18	Institutional Delivery against reported delivery **	6,174	92.6	3,102	93.2	
19	Total reported Deliveries	6,664		3,330		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	8.6	32	14.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,509	22.6	182	5.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	5,972		5,810		
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
23	Total reported live births	6,605	110.6	3,307	56.9	Breastfed within 1 hour of birth 53.1
24	Total Still Birth	137	2.1	72	2.2	BCG 85.1
25	PC of newborn weighted at birth to live birth	6,391	96.8	3,277	99.1	3 dose of DPT 73.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	470	7.4	241	7.4	Measles First dose 74.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,018	76.0	2,389	72.2	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	5,403	90.5	2,316	39.9	Full Immunization	55.9
29	Children who have received BCG	6,956	116.5	2,980	51.3		
30	Children who have received Pentavalent 1	6,493	108.7	2,689	46.3		
31	Children who have received Pentavalent 3	5,347	89.5	2,341	40.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,420	90.8	2,349	40.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,193		484			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	14.3
35	Number of Tubectomies performed	438	242	Spacing	5.8
36	Number of IUD insertion	184	153	Women using any method	46.9
37	Number of IUD removals	261	87	Women using modern method	38.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	932	497		
39	General OPD cases per 10,000 population ***	11513	6442		
40	Ayush OPD cases per 10,000 population ***	310	170		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	17	7		
42	Neonatal Deaths within 1 to 28 days	57	28		
43	Total Neonatal Death	74	35		
44	Deaths between (1 - 11) months	21	4		
45	Total reported infant deaths	95	39		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	1	1		
47	Due to PPH (Post-Partum Haemorrhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	2		
52	Due to Other/Unknown Causes	1	2		
53	Total reported maternal deaths	4	6		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	74,004						
2	Sex Ratio	961						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	25						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2024-25	2025-26					
8	Expected number of PW	1,295	1,261					
9	Expected number of Delivery	1,191	1,160					
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)				
		Number	PC	Number	PC			
10	PW register for ANC	882	68.1	442	35.0	ANC Check up in first trimester 27.2		
11	Mothers registered in the first trimester	358	40.6	164	37.1	At least 4ANC check up 5.8		
12	Mothers who had 4 or more ANC check ups	467	52.9	232	52.5	Neonatal tetanus received 63		
13	PW who got TT 2 / Booster injection	640	72.6	366	82.8	100 IFA tablets consumed 1.6		
14	PW who consumed 180 IFA tablets	579	65.6	356	80.5	Home Delivery 65.2		
15	Home Delivery against expected delivery *	109	9.1	82	7.1	Institutional Delivery 34.8		
16	Institutional Delivery against expected delivery *	624	52.4	296	25.5	Home Delivery by SBA 11.9		
17	Home Delivery against reported delivery **	109	14.9	82	21.7	PNC within 2days of delivery 31.9		
18	Institutional Delivery against reported delivery **	624	85.1	296	78.3			
19	Total reported Deliveries	733		378				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	31.2	24	29.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	548	74.8	215	56.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,167		1,135				
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)				
		Number	PC	Number	PC			
23	Total reported live births	722	61.9	373	32.9	Breastfed within 1 hour of birth 55.5		
24	Total Still Birth	16	2.2	6	1.6	BCG 82.1		
25	PC of newborn weighted at birth to live birth	712	98.6	364	97.6	3 dose of DPT 60.2		
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	2.7	4	1.1	Measles First dose 66.2		

27	PC of newborns breastfed within 1 hour to total reported live birth.	712	98.6	365	97.9	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	713	61.1	320	28.2	Full Immunization	42.8
29	Children who have received BCG	734	62.9	354	31.2		
30	Children who have received Pentavalent 1	778	66.7	376	33.1		
31	Children who have received Pentavalent 3	698	59.8	329	29.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	716	61.4	320	28.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	524		274			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	32	0	Spacing	10.2
36	Number of IUD insertion	194	86	Women using any method	42.5
37	Number of IUD removals	198	84	Women using modern method	32.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	228	126		
39	General OPD cases per 10,000 population ***	5421	2874		
40	Ayush OPD cases per 10,000 population ***	166	70		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths within 1 to 28 days	3	0		
43	Total Neonatal Death	6	1		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	7	3		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kohima Factsheet

Key Indicators

Key Indicators						
SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	2,67,988				
2	Sex Ratio	927				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	42				
4	Primary Health Centers (PHC)	16				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	4,689	4,567			
9	Expected number of Delivery	4,314	4,202			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	2,766	59.0	1,616	35.4	ANC Check up in first trimester 61.9
11	Mothers registered in the first trimester	1,130	40.9	749	46.3	At least 4ANC check up 28.3
12	Mothers who had 4 or more ANC check ups	1,493	54.0	1,360	84.2	Neonatal tetanus received 94.3
13	PW who got TT 2 / Booster injection	1,636	59.1	831	51.4	100 IFA tablets consumed 17.2
14	PW who consumed 180 IFA tablets	2,059	74.4	1,326	82.1	Home Delivery 33.1
15	Home Delivery against expected delivery *	107	2.5	40	1.0	Institutional Delivery 66.9
16	Institutional Delivery against expected delivery *	2,785	64.6	1,279	30.4	Home Delivery by SBA 12.2
17	Home Delivery against reported delivery **	107	3.7	40	3.0	PNC within 2days of delivery 58.9
18	Institutional Delivery against reported delivery **	2,785	96.3	1,279	97.0	
19	Total reported Deliveries	2,892		1,319		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	51	47.7	24	60.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,499	51.8	548	41.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	4,225		4,110		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
23	Total reported live births	2,863	67.8	1,312	31.9	Breastfed within 1 hour of birth 60.3
24	Total Still Birth	37	1.3	12	0.9	BCG 100
25	PC of newborn weighted at birth to live birth	2,817	98.4	1,304	99.4	3 dose of DPT 88.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	97	3.4	78	6.0	Measles First dose 86.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,272	79.4	1,048	79.9	3 doses of penta or hepatitis B vaccine	88.7
28	Children fully immunized	2,511	59.4	1,361	33.1	Full Immunization	82.8
29	Children who have received BCG	2,959	70.0	1,300	31.6		
30	Children who have received Pentavalent 1	2,808	66.5	1,243	30.2		
31	Children who have received Pentavalent 3	2,641	62.5	1,277	31.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,516	59.6	1,364	33.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,536		530			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.1
35	Number of Tubectomies performed	278	130	Spacing	7.2
36	Number of IUD insertion	533	180	Women using any method	60.7
37	Number of IUD removals	247	77	Women using modern method	46.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	546	284		
39	General OPD cases per 10,000 population ***	11095	6190		
40	Ayush OPD cases per 10,000 population ***	383	192		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	3	2		
42	Neonatal Deaths within 1 to 28 days	25	11		
43	Total Neonatal Death	28	13		
44	Deaths between (1 - 11) months	2	4		
45	Total reported infant deaths	30	17		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	2	3		
53	Total reported maternal deaths	5	4		

Longleng Factsheet

Key Indicators

Key Indicators						
SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	50,484				
2	Sex Ratio	903				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	10				
4	Primary Health Centers (PHC)	3				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	883	860			
9	Expected number of Delivery	813	791			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	500	56.6	253	29.4	ANC Check up in first trimester 42.3
11	Mothers registered in the first trimester	162	32.4	111	43.9	At least 4ANC check up 15.4
12	Mothers who had 4 or more ANC check ups	205	41.0	156	61.7	Neonatal tetanus received 75.5
13	PW who got TT 2 / Booster injection	324	64.8	194	76.7	100 IFA tablets consumed 2.6
14	PW who consumed 180 IFA tablets	371	74.2	180	71.1	Home Delivery 61.3
15	Home Delivery against expected delivery *	31	3.8	15	1.9	Institutional Delivery 38.7
16	Institutional Delivery against expected delivery *	324	39.9	176	22.2	Home Delivery by SBA 5.9
17	Home Delivery against reported delivery **	31	8.7	15	7.9	PNC within 2days of delivery 28.5
18	Institutional Delivery against reported delivery **	324	91.3	176	92.1	
19	Total reported Deliveries	355		191		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	16.1	5	33.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	81	22.8	36	18.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	796		774		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
23	Total reported live births	357	44.9	190	24.5	Breastfed within 1 hour of birth 62.3
24	Total Still Birth	2	0.6	2	1.1	BCG 88.3
25	PC of newborn weighted at birth to live birth	321	89.9	181	95.3	3 dose of DPT 64.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	3.4	10	5.5	Measles First dose 73.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	333	93.3	182	95.8	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	434	54.5	217	28.0	Full Immunization	53
29	Children who have received BCG	421	52.9	176	22.7		
30	Children who have received Pentavalent 1	469	58.9	189	24.4		
31	Children who have received Pentavalent 3	443	55.7	222	28.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	421	52.9	220	28.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	116		105			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.3
35	Number of Tubectomies performed	30	12	Spacing	2.9
36	Number of IUD insertion	181	52	Women using any method	66.5
37	Number of IUD removals	132	61	Women using modern method	56.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	260	145		
39	General OPD cases per 10,000 population ***	6861	4002		
40	Ayush OPD cases per 10,000 population ***	321	184		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Mokokchung Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622				
2	Sex Ratio	927				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	55				
4	Primary Health Centers (PHC)	17				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25		2025-26		
8	Expected number of PW	3,406		3,317		
9	Expected number of Delivery	3,133		3,051		
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
10	PW register for ANC	1,531	45.0	843	25.4	ANC Check up in first trimester 51.6
11	Mothers registered in the first trimester	953	62.2	473	56.1	At least 4ANC check up 18.2
12	Mothers who had 4 or more ANC check ups	956	62.4	563	66.8	Neonatal tetanus received 91.7
13	PW who got TT 2 / Booster injection	866	56.6	532	63.1	100 IFA tablets consumed 12.5
14	PW who consumed 180 IFA tablets	971	63.4	580	68.8	Home Delivery 48.5
15	Home Delivery against expected delivery *	119	3.8	57	1.9	Institutional Delivery 51.5
16	Institutional Delivery against expected delivery *	977	31.2	451	14.8	Home Delivery by SBA 12.2
17	Home Delivery against reported delivery **	119	10.9	57	11.2	PNC within 2days of delivery 47.4
18	Institutional Delivery against reported delivery **	977	89.1	451	88.8	
19	Total reported Deliveries	1,096		508		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103	86.6	53	93.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	931	84.9	446	87.8	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	3,068		2,985		
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)
		Number	PC	Number	PC	
23	Total reported live births	1,088	35.5	504	16.9	Breastfed within 1 hour of birth 56.5
24	Total Still Birth	17	1.6	8	1.6	BCG 96.8
25	PC of newborn weighted at birth to live birth	1,056	97.1	491	97.4	3 dose of DPT 99
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.8	30	6.1	Measles First dose 100

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,065	97.9	484	96.0	3 doses of penta or hepatitis B vaccine	96
28	Children fully immunized	1,122	36.6	579	19.4	Full Immunization	92
29	Children who have received BCG	1,187	38.7	509	17.1		
30	Children who have received Pentavalent 1	1,155	37.6	527	17.7		
31	Children who have received Pentavalent 3	1,164	37.9	597	20.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,130	36.8	582	19.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	505		341			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.4
35	Number of Tubectomies performed	89	37	Spacing	3.4
36	Number of IUD insertion	120	45	Women using any method	66.7
37	Number of IUD removals	91	57	Women using modern method	52.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	227	132		
39	General OPD cases per 10,000 population ***	6018	3434		
40	Ayush OPD cases per 10,000 population ***	470	255		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths within 1 to 28 days	5	5		
43	Total Neonatal Death	5	7		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	6	9		
II)	Maternal Mortality	HMIS (2024-25)			
	Maternal Deaths (In Numbers)				
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	3	0		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	2,50,260				
2	Sex Ratio	898				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	57				
4	Primary Health Centers (PHC)	14				
5	Community Health Centers (CHC)	3				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	4,379	4,265			
9	Expected number of Delivery	4,029	3,924			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	2,635	60.2	1,559	36.6	ANC Check up in first trimester 44.6
11	Mothers registered in the first trimester	815	30.9	450	28.9	At least 4ANC check up 9.7
12	Mothers who had 4 or more ANC check ups	720	27.3	346	22.2	Neonatal tetanus received 78
13	PW who got TT 2 / Booster injection	1,976	75.0	1,339	85.9	100 IFA tablets consumed 10.6
14	PW who consumed 180 IFA tablets	2,025	76.9	1,247	80.0	Home Delivery 78.6
15	Home Delivery against expected delivery *	953	23.7	471	12.0	Institutional Delivery 21.4
16	Institutional Delivery against expected delivery *	1,676	41.6	861	21.9	Home Delivery by SBA 9.5
17	Home Delivery against reported delivery **	953	36.2	471	35.4	PNC within 2days of delivery 25.6
18	Institutional Delivery against reported delivery **	1,676	63.8	861	64.6	
19	Total reported Deliveries	2,629		1,332		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	325	34.1	212	45.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,357	51.6	654	49.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	3,945		3,838		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
23	Total reported live births	2,620	66.4	1,336	34.8	Breastfed within 1 hour of birth 53.1
24	Total Still Birth	15	0.6	12	0.9	BCG 87.1
25	PC of newborn weighted at birth to live birth	2,590	98.9	1,286	96.3	3 dose of DPT 79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	31	1.2	22	1.7	Measles First dose 83.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,443	93.2	1,263	94.5	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,334	59.2	1,255	32.7	Full Immunization	62.4
29	Children who have received BCG	2,491	63.1	1,243	32.4		
30	Children who have received Pentavalent 1	2,677	67.9	1,219	31.8		
31	Children who have received Pentavalent 3	2,327	59.0	1,213	31.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,306	58.5	1,201	31.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,522		1,025			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.7
35	Number of Tubectomies performed	115	54	Spacing	0.6
36	Number of IUD insertion	859	572	Women using any method	68.7
37	Number of IUD removals	492	269	Women using modern method	55.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	223	107		
39	General OPD cases per 10,000 population ***	4714	2803		
40	Ayush OPD cases per 10,000 population ***	160	71		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	3		
42	Neonatal Deaths within 1 to 28 days	2	1		
43	Total Neonatal Death	2	4		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	3	4		
II)	Maternal Mortality	Maternal Deaths (In Numbers)		HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)				
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	1		

Noklak Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	399	388				
9	Expected number of Delivery	367	357				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	495	124.1	235	60.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	121	24.4	54	23.0	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	70	14.1	33	14.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	275	55.6	111	47.2	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	367	74.1	152	64.7	Home Delivery	NA
15	Home Delivery against expected delivery *	134	36.5	51	14.3	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	274	74.7	116	32.5	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	134	32.8	51	30.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	274	67.2	116	69.5		
19	Total reported Deliveries	408		167			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	108	80.6	42	82.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	145	35.5	57	34.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	359		350			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
23	Total reported live births	406	113.0	167	47.8	Breastfed within 1 hour of birth	NA
24	Total Still Birth	8	2.0	1	0.6	BCG	NA
25	PC of newborn weighted at birth to live birth	380	93.6	158	94.6	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.7	2	1.3	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	377	92.9	159	95.2	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	277	77.1	96	27.5	Full Immunization	NA
29	Children who have received BCG	320	89.0	164	46.9		
30	Children who have received Pentavalent 1	409	113.8	159	45.5		
31	Children who have received Pentavalent 3	309	86.0	161	46.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	268	74.6	89	25.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	160		126			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	58	20	Women using any method	NA
37	Number of IUD removals	39	23	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	369	246		
39	General OPD cases per 10,000 population ***	10589	5710		
40	Ayush OPD cases per 10,000 population ***	473	225		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Peren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	95,219				
2	Sex Ratio	917				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	18				
4	Primary Health Centers (PHC)	7				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	1,666	1,623			
9	Expected number of Delivery	1,533	1,493			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	1,283	77.0	626	38.6	ANC Check up in first trimester 45.1
11	Mothers registered in the first trimester	360	28.1	165	26.4	At least 4ANC check up 14.5
12	Mothers who had 4 or more ANC check ups	253	19.7	142	22.7	Neonatal tetanus received 85.1
13	PW who got TT 2 / Booster injection	874	68.1	512	81.8	100 IFA tablets consumed 6.1
14	PW who consumed 180 IFA tablets	857	66.8	407	65.0	Home Delivery 56.5
15	Home Delivery against expected delivery *	301	19.6	142	9.5	Institutional Delivery 43.5
16	Institutional Delivery against expected delivery *	489	31.9	267	17.9	Home Delivery by SBA 9.6
17	Home Delivery against reported delivery **	301	38.1	142	34.7	PNC within 2days of delivery 46.9
18	Institutional Delivery against reported delivery **	489	61.9	267	65.3	
19	Total reported Deliveries	790		409		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103	34.2	51	35.9	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	121	15.3	185	45.2	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	1,501		1,460		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
23	Total reported live births	786	52.4	406	27.8	Breastfed within 1 hour of birth 58.5
24	Total Still Birth	5	0.6	5	1.2	BCG 86.8
25	PC of newborn weighted at birth to live birth	732	93.1	376	92.6	3 dose of DPT 71.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	2.3	6	1.6	Measles First dose 74.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	735	93.5	357	87.9	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	793	52.8	408	27.9	Full Immunization	63.3
29	Children who have received BCG	821	54.7	448	30.7		
30	Children who have received Pentavalent 1	1,024	68.2	499	34.2		
31	Children who have received Pentavalent 3	828	55.2	498	34.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	786	52.4	444	30.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	159		73			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.2
35	Number of Tubectomies performed	15	10	Spacing	4.5
36	Number of IUD insertion	89	50	Women using any method	58.6
37	Number of IUD removals	76	32	Women using modern method	42
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	98	63		
39	General OPD cases per 10,000 population ***	4253	2530		
40	Ayush OPD cases per 10,000 population ***	442	206		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	3	1		
43	Total Neonatal Death	3	1		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	3	2		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		

Phek Factsheet

Key Indicators

Key Indicators						
SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,63,418				
2	Sex Ratio	951				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	49				
4	Primary Health Centers (PHC)	22				
5	Community Health Centers (CHC)	4				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	2,860	2,785			
9	Expected number of Delivery	2,631	2,562			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	1,552	54.3	912	32.7	ANC Check up in first trimester 50.1
11	Mothers registered in the first trimester	602	38.8	356	39.0	At least 4ANC check up 9.5
12	Mothers who had 4 or more ANC check ups	470	30.3	238	26.1	Neonatal tetanus received 83.8
13	PW who got TT 2 / Booster injection	1,382	89.0	823	90.2	100 IFA tablets consumed 13.5
14	PW who consumed 180 IFA tablets	1,265	81.5	831	91.1	Home Delivery 67.8
15	Home Delivery against expected delivery *	330	12.5	144	5.6	Institutional Delivery 32.2
16	Institutional Delivery against expected delivery *	846	32.2	387	15.1	Home Delivery by SBA 18.5
17	Home Delivery against reported delivery **	330	28.1	144	27.1	PNC within 2days of delivery 39.6
18	Institutional Delivery against reported delivery **	846	71.9	387	72.9	
19	Total reported Deliveries	1,176		531		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	218	66.1	76	52.8	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	546	46.4	194	36.5	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	2,576		2,506		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
23	Total reported live births	1,173	45.5	524	20.9	Breastfed within 1 hour of birth 64.8
24	Total Still Birth	9	0.8	8	1.5	BCG 87.6
25	PC of newborn weighted at birth to live birth	1,155	98.5	520	99.2	3 dose of DPT 65.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	0.9	6	1.2	Measles First dose 71.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,106	94.3	493	94.1	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,160	45.0	533	21.3	Full Immunization	54.6
29	Children who have received BCG	1,160	45.0	539	21.5		
30	Children who have received Pentavalent 1	1,336	51.9	571	22.8		
31	Children who have received Pentavalent 3	1,202	46.7	584	23.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,153	44.8	534	21.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	404		205			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	6.5
35	Number of Tubectomies performed	134	48	Spacing	3.5
36	Number of IUD insertion	263	113	Women using any method	56.3
37	Number of IUD removals	146	73	Women using modern method	47.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	180	100		
39	General OPD cases per 10,000 population ***	4703	2712		
40	Ayush OPD cases per 10,000 population ***	328	205		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	2	4		
43	Total Neonatal Death	2	4		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	2	4		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Tuensang Factsheet

Key Indicators

Key Indicators						
SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,96,596				
2	Sex Ratio	930				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	39				
4	Primary Health Centers (PHC)	11				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	3,440	3,350			
9	Expected number of Delivery	3,165	3,082			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	1,288	37.4	817	24.4	ANC Check up in first trimester 27.1
11	Mothers registered in the first trimester	335	26.0	174	21.3	At least 4ANC check up 4.4
12	Mothers who had 4 or more ANC check ups	466	36.2	305	37.3	Neonatal tetanus received 69
13	PW who got TT 2 / Booster injection	653	50.7	416	50.9	100 IFA tablets consumed 3.3
14	PW who consumed 180 IFA tablets	1,031	80.0	814	99.6	Home Delivery 65.2
15	Home Delivery against expected delivery *	307	9.7	148	4.8	Institutional Delivery 34.8
16	Institutional Delivery against expected delivery *	746	23.6	368	11.9	Home Delivery by SBA 4.8
17	Home Delivery against reported delivery **	307	29.2	148	28.7	PNC within 2days of delivery 29.5
18	Institutional Delivery against reported delivery **	746	70.8	368	71.3	
19	Total reported Deliveries	1,053		516		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	61.2	108	73.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	269	25.5	132	25.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	3,099		3,015		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
23	Total reported live births	1,041	33.6	515	17.1	Breastfed within 1 hour of birth 69.4
24	Total Still Birth	19	1.8	1	0.2	BCG 75.6
25	PC of newborn weighted at birth to live birth	1,010	97.0	500	97.1	3 dose of DPT 56.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	1.9	9	1.8	Measles First dose 53.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,003	96.3	501	97.3	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,054	34.0	521	17.3	Full Immunization	39.9
29	Children who have received BCG	1,123	36.2	597	19.8		
30	Children who have received Pentavalent 1	1,222	39.4	620	20.6		
31	Children who have received Pentavalent 3	1,084	35.0	592	19.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,064	34.3	546	18.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	165		150			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.9
35	Number of Tubectomies performed	47	38	Spacing	5.9
36	Number of IUD insertion	198	95	Women using any method	52.6
37	Number of IUD removals	114	70	Women using modern method	37.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	162	103		
39	General OPD cases per 10,000 population ***	2429	1449		
40	Ayush OPD cases per 10,000 population ***	30	24		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	6	4		
42	Neonatal Deaths within 1 to 28 days	2	1		
43	Total Neonatal Death	8	5		
44	Deaths between (1 - 11) months	2	2		
45	Total reported infant deaths	10	7		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Wokha Factsheet

Key Indicators

Key Indicators						
SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,66,343				
2	Sex Ratio	969				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	40				
4	Primary Health Centers (PHC)	14				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	2,911	2,835			
9	Expected number of Delivery	2,678	2,608			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	960	33.0	500	17.6	ANC Check up in first trimester 57.8
11	Mothers registered in the first trimester	287	29.9	150	30.0	At least 4ANC check up 34.7
12	Mothers who had 4 or more ANC check ups	264	27.5	156	31.2	Neonatal tetanus received 77.6
13	PW who got TT 2 / Booster injection	782	81.5	399	79.8	100 IFA tablets consumed 12.9
14	PW who consumed 180 IFA tablets	690	71.9	400	80.0	Home Delivery 56.4
15	Home Delivery against expected delivery *	190	7.1	95	3.6	Institutional Delivery 43.6
16	Institutional Delivery against expected delivery *	473	17.7	194	7.4	Home Delivery by SBA 19.9
17	Home Delivery against reported delivery **	190	28.7	95	32.9	PNC within 2days of delivery 50.7
18	Institutional Delivery against reported delivery **	473	71.3	194	67.1	
19	Total reported Deliveries	663		289		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	173	91.1	81	85.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	457	68.9	149	51.6	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	2,622		2,551		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
23	Total reported live births	663	25.3	288	11.3	Breastfed within 1 hour of birth 48.5
24	Total Still Birth	4	0.6	1	0.3	BCG 73.3
25	PC of newborn weighted at birth to live birth	660	99.5	280	97.2	3 dose of DPT 61.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.3	5	1.8	Measles First dose 66.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	660	99.5	272	94.4	3 doses of penta or hepatitis B vaccine	55.1
28	Children fully immunized	760	29.0	384	15.1	Full Immunization	42.8
29	Children who have received BCG	670	25.6	298	11.7		
30	Children who have received Pentavalent 1	775	29.6	307	12.0		
31	Children who have received Pentavalent 3	782	29.8	347	13.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	762	29.1	387	15.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	263		141			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.2
35	Number of Tubectomies performed	71	22	Spacing	1.4
36	Number of IUD insertion	36	17	Women using any method	64.6
37	Number of IUD removals	36	16	Women using modern method	50.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	99	62		
39	General OPD cases per 10,000 population ***	3806	2083		
40	Ayush OPD cases per 10,000 population ***	331	177		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Zunheboto Factsheet

Key Indicators

Key Indicators						
SL NO	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,40,757				
2	Sex Ratio	981				
B) Infrastructure Details (HDI 2022-23)		Numbers				
3	Sub Centers (SC)	56				
4	Primary Health Centers (PHC)	13				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW	2,463	2,399			
9	Expected number of Delivery	2,266	2,207			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	1,107	44.9	610	25.4	ANC Check up in first trimester 46.5
11	Mothers registered in the first trimester	300	27.1	180	29.5	At least 4ANC check up 11.2
12	Mothers who had 4 or more ANC check ups	236	21.3	152	24.9	Neonatal tetanus received 81.3
13	PW who got TT 2 / Booster injection	422	38.1	272	44.6	100 IFA tablets consumed 5.5
14	PW who consumed 180 IFA tablets	369	33.3	252	41.3	Home Delivery 65
15	Home Delivery against expected delivery *	169	7.5	94	4.3	Institutional Delivery 35
16	Institutional Delivery against expected delivery *	647	28.6	307	13.9	Home Delivery by SBA 6.3
17	Home Delivery against reported delivery **	169	20.7	94	23.4	PNC within 2days of delivery 24.9
18	Institutional Delivery against reported delivery **	647	79.3	307	76.6	
19	Total reported Deliveries	816		401		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	132	78.1	84	89.4	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	602	73.8	285	71.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.						
22	Expected number of Live Birth	2,219		2,159		
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
23	Total reported live births	812	36.6	400	18.5	Breastfed within 1 hour of birth 38.4
24	Total Still Birth	8	1.0	3	0.8	BCG 82.2
25	PC of newborn weighted at birth to live birth	807	99.4	397	99.3	3 dose of DPT 72.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	2.2	10	2.5	Measles First dose 76.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	647	79.7	328	82.0	3 doses of penta or hepatitis B vaccine	72.3
28	Children fully immunized	834	37.6	413	19.1	Full Immunization	60.7
29	Children who have received BCG	711	32.0	346	16.0		
30	Children who have received Pentavalent 1	867	39.1	363	16.8		
31	Children who have received Pentavalent 3	855	38.5	379	17.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	857	38.6	413	19.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,057		614			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.8
35	Number of Tubectomies performed	77	26	Spacing	0.7
36	Number of IUD insertion	235	71	Women using any method	68.8
37	Number of IUD removals	132	108	Women using modern method	56.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	93	60		
39	General OPD cases per 10,000 population ***	4855	2607		
40	Ayush OPD cases per 10,000 population ***	265	102		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	1	1		
43	Total Neonatal Death	2	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

