	Sikkim	Factshee	et				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	6,10,577					
2	Sex Ratio	889					
B) Ir	nfrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	58					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	4					
C) N	Naternal Health:	2024-	25	2025	5-26		
8	Expected number of PW #	11,80		11,7			
9	Expected number of Delivery #	10,85	59	10,8			
		HMIS (202	24-25)	HMIS (20	•	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
		114111111111111111111111111111111111111		114111231	. •	ANC Check up	
10	PW register for ANC	7,189	60.9	1,895	16.1	in first trimester	63.7
11	Mothers registered in the first trimester	6,034	83.9	1,595	84.2	At least 4ANC check up	58.4
12	Number of PW received 4 or more ANC check ups	5,670	78.9	1,294	68.3	Neonatal tetanus received	92.0
13	PW who got TT 2 / Booster injection	6,580	91.5	1,734	91.5	100 IFA tablets consumed	54.7
14	PW who consumed 180 IFA tablets	6,358	88.4	1,386	73.1	Home Delivery	5.3
15	Home Delivery against expected delivery *	43	0.4	5	0.0	Institutional Delivery	94.7
16	Institutional Delivery against expected delivery *	6,209	57.2	1,256	11.6	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery  **	43	0.7	5	0.4	PNC within 2days of delivery	69.3
18	Institutional Delivery against reported delivery **	6,209	99.3	1,256	99.6		
19	Total reported Deliveries	6,252		1,261			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	39.5	2	40.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to		00.0				
	total reported deliveries	6,864	109.8	1,337	106.0		
	In case of HMIS data, Percentage is with reference to total Women who had last births in the 5 years before the s		gnant Won	nen registered	for ANC durin	ng the period and in NFHS-	is with
22	Expected number of Live Birth #	10,676		10,652			
D) C	hild Immunization :	HMIS (202	24-25)	HMIS (20 1st (	-	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
23	Total reported live births	6,220	58.3	1,259	11.8	Breastfed within 1 hour of birth	33
24	Total Still Birth	99	0.9	14	1.1	BCG	96.6
25	PC of newborn weighted at birth to live birth	6,207	99.8	1,259	100.0	3 dose of DPT	91.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	548	8.8	127	10.1	Measles First dose	90.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	6,000	96.5	1,188	94.4	3 doses of penta or hepatitis B vaccine	89.1
28	Children fully immunized	6,951	65.1	1,739	16.3	Full Immunization	80.6
29	Children who have received BCG	6,259	58.6	1,252	11.8		
30	Children who have received Pentavalent 1	6,421	60.1	1,481	13.9		
31	Children who have received Pentavalent 3	6,586	61.7	1,638	15.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,815	63.8	1,734	16.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,471		1,272			

E)Fa	mily Planning	HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019	<b>)-20)</b>
34	Number of Vasectomies performed	3	0	Total unmet need	11.9
35	Number of Tubectomies performed	184	38	Spacing	4.9
36	Number of IUD insertion	202	43	Women using any method	69.1
37	Number of IUD removals	372	112	Women using modern method	54.9
F) S	ervice delivery	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	479	132		
39	General OPD cases per 10,000 population ***	15715	4654		
40	Ayush OPD cases per 10,000 population ***	333	89		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	7	1		
42	Neonatal Deaths within 1 to 28 days	7	2		
43	Total Neonatal Death	14	3		
44	Deaths between (1 - 11) months	13	6		
45	Total reported infant deaths	27	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	6	0		
53	Total reported maternal deaths	8	0		

	Gangtok	Factshee	et				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Ir	nfrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) IV	laternal Health:	2024-2	25	2025	5-26		
8	Expected number of PW #	NA		4,1			
9	Expected number of Delivery #	NA		3,8	19		
		HMIS (202	4-25)	HMIS (2		NFHS-5 (2019	)-20)
		•		1st (	ı	11110 0 (201)	
		Number	PC	Number	PC	ANIO 01 1	
10	PW register for ANC	NA	NA	585	14.1	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	NA	NA	426	72.8	At least 4ANC check up	43.8
12	Number of PW received 4 or more ANC check ups	NA	NA	399	68.2	Neonatal tetanus received	90.3
13	PW who got TT 2 / Booster injection	NA	NA	543	92.8	100 IFA tablets consumed	48.3
14	PW who consumed 180 IFA tablets	NA	NA	455	77.8	Home Delivery	8.2
15	Home Delivery against expected delivery *	NA	NA	4	0.1	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	NA	NA	866	22.7	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery  **	NA	NA	4	0.5	PNC within 2days of delivery	65.8
18	Institutional Delivery against reported delivery **	NA	NA	866	99.5		
19	Total reported Deliveries	NA		870			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	2	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to						
	total reported deliveries	NA	NA	712	81.8		
	In case of HMIS data, Percentage is with reference to total Women who had last births in the 5 years before the s		gnant Woi	men registered	for ANC duri	ng the period and in NFHS-	5 is with
22	Expected number of Live Birth #	NA		3,751	005.04		
D) C	hild Immunization :	HMIS (202		HMIS (2)	OTR .	NFHS-5 (2019	)-20)
		Number	PC	Number	PC	December 1 1911	
23	Total reported live births	NA	NA	871	23.2	Breastfed within 1 hour of birth	27.1
24	Total Still Birth	NA	NA	9	1.0	BCG	*
25	PC of newborn weighted at birth to live birth	NA	NA	871	100.0	3 dose of DPT	*
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	103	11.8	Measles First dose	*

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	809	92.9	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	NA	NA	610	16.3	Full Immunization	*
29	Children who have received BCG	NA	NA	863	23.0		
30	Children who have received Pentavalent 1	NA	NA	517	13.8		
31	Children who have received Pentavalent 3	NA	NA	555	14.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	610	16.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		271			

E)Fa	mily Planning	HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019	9-20)
34	Number of Vasectomies performed	NA	0	Total unmet need	17.7
35	Number of Tubectomies performed	NA	13	Spacing	7.2
36	Number of IUD insertion	NA	17	Women using any method	54.3
37	Number of IUD removals	NA	37	Women using modern method	42.8
F) S	ervice delivery	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	NA	43		
39	General OPD cases per 10,000 population ***	NA	3295		
40	Ayush OPD cases per 10,000 population ***	NA	22		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality			1	
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	NA	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA NA	0		
53	Total reported maternal deaths	0	0		

	Gyalshing	Factshee	et				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Ir	nfrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) IV	laternal Health:	2024-2	25	2025	5-26		
8	Expected number of PW #	NA		1,4			
9	Expected number of Delivery #	NA		1,2	94		
		HMIS (202	24-25)	HMIS (2		NFHS-5 (2019	-20)
		,		1st (		111110 0 (2017	
		Number	PC	Number	PC	ANO Object	
10	PW register for ANC	NA	NA	242	17.2	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	NA	NA	212	87.6	At least 4ANC check up	70.4
12	Number of PW received 4 or more ANC check ups	NA	NA	166	68.6	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	NA	NA	206	85.1	100 IFA tablets consumed	48.6
14	PW who consumed 180 IFA tablets	NA	NA	203	83.9	Home Delivery	0.7
15	Home Delivery against expected delivery *	NA	NA	0	0.0	Institutional Delivery	99.3
16	Institutional Delivery against expected delivery *	NA	NA	125	9.7	Home Delivery by SBA	0.0
17	Home Delivery against reported delivery  **	NA	NA	0	0.0	PNC within 2days of delivery	63.6
18	Institutional Delivery against reported delivery **	NA	NA	125	100.0		
19	Total reported Deliveries	NA		125			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to						
	total reported deliveries	NA	NA	116	92.8		
	In case of HMIS data, Percentage is with reference to total Women who had last births in the 5 years before the s		nant Woi	men registered	for ANC duri	ng the period and in NFHS-	5 is with
22	Expected number of Live Birth #	NA		1,271			
D) C	hild Immunization :	HMIS (202	24-25)	HMIS (2)	-	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	123	9.7	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	NA	NA	2	1.6	BCG	96.9
25	PC of newborn weighted at birth to live birth	NA	NA	123	100.0	3 dose of DPT	98.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	6	4.9	Measles First dose	98.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	116	94.3	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	NA	NA	193	15.2	Full Immunization	96.9
29	Children who have received BCG	NA	NA	123	9.7		
30	Children who have received Pentavalent 1	NA	NA	189	14.9		
31	Children who have received Pentavalent 3	NA	NA	207	16.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	195	15.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		143			

E)Fa	mily Planning	HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019	)-20)
34	Number of Vasectomies performed	NA	0	Total unmet need	4.3
35	Number of Tubectomies performed	NA	2	Spacing	1.1
36	Number of IUD insertion	NA	10	Women using any method	88.2
37	Number of IUD removals	NA	31	Women using modern method	70.8
F) S	ervice delivery	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	NA	135		
39	General OPD cases per 10,000 population ***	NA	6369		
40	Ayush OPD cases per 10,000 population ***	NA	51		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	2		
43	Total Neonatal Death	0	2		
44	Deaths between (1 - 11) months	NA	3		
45	Total reported infant deaths	0	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	NA	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA NA	0		
53	Total reported maternal deaths	0	0		

	Mangan	Factshee	et				
Kev	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Ir	nfrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) N	Maternal Health:	2024-	25	2025	5-26		
8	Expected number of PW #	771		76	5		
9	Expected number of Delivery #	709	1	70			
		HMIS (20	24-25)	HMIS (20	•	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
			_			ANC Check up	
10	PW register for ANC	415	53.8	107	14.0	in first trimester	66.2
11	Mothers registered in the first trimester	366	88.2	99	92.5	At least 4ANC check up	59.4
	Number of PW received 4 or more ANC	300	00.2	77	72.0	Neonatal tetanus	33.4
12	check ups	409	98.6	65	60.7	received	92.5
13	PW who got TT 2 / Booster injection	404	97.3	101	94.4	100 IFA tablets consumed	74.0
14	PW who consumed 180 IFA tablets	419	101.0	66	61.7		2.7
	Home Delivery against expected delivery	417	101.0	00	01.7	Home Delivery Institutional	2.1
15	*	3	0.4	0	0.0	Delivery	97.3
16	Institutional Delivery against expected delivery *	80	11.3	5	0.7	Home Delivery by SBA	1.5
17	Home Delivery against reported delivery **	3	3.6	0	0.0	PNC within 2days of delivery	71.3
18	Institutional Delivery against reported delivery **	80	96.4	5	100.0	Zuays of delivery	71.0
19	Total reported Deliveries			Г			
	Reported Delivery at home assisted by a	83		5			
20	Doctor/Nurse /LHV/ANM(%)	0	0.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to						
Note	total reported deliveries In case of HMIS data, Percentage is with reference to total	322	388.0	46	920.0	ng the period and in NFHS.	5 is with
	Women who had last births in the 5 years before the s		gridint won	ici i egistereu	ioi Airo daili	ig the period and in in in its	5 15 WILL
22	Expected number of Live Birth #	697		691			
D) C	hild Immunization :	HMIS (202	24-25)	HMIS (20 1st (		NFHS-5 (2019	-20)
		Number	PC	Number	PC		
23	Total reported live births	83	11.9	5	0.7	Breastfed within 1 hour of birth	26.1
24	Total Still Birth	1	0.1	0	0.0	BCG	100
25	PC of newborn weighted at birth to live birth	83	100.0	5	100.0	3 dose of DPT	100
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	13.3	0	0.0	Measles First dose	96.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	82	98.8	5	100.0	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	413	59.2	109	15.8	Full Immunization	90.8
29	Children who have received BCG	82	11.8	5	0.7		
30	Children who have received Pentavalent 1	390	55.9	77	11.1		
31	Children who have received Pentavalent 3	431	61.8	85	12.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	410	58.8	110	15.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	259		71			

E)Fa	amily Planning	HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019	9-20)
34	Number of Vasectomies performed	0	0	Total unmet need	12.8
35	Number of Tubectomies performed	0	0	Spacing	6.9
36	Number of IUD insertion	11	3	Women using any method	75.7
37	Number of IUD removals	12	5	Women using modern method	61
F) S	ervice delivery	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	432	138		
39	General OPD cases per 10,000 population ***	15162	4463		
40	Ayush OPD cases per 10,000 population ***	369	74		
G) N	Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	1		
45	Total reported infant deaths	3	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

	Namchi	Factshee	et				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	1,46,850					
2	Sex Ratio	914					
B) Ir	nfrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) N	Naternal Health:	2024-2	25	2025	5-26		
8	Expected number of PW #	2,79		2,7			
9	Expected number of Delivery #	2,570	)	2,5	64		
		HMIS (202	24-25)	HMIS (2	•	NFHS-5 (2019	-20)
		•		1st (		11110 0 (201)	20,
		Number	PC	Number	PC		
10	PW register for ANC	1,615	57.8	430	15.4	ANC Check up in first trimester	78.1
11	Mothers registered in the first trimester	1,471	91.1	404	94.0	At least 4ANC check up	84.5
12	Number of PW received 4 or more ANC check ups	1,339	82.9	298	69.3	Neonatal tetanus received	92.3
13	PW who got TT 2 / Booster injection	1,416	87.7	400	93.0	100 IFA tablets consumed	71.3
14	PW who consumed 180 IFA tablets	1,400	86.7	293	68.1	Home Delivery	2.6
15	Home Delivery against expected delivery *	8	0.3	1	0.0	Institutional Delivery	97.4
16	Institutional Delivery against expected delivery *	1,084	42.2	230	9.0	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery  **	8	0.7	1	0.4	PNC within 2days of delivery	83.1
18	Institutional Delivery against reported delivery **	1,084	99.3	230	99.6		
19	Total reported Deliveries	1,092		231			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	37.5	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to						
	total reported deliveries	849	77.7	225	97.4		
	In case of HMIS data, Percentage is with reference to total Women who had last births in the 5 years before the s		gnant Wor	nen registered	for ANC duri	ng the period and in NFHS-	5 is with
22	Expected number of Live Birth #	2,526		2,519			
D) C	hild Immunization :	HMIS (202	24-25)	HMIS (2)	-	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
23	Total reported live births	1,080	42.7	230	9.1	Breastfed within 1 hour of birth	28.2
24	Total Still Birth	16	0.6	3	1.3	BCG	89.5
25	PC of newborn weighted at birth to live birth	1,079	99.9	230	100.0	3 dose of DPT	89.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	4.6	18	7.8	Measles First dose	86.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,070	99.1	228	99.1	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	1,431	56.6	373	14.8	Full Immunization	86.4
29	Children who have received BCG	1,094	43.3	228	9.1		
30	Children who have received Pentavalent 1	1,487	58.9	355	14.1		
31	Children who have received Pentavalent 3	1,474	58.3	377	15.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,434	56.8	368	14.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	869		393			

E)Fa	mily Planning	HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0	Total unmet need	5.2	
35	Number of Tubectomies performed	127	23	Spacing	2.8	
36	Number of IUD insertion	26	2	Women using any method	85	
37	Number of IUD removals	90	32	Women using modern method	67.6	
F) Se	ervice delivery	HMIS (2024-25)	HMIS (2025-26) 1st QTR			
38	IPD cases per 10,000 population ***	723	192			
39	General OPD cases per 10,000 population ***	20153	6116			
40	Ayush OPD cases per 10,000 population ***	698	183			
G) N	Nortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR			
41	Neonatal death within 24 hours	3	1			
42	Neonatal Deaths within 1 to 28 days	0	0			
43	Total Neonatal Death	3	1			
44	Deaths between (1 - 11) months	5	1	_		
45	Total reported infant deaths	8	2			
II)	Maternal Mortality			1		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR			
46	Due to APH (Antepartum Haemmorhage)	0	0			
47	Due to PPH (Post-Partum Haemmorhage)	1	0			
48	Due to Pregnancy related infection and sepsis, Fever	0	0			
49	Due to Abortive complication	0	0	-		
50	Due to Obstructed/prolonged labour	0	0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0			
52	Due to Other/Unknown Causes	1	0			
53	Total reported maternal deaths	2	0			

	Pakyong	Factshee	t				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Ir	nfrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
	laternal Health:	2024-2	25	2025			
8	Expected number of PW #	NA		1,4			
9	Expected number of Delivery #	NA		1,3			
		HMIS (202	24-25)	HMIS (20		NFHS-5 (2019	-20)
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	327	22.1	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	NA	NA	273	83.5	At least 4ANC check up	43.8
12	Number of PW received 4 or more ANC check ups	NA	NA	239	73.1	Neonatal tetanus received	90.3
13	PW who got TT 2 / Booster injection	NA	NA	292	89.3	100 IFA tablets consumed	48.3
14	PW who consumed 180 IFA tablets	NA	NA	240	73.4	Home Delivery	8.2
15	Home Delivery against expected delivery	NA	NA	0	0.0	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	NA	NA	15	1.1	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery  **  Institutional Delivery against reported	NA	NA	0	0.0	PNC within 2days of delivery	65.8
18	delivery **	NA	NA	15	100.0		
19	Total reported Deliveries	NA		15			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NIA.	NI A	144	960.0		
	In case of HMIS data, Percentage is with reference to total		NA gnant Woo			l ng the period and in NFHS-	5 is with
ref. to	Women who had last births in the 5 years before the	survey.					
22	Expected number of Live Birth #	NA		1,339			
D) C	hild Immunization :	HMIS (202	24-25)	HMIS (2)	-	NFHS-5 (2019	-20)
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	15	1.1	Breastfed within 1 hour of birth	27.1
24	Total Still Birth	NA	NA	0	0.0	BCG	*
25	PC of newborn weighted at birth to live birth	NA	NA	15	100.0	3 dose of DPT	*
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	0	0.0	Measles First dose	*

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	15	100.0	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	NA	NA	284	21.2	Full Immunization	*
29	Children who have received BCG	NA	NA	15	1.1		
30	Children who have received Pentavalent 1	NA	NA	220	16.4		
31	Children who have received Pentavalent 3	NA	NA	271	20.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	283	21.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		198			

E)Fa	mily Planning	HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	17.7
35	Number of Tubectomies performed	NA	0	Spacing	7.2
36	Number of IUD insertion	NA	7	Women using any method	54.3
37	Number of IUD removals	NA	3	Women using modern method	42.8
F) S	ervice delivery	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
38	IPD cases per 10,000 population ***	NA	305		
39	General OPD cases per 10,000 population ***	NA	5023		
40	Ayush OPD cases per 10,000 population ***	NA	155		
G) N	Nortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	1		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR		
46	Due to APH (Antepartum Haemmorhage)	NA	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA NA	0		
53	Total reported maternal deaths	0	0		

	Soreng	Factshee	et				
Key	Indicators						
SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Ir	nfrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) IV	laternal Health:	2024-2	25	2025	5-26		
8	Expected number of PW #	NA		1,2			
9	Expected number of Delivery #	NA		1,1	16		
		HMIS (202	4-25)	HMIS (2	•	NFHS-5 (2019	)-20)
		•		1st (		11110 0 (201)	
		Number	PC	Number	PC	ANIO 01 1	
10	PW register for ANC	NA	NA	204	16.8	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	NA	NA	181	88.7	At least 4ANC check up	70.4
12	Number of PW received 4 or more ANC check ups	NA	NA	127	62.3	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	NA	NA	192	94.1	100 IFA tablets consumed	48.6
14	PW who consumed 180 IFA tablets	NA	NA	129	63.2	Home Delivery	0.7
15	Home Delivery against expected delivery *	NA	NA	0	0.0	Institutional Delivery	99.3
16	Institutional Delivery against expected delivery *	NA	NA	15	1.3	Home Delivery by SBA	0.0
17	Home Delivery against reported delivery  **	NA	NA	0	0.0	PNC within 2days of delivery	63.6
18	Institutional Delivery against reported delivery **	NA	NA	15	100.0		
19	Total reported Deliveries	NA		15			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to						
	total reported deliveries	NA	NA	94	626.7		
	In case of HMIS data, Percentage is with reference to total Women who had last births in the 5 years before the s		gnant Woi	men registered	for ANC duri	ng the period and in NFHS-	5 is with
22	Expected number of Live Birth #	NA		1,097	205.20		
D) C	hild Immunization :	HMIS (202	24-25)	HMIS (2)	-	NFHS-5 (2019	9-20)
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	15	1.4	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	NA	NA	0	0.0	BCG	96.9
25	PC of newborn weighted at birth to live birth	NA	NA	15	100.0	3 dose of DPT	98.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	0	0.0	Measles First dose	98.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	15	100.0	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	NA	NA	170	15.5	Full Immunization	96.9
29	Children who have received BCG	NA	NA	18	1.6		
30	Children who have received Pentavalent 1	NA	NA	123	11.2		
31	Children who have received Pentavalent 3	NA	NA	143	13.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	168	15.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		196			

E)Fa	amily Planning	HMIS (2024-25)	HMIS (2025-26) 1st QTR	NFHS-5 (2019-20)		
34	Number of Vasectomies performed	NA	0	Total unmet need	4.3	
35	Number of Tubectomies performed	NA	0	Spacing	1.1	
36	Number of IUD insertion	NA	4	Women using any method	88.2	
37	Number of IUD removals	NA	4	Women using modern method	70.8	
F) S	ervice delivery	HMIS (2024-25)	HMIS (2025-26) 1st QTR			
38	IPD cases per 10,000 population ***	NA	73			
39	General OPD cases per 10,000 population ***	NA	3559	-		
40	Ayush OPD cases per 10,000 population ***	NA	68			
G) N	Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR			
41	Neonatal death within 24 hours	NA	0			
42	Neonatal Deaths within 1 to 28 days	NA	0			
43	Total Neonatal Death	0	0			
44	Deaths between (1 - 11) months	NA	0			
45	Total reported infant deaths	0	0			
II)	Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 1st QTR			
46	Due to APH (Antepartum Haemmorhage)	NA	0			
47	Due to PPH (Post-Partum Haemmorhage)	NA	0			
48	Due to Pregnancy related infection and sepsis, Fever	NA	0			
49	Due to Abortive complication	NA	0			
50	Due to Obstructed/prolonged labour	NA	0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0			
52	Due to Other/Unknown Causes	NA NA	0			
		, ,	0	4		