

Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	6,10,577				
2	Sex Ratio	889				
B) Infrastructure Details (HDI-2022-23)		Numbers				
3	Sub Centers (SC)	58				
4	Primary Health Centers (PHC)	26				
5	Community Health Centers (CHC)	2				
6	SDH	0				
7	DH	4				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW #	11,803	11,788			
9	Expected number of Delivery #	10,859	10,845			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	7,189	60.9	3,598	30.5	ANC Check up in first trimester 63.7
11	Mothers registered in the first trimester	6,034	83.9	3,051	84.8	At least 4ANC check up 58.4
12	Number of PW received 4 or more ANC check ups	5,670	78.9	2,754	76.5	Neonatal tetanus received 92.0
13	PW who got TT 2 / Booster injection	6,580	91.5	3,373	93.7	100 IFA tablets consumed 54.7
14	PW who consumed 180 IFA tablets	6,358	88.4	3,006	83.5	Home Delivery 5.3
15	Home Delivery against expected delivery *	43	0.4	16	0.1	Institutional Delivery 94.7
16	Institutional Delivery against expected delivery **	6,209	57.2	2,810	25.9	Home Delivery by SBA 2.6
17	Home Delivery against reported delivery **	43	0.7	16	0.6	PNC within 2days of delivery 69.3
18	Institutional Delivery against reported delivery **	6,209	99.3	2,810	99.4	
19	Total reported Deliveries	6,252		2,826		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	39.5	8	50.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,864	109.8	2,671	94.5	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth #	10,676		10,652			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	6,220	58.3	2,821	26.5	Breastfed within 1 hour of birth 33	
24	Total Still Birth	99	0.9	30	1.1	BCG 96.6	
25	PC of newborn weighted at birth to live birth	6,207	99.8	2,817	99.9	3 dose of DPT 91.4	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	548	8.8	266	9.4	Measles First dose 90.5	

27	PC of newborns breastfed within 1 hour to total reported live birth.	6,000	96.5	2,652	94.0	3 doses of penta or hepatitis B vaccine	89.1
28	Children fully immunized	6,951	65.1	3,553	33.4	Full Immunization	80.6
29	Children who have received BCG	6,259	58.6	2,816	26.4		
30	Children who have received Pentavalent 1	6,421	60.1	2,878	27.0		
31	Children who have received Pentavalent 3	6,586	61.7	3,133	29.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,815	63.8	3,539	33.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,471		2,149			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	11.9
35	Number of Tubectomies performed	184	99	Spacing	4.9
36	Number of IUD insertion	202	92	Women using any method	69.1
37	Number of IUD removals	372	191	Women using modern method	54.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	479	275		
39	General OPD cases per 10,000 population ***	15715	9259		
40	Ayush OPD cases per 10,000 population ***	333	170		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	7	2		
42	Neonatal Deaths within 1 to 28 days	7	3		
43	Total Neonatal Death	14	5		
44	Deaths between (1 - 11) months	13	10		
45	Total reported infant deaths	27	15		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	6	0		
53	Total reported maternal deaths	8	0		

Gangtok Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
	B) Infrastructure Details (HDI-2022-23)	Numbers				
3	Sub Centers (SC)	NA				
4	Primary Health Centers (PHC)	NA				
5	Community Health Centers (CHC)	NA				
6	SDH	NA				
7	DH	NA				
	C) Maternal Health:	2024-25	2025-26			
8	Expected number of PW #	NA	4,151			
9	Expected number of Delivery #	NA	3,819			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	NA	NA	1,124	27.1	ANC Check up in first trimester 53.4
11	Mothers registered in the first trimester	NA	NA	860	76.5	At least 4ANC check up 43.8
12	Number of PW received 4 or more ANC check ups	NA	NA	813	72.3	Neonatal tetanus received 90.3
13	PW who got TT 2 / Booster injection	NA	NA	1,053	93.7	100 IFA tablets consumed 48.3
14	PW who consumed 180 IFA tablets	NA	NA	968	86.1	Home Delivery 8.2
15	Home Delivery against expected delivery *	NA	NA	7	0.2	Institutional Delivery 91.8
16	Institutional Delivery against expected delivery *	NA	NA	1,928	50.5	Home Delivery by SBA 3.9
17	Home Delivery against reported delivery **	NA	NA	7	0.4	PNC within 2days of delivery 65.8
18	Institutional Delivery against reported delivery **	NA	NA	1,928	99.6	
19	Total reported Deliveries	NA		1,935		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	3	42.9	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	1,348	69.7	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth #	NA		3,751			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	1,937	51.6	Breastfed within 1 hour of birth 27.1	
24	Total Still Birth	NA	NA	18	0.9	BCG *	
25	PC of newborn weighted at birth to live birth	NA	NA	1,937	100.0	3 dose of DPT *	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	211	10.9	Measles First dose *	

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	1,788	92.3	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	NA	NA	1,228	32.7	Full Immunization	*
29	Children who have received BCG	NA	NA	1,925	51.3		
30	Children who have received Pentavalent 1	NA	NA	987	26.3		
31	Children who have received Pentavalent 3	NA	NA	1,083	28.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	1,232	32.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		515			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	17.7
35	Number of Tubectomies performed	NA	34	Spacing	7.2
36	Number of IUD insertion	NA	34	Women using any method	54.3
37	Number of IUD removals	NA	63	Women using modern method	42.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	NA	85		
39	General OPD cases per 10,000 population ***	NA	6663		
40	Ayush OPD cases per 10,000 population ***	NA	50		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	NA	0	
42	Neonatal Deaths within 1 to 28 days	NA	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	NA	1	
45	Total reported infant deaths	0	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	NA	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	NA	0	
49	Due to Abortive complication	NA	0	
50	Due to Obstructed/prolonged labour	NA	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0	
52	Due to Other/Unknown Causes	NA	0	
53	Total reported maternal deaths	0	0	

Gyalshing Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
	B) Infrastructure Details (HDI-2022-23)	Numbers				
3	Sub Centers (SC)	NA				
4	Primary Health Centers (PHC)	NA				
5	Community Health Centers (CHC)	NA				
6	SDH	NA				
7	DH	NA				
	C) Maternal Health:	2024-25	2025-26			
8	Expected number of PW #	NA	1,406			
9	Expected number of Delivery #	NA	1,294			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	NA	NA	456	32.4	ANC Check up in first trimester 75.8
11	Mothers registered in the first trimester	NA	NA	392	86.0	At least 4ANC check up 70.4
12	Number of PW received 4 or more ANC check ups	NA	NA	355	77.9	Neonatal tetanus received 95.9
13	PW who got TT 2 / Booster injection	NA	NA	433	95.0	100 IFA tablets consumed 48.6
14	PW who consumed 180 IFA tablets	NA	NA	428	93.9	Home Delivery 0.7
15	Home Delivery against expected delivery *	NA	NA	2	0.2	Institutional Delivery 99.3
16	Institutional Delivery against expected delivery *	NA	NA	273	21.1	Home Delivery by SBA 0.0
17	Home Delivery against reported delivery **	NA	NA	2	0.7	PNC within 2days of delivery 63.6
18	Institutional Delivery against reported delivery **	NA	NA	273	99.3	
19	Total reported Deliveries	NA		275		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	2	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	224	81.5	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth #	NA		1,271			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	271	21.3	Breastfed within 1 hour of birth 56.2	
24	Total Still Birth	NA	NA	4	1.5	BCG 96.9	
25	PC of newborn weighted at birth to live birth	NA	NA	271	100.0	3 dose of DPT 98.5	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	18	6.6	Measles First dose 98.5	

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	259	95.6	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	NA	NA	413	32.5	Full Immunization	96.9
29	Children who have received BCG	NA	NA	271	21.3		
30	Children who have received Pentavalent 1	NA	NA	361	28.4		
31	Children who have received Pentavalent 3	NA	NA	411	32.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	412	32.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		261			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	4.3
35	Number of Tubectomies performed	NA	4	Spacing	1.1
36	Number of IUD insertion	NA	16	Women using any method	88.2
37	Number of IUD removals	NA	43	Women using modern method	70.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	NA	301		
39	General OPD cases per 10,000 population ***	NA	10571		
40	Ayush OPD cases per 10,000 population ***	NA	102		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	3		
43	Total Neonatal Death	0	3		
44	Deaths between (1 - 11) months	NA	4		
45	Total reported infant deaths	0	7		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	NA	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Mangan Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	43,709				
2	Sex Ratio	769				
	B) Infrastructure Details (HDI-2022-23)	Numbers				
3	Sub Centers (SC)	19				
4	Primary Health Centers (PHC)	5				
5	Community Health Centers (CHC)	0				
6	SDH	0				
7	DH	1				
	C) Maternal Health:	2024-25	2025-26			
8	Expected number of PW #	771	765			
9	Expected number of Delivery #	709	704			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)		
		Number	PC	Number	PC	
10	PW register for ANC	415	53.8	217	28.4	ANC Check up in first trimester 66.2
11	Mothers registered in the first trimester	366	88.2	194	89.4	At least 4ANC check up 59.4
12	Number of PW received 4 or more ANC check ups	409	98.6	159	73.3	Neonatal tetanus received 92.5
13	PW who got TT 2 / Booster injection	404	97.3	201	92.6	100 IFA tablets consumed 74.0
14	PW who consumed 180 IFA tablets	419	101.0	156	71.9	Home Delivery 2.7
15	Home Delivery against expected delivery *	3	0.4	2	0.3	Institutional Delivery 97.3
16	Institutional Delivery against expected delivery *	80	11.3	27	3.8	Home Delivery by SBA 1.5
17	Home Delivery against reported delivery **	3	3.6	2	6.9	PNC within 2days of delivery 71.3
18	Institutional Delivery against reported delivery **	80	96.4	27	93.1	
19	Total reported Deliveries	83		29		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	322	388.0	116	400.0	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth #	697		691			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	83	11.9	27	3.9	Breastfed within 1 hour of birth 26.1	
24	Total Still Birth	1	0.1	2	7.4	BCG 100	
25	PC of newborn weighted at birth to live birth	83	100.0	27	100.0	3 dose of DPT 100	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	13.3	3	11.1	Measles First dose 96.9	

27	PC of newborns breastfed within 1 hour to total reported live birth.	82	98.8	27	100.0	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	413	59.2	227	32.8	Full Immunization	90.8
29	Children who have received BCG	82	11.8	26	3.8		
30	Children who have received Pentavalent 1	390	55.9	144	20.8		
31	Children who have received Pentavalent 3	431	61.8	168	24.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	410	58.8	229	33.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	259		114			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.8
35	Number of Tubectomies performed	0	0	Spacing	6.9
36	Number of IUD insertion	11	5	Women using any method	75.7
37	Number of IUD removals	12	11	Women using modern method	61
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	432	302		
39	General OPD cases per 10,000 population ***	15162	9429		
40	Ayush OPD cases per 10,000 population ***	369	260		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	1		
45	Total reported infant deaths	3	1		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Namchi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	1,46,850				
2	Sex Ratio	914				
B) Infrastructure Details (HDI-2022-23)		Numbers				
3	Sub Centers (SC)	39				
4	Primary Health Centers (PHC)	6				
5	Community Health Centers (CHC)	1				
6	SDH	0				
7	DH	1				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW #	2,793	2,787			
9	Expected number of Delivery #	2,570	2,564			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	1,615	57.8	825	29.6	ANC Check up in first trimester 78.1
11	Mothers registered in the first trimester	1,471	91.1	768	93.1	At least 4ANC check up 84.5
12	Number of PW received 4 or more ANC check ups	1,339	82.9	640	77.6	Neonatal tetanus received 92.3
13	PW who got TT 2 / Booster injection	1,416	87.7	779	94.4	100 IFA tablets consumed 71.3
14	PW who consumed 180 IFA tablets	1,400	86.7	645	78.2	Home Delivery 2.6
15	Home Delivery against expected delivery *	8	0.3	3	0.1	Institutional Delivery 97.4
16	Institutional Delivery against expected delivery *	1,084	42.2	523	20.4	Home Delivery by SBA 2.0
17	Home Delivery against reported delivery **	8	0.7	3	0.6	PNC within 2days of delivery 83.1
18	Institutional Delivery against reported delivery **	1,084	99.3	523	99.4	
19	Total reported Deliveries	1,092		526		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	37.5	1	33.3	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	849	77.7	478	90.9	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth #	2,526		2,519			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,080	42.7	526	20.9	Breastfed within 1 hour of birth 28.2	
24	Total Still Birth	16	0.6	5	1.0	BCG 89.5	
25	PC of newborn weighted at birth to live birth	1,079	99.9	524	99.6	3 dose of DPT 89.5	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	4.6	31	5.9	Measles First dose 86.4	

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,070	99.1	520	98.9	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	1,431	56.6	763	30.3	Full Immunization	86.4
29	Children who have received BCG	1,094	43.3	524	20.8		
30	Children who have received Pentavalent 1	1,487	58.9	675	26.8		
31	Children who have received Pentavalent 3	1,474	58.3	692	27.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,434	56.8	758	30.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	869		602			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5.2
35	Number of Tubectomies performed	127	61	Spacing	2.8
36	Number of IUD insertion	26	5	Women using any method	85
37	Number of IUD removals	90	53	Women using modern method	67.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	723	438		
39	General OPD cases per 10,000 population ***	20153	12653		
40	Ayush OPD cases per 10,000 population ***	698	310		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	3	2	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	3	2	
44	Deaths between (1 - 11) months	5	2	
45	Total reported infant deaths	8	4	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	1	0	
53	Total reported maternal deaths	2	0	

Pakyong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI-2022-23)		Numbers				
3	Sub Centers (SC)	NA				
4	Primary Health Centers (PHC)	NA				
5	Community Health Centers (CHC)	NA				
6	SDH	NA				
7	DH	NA				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW #	NA	1,481			
9	Expected number of Delivery #	NA	1,363			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	NA	NA	607	41.0	ANC Check up in first trimester 53.4
11	Mothers registered in the first trimester	NA	NA	512	84.3	At least 4ANC check up 43.8
12	Number of PW received 4 or more ANC check ups	NA	NA	504	83.0	Neonatal tetanus received 90.3
13	PW who got TT 2 / Booster injection	NA	NA	552	90.9	100 IFA tablets consumed 48.3
14	PW who consumed 180 IFA tablets	NA	NA	518	85.3	Home Delivery 8.2
15	Home Delivery against expected delivery *	NA	NA	2	0.1	Institutional Delivery 91.8
16	Institutional Delivery against expected delivery *	NA	NA	28	2.1	Home Delivery by SBA 3.9
17	Home Delivery against reported delivery **	NA	NA	2	6.7	PNC within 2days of delivery 65.8
18	Institutional Delivery against reported delivery **	NA	NA	28	93.3	
19	Total reported Deliveries	NA		30		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	2	100.0	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	291	970.0	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth #	NA		1,339			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	30	2.2	Breastfed within 1 hour of birth 27.1	
24	Total Still Birth	NA	NA	0	0.0	BCG *	
25	PC of newborn weighted at birth to live birth	NA	NA	29	96.7	3 dose of DPT *	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	1	3.4	Measles First dose *	

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	29	96.7	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	NA	NA	567	42.4	Full Immunization	*
29	Children who have received BCG	NA	NA	36	2.7		
30	Children who have received Pentavalent 1	NA	NA	432	32.3		
31	Children who have received Pentavalent 3	NA	NA	499	37.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	558	41.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		352			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	17.7
35	Number of Tubectomies performed	NA	0	Spacing	7.2
36	Number of IUD insertion	NA	20	Women using any method	54.3
37	Number of IUD removals	NA	11	Women using modern method	42.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	NA	546		
39	General OPD cases per 10,000 population ***	NA	10284		
40	Ayush OPD cases per 10,000 population ***	NA	307		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
41	Neonatal death within 24 hours	NA	0	
42	Neonatal Deaths within 1 to 28 days	NA	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	NA	1	
45	Total reported infant deaths	0	1	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR	
46	Due to APH (Antepartum Haemorrhage)	NA	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	NA	0	
49	Due to Abortive complication	NA	0	
50	Due to Obstructed/prolonged labour	NA	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0	
52	Due to Other/Unknown Causes	NA	0	
53	Total reported maternal deaths	0	0	

Soreng Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)					
1	Population 2011	NA				
2	Sex Ratio	NA				
B) Infrastructure Details (HDI-2022-23)		Numbers				
3	Sub Centers (SC)	NA				
4	Primary Health Centers (PHC)	NA				
5	Community Health Centers (CHC)	NA				
6	SDH	NA				
7	DH	NA				
C) Maternal Health:		2024-25	2025-26			
8	Expected number of PW #	NA	1,214			
9	Expected number of Delivery #	NA	1,116			
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC	
10	PW register for ANC	NA	NA	369	30.4	ANC Check up in first trimester 75.8
11	Mothers registered in the first trimester	NA	NA	325	88.1	At least 4ANC check up 70.4
12	Number of PW received 4 or more ANC check ups	NA	NA	283	76.7	Neonatal tetanus received 95.9
13	PW who got TT 2 / Booster injection	NA	NA	355	96.2	100 IFA tablets consumed 48.6
14	PW who consumed 180 IFA tablets	NA	NA	291	78.9	Home Delivery 0.7
15	Home Delivery against expected delivery *	NA	NA	0	0.0	Institutional Delivery 99.3
16	Institutional Delivery against expected delivery *	NA	NA	31	2.8	Home Delivery by SBA 0.0
17	Home Delivery against reported delivery **	NA	NA	0	0.0	PNC within 2days of delivery 63.6
18	Institutional Delivery against reported delivery **	NA	NA	31	100.0	
19	Total reported Deliveries	NA		31		
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	0	-	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	214	690.3	

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth #	NA		1,097			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	30	2.7	Breastfed within 1 hour of birth 56.2	
24	Total Still Birth	NA	NA	1	3.3	BCG 96.9	
25	PC of newborn weighted at birth to live birth	NA	NA	29	96.7	3 dose of DPT 98.5	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	2	6.9	Measles First dose	98.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	29	96.7	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	NA	NA	355	32.4	Full Immunization	96.9
29	Children who have received BCG	NA	NA	34	3.1		
30	Children who have received Pentavalent 1	NA	NA	279	25.4		
31	Children who have received Pentavalent 3	NA	NA	280	25.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	350	31.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		305			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	4.3
35	Number of Tubectomies performed	NA	0	Spacing	1.1
36	Number of IUD insertion	NA	12	Women using any method	88.2
37	Number of IUD removals	NA	10	Women using modern method	70.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	NA	170		
39	General OPD cases per 10,000 population ***	NA	7340		
40	Ayush OPD cases per 10,000 population ***	NA	112		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	1		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemorrhage)	NA	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		