

ASSAM Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,12,05,576					
2	Sex Ratio	954					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	4,796					
4	Primary Health Centers (PHC)	1,019					
5	Community Health Centers (CHC)	217					
6	SDH	16					
7	DH	21					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,16,445		7,99,722			
9	Expected number of Delivery	7,44,449		7,29,201			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,37,436	78.1	6,21,735	77.7	ANC Check-up in first trimester	63.8
11	Mothers registered in the first trimester	6,02,206	94.5	5,95,376	95.8	At least 4ANC check up	50.7
12	Mothers who had 4 or more ANC check ups	5,91,547	92.8	5,78,238	93.0	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	5,97,769	93.8	5,77,349	92.9	100 IFA tablets consumed	47.5
14	PW who consumed 180 IFA tablets	6,28,561	98.6	6,18,623	99.5	Home Delivery	15.9
15	Home Delivery against expected delivery *	13,977	1.9	6,971	1.0	Institutional Delivery	84.1
16	Institutional Delivery against expected delivery *	5,18,065	69.6	5,15,043	70.6	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	13,977	2.6	6,971	1.3	PNC within 2days of delivery	65.3
18	Institutional Delivery against reported delivery **	5,18,065	97.4	5,15,043	98.7		
19	Total reported Deliveries	5,32,042		5,22,014			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5,394	38.6	2,904	41.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,04,662	76.1	3,64,331	69.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,18,471		7,05,210			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	5,27,586	73.4	5,18,172	73.5	Breastfed within 1 hour of birth	49.1
24	Total Still Birth	8,306	1.2	7,681	1.5	BCG	92.5
25	PC of newborn weighted at birth to live birth	5,25,203	99.5	5,15,516	99.5	3 dose of DPT	81.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	75,521	14.4	74,785	14.5	Measles First dose	82.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,07,917	96.3	5,00,783	96.6	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	5,99,151	83.4	5,81,099	82.4	Full Immunization	66.4
29	Children who have received BCG	5,72,201	79.6	5,32,308	75.5		
30	Children who have received Pentavalent 1	5,97,063	83.1	5,68,299	80.6		
31	Children who have received Pentavalent 3	5,83,356	81.2	5,61,889	79.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,98,177	83.3	5,80,692	82.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	91,254		92,045			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	282	164	Total unmet need	11
35	Number of Tubectomies performed	29,397	24,836	Spacing	4.1
36	Number of IUD insertion	51,838	42,835	Women using any method	60.8
37	Number of IUD removals	18,273	16,189	Women using modern method	45.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	561	601		
39	General OPD cases per 10,000 population ***	13,817	14,677		
40	Ayush OPD cases per 10,000 population ***	818	827		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	626	683		
42	Neonatal Deaths within 1 to 28 days	2,627	2,689		
43	Total Neonatal Death	3,253	3,372		
44	Deaths between (1 - 11) months	991	546		
45	Total reported infant deaths	4,244	3,918		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	17	24		
47	Due to PPH (Post-Partum haemorrhage)	32	26		
48	Due to Pregnancy related infection and sepsis, Fever	61	58		
49	Due to Abortive complication	4	4		
50	Due to Obstructed/prolonged labour	5	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	62	58		
52	Due to Other/Unknown Causes	112	130		
53	Total reported maternal deaths	293	301		

Bajali Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,53,816					
2	Sex Ratio	951					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	NA		6,505			
9	Expected number of Delivery	NA		5,931			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	5,164	79.4	ANC Check-up in first trimester	62.2
11	Mothers registered in the first trimester	NA	NA	4,937	95.6	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	NA	NA	4,564	88.4	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	NA	NA	4,767	92.3	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	NA	NA	5,317	103.0	Home Delivery	12.4
15	Home Delivery against expected delivery *	NA	NA	6	0.1	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	NA	NA	3,321	56.0	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	NA	NA	6	0.2	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	NA	NA	3,321	99.8		
19	Total reported Deliveries	NA		3,327			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	5	83.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	4,860	146.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	NA		5,736			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	NA	NA	3,322	57.9	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	NA	NA	15	0.5	BCG	94.3
25	PC of newborn weighted at birth to live birth	NA	NA	3,207	96.5	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	364	11.4	Measles First dose	83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	3,265	98.3	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	NA	NA	4,654	81.1	Full Immunization	54.6
29	Children who have received BCG	NA	NA	3,553	61.9		
30	Children who have received Pentavalent 1	NA	NA	4,693	81.8		
31	Children who have received Pentavalent 3	NA	NA	4,675	81.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	4,656	81.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		611			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	12.3
35	Number of Tubectomies performed	NA	279	Spacing	3.9
36	Number of IUD insertion	NA	320	Women using any method	57.3
37	Number of IUD removals	NA	144	Women using modern method	47.4

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	NA	197		
39	General OPD cases per 10,000 population ***	NA	15,516		
40	Ayush OPD cases per 10,000 population ***	NA	707		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	NA	1		
42	Neonatal Deaths within 1 to 28 days	NA	1		
43	Total Neonatal Death	0	2		
44	Deaths between (1 - 11) months	NA	0		
45	Total reported infant deaths	0	2		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Baksa Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,50,075					
2	Sex Ratio	967					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	NA		15,996			
9	Expected number of Delivery	NA		14,585			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	7,575	47.4	ANC Check-up in first trimester	61.1
11	Mothers registered in the first trimester	NA	NA	7,342	96.9	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	NA	NA	6,395	84.4	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	NA	NA	6,977	92.1	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	NA	NA	7,294	96.3	Home Delivery	10.1
15	Home Delivery against expected delivery *	NA	NA	1	0.0	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	NA	NA	2,883	19.8	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	NA	NA	1	0.0	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	NA	NA	2,883	100.0		
19	Total reported Deliveries	NA		2,884			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	1	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	6,022	208.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	NA		14,106			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	NA	NA	2,877	20.4	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	NA	NA	12	0.4	BCG	93.6
25	PC of newborn weighted at birth to live birth	NA	NA	2,874	99.9	3 dose of DPT	87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	286	10.0	Measles First dose	91.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	2,831	98.4	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	NA	NA	6,863	48.7	Full Immunization	70.5
29	Children who have received BCG	NA	NA	3,479	24.7		
30	Children who have received Pentavalent 1	NA	NA	6,566	46.5		
31	Children who have received Pentavalent 3	NA	NA	6,555	46.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	6,863	48.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		475			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	12.5
35	Number of Tubectomies performed	NA	232	Spacing	5.7
36	Number of IUD insertion	NA	570	Women using any method	59.2
37	Number of IUD removals	NA	123	Women using modern method	47.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	NA	56		
39	General OPD cases per 10,000 population ***	NA	7,023		
40	Ayush OPD cases per 10,000 population ***	NA	1310		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Barpeta Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	16,93,622					
2	Sex Ratio	951					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	NA		36,899			
9	Expected number of Delivery	NA		33,645			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	32,014	86.8	ANC Check-up in first trimester	62.2
11	Mothers registered in the first trimester	NA	NA	30,958	96.7	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	NA	NA	29,577	92.4	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	NA	NA	30,331	94.7	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	NA	NA	32,108	100.3	Home Delivery	12.4
15	Home Delivery against expected delivery *	NA	NA	230	0.7	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	NA	NA	32,673	97.1	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	NA	NA	230	0.7	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	NA	NA	32,673	99.3		
19	Total reported Deliveries	NA		32,903			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	168	73.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	29,323	89.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	NA		32,538			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	NA	NA	32,623	100.3	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	NA	NA	471	1.4	BCG	94.3
25	PC of newborn weighted at birth to live birth	NA	NA	32,623	100.0	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	5,977	18.3	Measles First dose	83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	31,923	97.9	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	NA	NA	29,474	90.6	Full Immunization	54.6
29	Children who have received BCG	NA	NA	34,244	105.2		
30	Children who have received Pentavalent 1	NA	NA	29,026	89.2		
31	Children who have received Pentavalent 3	NA	NA	28,840	88.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	29,477	90.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		2,486			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	18	Total unmet need	12.3
35	Number of Tubectomies performed	NA	2,403	Spacing	3.9
36	Number of IUD insertion	NA	1,661	Women using any method	57.3
37	Number of IUD removals	NA	591	Women using modern method	47.4

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	NA	515		
39	General OPD cases per 10,000 population ***	NA	11,105		
40	Ayush OPD cases per 10,000 population ***	NA	1164		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	NA	24		
42	Neonatal Deaths within 1 to 28 days	NA	588		
43	Total Neonatal Death	0	612		
44	Deaths between (1 - 11) months	NA	54		
45	Total reported infant deaths	0	666		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	NA	1		
47	Due to PPH (Post-Partum haemorrhage)	NA	5		
48	Due to Pregnancy related infection and sepsis, Fever	NA	8		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	10		
52	Due to Other/Unknown Causes	NA	24		
53	Total reported maternal deaths	0	48		

Biswanath Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,12,491					
2	Sex Ratio	946					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	139					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	10,216		10,006			
9	Expected number of Delivery	9,315		9,124			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,382	121.2	12,266	122.6	ANC Check-up in first trimester	41.2
11	Mothers registered in the first trimester	11,740	94.8	11,729	95.6	At least 4ANC check up	46.5
12	Mothers who had 4 or more ANC check ups	12,101	97.7	11,712	95.5	Neonatal tetanus received	94.6
13	PW who got TT 2 / Booster injection	11,680	94.3	11,573	94.4	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	12,314	99.5	12,472	101.7	Home Delivery	15.7
15	Home Delivery against expected delivery *	19	0.2	4	0.0	Institutional Delivery	84.3
16	Institutional Delivery against expected delivery *	8,253	88.6	7,737	84.8	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	19	0.2	4	0.1	PNC within 2days of delivery	56.5
18	Institutional Delivery against reported delivery **	8,253	99.8	7,737	99.9		
19	Total reported Deliveries	8,272		7,741			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	94.7	4	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,503	114.9	5,989	77.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,990		8,824			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	8,235	91.6	7,680	87.0	Breastfed within 1 hour of birth	62.7
24	Total Still Birth	58	0.6	79	1.0	BCG	88.3
25	PC of newborn weighted at birth to live birth	8,221	99.8	7,644	99.5	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	787	9.6	604	7.9	Measles First dose	87.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,015	97.3	7,302	95.1	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,411	138.1	12,346	139.9	Full Immunization	66.2
29	Children who have received BCG	10,001	111.3	7,844	88.9		
30	Children who have received Pentavalent 1	11,867	132.0	11,625	131.7		
31	Children who have received Pentavalent 3	11,665	129.8	11,582	131.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,411	138.1	12,346	139.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	492		537			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	0	Total unmet need	5.3
35	Number of Tubectomies performed	544	160	Spacing	1.4
36	Number of IUD insertion	593	235	Women using any method	72.4
37	Number of IUD removals	286	187	Women using modern method	56.1

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	709	585		
39	General OPD cases per 10,000 population ***	26,627	27,123		
40	Ayush OPD cases per 10,000 population ***	1,255	1487		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	1		
42	Neonatal Deaths within 1 to 28 days	2	0		
43	Total Neonatal Death	3	1		
44	Deaths between (1 - 11) months	1	1		
45	Total reported infant deaths	4	2		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		

Bongaigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,38,804					
2	Sex Ratio	961					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	108					
4	Primary Health Centers (PHC)	28					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	19,330		18,934			
9	Expected number of Delivery	17,625		17,264			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,715	76.1	14,367	75.9	ANC Check-up in first trimester	65.1
11	Mothers registered in the first trimester	14,091	95.8	13,807	96.1	At least 4ANC check up	33.9
12	Mothers who had 4 or more ANC check ups	14,368	97.6	14,003	97.5	Neonatal tetanus received	91.8
13	PW who got TT 2 / Booster injection	13,650	92.8	13,251	92.2	100 IFA tablets consumed	46.7
14	PW who consumed 180 IFA tablets	14,715	100.0	15,088	105.0	Home Delivery	15.5
15	Home Delivery against expected delivery *	104	0.6	35	0.2	Institutional Delivery	84.5
16	Institutional Delivery against expected delivery *	12,258	69.5	11,648	67.5	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	104	0.8	35	0.3	PNC within 2days of delivery	57.0
18	Institutional Delivery against reported delivery **	12,258	99.2	11,648	99.7		
19	Total reported Deliveries	12,362		11,683			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	87.5	33	94.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,829	103.8	10,634	91.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,010		16,696			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	12,383	72.8	11,638	69.7	Breastfed within 1 hour of birth	46.7
24	Total Still Birth	130	0.8	148	1.3	BCG	94.1
25	PC of newborn weighted at birth to live birth	12,368	99.9	11,586	99.6	3 dose of DPT	80.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,280	10.3	1,158	10.0	Measles First dose	84.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	12,166	98.2	11,379	97.8	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	15,137	89.0	14,773	88.5	Full Immunization	67.9
29	Children who have received BCG	16,946	99.6	13,388	80.2		
30	Children who have received Pentavalent 1	15,032	88.4	14,293	85.6		
31	Children who have received Pentavalent 3	14,637	86.0	14,062	84.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,130	88.9	14,775	88.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,165		1,380			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.1
35	Number of Tubectomies performed	845	599	Spacing	5.1
36	Number of IUD insertion	1,595	1,270	Women using any method	57.6
37	Number of IUD removals	228	134	Women using modern method	45.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	481	561		
39	General OPD cases per 10,000 population ***	11,650	12,648		
40	Ayush OPD cases per 10,000 population ***	649	578		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	9	3		
42	Neonatal Deaths within 1 to 28 days	9	4		
43	Total Neonatal Death	18	7		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	18	7		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	3	2		
53	Total reported maternal deaths	6	3		

Cachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	17,36,617					
2	Sex Ratio	958					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	275					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	45,436		44,505			
9	Expected number of Delivery	41,429		40,581			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	39,175	86.2	38,726	87.0	ANC Check-up in first trimester	52.0
11	Mothers registered in the first trimester	36,284	92.6	36,321	93.8	At least 4ANC check up	32.7
12	Mothers who had 4 or more ANC check ups	35,824	91.4	35,518	91.7	Neonatal tetanus received	90.0
13	PW who got TT 2 / Booster injection	37,906	96.8	36,097	93.2	100 IFA tablets consumed	35.6
14	PW who consumed 180 IFA tablets	38,527	98.3	37,769	97.5	Home Delivery	20.8
15	Home Delivery against expected delivery *	171	0.4	56	0.1	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	39,293	94.8	39,202	96.6	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	171	0.4	56	0.1	PNC within 2days of delivery	57.3
18	Institutional Delivery against reported delivery **	39,293	99.6	39,202	99.9		
19	Total reported Deliveries	39,464		39,258			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	55.0	43	76.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	30,002	76.0	24,670	62.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	39,984		39,246			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	38,991	97.5	38,882	99.1	Breastfed within 1 hour of birth	29.8
24	Total Still Birth	794	2.0	748	1.9	BCG	88.3
25	PC of newborn weighted at birth to live birth	38,991	100.0	38,879	100.0	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,148	18.3	5,794	14.9	Measles First dose	76.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	38,494	98.7	38,500	99.0	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	42,991	107.5	40,499	103.2	Full Immunization	70.4
29	Children who have received BCG	42,073	105.2	38,595	98.3		
30	Children who have received Pentavalent 1	43,566	109.0	40,428	103.0		
31	Children who have received Pentavalent 3	43,089	107.8	40,343	102.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	42,978	107.5	40,513	103.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,143		3,662			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	13	14	Total unmet need	15.6
35	Number of Tubectomies performed	1,710	1,956	Spacing	6.9
36	Number of IUD insertion	1,678	2,577	Women using any method	48
37	Number of IUD removals	173	174	Women using modern method	38.2

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	860	865		
39	General OPD cases per 10,000 population ***	14,956	15,703		
40	Ayush OPD cases per 10,000 population ***	154	257		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	114	114		
42	Neonatal Deaths within 1 to 28 days	3	239		
43	Total Neonatal Death	117	353		
44	Deaths between (1 - 11) months	304	25		
45	Total reported infant deaths	421	378		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	27	14		
53	Total reported maternal deaths	31	14		

Charaideo Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,58,615					
2	Sex Ratio	951					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	79					
4	Primary Health Centers (PHC)	19					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	12,721		12,461			
9	Expected number of Delivery	11,600		11,362			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,136	56.1	6,766	54.3	ANC Check-up in first trimester	74.1
11	Mothers registered in the first trimester	6,860	96.1	6,475	95.7	At least 4ANC check up	64.5
12	Mothers who had 4 or more ANC check ups	6,749	94.6	6,324	93.5	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	6,788	95.1	6,320	93.4	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	7,116	99.7	6,705	99.1	Home Delivery	11.8
15	Home Delivery against expected delivery *	2	0.0	0	0.0	Institutional Delivery	88.2
16	Institutional Delivery against expected delivery *	3,720	32.1	3,787	33.3	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	2	0.1	0	0.0	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	3,720	99.9	3,787	100.0		
19	Total reported Deliveries	3,722		3,787			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	100.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,379	117.7	3,035	80.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	11,195		10,988			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	3,696	33.0	3,771	34.3	Breastfed within 1 hour of birth	58.3
24	Total Still Birth	46	0.4	40	1.1	BCG	96.2
25	PC of newborn weighted at birth to live birth	3,694	99.9	3,767	99.9	3 dose of DPT	90.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	789	21.4	931	24.7	Measles First dose	90

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,552	96.1	3,557	94.3	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	6,767	60.4	6,469	58.9	Full Immunization	74
29	Children who have received BCG	3,881	34.7	3,773	34.3		
30	Children who have received Pentavalent 1	6,922	61.8	6,257	56.9		
31	Children who have received Pentavalent 3	6,644	59.3	6,166	56.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,765	60.4	6,469	58.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,494		1,322			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.3
35	Number of Tubectomies performed	477	57	Spacing	3.7
36	Number of IUD insertion	781	592	Women using any method	67
37	Number of IUD removals	339	469	Women using modern method	43.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	194	177		
39	General OPD cases per 10,000 population ***	16,549	16,283		
40	Ayush OPD cases per 10,000 population ***	560	696		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Chirang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,82,162					
2	Sex Ratio	969					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	91					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	12,615		12,357			
9	Expected number of Delivery	11,503		11,267			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,135	64.5	8,128	65.8	ANC Check-up in first trimester	55.9
11	Mothers registered in the first trimester	7,262	89.3	7,383	90.8	At least 4ANC check up	56.5
12	Mothers who had 4 or more ANC check ups	6,979	85.8	7,030	86.5	Neonatal tetanus received	96.1
13	PW who got TT 2 / Booster injection	7,345	90.3	7,698	94.7	100 IFA tablets consumed	47.1
14	PW who consumed 180 IFA tablets	7,968	97.9	8,123	99.9	Home Delivery	16.3
15	Home Delivery against expected delivery *	484	4.2	191	1.7	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	5,088	44.2	5,857	52.0	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	484	8.7	191	3.2	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	5,088	91.3	5,857	96.8		
19	Total reported Deliveries	5,572		6,048			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	4.5	16	8.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,503	98.8	5,990	99.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	11,101		10,896			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	5,530	49.8	5,990	55.0	Breastfed within 1 hour of birth	40.5
24	Total Still Birth	66	0.6	85	1.4	BCG	98.2
25	PC of newborn weighted at birth to live birth	5,528	100.0	5,979	99.8	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	560	10.1	617	10.3	Measles First dose	89.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,477	99.0	5,779	96.5	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	7,783	70.1	7,474	68.6	Full Immunization	71.1
29	Children who have received BCG	7,112	64.1	6,568	60.3		
30	Children who have received Pentavalent 1	7,688	69.3	7,211	66.2		
31	Children who have received Pentavalent 3	7,630	68.7	7,103	65.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,776	70.0	7,477	68.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,643		1,330			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.8
35	Number of Tubectomies performed	221	292	Spacing	3.7
36	Number of IUD insertion	1,312	1,039	Women using any method	65.8
37	Number of IUD removals	804	798	Women using modern method	55.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	373	339		
39	General OPD cases per 10,000 population ***	9,453	9,764		
40	Ayush OPD cases per 10,000 population ***	1,356	1430		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	4	3		
42	Neonatal Deaths within 1 to 28 days	4	5		
43	Total Neonatal Death	8	8		
44	Deaths between (1 - 11) months	5	9		
45	Total reported infant deaths	13	17		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Darrang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,28,500					
2	Sex Ratio	923					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	159					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	24,293		23,795			
9	Expected number of Delivery	22,151		21,697			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	21,217	87.3	21,199	89.1	ANC Check-up in first trimester	56.5
11	Mothers registered in the first trimester	20,753	97.8	20,841	98.3	At least 4ANC check up	37.5
12	Mothers who had 4 or more ANC check ups	19,488	91.9	19,635	92.6	Neonatal tetanus received	91.1
13	PW who got TT 2 / Booster injection	19,310	91.0	19,344	91.2	100 IFA tablets consumed	43.3
14	PW who consumed 180 IFA tablets	20,736	97.7	20,908	98.6	Home Delivery	15.6
15	Home Delivery against expected delivery *	40	0.2	3	0.0	Institutional Delivery	84.4
16	Institutional Delivery against expected delivery *	17,311	78.2	17,318	79.8	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	40	0.2	3	0.0	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	17,311	99.8	17,318	100.0		
19	Total reported Deliveries	17,351		17,321			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	90.0	2	66.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,370	117.4	20,767	119.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,378		20,983			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	17,223	80.6	17,181	81.9	Breastfed within 1 hour of birth	51.7
24	Total Still Birth	240	1.1	227	1.3	BCG	94.9
25	PC of newborn weighted at birth to live birth	17,213	99.9	17,181	100.0	3 dose of DPT	76.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,449	14.2	1,808	10.5	Measles First dose	82.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,791	97.5	16,917	98.5	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,241	90.0	19,008	90.6	Full Immunization	57.1
29	Children who have received BCG	18,309	85.6	17,334	82.6		
30	Children who have received Pentavalent 1	18,718	87.6	19,097	91.0		
31	Children who have received Pentavalent 3	18,317	85.7	18,664	88.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,239	90.0	19,008	90.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,438		5,116			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	14.8
35	Number of Tubectomies performed	886	592	Spacing	5.8
36	Number of IUD insertion	1,850	2,412	Women using any method	46.8
37	Number of IUD removals	364	230	Women using modern method	36.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	510	530		
39	General OPD cases per 10,000 population ***	11,037	11,133		
40	Ayush OPD cases per 10,000 population ***	714	606		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	23	24		
43	Total Neonatal Death	23	24		
44	Deaths between (1 - 11) months	2	3		
45	Total reported infant deaths	25	27		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	2	1		

Dhemaji Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,86,133					
2	Sex Ratio	949					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	100					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	17,952		17,584			
9	Expected number of Delivery	16,369		16,033			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	11,925	66.4	10,994	62.5	ANC Check-up in first trimester	76.2
11	Mothers registered in the first trimester	11,532	96.7	10,771	98.0	At least 4ANC check up	62.2
12	Mothers who had 4 or more ANC check ups	10,398	87.2	10,170	92.5	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	10,781	90.4	10,185	92.6	100 IFA tablets consumed	45.3
14	PW who consumed 180 IFA tablets	12,651	106.1	11,254	102.4	Home Delivery	12.7
15	Home Delivery against expected delivery *	5	0.0	1	0.0	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	10,989	67.1	10,849	67.7	Home Delivery by SBA	4.2
17	Home Delivery against reported delivery **	5	0.0	1	0.0	PNC within 2days of delivery	72.8
18	Institutional Delivery against reported delivery **	10,989	100.0	10,849	100.0		
19	Total reported Deliveries	10,994		10,850			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	60.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,521	41.1	3,547	32.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,797		15,506			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	10,965	69.4	10,813	69.7	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	100	0.6	92	0.9	BCG	96.7
25	PC of newborn weighted at birth to live birth	10,285	93.8	10,271	95.0	3 dose of DPT	94.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,018	9.9	707	6.9	Measles First dose	93.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,852	89.8	9,775	90.4	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	11,937	75.6	10,633	68.6	Full Immunization	89.7
29	Children who have received BCG	10,849	68.7	10,762	69.4		
30	Children who have received Pentavalent 1	11,068	70.1	10,343	66.7		
31	Children who have received Pentavalent 3	10,928	69.2	10,365	66.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,936	75.6	10,633	68.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,737		2,537			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	803	178	Spacing	3.5
36	Number of IUD insertion	2,117	1,372	Women using any method	72.6
37	Number of IUD removals	1,036	890	Women using modern method	45

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	267	284		
39	General OPD cases per 10,000 population ***	11,848	11,595		
40	Ayush OPD cases per 10,000 population ***	355	452		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	9	9		
42	Neonatal Deaths within 1 to 28 days	7	8		
43	Total Neonatal Death	16	17		
44	Deaths between (1 - 11) months	7	6		
45	Total reported infant deaths	23	23		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	0	1		

Dhubri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,94,144					
2	Sex Ratio	952					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	197					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	36,476		35,728			
9	Expected number of Delivery	33,259		32,578			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	40,472	111.0	39,037	109.3	ANC Check-up in first trimester	49.9
11	Mothers registered in the first trimester	40,011	98.9	38,594	98.9	At least 4ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	38,479	95.1	36,156	92.6	Neonatal tetanus received	97.0
13	PW who got TT 2 / Booster injection	38,880	96.1	36,585	93.7	100 IFA tablets consumed	47.6
14	PW who consumed 180 IFA tablets	41,249	101.9	40,193	103.0	Home Delivery	35.8
15	Home Delivery against expected delivery *	5,281	15.9	3,108	9.5	Institutional Delivery	64.2
16	Institutional Delivery against expected delivery *	27,584	82.9	26,439	81.2	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	5,281	16.1	3,108	10.5	PNC within 2days of delivery	48.4
18	Institutional Delivery against reported delivery **	27,584	83.9	26,439	89.5		
19	Total reported Deliveries	32,865		29,547			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,877	35.5	1,376	44.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	29,977	91.2	29,188	98.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,099		31,506			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	32,472	101.2	29,145	92.5	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	595	1.9	543	1.9	BCG	90.5
25	PC of newborn weighted at birth to live birth	32,335	99.6	29,055	99.7	3 dose of DPT	82.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,856	11.9	3,251	11.2	Measles First dose	84

27	PC of newborns breastfed within 1 hour to total reported live birth.	31,323	96.5	27,320	93.7	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	37,622	117.2	36,292	115.2	Full Immunization	71.6
29	Children who have received BCG	38,506	120.0	33,129	105.2		
30	Children who have received Pentavalent 1	38,484	119.9	36,100	114.6		
31	Children who have received Pentavalent 3	37,466	116.7	35,113	111.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,596	117.1	36,287	115.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,910		3,844			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	11.5
35	Number of Tubectomies performed	1,107	665	Spacing	4
36	Number of IUD insertion	4,229	3,292	Women using any method	64.1
37	Number of IUD removals	502	472	Women using modern method	53.2

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	423	337		
39	General OPD cases per 10,000 population ***	11,304	12,474		
40	Ayush OPD cases per 10,000 population ***	1,130	1063		

G) Mortality Details				
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	72	55	
42	Neonatal Deaths within 1 to 28 days	139	135	
43	Total Neonatal Death	211	190	
44	Deaths between (1 - 11) months	17	18	
45	Total reported infant deaths	228	208	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum haemorrhage)	2	0	
47	Due to PPH (Post-Partum haemorrhage)	0	2	
48	Due to Pregnancy related infection and sepsis, Fever	2	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	1	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	2	
52	Due to Other/Unknown Causes	2	10	
53	Total reported maternal deaths	8	15	

Dibrugarh Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,26,335					
2	Sex Ratio	952					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	236					
4	Primary Health Centers (PHC)	32					
5	Community Health Centers (CHC)	10					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	34,701	33,991				
9	Expected number of Delivery	31,641	30,993				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,190	55.3	18,297	53.8	ANC Check-up in first trimester	75.8
11	Mothers registered in the first trimester	18,216	94.9	17,475	95.5	At least 4ANC check up	75.6
12	Mothers who had 4 or more ANC check ups	16,934	88.2	15,227	83.2	Neonatal tetanus received	94.1
13	PW who got TT 2 / Booster injection	17,286	90.1	16,110	88.0	100 IFA tablets consumed	58.9
14	PW who consumed 180 IFA tablets	17,871	93.1	19,287	105.4	Home Delivery	6.9
15	Home Delivery against expected delivery *	10	0.0	0	0.0	Institutional Delivery	93.1
16	Institutional Delivery against expected delivery *	22,338	70.6	21,895	70.6	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	10	0.0	0	0.0	PNC within 2days of delivery	82.1
18	Institutional Delivery against reported delivery **	22,338	100.0	21,895	100.0		
19	Total reported Deliveries	22,348		21,895			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	20.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,563	78.6	13,366	61.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	30,537		29,974			
	D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
23	Total reported live births	22,079	72.3	21,604	72.1	Breastfed within 1 hour of birth	52.6
24	Total Still Birth	607	2.0	656	3.0	BCG	97.8
25	PC of newborn weighted at birth to live birth	22,078	100.0	21,603	100.0	3 dose of DPT	93
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,071	23.0	4,664	21.6	Measles First dose	97.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	21,453	97.2	20,879	96.6	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	20,407	66.8	18,887	63.0	Full Immunization	83.8
29	Children who have received BCG	22,084	72.3	21,472	71.6		
30	Children who have received Pentavalent 1	19,402	63.5	17,625	58.8		
31	Children who have received Pentavalent 3	19,197	62.9	17,536	58.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,407	66.8	18,887	63.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,560		5,945			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	121	51	Total unmet need	8.7
35	Number of Tubectomies performed	1,602	1,780	Spacing	4.8
36	Number of IUD insertion	1,029	843	Women using any method	64.6
37	Number of IUD removals	641	543	Women using modern method	43.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1350	1283		
39	General OPD cases per 10,000 population ***	28,182	29,247		
40	Ayush OPD cases per 10,000 population ***	372	440		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	20	23		
42	Neonatal Deaths within 1 to 28 days	288	250		
43	Total Neonatal Death	308	273		
44	Deaths between (1 - 11) months	119	74		
45	Total reported infant deaths	427	347		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	1	1		
47	Due to PPH (Post-Partum haemorrhage)	7	6		
48	Due to Pregnancy related infection and sepsis, Fever	3	20		
49	Due to Abortive complication	3	1		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	15	17		
52	Due to Other/Unknown Causes	11	18		
53	Total reported maternal deaths	41	63		

Dima Hasao Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,14,102					
2	Sex Ratio	931					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	80					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	5,602		5,487			
9	Expected number of Delivery	5,108		5,003			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,083	72.9	3,690	67.3	ANC Check-up in first trimester	58.9
11	Mothers registered in the first trimester	3,549	86.9	3,426	92.8	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	2,964	72.6	2,547	69.0	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	3,397	83.2	3,183	86.3	100 IFA tablets consumed	40.8
14	PW who consumed 180 IFA tablets	4,816	118.0	3,985	108.0	Home Delivery	10.5
15	Home Delivery against expected delivery *	886	17.3	511	10.2	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	2,490	48.8	2,456	49.1	Home Delivery by SBA	1.8
17	Home Delivery against reported delivery **	886	26.2	511	17.2	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	2,490	73.8	2,456	82.8		
19	Total reported Deliveries	3,376		2,967			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	433	48.9	252	49.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	573	17.0	794	26.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,929		4,838			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	3,335	67.7	2,934	60.6	Breastfed within 1 hour of birth	58
24	Total Still Birth	68	1.4	50	1.7	BCG	91.3
25	PC of newborn weighted at birth to live birth	3,322	99.6	2,901	98.9	3 dose of DPT	71.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	192	5.8	136	4.7	Measles First dose	71.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,059	91.7	2,682	91.4	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,447	69.9	3,492	72.2	Full Immunization	63.6
29	Children who have received BCG	3,405	69.1	3,035	62.7		
30	Children who have received Pentavalent 1	3,538	71.8	3,315	68.5		
31	Children who have received Pentavalent 3	3,387	68.7	3,311	68.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,446	69.9	3,492	72.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	743		606			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	118	79	Spacing	2.6
36	Number of IUD insertion	131	115	Women using any method	65.5
37	Number of IUD removals	101	140	Women using modern method	44.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	631	607		
39	General OPD cases per 10,000 population ***	9,284	9,195		
40	Ayush OPD cases per 10,000 population ***	587	620		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	3		
42	Neonatal Deaths within 1 to 28 days	14	8		
43	Total Neonatal Death	15	11		
44	Deaths between (1 - 11) months	8	6		
45	Total reported infant deaths	23	17		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	1	1		

Goalpara Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,08,183					
2	Sex Ratio	962					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	155					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	26,378		25,837			
9	Expected number of Delivery	24,052		23,559			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	24,542	93.0	24,111	93.3	ANC Check-up in first trimester	65.3
11	Mothers registered in the first trimester	24,072	98.1	23,914	99.2	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	22,527	91.8	22,348	92.7	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	22,774	92.8	22,056	91.5	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	24,118	98.3	23,935	99.3	Home Delivery	7.7
15	Home Delivery against expected delivery *	249	1.0	52	0.2	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	24,966	103.8	25,054	106.3	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	249	1.0	52	0.2	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	24,966	99.0	25,054	99.8		
19	Total reported Deliveries	25,215		25,106			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	229	92.0	51	98.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,523	61.6	15,921	63.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,212		22,784			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	24,971	107.6	24,949	109.5	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	449	1.9	344	1.4	BCG	98.4
25	PC of newborn weighted at birth to live birth	24,968	100.0	24,939	100.0	3 dose of DPT	90.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,872	11.5	2,657	10.7	Measles First dose	90.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	24,758	99.1	24,831	99.5	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	22,027	94.9	21,395	93.9	Full Immunization	70.3
29	Children who have received BCG	24,162	104.1	23,884	104.8		
30	Children who have received Pentavalent 1	22,617	97.4	21,631	94.9		
31	Children who have received Pentavalent 3	21,861	94.2	20,933	91.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	22,027	94.9	21,397	93.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,730		4,475			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	7.4
35	Number of Tubectomies performed	1,509	1,100	Spacing	2.2
36	Number of IUD insertion	3,623	3,225	Women using any method	66.8
37	Number of IUD removals	1,180	869	Women using modern method	55.1

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	694	700		
39	General OPD cases per 10,000 population ***	12,343	14,324		
40	Ayush OPD cases per 10,000 population ***	1,610	1185		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	48	81		
42	Neonatal Deaths within 1 to 28 days	91	88		
43	Total Neonatal Death	139	169		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	141	169		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	5		
53	Total reported maternal deaths	2	6		

Golaghat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,66,888					
2	Sex Ratio	961					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	149					
4	Primary Health Centers (PHC)	40					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	27,913		27,342			
9	Expected number of Delivery	25,452		24,931			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	18,189	65.2	16,578	60.6	ANC Check-up in first trimester	76.1
11	Mothers registered in the first trimester	17,709	97.4	16,197	97.7	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	17,689	97.3	16,070	96.9	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	17,434	95.8	15,588	94.0	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	18,139	99.7	16,606	100.2	Home Delivery	9.6
15	Home Delivery against expected delivery *	3	0.0	0	0.0	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	11,255	44.2	11,077	44.4	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	3	0.0	0	0.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	11,255	100.0	11,077	100.0		
19	Total reported Deliveries	11,258		11,077			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,271	64.6	11,795	106.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,564		24,110			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	11,210	45.6	10,982	45.5	Breastfed within 1 hour of birth	53.6
24	Total Still Birth	103	0.4	132	1.2	BCG	92.6
25	PC of newborn weighted at birth to live birth	11,148	99.4	10,977	100.0	3 dose of DPT	84.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,813	16.3	1,889	17.2	Measles First dose	87.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,095	99.0	10,934	99.6	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	17,697	72.0	16,056	66.6	Full Immunization	72.4
29	Children who have received BCG	12,485	50.8	11,746	48.7		
30	Children who have received Pentavalent 1	17,456	71.1	15,536	64.4		
31	Children who have received Pentavalent 3	16,662	67.8	15,497	64.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,684	72.0	16,059	66.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,965		2,253			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	11	Total unmet need	10.9
35	Number of Tubectomies performed	761	562	Spacing	4.7
36	Number of IUD insertion	1,238	626	Women using any method	61.6
37	Number of IUD removals	1,305	949	Women using modern method	35.7

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	532	581		
39	General OPD cases per 10,000 population ***	14,430	16,292		
40	Ayush OPD cases per 10,000 population ***	498	576		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	5	1		
42	Neonatal Deaths within 1 to 28 days	47	30		
43	Total Neonatal Death	52	31		
44	Deaths between (1 - 11) months	29	6		
45	Total reported infant deaths	81	37		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	0	1		

Hailakandi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,59,296					
2	Sex Ratio	946					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	107					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	17,249		16,896			
9	Expected number of Delivery	15,728		15,406			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	18,195	105.5	18,108	107.2	ANC Check-up in first trimester	77.6
11	Mothers registered in the first trimester	17,650	97.0	17,555	96.9	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	16,282	89.5	16,693	92.2	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	17,378	95.5	17,181	94.9	100 IFA tablets consumed	29.0
14	PW who consumed 180 IFA tablets	18,157	99.8	18,104	100.0	Home Delivery	17.0
15	Home Delivery against expected delivery *	213	1.4	87	0.6	Institutional Delivery	83.0
16	Institutional Delivery against expected delivery *	14,120	89.8	14,458	93.8	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	213	1.5	87	0.6	PNC within 2days of delivery	68.8
18	Institutional Delivery against reported delivery **	14,120	98.5	14,458	99.4		
19	Total reported Deliveries	14,333		14,545			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	143	67.1	68	78.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,698	39.8	5,100	35.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,180		14,899			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	14,199	93.5	14,402	96.7	Breastfed within 1 hour of birth	24.4
24	Total Still Birth	224	1.5	254	1.8	BCG	95.4
25	PC of newborn weighted at birth to live birth	14,199	100.0	14,402	100.0	3 dose of DPT	78.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,158	8.2	1,200	8.3	Measles First dose	85.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,563	95.5	13,656	94.8	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	17,313	114.1	16,682	112.0	Full Immunization	68.6
29	Children who have received BCG	15,131	99.7	14,634	98.2		
30	Children who have received Pentavalent 1	17,475	115.1	16,286	109.3		
31	Children who have received Pentavalent 3	17,269	113.8	16,053	107.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,313	114.1	16,682	112.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,035		4,581			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	0	Total unmet need	8.6
35	Number of Tubectomies performed	394	513	Spacing	4.2
36	Number of IUD insertion	4,342	4,316	Women using any method	66.8
37	Number of IUD removals	559	502	Women using modern method	49.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	495	601		
39	General OPD cases per 10,000 population ***	12,630	13,141		
40	Ayush OPD cases per 10,000 population ***	458	512		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	2		
42	Neonatal Deaths within 1 to 28 days	9	7		
43	Total Neonatal Death	10	9		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	10	9		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	2		
53	Total reported maternal deaths	0	2		

Hojai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,31,218					
2	Sex Ratio	962					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	98					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	27,445		26,883			
9	Expected number of Delivery	25,025		24,512			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	25,469	92.8	26,020	96.8	ANC Check-up in first trimester	52.7
11	Mothers registered in the first trimester	25,061	98.4	25,807	99.2	At least 4ANC check up	51.3
12	Mothers who had 4 or more ANC check ups	25,121	98.6	25,690	98.7	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	25,335	99.5	25,643	98.6	100 IFA tablets consumed	50.5
14	PW who consumed 180 IFA tablets	25,406	99.8	25,875	99.4	Home Delivery	17.9
15	Home Delivery against expected delivery *	363	1.5	130	0.5	Institutional Delivery	82.1
16	Institutional Delivery against expected delivery *	18,778	75.0	16,805	68.6	Home Delivery by SBA	4.1
17	Home Delivery against reported delivery **	363	1.9	130	0.8	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	18,778	98.1	16,805	99.2		
19	Total reported Deliveries	19,141		16,935			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	43	11.8	44	33.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,546	55.1	7,393	43.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,151		23,706			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	19,017	78.7	16,797	70.9	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	132	0.5	149	0.9	BCG	82.1
25	PC of newborn weighted at birth to live birth	19,002	99.9	16,616	98.9	3 dose of DPT	60.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	810	4.3	972	5.8	Measles First dose	59.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	18,690	98.3	16,337	97.3	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	23,946	99.1	24,127	101.8	Full Immunization	55.5
29	Children who have received BCG	22,146	91.7	17,906	75.5		
30	Children who have received Pentavalent 1	24,193	100.2	24,266	102.4		
31	Children who have received Pentavalent 3	23,985	99.3	24,240	102.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,917	99.0	24,136	101.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,567		2,200			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	13.2
35	Number of Tubectomies performed	311	111	Spacing	4.9
36	Number of IUD insertion	2,168	2,168	Women using any method	61.1
37	Number of IUD removals	446	770	Women using modern method	48.2

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	232	318		
39	General OPD cases per 10,000 population ***	7,731	8,366		
40	Ayush OPD cases per 10,000 population ***	556	631		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	0		

Jorhat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,24,952					
2	Sex Ratio	956					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	111					
4	Primary Health Centers (PHC)	36					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	24,200		23,704			
9	Expected number of Delivery	22,066		21,614			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,947	57.6	13,009	54.9	ANC Check-up in first trimester	78.3
11	Mothers registered in the first trimester	13,419	96.2	12,450	95.7	At least 4ANC check up	67.0
12	Mothers who had 4 or more ANC check ups	12,316	88.3	11,442	88.0	Neonatal tetanus received	97.4
13	PW who got TT 2 / Booster injection	12,797	91.8	11,098	85.3	100 IFA tablets consumed	52.1
14	PW who consumed 180 IFA tablets	13,823	99.1	12,526	96.3	Home Delivery	3.5
15	Home Delivery against expected delivery *	0	0.0	0	0.0	Institutional Delivery	96.5
16	Institutional Delivery against expected delivery *	14,287	64.7	13,880	64.2	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	0	0.0	0	0.0	PNC within 2days of delivery	81.4
18	Institutional Delivery against reported delivery **	14,287	100.0	13,880	100.0		
19	Total reported Deliveries	14,287		13,880			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,394	93.7	12,090	87.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,296		20,903			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	14,139	66.4	13,862	66.3	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	264	1.2	192	1.4	BCG	100
25	PC of newborn weighted at birth to live birth	14,011	99.1	13,859	100.0	3 dose of DPT	79.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,902	20.7	2,719	19.6	Measles First dose	83.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,656	96.6	13,736	99.1	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	12,991	61.0	11,104	53.1	Full Immunization	69.2
29	Children who have received BCG	13,503	63.4	13,673	65.4		
30	Children who have received Pentavalent 1	12,696	59.6	10,504	50.3		
31	Children who have received Pentavalent 3	12,493	58.7	10,457	50.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,991	61.0	11,104	53.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,013		1,579			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	2	Total unmet need	10.4
35	Number of Tubectomies performed	1,245	880	Spacing	3.2
36	Number of IUD insertion	500	384	Women using any method	63.8
37	Number of IUD removals	208	205	Women using modern method	32.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	815	823		
39	General OPD cases per 10,000 population ***	21,549	22,827		
40	Ayush OPD cases per 10,000 population ***	198	159		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	41	36		
42	Neonatal Deaths within 1 to 28 days	386	299		
43	Total Neonatal Death	427	335		
44	Deaths between (1 - 11) months	81	73		
45	Total reported infant deaths	508	408		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	1		
47	Due to PPH (Post-Partum haemorrhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	3	3		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	6	6		
52	Due to Other/Unknown Causes	7	9		
53	Total reported maternal deaths	19	21		

Kamrup R Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	15,17,542					
2	Sex Ratio	946					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	284					
4	Primary Health Centers (PHC)	63					
5	Community Health Centers (CHC)	16					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	39,704	38,891				
9	Expected number of Delivery	36,203	35,461				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	29,741	74.9	28,958	74.5	ANC Check-up in first trimester	57.0
11	Mothers registered in the first trimester	28,400	95.5	27,758	95.9	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	27,695	93.1	27,380	94.6	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	26,582	89.4	25,951	89.6	100 IFA tablets consumed	42.5
14	PW who consumed 180 IFA tablets	29,647	99.7	28,554	98.6	Home Delivery	15.0
15	Home Delivery against expected delivery *	9	0.0	5	0.0	Institutional Delivery	85.0
16	Institutional Delivery against expected delivery *	19,536	54.0	19,537	55.1	Home Delivery by SBA	4.3
17	Home Delivery against reported delivery **	9	0.0	5	0.0	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	19,536	100.0	19,537	100.0		
19	Total reported Deliveries	19,545		19,542			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	44.4	2	40.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,127	87.6	14,709	75.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	34,940		34,295			
	D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
23	Total reported live births	19,494	55.8	19,475	56.8	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	95	0.3	108	0.6	BCG	90.5
25	PC of newborn weighted at birth to live birth	19,429	99.7	19,416	99.7	3 dose of DPT	86.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,395	7.2	1,475	7.6	Measles First dose	83

27	PC of newborns breastfed within 1 hour to total reported live birth.	19,204	98.5	19,076	98.0	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	25,258	72.3	25,263	73.7	Full Immunization	63.6
29	Children who have received BCG	20,687	59.2	19,915	58.1		
30	Children who have received Pentavalent 1	24,785	70.9	24,517	71.5		
31	Children who have received Pentavalent 3	24,328	69.6	24,335	71.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	25,276	72.3	25,286	73.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,085		2,332			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	14	5	Total unmet need	17.6
35	Number of Tubectomies performed	1,473	1,337	Spacing	7.7
36	Number of IUD insertion	2,306	1,176	Women using any method	38.7
37	Number of IUD removals	1,012	1,151	Women using modern method	32.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	381	522		
39	General OPD cases per 10,000 population ***	15,379	16,438		
40	Ayush OPD cases per 10,000 population ***	1,414	1372		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	2	4		
42	Neonatal Deaths within 1 to 28 days	6	4		
43	Total Neonatal Death	8	8		
44	Deaths between (1 - 11) months	3	5		
45	Total reported infant deaths	11	13		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	1	2		

Kamrup M Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,53,938					
2	Sex Ratio	922					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	49					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	32,807		32,135			
9	Expected number of Delivery	29,914		29,302			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	36,536	111.4	36,654	114.1	ANC Check-up in first trimester	77.6
11	Mothers registered in the first trimester	33,135	90.7	35,281	96.3	At least 4ANC check up	68.9
12	Mothers who had 4 or more ANC check ups	45,039	123.3	44,414	121.2	Neonatal tetanus received	96.3
13	PW who got TT 2 / Booster injection	36,005	98.5	36,263	98.9	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	36,644	100.3	36,755	100.3	Home Delivery	10.9
15	Home Delivery against expected delivery *	17	0.1	4	0.0	Institutional Delivery	89.1
16	Institutional Delivery against expected delivery *	28,884	96.6	28,727	98.0	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	17	0.1	4	0.0	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	28,884	99.9	28,727	100.0		
19	Total reported Deliveries	28,901		28,731			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,942	75.9	18,632	64.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	28,870		28,338			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	28,651	99.2	28,734	101.4	Breastfed within 1 hour of birth	53
24	Total Still Birth	682	2.4	476	1.7	BCG	90.6
25	PC of newborn weighted at birth to live birth	28,384	99.1	28,448	99.0	3 dose of DPT	77
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,584	30.2	8,358	29.4	Measles First dose	74.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	27,734	96.8	27,852	96.9	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	27,059	93.7	28,552	100.8	Full Immunization	53.6
29	Children who have received BCG	29,614	102.6	29,328	103.5		
30	Children who have received Pentavalent 1	26,250	90.9	27,439	96.8		
31	Children who have received Pentavalent 3	25,535	88.4	27,505	97.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	26,492	91.8	28,615	101.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,633		5,584			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	10	Total unmet need	8.8
35	Number of Tubectomies performed	2,400	1,950	Spacing	2.5
36	Number of IUD insertion	481	356	Women using any method	56.8
37	Number of IUD removals	717	399	Women using modern method	41.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1942	2227		
39	General OPD cases per 10,000 population ***	26,648	29,069		
40	Ayush OPD cases per 10,000 population ***	1,874	1543		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	58	62		
42	Neonatal Deaths within 1 to 28 days	487	468		
43	Total Neonatal Death	545	530		
44	Deaths between (1 - 11) months	249	146		
45	Total reported infant deaths	794	676		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	4	10		
47	Due to PPH (Post-Partum haemorrhage)	5	5		
48	Due to Pregnancy related infection and sepsis, Fever	24	20		
49	Due to Abortive complication	0	2		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	17	12		
52	Due to Other/Unknown Causes	17	21		
53	Total reported maternal deaths	68	70		

Karbi Anglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,60,955					
2	Sex Ratio	956					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	118					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	16,827		16,482			
9	Expected number of Delivery	15,343		15,029			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	15,754	93.6	15,574	94.5	ANC Check-up in first trimester	64.8
11	Mothers registered in the first trimester	14,183	90.0	14,549	93.4	At least 4ANC check up	63.9
12	Mothers who had 4 or more ANC check ups	10,856	68.9	11,740	75.4	Neonatal tetanus received	90.9
13	PW who got TT 2 / Booster injection	14,223	90.3	13,745	88.3	100 IFA tablets consumed	35.3
14	PW who consumed 180 IFA tablets	14,745	93.6	14,548	93.4	Home Delivery	25.1
15	Home Delivery against expected delivery *	626	4.1	90	0.6	Institutional Delivery	74.9
16	Institutional Delivery against expected delivery *	9,995	65.1	10,008	66.6	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	626	5.9	90	0.9	PNC within 2days of delivery	56.9
18	Institutional Delivery against reported delivery **	9,995	94.1	10,008	99.1		
19	Total reported Deliveries	10,621		10,098			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	426	68.1	76	84.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,249	77.7	9,091	90.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,808		14,534			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	10,565	71.3	10,038	69.1	Breastfed within 1 hour of birth	50.3
24	Total Still Birth	160	1.1	154	1.5	BCG	88.7
25	PC of newborn weighted at birth to live birth	10,377	98.2	9,482	94.5	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,211	11.7	1,166	12.3	Measles First dose	76.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,339	88.4	9,069	90.3	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	13,763	92.9	13,786	94.9	Full Immunization	64.3
29	Children who have received BCG	12,349	83.4	10,960	75.4		
30	Children who have received Pentavalent 1	14,427	97.4	13,553	93.2		
31	Children who have received Pentavalent 3	13,448	90.8	13,128	90.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,763	92.9	13,786	94.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,310		1,540			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.3
35	Number of Tubectomies performed	341	267	Spacing	2.4
36	Number of IUD insertion	1,546	1,014	Women using any method	66.3
37	Number of IUD removals	261	329	Women using modern method	41.1

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	268	562		
39	General OPD cases per 10,000 population ***	7,952	8,404		
40	Ayush OPD cases per 10,000 population ***	611	590		

G) Mortality Details				
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	18	7	
42	Neonatal Deaths within 1 to 28 days	34	40	
43	Total Neonatal Death	52	47	
44	Deaths between (1 - 11) months	4	10	
45	Total reported infant deaths	56	57	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum haemorrhage)	1	6	
47	Due to PPH (Post-Partum haemorrhage)	0	1	
48	Due to Pregnancy related infection and sepsis, Fever	6	4	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	3	
52	Due to Other/Unknown Causes	6	4	
53	Total reported maternal deaths	14	18	

Karimganj Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,28,686					
2	Sex Ratio	961					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	234					
4	Primary Health Centers (PHC)	32					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	32,147		31,488			
9	Expected number of Delivery	29,312		28,712			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	33,645	104.7	33,703	107.0	ANC Check-up in first trimester	54.8
11	Mothers registered in the first trimester	31,701	94.2	32,439	96.2	At least 4ANC check up	42.8
12	Mothers who had 4 or more ANC check ups	31,566	93.8	32,273	95.8	Neonatal tetanus received	94.2
13	PW who got TT 2 / Booster injection	33,153	98.5	33,354	99.0	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	33,645	100.0	33,701	100.0	Home Delivery	23.6
15	Home Delivery against expected delivery *	1,122	3.8	486	1.7	Institutional Delivery	76.4
16	Institutional Delivery against expected delivery *	24,710	84.3	25,978	90.5	Home Delivery by SBA	2.4
17	Home Delivery against reported delivery **	1,122	4.3	486	1.8	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	24,710	95.7	25,978	98.2		
19	Total reported Deliveries	25,832		26,464			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	661	58.9	295	60.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,434	5.6	2,112	8.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	28,289		27,767			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	25,408	89.8	26,067	93.9	Breastfed within 1 hour of birth	40.3
24	Total Still Birth	505	1.8	527	2.0	BCG	95.5
25	PC of newborn weighted at birth to live birth	25,408	100.0	26,066	100.0	3 dose of DPT	84
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,264	12.8	3,290	12.6	Measles First dose	85.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	24,920	98.1	25,111	96.3	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	32,940	116.4	33,302	119.9	Full Immunization	75.1
29	Children who have received BCG	27,253	96.3	26,288	94.7		
30	Children who have received Pentavalent 1	33,493	118.4	33,930	122.2		
31	Children who have received Pentavalent 3	32,861	116.2	33,273	119.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	32,955	116.5	33,303	119.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	8,183		7,954			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.6
35	Number of Tubectomies performed	762	653	Spacing	4.2
36	Number of IUD insertion	3,195	2,973	Women using any method	64.3
37	Number of IUD removals	471	390	Women using modern method	54.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	458	475		
39	General OPD cases per 10,000 population ***	10,331	11,645		
40	Ayush OPD cases per 10,000 population ***	364	466		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	6	6		
42	Neonatal Deaths within 1 to 28 days	25	18		
43	Total Neonatal Death	31	24		
44	Deaths between (1 - 11) months	7	10		
45	Total reported infant deaths	38	34		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	3	1		
53	Total reported maternal deaths	3	2		

Kokrajhar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,87,142					
2	Sex Ratio	958					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	165					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	23,211		22,735			
9	Expected number of Delivery	21,164		20,730			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	16,061	69.2	15,272	67.2	ANC Check-up in first trimester	67.0
11	Mothers registered in the first trimester	14,410	89.7	13,705	89.7	At least 4ANC check up	36.9
12	Mothers who had 4 or more ANC check ups	13,231	82.4	13,359	87.5	Neonatal tetanus received	95.8
13	PW who got TT 2 / Booster injection	14,050	87.5	13,516	88.5	100 IFA tablets consumed	61.1
14	PW who consumed 180 IFA tablets	16,683	103.9	17,265	113.1	Home Delivery	18.1
15	Home Delivery against expected delivery *	256	1.2	130	0.6	Institutional Delivery	81.9
16	Institutional Delivery against expected delivery *	14,334	67.7	14,190	68.5	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	256	1.8	130	0.9	PNC within 2days of delivery	68.3
18	Institutional Delivery against reported delivery **	14,334	98.2	14,190	99.1		
19	Total reported Deliveries	14,590		14,320			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	174	68.0	93	71.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,067	82.7	12,461	87.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	20,425		20,048			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	14,457	70.8	14,295	71.3	Breastfed within 1 hour of birth	56.4
24	Total Still Birth	220	1.1	162	1.1	BCG	95.3
25	PC of newborn weighted at birth to live birth	14,428	99.8	14,221	99.5	3 dose of DPT	76.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,763	19.2	2,645	18.6	Measles First dose	79.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,870	95.9	14,052	98.3	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	14,141	69.2	13,792	68.8	Full Immunization	51.1
29	Children who have received BCG	15,868	77.7	14,650	73.1		
30	Children who have received Pentavalent 1	14,191	69.5	13,267	66.2		
31	Children who have received Pentavalent 3	13,832	67.7	13,094	65.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,224	69.6	13,796	68.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,406		2,731			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10
35	Number of Tubectomies performed	362	352	Spacing	3.7
36	Number of IUD insertion	866	544	Women using any method	72.3
37	Number of IUD removals	848	764	Women using modern method	58

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	361	334		
39	General OPD cases per 10,000 population ***	8,669	9,250		
40	Ayush OPD cases per 10,000 population ***	1,118	1062		

G) Mortality Details				
I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	27	117	
42	Neonatal Deaths within 1 to 28 days	37	48	
43	Total Neonatal Death	64	165	
44	Deaths between (1 - 11) months	12	9	
45	Total reported infant deaths	76	174	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum haemorrhage)	0	0	
47	Due to PPH (Post-Partum haemorrhage)	2	1	
48	Due to Pregnancy related infection and sepsis, Fever	0	1	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	1	1	
53	Total reported maternal deaths	3	3	

Lakhimpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,42,137					
2	Sex Ratio	965					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	152					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	27,266	26,707				
9	Expected number of Delivery	24,862	24,352				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,706	72.3	18,815	70.4	ANC Check-up in first trimester	61.0
11	Mothers registered in the first trimester	19,319	98.0	18,492	98.3	At least 4ANC check up	51.7
12	Mothers who had 4 or more ANC check ups	18,200	92.4	17,339	92.2	Neonatal tetanus received	97.3
13	PW who got TT 2 / Booster injection	18,864	95.7	17,939	95.3	100 IFA tablets consumed	42.2
14	PW who consumed 180 IFA tablets	19,702	100.0	18,817	100.0	Home Delivery	3.8
15	Home Delivery against expected delivery *	7	0.0	5	0.0	Institutional Delivery	96.2
16	Institutional Delivery against expected delivery *	15,208	61.2	14,736	60.5	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	7	0.0	5	0.0	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	15,208	100.0	14,736	100.0		
19	Total reported Deliveries	15,215		14,741			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	71.4	2	40.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,125	92.8	12,769	86.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,994		23,551			
	D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
23	Total reported live births	15,096	62.9	14,691	62.4	Breastfed within 1 hour of birth	59
24	Total Still Birth	230	1.0	177	1.2	BCG	94.5
25	PC of newborn weighted at birth to live birth	15,054	99.7	14,681	99.9	3 dose of DPT	87.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,383	15.8	2,045	13.9	Measles First dose	86.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,929	92.3	14,102	96.0	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	18,790	78.3	17,902	76.0	Full Immunization	69
29	Children who have received BCG	15,524	64.7	14,421	61.2		
30	Children who have received Pentavalent 1	19,489	81.2	17,459	74.1		
31	Children who have received Pentavalent 3	18,320	76.4	17,331	73.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,752	78.2	17,902	76.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,646		3,242			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	7	Total unmet need	9.8
35	Number of Tubectomies performed	1,238	1,217	Spacing	4.5
36	Number of IUD insertion	811	838	Women using any method	67.1
37	Number of IUD removals	1,063	1,014	Women using modern method	43.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	544	613		
39	General OPD cases per 10,000 population ***	13,252	13,721		
40	Ayush OPD cases per 10,000 population ***	564	536		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	16	1		
42	Neonatal Deaths within 1 to 28 days	39	1		
43	Total Neonatal Death	55	2		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	56	2		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	2		
52	Due to Other/Unknown Causes	4	2		
53	Total reported maternal deaths	6	4		

Majuli Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,67,304					
2	Sex Ratio	956					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	4,377		4,288			
9	Expected number of Delivery	3,991		3,910			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,154	72.1	2,998	69.9	ANC Check-up in first trimester	76.1
11	Mothers registered in the first trimester	3,024	95.9	2,882	96.1	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,977	94.4	2,842	94.8	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	2,920	92.6	2,815	93.9	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	3,139	99.5	2,995	99.9	Home Delivery	9.7
15	Home Delivery against expected delivery *	6	0.2	4	0.1	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,280	32.1	1,275	32.6	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	6	0.5	4	0.3	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,280	99.5	1,275	99.7		
19	Total reported Deliveries	1,286		1,279			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	16.7	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,044	81.2	1,069	83.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,852		3,781			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	1,276	33.1	1,273	33.7	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	15	0.4	10	0.8	BCG	95.2
25	PC of newborn weighted at birth to live birth	1,274	99.8	1,272	99.9	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	140	11.0	103	8.1	Measles First dose	90.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,195	93.7	1,191	93.6	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	3,161	82.1	2,805	74.2	Full Immunization	78.6
29	Children who have received BCG	1,312	34.1	1,266	33.5		
30	Children who have received Pentavalent 1	3,431	89.1	2,598	68.7		
31	Children who have received Pentavalent 3	3,368	87.4	2,530	66.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,160	82.0	2,805	74.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	935		921			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.6
35	Number of Tubectomies performed	107	21	Spacing	4.7
36	Number of IUD insertion	290	153	Women using any method	63.7
37	Number of IUD removals	118	125	Women using modern method	31.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	360	399		
39	General OPD cases per 10,000 population ***	18,353	18,748		
40	Ayush OPD cases per 10,000 population ***	1,725	1803		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	2		
45	Total reported infant deaths	3	2		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Morigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,57,423					
2	Sex Ratio	974					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	145					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	25,049	24,536				
9	Expected number of Delivery	22,841	22,373				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,584	82.2	19,749	80.5	ANC Check-up in first trimester	64.0
11	Mothers registered in the first trimester	18,793	91.3	18,819	95.3	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	17,109	83.1	17,026	86.2	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	19,123	92.9	18,441	93.4	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	20,560	99.9	19,873	100.6	Home Delivery	11.7
15	Home Delivery against expected delivery *	322	1.4	116	0.5	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,041	61.5	13,342	59.6	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	322	2.2	116	0.9	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,041	97.8	13,342	99.1		
19	Total reported Deliveries	14,363		13,458			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	135	41.9	25	21.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,694	67.5	8,042	59.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,044		21,637			
	D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
23	Total reported live births	14,327	65.0	13,450	62.2	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	108	0.5	101	0.8	BCG	91.3
25	PC of newborn weighted at birth to live birth	14,290	99.7	13,374	99.4	3 dose of DPT	87.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,202	15.4	2,110	15.8	Measles First dose	87

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,799	96.3	13,032	96.9	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	18,290	83.0	18,726	86.5	Full Immunization	73.4
29	Children who have received BCG	15,459	70.1	13,537	62.6		
30	Children who have received Pentavalent 1	18,671	84.7	18,039	83.4		
31	Children who have received Pentavalent 3	18,114	82.2	18,073	83.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,269	82.9	18,733	86.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,318		2,440			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	0	Total unmet need	6.5
35	Number of Tubectomies performed	762	605	Spacing	1.9
36	Number of IUD insertion	3,408	2,617	Women using any method	70.6
37	Number of IUD removals	599	400	Women using modern method	56.7

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	324	409		
39	General OPD cases per 10,000 population ***	10,197	11,434		
40	Ayush OPD cases per 10,000 population ***	479	592		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	5	10		
42	Neonatal Deaths within 1 to 28 days	4	6		
43	Total Neonatal Death	9	16		
44	Deaths between (1 - 11) months	1	1		
45	Total reported infant deaths	10	17		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Nagaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	18,92,550					
2	Sex Ratio	962					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	258					
4	Primary Health Centers (PHC)	70					
5	Community Health Centers (CHC)	12					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	46,435	45,484				
9	Expected number of Delivery	42,340	41,473				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	41,260	88.9	40,021	88.0	ANC Check-up in first trimester	73.1
11	Mothers registered in the first trimester	37,954	92.0	37,371	93.4	At least 4ANC check up	59.4
12	Mothers who had 4 or more ANC check ups	39,748	96.3	37,194	92.9	Neonatal tetanus received	97.1
13	PW who got TT 2 / Booster injection	37,785	91.6	35,286	88.2	100 IFA tablets consumed	46.5
14	PW who consumed 180 IFA tablets	35,712	86.6	34,334	85.8	Home Delivery	16.3
15	Home Delivery against expected delivery *	450	1.1	213	0.5	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	39,924	94.3	39,960	96.4	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	450	1.1	213	0.5	PNC within 2days of delivery	62.0
18	Institutional Delivery against reported delivery **	39,924	98.9	39,960	99.5		
19	Total reported Deliveries	40,374		40,173			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	62	13.8	39	18.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,873	69.0	21,752	54.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	40,863		40,108			
	D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
23	Total reported live births	39,814	97.4	39,663	98.9	Breastfed within 1 hour of birth	61.6
24	Total Still Birth	692	1.7	644	1.6	BCG	86.9
25	PC of newborn weighted at birth to live birth	39,581	99.4	39,628	99.9	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,414	13.7	5,832	14.7	Measles First dose	67.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	37,114	93.2	38,501	97.1	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	36,689	89.8	35,757	89.2	Full Immunization	58.2
29	Children who have received BCG	38,971	95.4	38,469	95.9		
30	Children who have received Pentavalent 1	37,522	91.8	34,909	87.0		
31	Children who have received Pentavalent 3	36,554	89.5	34,049	84.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,689	89.8	35,757	89.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	7,625		5,505			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	1	Total unmet need	12.3
35	Number of Tubectomies performed	1,298	1,183	Spacing	3.1
36	Number of IUD insertion	1,678	828	Women using any method	58.6
37	Number of IUD removals	370	386	Women using modern method	46.8

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	596	635		
39	General OPD cases per 10,000 population ***	13,963	14,268		
40	Ayush OPD cases per 10,000 population ***	557	698		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	60	63		
42	Neonatal Deaths within 1 to 28 days	223	216		
43	Total Neonatal Death	283	279		
44	Deaths between (1 - 11) months	17	18		
45	Total reported infant deaths	300	297		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	1		
52	Due to Other/Unknown Causes	2	2		
53	Total reported maternal deaths	6	3		

Nalbari Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,71,639					
2	Sex Ratio	945					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	128					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	20,189		19,775			
9	Expected number of Delivery	18,408		18,031			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	11,412	56.5	11,063	55.9	ANC Check-up in first trimester	70.7
11	Mothers registered in the first trimester	11,048	96.8	10,791	97.5	At least 4ANC check up	55.9
12	Mothers who had 4 or more ANC check ups	12,154	106.5	11,078	100.1	Neonatal tetanus received	92.8
13	PW who got TT 2 / Booster injection	10,573	92.6	10,506	95.0	100 IFA tablets consumed	38.6
14	PW who consumed 180 IFA tablets	11,422	100.1	11,440	103.4	Home Delivery	8.2
15	Home Delivery against expected delivery *	97	0.5	66	0.4	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	11,775	64.0	11,832	65.6	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	97	0.8	66	0.6	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	11,775	99.2	11,832	99.4		
19	Total reported Deliveries	11,872		11,898			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	97	100.0	66	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,491	96.8	11,791	99.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,766		17,438			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	11,917	67.1	11,891	68.2	Breastfed within 1 hour of birth	41.8
24	Total Still Birth	93	0.5	104	0.9	BCG	89.9
25	PC of newborn weighted at birth to live birth	11,914	100.0	11,514	96.8	3 dose of DPT	85.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,438	12.1	1,650	14.3	Measles First dose	87.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,568	97.1	11,725	98.6	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	12,606	71.0	11,994	68.8	Full Immunization	65.5
29	Children who have received BCG	12,840	72.3	12,765	73.2		
30	Children who have received Pentavalent 1	11,111	62.5	10,511	60.3		
31	Children who have received Pentavalent 3	10,966	61.7	10,581	60.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,303	69.2	11,452	65.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,623		1,459			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	1	Total unmet need	13.2
35	Number of Tubectomies performed	1,145	1,247	Spacing	4.8
36	Number of IUD insertion	1,191	993	Women using any method	53.3
37	Number of IUD removals	519	458	Women using modern method	38.7

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	369	457		
39	General OPD cases per 10,000 population ***	12,769	13,295		
40	Ayush OPD cases per 10,000 population ***	2,067	1912		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	9	5		
42	Neonatal Deaths within 1 to 28 days	48	48		
43	Total Neonatal Death	57	53		
44	Deaths between (1 - 11) months	6	12		
45	Total reported infant deaths	63	65		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	0	2		

Sivasagar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,92,435					
2	Sex Ratio	951					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	151					
4	Primary Health Centers (PHC)	28					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	17,394	17,038				
9	Expected number of Delivery	15,860	15,535				
		HMIS (2024-25)	HMIS (2025-26)	NFHS-5(2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	8,338	47.9	7,863	46.2	ANC Check-up in first trimester	85.1
11	Mothers registered in the first trimester	7,869	94.4	7,441	94.6	At least 4ANC check up	80.9
12	Mothers who had 4 or more ANC check ups	7,740	92.8	6,965	88.6	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	7,846	94.1	7,500	95.4	100 IFA tablets consumed	53.7
14	PW who consumed 180 IFA tablets	7,951	95.4	7,667	97.5	Home Delivery	4.7
15	Home Delivery against expected delivery *	0	0.0	1	0.0	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	6,922	43.6	6,545	42.1	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	0	0.0	1	0.0	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	6,922	100.0	6,545	100.0		
19	Total reported Deliveries	6,922		6,546			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	1	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,203	75.2	4,598	70.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,307		15,024			
	D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26)	NFHS-5(2019-20)			
23	Total reported live births	6,897	45.1	6,512	43.3	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	61	0.4	61	0.9	BCG	95.7
25	PC of newborn weighted at birth to live birth	6,897	100.0	6,512	100.0	3 dose of DPT	90.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,169	16.9	1,090	16.7	Measles First dose	90.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	6,729	97.6	6,366	97.8	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	9,199	60.1	7,786	51.8	Full Immunization	77.6
29	Children who have received BCG	6,871	44.9	6,416	42.7		
30	Children who have received Pentavalent 1	8,887	58.1	7,253	48.3		
31	Children who have received Pentavalent 3	8,895	58.1	7,240	48.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,199	60.1	7,786	51.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,144		2,288			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	8.3
35	Number of Tubectomies performed	679	492	Spacing	3.2
36	Number of IUD insertion	431	264	Women using any method	67.3
37	Number of IUD removals	596	557	Women using modern method	39.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	423	454		
39	General OPD cases per 10,000 population ***	16,093	17,005		
40	Ayush OPD cases per 10,000 population ***	977	1188		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	8	9		
42	Neonatal Deaths within 1 to 28 days	11	9		
43	Total Neonatal Death	19	18		
44	Deaths between (1 - 11) months	0	3		
45	Total reported infant deaths	19	21		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	1	1		

Sonitpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,11,619					
2	Sex Ratio	946					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	146					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	40,126	39,304				
9	Expected number of Delivery	36,587	35,838				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,765	49.3	19,538	49.7	ANC Check-up in first trimester	48.8
11	Mothers registered in the first trimester	17,767	89.9	17,740	90.8	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	16,441	83.2	16,544	84.7	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	18,086	91.5	17,281	88.4	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	19,535	98.8	19,141	98.0	Home Delivery	16.5
15	Home Delivery against expected delivery *	360	1.0	159	0.4	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	23,198	63.4	24,467	68.3	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	360	1.5	159	0.6	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	23,198	98.5	24,467	99.4		
19	Total reported Deliveries	23,558		24,626			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	26.1	49	30.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,747	32.9	8,291	33.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	35,311		34,659			
	D) Child Immunization:	HMIS (2024-25)	HMIS (2025-26)			NFHS-5(2019-20)	
23	Total reported live births	23,474	66.5	24,581	70.9	Breastfed within 1 hour of birth	49.8
24	Total Still Birth	372	1.1	403	1.6	BCG	90.4
25	PC of newborn weighted at birth to live birth	23,106	98.4	24,526	99.8	3 dose of DPT	76.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,519	15.2	3,810	15.5	Measles First dose	80.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	21,806	92.9	22,924	93.3	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	19,115	54.1	18,914	54.6	Full Immunization	70.9
29	Children who have received BCG	24,558	69.5	24,792	71.5		
30	Children who have received Pentavalent 1	18,860	53.4	18,947	54.7		
31	Children who have received Pentavalent 3	18,401	52.1	18,156	52.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,115	54.1	18,914	54.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,868		1,809			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	8	2	Total unmet need	5.8
35	Number of Tubectomies performed	1,287	1,393	Spacing	2
36	Number of IUD insertion	783	425	Women using any method	74.4
37	Number of IUD removals	356	284	Women using modern method	58.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	445	489		
39	General OPD cases per 10,000 population ***	10,735	12,462		
40	Ayush OPD cases per 10,000 population ***	409	425		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	17	9		
42	Neonatal Deaths within 1 to 28 days	137	100		
43	Total Neonatal Death	154	109		
44	Deaths between (1 - 11) months	38	28		
45	Total reported infant deaths	192	137		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	5	5		
47	Due to PPH (Post-Partum haemorrhage)	7	1		
48	Due to Pregnancy related infection and sepsis, Fever	12	1		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	2		
52	Due to Other/Unknown Causes	2	4		
53	Total reported maternal deaths	30	13		

South Salmara Mancachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	952					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	14,524		14,226			
9	Expected number of Delivery	13,243		12,972			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	11,937	82.2	11,697	82.2	ANC Check-up in first trimester	60.1
11	Mothers registered in the first trimester	11,585	97.1	11,470	98.1	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	10,511	88.1	10,487	89.7	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	11,266	94.4	11,280	96.4	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	11,897	99.7	12,223	104.5	Home Delivery	28.3
15	Home Delivery against expected delivery *	820	6.2	146	1.1	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	8,153	61.6	9,302	71.7	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	820	9.1	146	1.5	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	8,153	90.9	9,302	98.5		
19	Total reported Deliveries	8,973		9,448			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	241	29.4	11	7.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,817	64.8	4,341	45.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	12,781		12,545			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	8,889	69.5	9,345	74.5	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	160	1.3	166	1.8	BCG	97
25	PC of newborn weighted at birth to live birth	8,844	99.5	9,332	99.9	3 dose of DPT	81.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,076	12.2	1,130	12.1	Measles First dose	85.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,640	97.2	8,964	95.9	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	11,396	89.2	10,602	84.5	Full Immunization	65.8
29	Children who have received BCG	11,472	89.8	10,356	82.6		
30	Children who have received Pentavalent 1	11,320	88.6	10,321	82.3		
31	Children who have received Pentavalent 3	11,040	86.4	10,234	81.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,396	89.2	10,602	84.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,675		3,342			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8
35	Number of Tubectomies performed	2	2	Spacing	1.7
36	Number of IUD insertion	734	358	Women using any method	71.5
37	Number of IUD removals	126	112	Women using modern method	60.8

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	156	213		
39	General OPD cases per 10,000 population ***	6,714	7,976		
40	Ayush OPD cases per 10,000 population ***	1,438	1222		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	8	20		
42	Neonatal Deaths within 1 to 28 days	35	29		
43	Total Neonatal Death	43	49		
44	Deaths between (1 - 11) months	12	9		
45	Total reported infant deaths	55	58		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	2	1		

Tamulpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,25,902					
2	Sex Ratio	967					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	NA		8,352			
9	Expected number of Delivery	NA		7,616			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	4,883	58.5	ANC Check-up in first trimester	61.1
11	Mothers registered in the first trimester	NA	NA	4,674	95.7	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	NA	NA	3,903	79.9	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	NA	NA	4,362	89.3	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	NA	NA	4,576	93.7	Home Delivery	10.1
15	Home Delivery against expected delivery *	NA	NA	1	0.0	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	NA	NA	2,031	26.7	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	NA	NA	1	0.0	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	NA	NA	2,031	100.0		
19	Total reported Deliveries	NA		2,032			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	1	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	2,217	109.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	NA		7,365			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	NA	NA	2,006	27.2	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	NA	NA	29	1.4	BCG	93.6
25	PC of newborn weighted at birth to live birth	NA	NA	2,006	100.0	3 dose of DPT	87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	NA	NA	259	12.9	Measles First dose	91.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	1,982	98.8	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	NA	NA	4,636	62.9	Full Immunization	70.5
29	Children who have received BCG	NA	NA	2,075	28.2		
30	Children who have received Pentavalent 1	NA	NA	4,353	59.1		
31	Children who have received Pentavalent 3	NA	NA	4,389	59.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	4,638	63.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	NA		409			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	7	Total unmet need	12.5
35	Number of Tubectomies performed	NA	118	Spacing	5.7
36	Number of IUD insertion	NA	223	Women using any method	59.2
37	Number of IUD removals	NA	141	Women using modern method	47.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	NA	102		
39	General OPD cases per 10,000 population ***	NA	9,887		
40	Ayush OPD cases per 10,000 population ***	NA	2648		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	0		
45	Total reported infant deaths	0	0		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	NA	0		
47	Due to PPH (Post-Partum haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Tinsukia Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,27,929					
2	Sex Ratio	948					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	171					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	34,743		34,032			
9	Expected number of Delivery	31,679		31,031			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,805	59.9	20,532	60.3	ANC Check-up in first trimester	70.7
11	Mothers registered in the first trimester	19,075	91.7	19,160	93.3	At least 4ANC check up	63.1
12	Mothers who had 4 or more ANC check ups	19,391	93.2	19,796	96.4	Neonatal tetanus received	93.9
13	PW who got TT 2 / Booster injection	20,065	96.4	19,025	92.7	100 IFA tablets consumed	43.8
14	PW who consumed 180 IFA tablets	20,902	100.5	20,513	99.9	Home Delivery	17.4
15	Home Delivery against expected delivery *	111	0.4	115	0.4	Institutional Delivery	82.6
16	Institutional Delivery against expected delivery *	18,805	59.4	18,037	58.1	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	111	0.6	115	0.6	PNC within 2days of delivery	73.6
18	Institutional Delivery against reported delivery **	18,805	99.4	18,037	99.4		
19	Total reported Deliveries	18,916		18,152			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	60	54.1	81	70.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,434	102.7	14,167	78.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	30,574		30,010			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	18,776	61.4	18,028	60.1	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	232	0.8	204	1.1	BCG	97.2
25	PC of newborn weighted at birth to live birth	18,776	100.0	18,024	100.0	3 dose of DPT	92.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,148	16.8	3,385	18.8	Measles First dose	95.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,915	90.1	16,721	92.8	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	20,305	66.4	19,926	66.4	Full Immunization	75
29	Children who have received BCG	19,706	64.5	18,591	62.0		
30	Children who have received Pentavalent 1	20,369	66.6	19,251	64.1		
31	Children who have received Pentavalent 3	19,496	63.8	19,747	65.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,298	66.4	19,926	66.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,967		3,087			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	55	35	Total unmet need	11
35	Number of Tubectomies performed	1,500	1,367	Spacing	4.4
36	Number of IUD insertion	779	609	Women using any method	59.2
37	Number of IUD removals	761	685	Women using modern method	36.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	713	650		
39	General OPD cases per 10,000 population ***	17,749	17,965		
40	Ayush OPD cases per 10,000 population ***	253	276		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	6	12		
42	Neonatal Deaths within 1 to 28 days	8	6		
43	Total Neonatal Death	14	18		
44	Deaths between (1 - 11) months	3	4		
45	Total reported infant deaths	17	22		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	1	1		
53	Total reported maternal deaths	3	1		

Udalguri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,31,668					
2	Sex Ratio	966					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	9					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	21,759		21,314			
9	Expected number of Delivery	19,841		19,434			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,403	57.0	12,052	56.5	ANC Check-up in first trimester	50.1
11	Mothers registered in the first trimester	11,663	94.0	11,400	94.6	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	11,209	90.4	10,745	89.2	Neonatal tetanus received	91.0
13	PW who got TT 2 / Booster injection	11,010	88.8	10,550	87.5	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	12,596	101.6	11,540	95.8	Home Delivery	13.8
15	Home Delivery against expected delivery *	8	0.0	3	0.0	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	4,985	25.1	4,848	24.9	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	8	0.2	3	0.1	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	4,985	99.8	4,848	99.9		
19	Total reported Deliveries	4,993		4,851			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	62.5	3	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,087	141.9	6,235	128.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,148		18,795			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	4,952	25.9	4,828	25.7	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	57	0.3	48	1.0	BCG	78.6
25	PC of newborn weighted at birth to live birth	4,949	99.9	4,815	99.7	3 dose of DPT	68
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	557	11.3	567	11.8	Measles First dose	75.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,906	99.1	4,742	98.2	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	11,624	60.7	11,044	58.8	Full Immunization	38.3
29	Children who have received BCG	5,658	29.5	5,006	26.6		
30	Children who have received Pentavalent 1	11,404	59.6	11,253	59.9		
31	Children who have received Pentavalent 3	11,178	58.4	10,706	57.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,585	60.5	11,046	58.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,314		1,945			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	167	164	Spacing	6.4
36	Number of IUD insertion	1,471	1,833	Women using any method	50.2
37	Number of IUD removals	784	650	Women using modern method	36.2

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	248	260		
39	General OPD cases per 10,000 population ***	11,732	11,901		
40	Ayush OPD cases per 10,000 population ***	1,027	1239		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	4	2		
42	Neonatal Deaths within 1 to 28 days	8	6		
43	Total Neonatal Death	12	8		
44	Deaths between (1 - 11) months	3	10		
45	Total reported infant deaths	15	18		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	3		
53	Total reported maternal deaths	1	4		

West Karbi Anglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,95,358					
2	Sex Ratio	956					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	18					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,194		8,026			
9	Expected number of Delivery	7,471		7,318			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,205	87.9	6,314	78.7	ANC Check-up in first trimester	55.5
11	Mothers registered in the first trimester	5,951	82.6	5,422	85.9	At least 4ANC check up	46.7
12	Mothers who had 4 or more ANC check ups	4,107	57.0	4,052	64.2	Neonatal tetanus received	87.6
13	PW who got TT 2 / Booster injection	6,466	89.7	5,548	87.9	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	7,072	98.2	7,132	113.0	Home Delivery	27.5
15	Home Delivery against expected delivery *	1,604	21.5	1,012	13.8	Institutional Delivery	72.5
16	Institutional Delivery against expected delivery *	2,693	36.0	2,889	39.5	Home Delivery by SBA	12.0
17	Home Delivery against reported delivery **	1,604	37.3	1,012	25.9	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	2,693	62.7	2,889	74.1		
19	Total reported Deliveries	4,297		3,901			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	155	9.7	97	9.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,022	47.1	1,570	40.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,210		7,077			
	D) Child Immunization:	HMIS (2024-25)		HMIS (2025-26)		NFHS-5(2019-20)	
23	Total reported live births	4,197	58.2	3,843	54.3	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	108	1.5	70	1.8	BCG	92.7
25	PC of newborn weighted at birth to live birth	4,191	99.9	3,836	99.8	3 dose of DPT	70.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	117	2.8	136	3.5	Measles First dose	66.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,067	96.9	3,770	98.1	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	6,227	86.4	6,084	86.0	Full Immunization	47.9
29	Children who have received BCG	5,324	73.8	4,454	62.9		
30	Children who have received Pentavalent 1	6,192	85.9	5,897	83.3		
31	Children who have received Pentavalent 3	6,268	86.9	6,023	85.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,225	86.3	6,084	86.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	588		518			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.1
35	Number of Tubectomies performed	45	30	Spacing	3.2
36	Number of IUD insertion	737	614	Women using any method	69.9
37	Number of IUD removals	200	154	Women using modern method	43.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	181	146		
39	General OPD cases per 10,000 population ***	4,434	6,217		
40	Ayush OPD cases per 10,000 population ***	769	663		

G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	6	4		
43	Total Neonatal Death	7	4		
44	Deaths between (1 - 11) months	13	4		
45	Total reported infant deaths	20	8		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		