

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	13,83,727					
2	Sex Ratio	920					
B)Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	424					
4	Primary Health Centers(PHC)	134					
5	Community Health Centers (CHC)	56					
6	SDH	0					
7	DH	21					
C)Maternal Health:		2024-25		2025-26			
8	Expected number of PW	31,755		31,812			
9	Expected number of Delivery	28,955		29,007			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	27,132	85.4	26,506	83.3	ANC Check up in first trimester	53.1
11	Mothers registered in the first trimester	16,887	62.2	17,343	65.4	At least 4 ANC check up	36.5
12	Mothers who had 4 or more ANC check ups	18,957	69.9	17,621	66.5	Neonatal tetanus received	76.9
13	PW who got TT 2 / Booster injection	16,514	60.9	15,645	59.0	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	24,514	90.4	22,618	85.3	Home Delivery	20.8
15	Home Delivery against expected delivery *	1,221	4.2	1,209	4.2	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	19,812	68.4	18,923	65.2	Home Delivery by SBA	4.0
17	Home Delivery against reported delivery **	1,221	5.8	1,209	6.0	PNC within 2days of delivery	56.4
18	Institutional Delivery against reported delivery **	19,812	94.2	18,923	94.0	Breastfeed within 1 hour of birth	52.0
19	Total reported Deliveries	21,033		20,132			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	358	29.3	385	31.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,979	52.2	12,096	60.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	28,320		28,342			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	21,019	74.2	20,134	71.0	BCG	87.9
24	Total Still Birth	102	0.4	175	0.6	3 dose of DPT	77.7
25	Newborn weighted at birth to live birth	20,752	98.7	20,026	99.5	Measles First dose	80.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,102	5.3	1,323	6.6	3 doses of penta or hepatitis B vaccine	73
27	Newborns breastfed within 1 hour to total reported live birth.	17,505	83.3	16,838	83.6	Full Immunization	64.9

28	Fully immunized	20,787	73.4	21,032	74.2		
29	Children who have received BCG	21,744	76.8	20,882	73.7		
30	Children who have received Pentavalent 1	22,007	77.7	21,209	74.8		
31	Children who have received Pentavalent 3	20,979	74.1	21,236	74.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,960	74.0	21,102	74.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	10,514		10,482			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	12.5		
35	Number of Tubectomies performed	786	553	Spacing	7		
36	Number of IUD insertion	1,416	1,190	Women using any method	59.1		
37	Number of IUD removals	1,101	1,046	Women using modern method	47.2		
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)				
38	IPD cases per 10,000 population ***	529	486				
39	General OPD cases per 10,000 population ***	12359	11295				
40	Ayush OPD cases per 10,000 population ***	1074	1081				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)				
41	Neonatal death within 24 hours	22	24				
42	Neonatal Deaths within 1 to 28 days	28	31				
43	Total Neonatal Death	50	55				
44	Deaths between (1 - 11) months	15	12				
45	Total reported infant deaths	65	67				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0				
52	Due to Other/Unknown Causes	2	2				
53	Total reported maternal deaths	3	2				

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,167					
2	Sex Ratio	805					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	11					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	442		437			
9	Expected number of Delivery	403		399			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	291	65.9	237	54.2	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	133	45.7	100	42.2	At least 4 ANC check up	32.3
12	Mothers who had 4 or more ANC check ups	78	26.8	94	39.7	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	207	71.1	185	78.1	100 IFA tablets consumed	16.5
14	PW who consumed 180 IFA tablets	291	100.0	237	100.0	Home Delivery	22.0
15	Home Delivery against expected delivery *	12	3.0	11	2.8	Institutional Delivery	78.0
16	Institutional Delivery against expected delivery *	42	10.4	34	8.5	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	12	22.2	11	24.4	PNC within 2 days of delivery	55.8
18	Institutional Delivery against reported delivery **	42	77.8	34	75.6	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	54		45			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	8.3	5	45.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24	44.4	34	75.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	394		389			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	54	13.7	45	11.6	BCG	97.7
24	Total Still Birth	2	0.5	0	0.0	3 dose of DPT	95.3
25	Newborn weighted at birth to live birth	53	98.1	43	95.6	Measles First dose	97.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	13.2	4	9.3	3 doses of penta or hepatitis B vaccine	85.6

27	Newborns breastfed within 1 hour to total reported live birth.	53	98.1	44	97.8	Full Immunization	93
28	Fully immunized	234	59.4	236	60.6		
29	Children who have received BCG	61	15.5	62	15.9		
30	Children who have received Pentavalent 1	224	56.9	241	61.9		
31	Children who have received Pentavalent 3	238	60.4	276	70.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	241	61.2	237	60.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	279		270			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.8
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	0	7	Women using any method	64.7
37	Number of IUD removals	10	8	Women using modern method	50.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	184	290		
39	General OPD cases per 10,000 population ***	7545	7685		
40	Ayush OPD cases per 10,000 population ***	627	385		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,48,226					
2	Sex Ratio	914					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	3,196		3,177			
9	Expected number of Delivery	2,914		2,897			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,836	88.7	2,852	89.8	ANC Check up in first trimester	65.0
11	Mothers registered in the first trimester	1,308	46.1	1,486	52.1	At least 4 ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	1,859	65.6	1,497	52.5	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	2,408	84.9	2,400	84.2	100 IFA tablets consumed	37.3
14	PW who consumed 180 IFA tablets	2,490	87.8	2,124	74.5	Home Delivery	24.9
15	Home Delivery against expected delivery *	213	7.3	240	8.3	Institutional Delivery	75.1
16	Institutional Delivery against expected delivery *	1,256	43.1	1,135	39.2	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	213	14.5	240	17.5	PNC within 2 days of delivery	69.7
18	Institutional Delivery against reported delivery **	1,256	85.5	1,135	82.5	Breastfeed within 1 hour of birth	60.7
19	Total reported Deliveries	1,469		1,375			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	52	24.4	54	22.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	966	65.8	703	51.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,850		2,830			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	1,471	51.6	1,374	48.5	BCG	86.1
24	Total Still Birth	8	0.3	7	0.2	3 dose of DPT	84.4
25	Newborn weighted at birth to live birth	1,461	99.3	1,367	99.5	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	105	7.2	72	5.3	3 doses of penta or hepatitis B vaccine	84.4

27	Newborns breastfed within 1 hour to total reported live birth.	1,451	98.6	1,366	99.4	Full Immunization	70.9
28	Fully immunized	2,431	85.3	2,438	86.1		
29	Children who have received BCG	2,051	72.0	1,979	69.9		
30	Children who have received Pentavalent 1	2,491	87.4	2,479	87.6		
31	Children who have received Pentavalent 3	2,322	81.5	2,358	83.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,436	85.5	2,410	85.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	271		379			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.7
35	Number of Tubectomies performed	0	0	Spacing	3.5
36	Number of IUD insertion	25	39	Women using any method	71.4
37	Number of IUD removals	27	21	Women using modern method	46.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	249	230		
39	General OPD cases per 10,000 population ***	5063	5497		
40	Ayush OPD cases per 10,000 population ***	1842	1571		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	3	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	8,004
2	Sex Ratio	808

B) Infrastructure Details (HDI 2023-24)

3	Sub Centers (SC)	9
4	Primary Health Centers(PHC)	1
5	Community Health Centers (CHC)	0
6	SDH	0
7	DH	1

C) Maternal Health:

		2024-25		2025-26			
8	Expected number of PW	161		159			
9	Expected number of Delivery	147		145			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	109	67.6	97	61.1	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	57	52.3	67	69.1	At least 4 ANC check up	40.4
12	Mothers who had 4 or more ANC check ups	0	0.0	2	2.1	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	37	33.9	15	15.5	100 IFA tablets consumed	25.4
14	PW who consumed 180 IFA tablets	103	94.5	94	96.9	Home Delivery	14.5
15	Home Delivery against expected delivery *	5	3.4	1	0.7	Institutional Delivery	85.5
16	Institutional Delivery against expected delivery *	24	16.3	15	10.4	Home Delivery by SBA	3.5
17	Home Delivery against reported delivery **	5	17.2	1	6.3	PNC within 2 days of delivery	66.2
18	Institutional Delivery against reported delivery **	24	82.8	15	93.8	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	29		16			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	100.0	1	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	13.8	3	18.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	144		142			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	29	20.2	16	11.3	BCG	97.3
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	90.7
25	Newborn weighted at birth to live birth	7	24.1	5	31.3	Measles First dose	90.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	3 doses of penta or hepatitis B vaccine	84

27	Newborns breastfed within 1 hour to total reported live birth.	18	62.1	16	100.0	Full Immunization	90.7
28	Fully immunized	84	58.4	65	45.9		
29	Children who have received BCG	32	22.3	18	12.7		
30	Children who have received Pentavalent 1	63	43.8	57	40.3		
31	Children who have received Pentavalent 3	70	48.7	62	43.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	85	59.1	62	43.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	56		62			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.6
35	Number of Tubectomies performed	0	0	Spacing	3.4
36	Number of IUD insertion	1	0	Women using any method	69.1
37	Number of IUD removals	13	3	Women using modern method	49.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	84	79		
39	General OPD cases per 10,000 population ***	16237	14459		
40	Ayush OPD cases per 10,000 population ***	367	747		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	63,332					
2	Sex Ratio	1,012					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	17					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,585		1,606			
9	Expected number of Delivery	1,446		1,464			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,021	64.4	1,282	79.8	ANC Check up in first trimester	41.7
11	Mothers registered in the first trimester	1,021	100.0	1,090	85.0	At least 4 ANC check up	29.1
12	Mothers who had 4 or more ANC check ups	1,225	120.0	1,227	95.7	Neonatal tetanus received	73.1
13	PW who got TT 2 / Booster injection	218	21.4	212	16.5	100 IFA tablets consumed	11.2
14	PW who consumed 180 IFA tablets	1,021	100.0	1,282	100.0	Home Delivery	24.0
15	Home Delivery against expected delivery *	31	2.1	38	2.6	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	1,194	82.6	1,169	79.8	Home Delivery by SBA	4.4
17	Home Delivery against reported delivery **	31	2.5	38	3.1	PNC within 2 days of delivery	53.6
18	Institutional Delivery against reported delivery **	1,194	97.5	1,169	96.9	Breastfeed within 1 hour of birth	52.2
19	Total reported Deliveries	1,225		1,207			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	48.4	36	94.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	186	15.2	8	0.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,414		1,430			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	1,225	86.6	1,207	84.4	BCG	82.9
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	70.7
25	Newborn weighted at birth to live birth	1,217	99.3	1,207	100.0	Measles First dose	77.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.4	20	1.7	3 doses of penta or hepatitis B vaccine	64.4

27	Newborns breastfed within 1 hour to total reported live birth.	1,179	96.2	1,207	100.0	Full Immunization	60.8
28	Fully immunized	1,190	84.2	1,197	83.7		
29	Children who have received BCG	1,225	86.6	1,202	84.0		
30	Children who have received Pentavalent 1	1,193	84.4	1,202	84.0		
31	Children who have received Pentavalent 3	1,190	84.2	1,197	83.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,190	84.2	1,199	83.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	293		298			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	0	0	Spacing	4.7
36	Number of IUD insertion	35	44	Women using any method	64.9
37	Number of IUD removals	15	30	Women using modern method	57.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	129	82		
39	General OPD cases per 10,000 population ***	4732	4222		
40	Ayush OPD cases per 10,000 population ***	526	334		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	70,956
2	Sex Ratio	962

B) Infrastructure Details (HDI 2023-24)

3	Sub Centers (SC)	17
4	Primary Health Centers(PHC)	9
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2024-25		2025-26			
8	Expected number of PW	1,475		1,459			
9	Expected number of Delivery	1,345		1,331			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,657	112.4	1,418	97.2	ANC Check up in first trimester	39.9
11	Mothers registered in the first trimester	1,065	64.3	1,389	98.0	At least 4 ANC check up	34.3
12	Mothers who had 4 or more ANC check ups	972	58.7	991	69.9	Neonatal tetanus received	75.2
13	PW who got TT 2 / Booster injection	1,055	63.7	1,252	88.3	100 IFA tablets consumed	11.4
14	PW who consumed 180 IFA tablets	1,592	96.1	1,394	98.3	Home Delivery	9.2
15	Home Delivery against expected delivery *	2	0.1	0	0.0	Institutional Delivery	90.8
16	Institutional Delivery against expected delivery *	2,056	152.9	1,976	148.5	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	2	0.1	0	0.0	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	2,056	99.9	1,976	100.0	Breastfeed within 1 hour of birth	49.4
19	Total reported Deliveries	2,058		1,976			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	100.0	0	-		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,982	96.3	1,904	96.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,315		1,300			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	2,031	154.4	1,957	150.5	BCG	84.8
24	Total Still Birth	17	1.3	33	2.5	3 dose of DPT	71.2
25	Newborn weighted at birth to live birth	2,017	99.3	1,950	99.6	Measles First dose	81.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	128	6.3	121	6.2	3 doses of penta or hepatitis B vaccine	67.3

27	Newborns breastfed within 1 hour to total reported live birth.	2,010	99.0	1,950	99.6	Full Immunization	48.8
28	Fully immunized	1,293	98.3	1,272	97.8		
29	Children who have received BCG	2,159	164.2	2,131	163.9		
30	Children who have received Pentavalent 1	1,373	104.4	1,324	101.8		
31	Children who have received Pentavalent 3	1,338	101.7	1,333	102.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,300	98.8	1,282	98.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	142		145			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.6
35	Number of Tubectomies performed	94	67	Spacing	9.6
36	Number of IUD insertion	121	125	Women using any method	40
37	Number of IUD removals	96	86	Women using modern method	35.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1229	1191		
39	General OPD cases per 10,000 population ***	17583	19777		
40	Ayush OPD cases per 10,000 population ***	265	342		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	9	3		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	10	3		
44	Deaths between (1 - 11) months	2	3		
45	Total reported infant deaths	12	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	0		
53	Total reported maternal deaths	2	0		

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	19,697					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	539		552			
9	Expected number of Delivery	491		503			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	187	34.7	161	29.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	70	37.4	69	42.9	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	17	9.1	48	29.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	133	71.1	127	78.9	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	183	97.9	150	93.2	Home Delivery	NA
15	Home Delivery against expected delivery *	16	3.3	13	2.6	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	28	5.7	22	4.4	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	16	36.4	13	37.1	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	28	63.6	22	62.9	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	44		35			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	31.3	2	15.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12	27.3	16	45.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	480		491			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	44	9.2	34	6.9	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	34	77.3	27	79.4	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	5.9	5	18.5	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	36	81.8	33	97.1	Full Immunization	NA
28	Fully immunized	204	42.5	178	36.2		
29	Children who have received BCG	69	14.4	56	11.4		
30	Children who have received Pentavalent 1	179	37.3	173	35.2		
31	Children who have received Pentavalent 3	210	43.7	197	40.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	204	42.5	178	36.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	241		329			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	4	3	Women using any method	NA
37	Number of IUD removals	4	4	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	274	334		
39	General OPD cases per 10,000 population ***	5092	5516		
40	Ayush OPD cases per 10,000 population ***	1574	1673		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	46,704
2	Sex Ratio	1,029

B) Infrastructure Details (HDI 2023-24)

		Numbers
3	Sub Centers (SC)	11
4	Primary Health Centers (PHC)	6
5	Community Health Centers (CHC)	0
6	SDH	0
7	DH	1

C) Maternal Health:

		2024-25		2025-26			
8	Expected number of PW	2,027		2,199			
9	Expected number of Delivery	1,849		2,006			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	296	14.6	295	13.4	ANC Check up in first trimester	62.5
11	Mothers registered in the first trimester	209	70.6	219	74.2	At least 4 ANC check up	18.3
12	Mothers who had 4 or more ANC check ups	217	73.3	210	71.2	Neonatal tetanus received	55.1
13	PW who got TT 2 / Booster injection	201	67.9	193	65.4	100 IFA tablets consumed	12.7
14	PW who consumed 180 IFA tablets	298	100.7	312	105.8	Home Delivery	26.5
15	Home Delivery against expected delivery *	20	1.1	13	0.6	Institutional Delivery	73.5
16	Institutional Delivery against expected delivery *	91	4.9	81	4.0	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	20	18.0	13	13.8	PNC within 2 days of delivery	34.9
18	Institutional Delivery against reported delivery **	91	82.0	81	86.2	Breastfeed within 1 hour of birth	35.9
19	Total reported Deliveries	111		94			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	55.0	10	76.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	72	64.9	70	74.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,808		1,960			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	110	6.1	91	4.6	BCG	92.2
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	71.3
25	Newborn weighted at birth to live birth	104	94.5	89	97.8	Measles First dose	77.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	3.8	14	15.7	3 doses of penta or hepatitis B vaccine	71.3

27	Newborns breastfed within 1 hour to total reported live birth.	105	95.5	88	96.7	Full Immunization	63.6
28	Fully immunized	291	16.1	305	15.6		
29	Children who have received BCG	294	16.3	292	14.9		
30	Children who have received Pentavalent 1	291	16.1	294	15.0		
31	Children who have received Pentavalent 3	287	15.9	302	15.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	288	15.9	295	15.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	387		417			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.5
35	Number of Tubectomies performed	0	0	Spacing	13.1
36	Number of IUD insertion	21	12	Women using any method	46.1
37	Number of IUD removals	7	6	Women using modern method	39.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	222	147		
39	General OPD cases per 10,000 population ***	1569	1481		
40	Ayush OPD cases per 10,000 population ***	194	181		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	45,372
2	Sex Ratio	1,029

B) Infrastructure Details (HDI 2023-24)

		Numbers
3	Sub Centers (SC)	17
4	Primary Health Centers (PHC)	4
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2024-25		2025-26			
8	Expected number of PW	1,970		2,137			
9	Expected number of Delivery	1,796		1,948			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	730	37.1	596	27.9	ANC Check up in first trimester	45.2
11	Mothers registered in the first trimester	674	92.3	576	96.6	At least 4 ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	596	81.6	541	90.8	Neonatal tetanus received	77.0
13	PW who got TT 2 / Booster injection	150	20.5	69	11.6	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	505	69.2	551	92.4	Home Delivery	30.8
15	Home Delivery against expected delivery *	12	0.7	12	0.6	Institutional Delivery	69.2
16	Institutional Delivery against expected delivery *	315	17.5	339	17.4	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	12	3.7	12	3.4	PNC within 2days of delivery	62.3
18	Institutional Delivery against reported delivery **	315	96.3	339	96.6	Breastfeed within 1 hour of birth	39.0
19	Total reported Deliveries	327		351			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	100.0	11	91.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	63	19.3	133	37.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,756		1,904			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	327	18.6	351	18.4	BCG	100
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	86.6
25	Newborn weighted at birth to live birth	326	99.7	348	99.1	Measles First dose	89.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.6	0	0.0	3 doses of penta or hepatitis B vaccine	76.3

27	Newborns breastfed within 1 hour to total reported live birth.	326	99.7	341	97.2	Full Immunization	71.4
28	Fully immunized	480	27.3	518	27.2		
29	Children who have received BCG	444	25.3	404	21.2		
30	Children who have received Pentavalent 1	542	30.9	418	22.0		
31	Children who have received Pentavalent 3	546	31.1	477	25.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	624	35.5	614	32.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	31		17			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.4
35	Number of Tubectomies performed	0	0	Spacing	7.4
36	Number of IUD insertion	25	44	Women using any method	54.1
37	Number of IUD removals	35	42	Women using modern method	47.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	73	39		
39	General OPD cases per 10,000 population ***	831	280		
40	Ayush OPD cases per 10,000 population ***	27	28		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Leparada Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	20,152					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	12					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	402		395			
9	Expected number of Delivery	366		361			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	272	67.7	311	78.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	115	42.3	169	54.3	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	108	39.7	116	37.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	134	49.3	159	51.1	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	231	84.9	310	99.7	Home Delivery	NA
15	Home Delivery against expected delivery *	1	0.3	2	0.6	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	86	23.5	64	17.7	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	1	1.1	2	3.0	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	86	98.9	64	97.0	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	87		66			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	1	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7	8.0	21	31.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	358		352			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	87	24.3	66	18.7	BCG	NA
24	Total Still Birth	1	0.3	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	83	95.4	66	100.0	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	2.4	0	0.0	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	79	90.8	66	100.0	Full Immunization	NA
28	Fully immunized	255	71.2	263	74.6		
29	Children who have received BCG	109	30.4	87	24.7		
30	Children who have received Pentavalent 1	243	67.8	236	67.0		
31	Children who have received Pentavalent 3	245	68.4	230	65.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	235	65.6	250	71.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	376		453			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	34	19	Spacing	NA
36	Number of IUD insertion	7	14	Women using any method	NA
37	Number of IUD removals	10	19	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	498	694		
39	General OPD cases per 10,000 population ***	10807	12170		
40	Ayush OPD cases per 10,000 population ***	873	2564		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,776					
2	Sex Ratio	901					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,061		1,053			
9	Expected number of Delivery	967		960			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	949	89.5	1,011	96.1	ANC Check up in first trimester	66.9
11	Mothers registered in the first trimester	417	43.9	415	41.0	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	736	77.6	499	49.4	Neonatal tetanus received	74.6
13	PW who got TT 2 / Booster injection	688	72.5	727	71.9	100 IFA tablets consumed	34.1
14	PW who consumed 180 IFA tablets	809	85.2	879	86.9	Home Delivery	9.8
15	Home Delivery against expected delivery *	10	1.0	1	0.1	Institutional Delivery	90.2
16	Institutional Delivery against expected delivery *	948	98.0	977	101.8	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	10	1.0	1	0.1	PNC within 2 days of delivery	66.2
18	Institutional Delivery against reported delivery **	948	99.0	977	99.9	Breastfeed within 1 hour of birth	52.3
19	Total reported Deliveries	958		978			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	904	94.4	921	94.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	946		938			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	942	99.6	967	103.1	BCG	95.9
24	Total Still Birth	6	0.6	18	1.9	3 dose of DPT	86.8
25	Newborn weighted at birth to live birth	942	100.0	966	99.9	Measles First dose	87.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	78	8.3	88	9.1	3 doses of penta or hepatitis B vaccine	83.4

27	Newborns breastfed within 1 hour to total reported live birth.	938	99.6	961	99.4	Full Immunization	74
28	Fully immunized	826	87.3	819	87.3		
29	Children who have received BCG	954	100.9	976	104.1		
30	Children who have received Pentavalent 1	818	86.5	789	84.1		
31	Children who have received Pentavalent 3	806	85.2	763	81.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	825	87.2	792	84.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	661		628			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	98	83	Spacing	7.3
36	Number of IUD insertion	25	33	Women using any method	57
37	Number of IUD removals	24	31	Women using modern method	43.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	431	518		
39	General OPD cases per 10,000 population ***	10415	10090		
40	Ayush OPD cases per 10,000 population ***	1242	1362		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	2	1		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	3	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	56,953					
2	Sex Ratio	931					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,168		1,154			
9	Expected number of Delivery	1,065		1,052			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,479	126.6	1,292	112.0	ANC Check up in first trimester	65.8
11	Mothers registered in the first trimester	632	42.7	555	43.0	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	558	37.7	423	32.7	Neonatal tetanus received	78.4
13	PW who got TT 2 / Booster injection	1,093	73.9	998	77.2	100 IFA tablets consumed	33.4
14	PW who consumed 180 IFA tablets	1,310	88.6	1,152	89.2	Home Delivery	35.5
15	Home Delivery against expected delivery *	372	34.9	371	35.3	Institutional Delivery	64.5
16	Institutional Delivery against expected delivery *	651	61.1	590	56.1	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	372	36.4	371	38.6	PNC within 2 days of delivery	57.1
18	Institutional Delivery against reported delivery **	651	63.6	590	61.4	Breastfeed within 1 hour of birth	58.0
19	Total reported Deliveries	1,023		961			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	6.2	35	9.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	557	54.4	564	58.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,042		1,028			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	1,017	97.6	953	92.7	BCG	74.5
24	Total Still Birth	3	0.3	10	1.0	3 dose of DPT	59.7
25	Newborn weighted at birth to live birth	878	86.3	945	99.2	Measles First dose	61.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	0.7	6	0.6	3 doses of penta or hepatitis B vaccine	59.7

27	Newborns breastfed within 1 hour to total reported live birth.	929	91.3	949	99.6	Full Immunization	52.7
28	Fully immunized	986	94.6	1,101	107.1		
29	Children who have received BCG	1,031	99.0	993	96.6		
30	Children who have received Pentavalent 1	1,305	125.3	1,234	120.0		
31	Children who have received Pentavalent 3	1,278	122.7	1,257	122.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,036	99.4	1,132	110.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,778		1,345			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	7.3
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	66	13	Women using any method	68.6
37	Number of IUD removals	10	9	Women using modern method	49
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	181	181		
39	General OPD cases per 10,000 population ***	8981	8425		
40	Ayush OPD cases per 10,000 population ***	1901	1779		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	4		
42	Neonatal Deaths within 1 to 28 days	0	6		
43	Total Neonatal Death	0	10		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	0	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	54,080
2	Sex Ratio	919

B) Infrastructure Details (HDI 2023-24)

3	Sub Centers (SC)	14
4	Primary Health Centers(PHC)	4
5	Community Health Centers (CHC)	4
6	SDH	0
7	DH	1

C) Maternal Health:

		2024-25		2025-26			
8	Expected number of PW	1,069		1,052			
9	Expected number of Delivery	975		959			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	956	89.4	909	86.4	ANC Check up in first trimester	56.3
11	Mothers registered in the first trimester	470	49.2	518	57.0	At least 4 ANC check up	48.6
12	Mothers who had 4 or more ANC check ups	602	63.0	538	59.2	Neonatal tetanus received	87.5
13	PW who got TT 2 / Booster injection	762	79.7	726	79.9	100 IFA tablets consumed	25.8
14	PW who consumed 180 IFA tablets	893	93.4	837	92.1	Home Delivery	9.9
15	Home Delivery against expected delivery *	24	2.5	32	3.3	Institutional Delivery	90.1
16	Institutional Delivery against expected delivery *	469	48.1	401	41.8	Home Delivery by SBA	3.6
17	Home Delivery against reported delivery **	24	4.9	32	7.4	PNC within 2 days of delivery	58.6
18	Institutional Delivery against reported delivery **	469	95.1	401	92.6	Breastfeed within 1 hour of birth	59.8
19	Total reported Deliveries	493		433			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	95.8	20	62.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	263	53.3	286	66.1		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	954		937			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	490	51.4	434	46.3	BCG	89.2
24	Total Still Birth	3	0.3	3	0.3	3 dose of DPT	77
25	Newborn weighted at birth to live birth	485	99.0	421	97.0	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	34	7.0	29	6.9	3 doses of penta or hepatitis B vaccine	79.2

27	Newborns breastfed within 1 hour to total reported live birth.	464	94.7	427	98.4	Full Immunization	73.8
28	Fully immunized	753	79.0	735	78.5		
29	Children who have received BCG	655	68.7	643	68.6		
30	Children who have received Pentavalent 1	821	86.1	814	86.9		
31	Children who have received Pentavalent 3	774	81.2	759	81.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	729	76.4	736	78.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	332		311			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.9
35	Number of Tubectomies performed	5	3	Spacing	4.6
36	Number of IUD insertion	35	11	Women using any method	75.3
37	Number of IUD removals	23	22	Women using modern method	56.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	216	190		
39	General OPD cases per 10,000 population ***	12939	12627		
40	Ayush OPD cases per 10,000 population ***	1001	1214		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	3	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	22,630					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	451		444			
9	Expected number of Delivery	411		405			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	223	49.4	220	49.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	135	60.5	127	57.7	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	138	61.9	97	44.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	208	93.3	196	89.1	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	175	78.5	146	66.4	Home Delivery	NA
15	Home Delivery against expected delivery *	5	1.2	13	3.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	71	17.3	50	12.3	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	5	6.6	13	20.6	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	71	93.4	50	79.4	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	76		63			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	80.0	8	61.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	37	48.7	28	44.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	402		396			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	76	18.9	63	15.9	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	75	98.7	61	96.8	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	5.3	7	11.5	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	75	98.7	60	95.2	Full Immunization	NA
28	Fully immunized	262	65.1	241	60.9		
29	Children who have received BCG	91	22.6	69	17.4		
30	Children who have received Pentavalent 1	251	62.4	184	46.5		
31	Children who have received Pentavalent 3	246	61.1	185	46.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	262	65.1	241	60.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	107		74			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	12	4	Women using any method	NA
37	Number of IUD removals	16	10	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	766	692		
39	General OPD cases per 10,000 population ***	12642	11726		
40	Ayush OPD cases per 10,000 population ***	718	952		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	67,751					
2	Sex Ratio	975					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	23					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,853		1,897			
9	Expected number of Delivery	1,689		1,730			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	574	31.0	582	30.7	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	222	38.7	331	56.9	At least 4 ANC check up	39.1
12	Mothers who had 4 or more ANC check ups	310	54.0	246	42.3	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	455	79.3	436	74.9	100 IFA tablets consumed	15.2
14	PW who consumed 180 IFA tablets	570	99.3	582	100.0	Home Delivery	10.2
15	Home Delivery against expected delivery *	9	0.5	11	0.6	Institutional Delivery	89.8
16	Institutional Delivery against expected delivery *	381	22.6	358	20.7	Home Delivery by SBA	2.8
17	Home Delivery against reported delivery **	9	2.3	11	3.0	PNC within 2 days of delivery	67.7
18	Institutional Delivery against reported delivery **	381	97.7	358	97.0	Breastfeed within 1 hour of birth	52.5
19	Total reported Deliveries	390		369			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	11.1	0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	176	45.1	303	82.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,652		1,690			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	384	23.2	364	21.5	BCG	85
24	Total Still Birth	4	0.2	5	0.3	3 dose of DPT	69.6
25	Newborn weighted at birth to live birth	381	99.2	364	100.0	Measles First dose	76.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	23	6.0	30	8.2	3 doses of penta or hepatitis B vaccine	65.9

27	Newborns breastfed within 1 hour to total reported live birth.	271	70.6	268	73.6	Full Immunization	66.5
28	Fully immunized	569	34.4	554	32.8		
29	Children who have received BCG	394	23.8	384	22.7		
30	Children who have received Pentavalent 1	525	31.8	503	29.8		
31	Children who have received Pentavalent 3	570	34.5	558	33.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	566	34.3	553	32.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	263		223			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	10	15	Spacing	2.3
36	Number of IUD insertion	65	35	Women using any method	65.9
37	Number of IUD removals	49	49	Women using modern method	58
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	505	485		
39	General OPD cases per 10,000 population ***	6341	6266		
40	Ayush OPD cases per 10,000 population ***	1007	798		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	95,950
2	Sex Ratio	901

B) Infrastructure Details (HDI 2023-24)

3	Sub Centers (SC)	15
4	Primary Health Centers(PHC)	4
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2024-25		2025-26			
8	Expected number of PW	2,044		2,029			
9	Expected number of Delivery	1,864		1,850			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,274	111.2	2,181	107.5	ANC Check up in first trimester	61.6
11	Mothers registered in the first trimester	2,112	92.9	1,961	89.9	At least 4 ANC check up	35.4
12	Mothers who had 4 or more ANC check ups	1,934	85.0	1,765	80.9	Neonatal tetanus received	76.7
13	PW who got TT 2 / Booster injection	1,997	87.8	1,970	90.3	100 IFA tablets consumed	33.6
14	PW who consumed 180 IFA tablets	2,161	95.0	1,778	81.5	Home Delivery	36.4
15	Home Delivery against expected delivery *	54	2.9	101	5.5	Institutional Delivery	63.6
16	Institutional Delivery against expected delivery *	2,103	112.8	1,815	98.1	Home Delivery by SBA	6.4
17	Home Delivery against reported delivery **	54	2.5	101	5.3	PNC within 2days of delivery	51.2
18	Institutional Delivery against reported delivery **	2,103	97.5	1,815	94.7	Breastfeed within 1 hour of birth	47.4
19	Total reported Deliveries	2,157		1,916			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	50.0	68	67.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,485	68.8	878	45.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,823		1,808			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	2,166	118.8	1,908	105.6	BCG	83.5
24	Total Still Birth	7	0.4	18	1.0	3 dose of DPT	80.7
25	Newborn weighted at birth to live birth	2,166	100.0	1,908	100.0	Measles First dose	79.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	152	7.0	95	5.0	3 doses of penta or hepatitis B vaccine	75.1

27	Newborns breastfed within 1 hour to total reported live birth.	2,057	95.0	1,884	98.7	Full Immunization	67.2
28	Fully immunized	1,867	102.4	1,863	103.1		
29	Children who have received BCG	1,861	102.1	1,684	93.2		
30	Children who have received Pentavalent 1	1,892	103.8	1,913	105.8		
31	Children who have received Pentavalent 3	1,818	99.7	1,936	107.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,879	103.1	1,876	103.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	627		642			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	74	37	Spacing	5.2
36	Number of IUD insertion	99	92	Women using any method	69.5
37	Number of IUD removals	32	43	Women using modern method	48.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	446	322		
39	General OPD cases per 10,000 population ***	8566	8141		
40	Ayush OPD cases per 10,000 population ***	1494	1255		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	2	6		
42	Neonatal Deaths within 1 to 28 days	4	0		
43	Total Neonatal Death	6	6		
44	Deaths between (1 - 11) months	5	3		
45	Total reported infant deaths	11	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	0		

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	15,358					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	384		389			
9	Expected number of Delivery	351		355			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	106	27.6	89	22.9	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	19	17.9	35	39.3	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	40	37.7	62	69.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	69	65.1	62	69.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	111	104.7	86	96.6	Home Delivery	NA
15	Home Delivery against expected delivery *	1	0.3	0	0.0	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	65	18.5	73	20.6	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	1	1.5	0	0.0	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	65	98.5	73	100.0	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	66		73			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	-		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	87.9	51	69.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	343		347			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	65	19.0	74	21.3	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	65	100.0	74	100.0	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	6.2	7	9.5	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	64	98.5	73	98.6	Full Immunization	NA
28	Fully immunized	128	37.3	125	36.0		
29	Children who have received BCG	90	26.2	87	25.1		
30	Children who have received Pentavalent 1	116	33.8	120	34.6		
31	Children who have received Pentavalent 3	121	35.3	123	35.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	129	37.6	124	35.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	216		231			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	3	1	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	37	46		
39	General OPD cases per 10,000 population ***	4607	4626		
40	Ayush OPD cases per 10,000 population ***	681	171		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,76,573					
2	Sex Ratio	950					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	44					
4	Primary Health Centers (PHC)	19					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	4,680		4,774			
9	Expected number of Delivery	4,268		4,353			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,079	151.2	7,082	148.3	ANC Check up in first trimester	38.4
11	Mothers registered in the first trimester	4,977	70.3	4,991	70.5	At least 4 ANC check up	39.3
12	Mothers who had 4 or more ANC check ups	5,575	78.8	4,851	68.5	Neonatal tetanus received	74.0
13	PW who got TT 2 / Booster injection	2,092	29.6	1,513	21.4	100 IFA tablets consumed	24.8
14	PW who consumed 180 IFA tablets	6,304	89.1	5,480	77.4	Home Delivery	12.0
15	Home Delivery against expected delivery *	3	0.1	10	0.2	Institutional Delivery	88.0
16	Institutional Delivery against expected delivery *	6,718	157.4	6,542	150.3	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	3	0.0	10	0.2	PNC within 2 days of delivery	53.2
18	Institutional Delivery against reported delivery **	6,718	100.0	6,542	99.8	Breastfeed within 1 hour of birth	52.9
19	Total reported Deliveries	6,721		6,552			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	9	90.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,460	36.6	3,463	52.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,174		4,253			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	6,785	162.6	6,635	156.0	BCG	88.1
24	Total Still Birth	26	0.6	47	1.1	3 dose of DPT	76.3
25	Newborn weighted at birth to live birth	6,779	99.9	6,624	99.8	Measles First dose	77.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	412	6.1	675	10.2	3 doses of penta or hepatitis B vaccine	64.3

27	Newborns breastfed within 1 hour to total reported live birth.	3,983	58.7	3,766	56.8	Full Immunization	60.7
28	Fully immunized	3,712	88.9	3,941	92.7		
29	Children who have received BCG	6,338	151.8	6,044	142.1		
30	Children who have received Pentavalent 1	4,377	104.9	4,327	101.7		
31	Children who have received Pentavalent 3	3,848	92.2	4,126	97.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,703	88.7	3,906	91.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,289		1,554			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	20.3
35	Number of Tubectomies performed	337	212	Spacing	8.8
36	Number of IUD insertion	236	190	Women using any method	47.7
37	Number of IUD removals	100	117	Women using modern method	41
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1690	1484		
39	General OPD cases per 10,000 population ***	39954	32775		
40	Ayush OPD cases per 10,000 population ***	1379	1452		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	5	7		
42	Neonatal Deaths within 1 to 28 days	20	18		
43	Total Neonatal Death	25	25		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	26	27		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	2		
53	Total reported maternal deaths	0	2		

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	13,310					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	3					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	265		261			
9	Expected number of Delivery	242		238			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	167	62.9	187	71.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	68	40.7	101	54.0	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	35	21.0	42	22.5	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	127	76.0	156	83.4	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	129	77.2	149	79.7	Home Delivery	NA
15	Home Delivery against expected delivery *	18	7.4	13	5.5	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	43	17.8	36	15.1	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	18	29.5	13	26.5	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	43	70.5	36	73.5	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	61		49			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	5.6	5	38.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24	39.3	18	36.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	237		233			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	61	25.8	49	21.1	BCG	NA
24	Total Still Birth	0	0.0	1	0.4	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	59	96.7	43	87.8	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	2	4.7	3 doses of penta or hepatitis B vaccine	NA

27	Newborns breastfed within 1 hour to total reported live birth.	57	93.4	39	79.6	Full Immunization	NA
28	Fully immunized	177	74.8	156	67.0		
29	Children who have received BCG	52	22.0	53	22.8		
30	Children who have received Pentavalent 1	165	69.7	142	61.0		
31	Children who have received Pentavalent 3	162	68.5	169	72.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	175	73.9	154	66.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	363		301			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	4	7	Women using any method	NA
37	Number of IUD removals	2	5	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	181	187		
39	General OPD cases per 10,000 population ***	9900	9210		
40	Ayush OPD cases per 10,000 population ***	1415	2630		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	27,924					
2	Sex Ratio	962					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	580		574			
9	Expected number of Delivery	529		524			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	260	44.8	257	44.8	ANC Check up in first trimester	50.8
11	Mothers registered in the first trimester	87	33.5	79	30.7	At least 4 ANC check up	31.1
12	Mothers who had 4 or more ANC check ups	60	23.1	38	14.8	Neonatal tetanus received	78.7
13	PW who got TT 2 / Booster injection	185	71.2	171	66.5	100 IFA tablets consumed	21.5
14	PW who consumed 180 IFA tablets	258	99.2	230	89.5	Home Delivery	18.9
15	Home Delivery against expected delivery *	13	2.5	9	1.7	Institutional Delivery	81.1
16	Institutional Delivery against expected delivery *	43	8.1	34	6.5	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	13	23.2	9	20.9	PNC within 2 days of delivery	56.0
18	Institutional Delivery against reported delivery **	43	76.8	34	79.1	Breastfeed within 1 hour of birth	51.4
19	Total reported Deliveries	56		43			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	7.7	6	66.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2	3.6	2	4.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	518		512			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	56	10.8	43	8.4	BCG	80.8
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	81.1
25	Newborn weighted at birth to live birth	51	91.1	38	88.4	Measles First dose	77.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	3.9	9	23.7	3 doses of penta or hepatitis B vaccine	74.7

27	Newborns breastfed within 1 hour to total reported live birth.	51	91.1	38	88.4	Full Immunization	60.3
28	Fully immunized	318	61.4	303	59.2		
29	Children who have received BCG	91	17.6	80	15.6		
30	Children who have received Pentavalent 1	311	60.1	245	47.9		
31	Children who have received Pentavalent 3	299	57.8	283	55.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	321	62.0	313	61.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	95		105			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5
35	Number of Tubectomies performed	0	0	Spacing	2.4
36	Number of IUD insertion	0	0	Women using any method	73.7
37	Number of IUD removals	5	1	Women using modern method	61
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	690	800		
39	General OPD cases per 10,000 population ***	6396	6463		
40	Ayush OPD cases per 10,000 population ***	150	269		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,977					
2	Sex Ratio	701					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,169		1,173			
9	Expected number of Delivery	1,066		1,070			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	717	61.4	624	53.2	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	306	42.7	329	52.7	At least 4 ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	333	46.4	549	88.0	Neonatal tetanus received	85.3
13	PW who got TT 2 / Booster injection	624	87.0	520	83.3	100 IFA tablets consumed	28.2
14	PW who consumed 180 IFA tablets	559	78.0	480	76.9	Home Delivery	15.8
15	Home Delivery against expected delivery *	160	15.0	127	11.9	Institutional Delivery	84.2
16	Institutional Delivery against expected delivery *	468	43.9	368	34.4	Home Delivery by SBA	5.7
17	Home Delivery against reported delivery **	160	25.5	127	25.7	PNC within 2 days of delivery	49.6
18	Institutional Delivery against reported delivery **	468	74.5	368	74.3	Breastfeed within 1 hour of birth	60.6
19	Total reported Deliveries	628		495			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	18.8	10	7.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	113	18.0	48	9.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,042		1,045			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	627	60.2	485	46.4	BCG	93.1
24	Total Still Birth	2	0.2	13	1.2	3 dose of DPT	81.9
25	Newborn weighted at birth to live birth	626	99.8	482	99.4	Measles First dose	90.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.8	9	1.9	3 doses of penta or hepatitis B vaccine	77.6

27	Newborns breastfed within 1 hour to total reported live birth.	509	81.2	441	90.9	Full Immunization	67.5
28	Fully immunized	714	68.5	724	69.3		
29	Children who have received BCG	603	57.9	542	51.8		
30	Children who have received Pentavalent 1	714	68.5	632	60.5		
31	Children who have received Pentavalent 3	687	65.9	667	63.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	714	68.5	727	69.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	490		622			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	6	3	Spacing	11.7
36	Number of IUD insertion	87	162	Women using any method	62.1
37	Number of IUD removals	69	69	Women using modern method	56.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	161	143		
39	General OPD cases per 10,000 population ***	10186	10605		
40	Ayush OPD cases per 10,000 population ***	1635	1640		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	55,022					
2	Sex Ratio	931					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,129		1,115			
9	Expected number of Delivery	1,029		1,017			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	901	79.8	912	81.8	ANC Check up in first trimester	59.3
11	Mothers registered in the first trimester	554	61.5	589	64.6	At least 4 ANC check up	35.7
12	Mothers who had 4 or more ANC check ups	639	70.9	638	70.0	Neonatal tetanus received	73.9
13	PW who got TT 2 / Booster injection	775	86.0	735	80.6	100 IFA tablets consumed	27.4
14	PW who consumed 180 IFA tablets	860	95.4	872	95.6	Home Delivery	29.8
15	Home Delivery against expected delivery *	178	17.3	143	14.1	Institutional Delivery	70.2
16	Institutional Delivery against expected delivery *	345	33.5	355	34.9	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	178	34.0	143	28.7	PNC within 2 days of delivery	49.8
18	Institutional Delivery against reported delivery **	345	66.0	355	71.3	Breastfeed within 1 hour of birth	72.0
19	Total reported Deliveries	523		498			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	61.8	73	51.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	384	73.4	353	70.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,007		993			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	520	51.7	494	49.7	BCG	82.8
24	Total Still Birth	3	0.3	6	0.6	3 dose of DPT	77.4
25	Newborn weighted at birth to live birth	514	98.8	493	99.8	Measles First dose	77.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	0.6	3	0.6	3 doses of penta or hepatitis B vaccine	77.4

27	Newborns breastfed within 1 hour to total reported live birth.	511	98.3	493	99.8	Full Immunization	66.3
28	Fully immunized	710	70.5	687	69.2		
29	Children who have received BCG	550	54.6	534	53.8		
30	Children who have received Pentavalent 1	787	78.2	707	71.2		
31	Children who have received Pentavalent 3	694	68.9	725	73.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	710	70.5	695	70.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	380		291			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	10.6
35	Number of Tubectomies performed	0	22	Spacing	8.1
36	Number of IUD insertion	64	37	Women using any method	56.1
37	Number of IUD removals	38	55	Women using modern method	39.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	276	232		
39	General OPD cases per 10,000 population ***	6699	6923		
40	Ayush OPD cases per 10,000 population ***	1354	1397		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,320					
2	Sex Ratio	891					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	692		679			
9	Expected number of Delivery	631		619			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	667	96.4	464	68.3	ANC Check up in first trimester	54.5
11	Mothers registered in the first trimester	411	61.6	335	72.2	At least 4 ANC check up	34.0
12	Mothers who had 4 or more ANC check ups	410	61.5	371	80.0	Neonatal tetanus received	73.5
13	PW who got TT 2 / Booster injection	408	61.2	373	80.4	100 IFA tablets consumed	12.6
14	PW who consumed 180 IFA tablets	550	82.5	463	99.8	Home Delivery	24.0
15	Home Delivery against expected delivery *	18	2.9	7	1.1	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	216	34.3	203	32.8	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	18	7.7	7	3.3	PNC within 2 days of delivery	56.4
18	Institutional Delivery against reported delivery **	216	92.3	203	96.7	Breastfeed within 1 hour of birth	28.2
19	Total reported Deliveries	234		210			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	50.0	2	28.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	221	94.4	188	89.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	617		605			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	232	37.6	210	34.7	BCG	86.7
24	Total Still Birth	2	0.3	0	0.0	3 dose of DPT	68.4
25	Newborn weighted at birth to live birth	231	99.6	206	98.1	Measles First dose	70
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.2	8	3.9	3 doses of penta or hepatitis B vaccine	63.4

27	Newborns breastfed within 1 hour to total reported live birth.	215	92.7	180	85.7	Full Immunization	61.4
28	Fully immunized	387	62.7	433	71.6		
29	Children who have received BCG	268	43.5	229	37.8		
30	Children who have received Pentavalent 1	429	69.6	418	69.1		
31	Children who have received Pentavalent 3	415	67.3	424	70.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	387	62.7	431	71.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	349		295			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.9
35	Number of Tubectomies performed	10	8	Spacing	6.6
36	Number of IUD insertion	28	6	Women using any method	62
37	Number of IUD removals	45	13	Women using modern method	54
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	389	388		
39	General OPD cases per 10,000 population ***	9248	8467		
40	Ayush OPD cases per 10,000 population ***	1184	1412		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	79,030					
2	Sex Ratio	982					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,189		2,245			
9	Expected number of Delivery	1,996		2,047			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,005	45.9	1,026	45.7	ANC Check up in first trimester	34.6
11	Mothers registered in the first trimester	625	62.2	606	59.1	At least 4 ANC check up	32.1
12	Mothers who had 4 or more ANC check ups	548	54.5	523	51.0	Neonatal tetanus received	79.1
13	PW who got TT 2 / Booster injection	648	64.5	669	65.2	100 IFA tablets consumed	23.6
14	PW who consumed 180 IFA tablets	1,007	100.2	1,023	99.7	Home Delivery	23.0
15	Home Delivery against expected delivery *	4	0.2	4	0.2	Institutional Delivery	77.0
16	Institutional Delivery against expected delivery *	645	32.3	595	29.1	Home Delivery by SBA	5.2
17	Home Delivery against reported delivery **	4	0.6	4	0.7	PNC within 2 days of delivery	56.7
18	Institutional Delivery against reported delivery **	645	99.4	595	99.3	Breastfeed within 1 hour of birth	56.6
19	Total reported Deliveries	649		599			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	25.0	2	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	161	24.8	568	94.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,952		2,000			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	640	32.8	593	29.6	BCG	89.8
24	Total Still Birth	4	0.2	5	0.2	3 dose of DPT	75.6
25	Newborn weighted at birth to live birth	640	100.0	593	100.0	Measles First dose	84.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	4.4	46	7.8	3 doses of penta or hepatitis B vaccine	72.2

27	Newborns breastfed within 1 hour to total reported live birth.	598	93.4	516	87.0	Full Immunization	68.5
28	Fully immunized	783	40.1	769	38.4		
29	Children who have received BCG	679	34.8	605	30.2		
30	Children who have received Pentavalent 1	808	41.4	835	41.7		
31	Children who have received Pentavalent 3	790	40.5	796	39.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	789	40.4	783	39.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	225		165			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	0	0	Spacing	8.6
36	Number of IUD insertion	170	66	Women using any method	53.2
37	Number of IUD removals	151	162	Women using modern method	48.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	81	63		
39	General OPD cases per 10,000 population ***	2103	1703		
40	Ayush OPD cases per 10,000 population ***	345	298		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	83,947
2	Sex Ratio	755

B) Infrastructure Details (HDI 2023-24)

3	Sub Centers (SC)	21
4	Primary Health Centers(PHC)	5
5	Community Health Centers (CHC)	5
6	SDH	0
7	DH	1

C) Maternal Health:

		2024-25		2025-26			
8	Expected number of PW	1,791		1,778			
9	Expected number of Delivery	1,633		1,622			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,344	75.0	1,348	75.8	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	865	64.4	819	60.8	At least 4 ANC check up	27.6
12	Mothers who had 4 or more ANC check ups	1,109	82.5	1,024	76.0	Neonatal tetanus received	64.4
13	PW who got TT 2 / Booster injection	1,073	79.8	1,005	74.6	100 IFA tablets consumed	18.5
14	PW who consumed 180 IFA tablets	1,368	101.8	1,235	91.6	Home Delivery	6.4
15	Home Delivery against expected delivery *	27	1.7	32	2.0	Institutional Delivery	93.6
16	Institutional Delivery against expected delivery *	492	30.1	556	34.3	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	27	5.2	32	5.4	PNC within 2 days of delivery	38.9
18	Institutional Delivery against reported delivery **	492	94.8	556	94.6	Breastfeed within 1 hour of birth	42.6
19	Total reported Deliveries	519		588			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	48.1	22	68.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	342	65.9	422	71.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,598		1,584			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	514	32.2	587	37.1	BCG	94
24	Total Still Birth	8	0.5	3	0.2	3 dose of DPT	65.8
25	Newborn weighted at birth to live birth	499	97.1	575	98.0	Measles First dose	65.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	4.4	28	4.9	3 doses of penta or hepatitis B vaccine	57.4

27	Newborns breastfed within 1 hour to total reported live birth.	497	96.7	581	99.0	Full Immunization	56.2
28	Fully immunized	1,206	75.5	1,234	77.9		
29	Children who have received BCG	655	41.0	696	43.9		
30	Children who have received Pentavalent 1	1,147	71.8	1,105	69.7		
31	Children who have received Pentavalent 3	1,143	71.5	1,165	73.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,208	75.6	1,237	78.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	442		243			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	3	10	Spacing	13.5
36	Number of IUD insertion	157	124	Women using any method	53.8
37	Number of IUD removals	163	137	Women using modern method	47.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	199	245		
39	General OPD cases per 10,000 population ***	7180	6687		
40	Ayush OPD cases per 10,000 population ***	1483	1708		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	56,516
2	Sex Ratio	916
B) Infrastructure Details (HDI 2023-24)		Numbers
3	Sub Centers (SC)	19
4	Primary Health Centers (PHC)	6
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2024-25		2025-26			
8	Expected number of PW	1,127		1,109			
9	Expected number of Delivery	1,027		1,011			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,032	91.6	1,073	96.7	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	335	32.5	387	36.1	At least 4 ANC check up	30.4
12	Mothers who had 4 or more ANC check ups	858	83.1	1,229	114.5	Neonatal tetanus received	72.0
13	PW who got TT 2 / Booster injection	767	74.3	776	72.3	100 IFA tablets consumed	9.9
14	PW who consumed 180 IFA tablets	736	71.3	772	71.9	Home Delivery	15.4
15	Home Delivery against expected delivery *	13	1.3	5	0.5	Institutional Delivery	84.6
16	Institutional Delivery against expected delivery *	1,062	103.4	1,135	112.2	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	13	1.2	5	0.4	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	1,062	98.8	1,135	99.6	Breastfeed within 1 hour of birth	37.6
19	Total reported Deliveries	1,075		1,140			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	84.6	5	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	476	44.3	1,111	97.5		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,005		988			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	1,066	106.1	1,134	114.8	BCG	93.7
24	Total Still Birth	6	0.6	6	0.6	3 dose of DPT	87.8
25	Newborn weighted at birth to live birth	1,059	99.3	1,131	99.7	Measles First dose	86.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	51	4.8	45	4.0	3 doses of penta or hepatitis B vaccine	81

27	Newborns breastfed within 1 hour to total reported live birth.	1,029	96.5	1,051	92.7	Full Immunization	55.4
28	Fully immunized	927	92.3	875	88.6		
29	Children who have received BCG	988	98.3	1,032	104.4		
30	Children who have received Pentavalent 1	942	93.7	817	82.7		
31	Children who have received Pentavalent 3	882	87.8	868	87.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	924	92.0	875	88.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	821		1,082			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.5
35	Number of Tubectomies performed	115	74	Spacing	8.2
36	Number of IUD insertion	129	122	Women using any method	46.6
37	Number of IUD removals	154	103	Women using modern method	38.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	174	123		
39	General OPD cases per 10,000 population ***	14397	14064		
40	Ayush OPD cases per 10,000 population ***	275	403		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths within 1 to 28 days	1	7		
43	Total Neonatal Death	1	9		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		