

Manipur Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	28,55,794					
2	Sex Ratio	987					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	416					
4	Primary Health Centers (PHC)	96					
5	Community Health Centers (CHC)	17					
6	SDH	1					
7	DH	6					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	50,144		49,927			
9	Expected number of Delivery	46,132		45,933			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	52,597	104.9	51,406	103.0	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	34,319	65.2	35,479	69.0	At least 4ANC check up	79.4
12	Mothers who had 4 or more ANC check ups	42,260	80.3	42,285	82.3	Neonatal tetanus received	88.9
13	PW who got TT 2 / Booster injection	30,787	58.5	35,047	68.2	100 IFA tablets consumed	52.3
14	PW who consumed 180 IFA tablets	38,894	73.9	43,278	84.2	Home Delivery	20.1
15	Home Delivery against expected delivery *	4,197	9.1	3,948	8.6	Institutional Delivery	79.9
16	Institutional Delivery against expected delivery *	31,169	67.6	30,884	67.2	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	4,197	11.9	3,948	11.3	PNC within 2days of delivery	73.4
18	Institutional Delivery against reported delivery **	31,169	88.1	30,884	88.7		
19	Total reported Deliveries	35,366		34,832			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,544	60.6	2,611	66.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,281	20.6	4,757	13.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	45,449		45,252			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	35,527	78.2	34,898	77.1	Breastfed within 1 hour of birth	53.7
24	Total Still Birth	200	0.4	188	0.5	BCG	95.4
25	PC of newborn weighted at birth to live birth	35,117	98.8	34,582	99.1	3 dose of DPT	81.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,085	5.9	2,172	6.3	Measles First dose	76.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	28,693	80.8	28,946	82.9	3 doses of penta or hepatitis B vaccine	80
28	Children fully immunized	34,055	74.9	34,868	77.1	Full Immunization	68.8
29	Children who have received BCG	39,078	86.0	38,138	84.3		
30	Children who have received Pentavalent 1	38,730	85.2	38,793	85.7		
31	Children who have received Pentavalent 3	35,548	78.2	36,260	80.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	34,477	75.9	35,408	78.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,664		10,423			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	10	7	Total unmet need	12.2
35	Number of Tubectomies performed	421	434	Spacing	4.7
36	Number of IUD insertion	1,630	1,548	Women using any method	61.3
37	Number of IUD removals	1,406	1,230	Women using modern method	18.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	384	287		
39	General OPD cases per 10,000 population ***	13351	7889		
40	Ayush OPD cases per 10,000 population ***	434	566		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	24	5		
42	Neonatal Deaths within 1 to 28 days	51	26		
43	Total Neonatal Death	75	31		
44	Deaths between (1 - 11) months	53	21		
45	Total reported infant deaths	128	52		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	4	5		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	3		
52	Due to Other/Unknown Causes	8	0		
53	Total reported maternal deaths	14	9		

Bishnupur Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,37,399					
2	Sex Ratio	1,000					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	4,161	4,130				
9	Expected number of Delivery	3,828	3,799				
		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	4,718	113.4	4,900	118.7	ANC Check up in first trimester	84.2
11	Mothers registered in the first trimester	3,783	80.2	3,784	77.2	At least 4ANC check up	77.4
12	Mothers who had 4 or more ANC check ups	5,735	121.6	7,181	146.6	Neonatal tetanus received	88.8
13	PW who got TT 2 / Booster injection	2,613	55.4	2,922	59.6	100 IFA tablets consumed	57.4
14	PW who consumed 180 IFA tablets	4,528	96.0	5,376	109.7	Home Delivery	10.5
15	Home Delivery against expected delivery *	13	0.3	21	0.6	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	688	18.0	736	19.4	Home Delivery by SBA	3.1
17	Home Delivery against reported delivery **	13	1.9	21	2.8	PNC within 2days of delivery	79.0
18	Institutional Delivery against reported delivery **	688	98.1	736	97.2		
19	Total reported Deliveries	701		757			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	23.1	7	33.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	553	78.9	716	94.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,771		3,743			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	701	18.6	754	20.1	Breastfed within 1 hour of birth	48.1
24	Total Still Birth	2	0.1	3	0.4	BCG	96.1
25	PC of newborn weighted at birth to live birth	701	100.0	754	100.0	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.9	27	3.6	Measles First dose	70.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	687	98.0	732	97.1	3 doses of penta or hepatitis B vaccine	81.5
28	Children fully immunized	3,224	85.5	3,277	87.6	Full Immunization	66.6
29	Children who have received BCG	1,195	31.7	1,330	35.5		
30	Children who have received Pentavalent 1	3,176	84.2	3,579	95.6		
31	Children who have received Pentavalent 3	3,072	81.5	3,462	92.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,250	86.2	3,306	88.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,037		2,205			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	3	1	Total unmet need	20
35	Number of Tubectomies performed	17	13	Spacing	5.7
36	Number of IUD insertion	82	87	Women using any method	46.3
37	Number of IUD removals	131	74	Women using modern method	21.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	218	159		
39	General OPD cases per 10,000 population ***	12519	12369		
40	Ayush OPD cases per 10,000 population ***	776	962		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	1	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,44,182					
2	Sex Ratio	932					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	1,348	1,346				
9	Expected number of Delivery	1,240	1,238				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,289	95.6	1,106	82.2	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	890	69.0	727	65.7	At least 4ANC check up	66.6
12	Mothers who had 4 or more ANC check ups	791	61.4	611	55.2	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	579	44.9	541	48.9	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	749	58.1	784	70.9	Home Delivery	44.5
15	Home Delivery against expected delivery *	165	13.3	105	8.5	Institutional Delivery	55.5
16	Institutional Delivery against expected delivery *	403	32.5	454	36.7	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	165	29.0	105	18.8	PNC within 2days of delivery	55.0
18	Institutional Delivery against reported delivery **	403	71.0	454	81.2		
19	Total reported Deliveries	568		559			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	47.9	36	34.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	313	55.1	267	47.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,221		1,220			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)			NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	565	46.3	560	45.9	Breastfed within 1 hour of birth	55.1
24	Total Still Birth	3	0.2	1	0.2	BCG	96.5
25	PC of newborn weighted at birth to live birth	565	100.0	560	100.0	3 dose of DPT	76.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.9	23	4.1	Measles First dose	60.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	430	76.1	435	77.7	3 doses of penta or hepatitis B vaccine	76.2
28	Children fully immunized	754	61.7	773	63.4	Full Immunization	55.5
29	Children who have received BCG	812	66.5	723	59.3		
30	Children who have received Pentavalent 1	854	69.9	830	68.0		
31	Children who have received Pentavalent 3	812	66.5	768	63.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	754	61.7	773	63.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	100		149			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	11
35	Number of Tubectomies performed	19	19	Spacing	4.8
36	Number of IUD insertion	19	9	Women using any method	56.6
37	Number of IUD removals	18	16	Women using modern method	23.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	178	197		
39	General OPD cases per 10,000 population ***	5369	5442		
40	Ayush OPD cases per 10,000 population ***	266	341		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,74,143					
2	Sex Ratio	969					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	4,130	4,113				
9	Expected number of Delivery	3,799	3,784				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,307	128.5	4,986	121.2	ANC Check up in first trimester	69.0
11	Mothers registered in the first trimester	3,487	65.7	3,678	73.8	At least 4ANC check up	61.3
12	Mothers who had 4 or more ANC check ups	4,602	86.7	3,805	76.3	Neonatal tetanus received	79.5
13	PW who got TT 2 / Booster injection	3,111	58.6	4,908	98.4	100 IFA tablets consumed	28.5
14	PW who consumed 180 IFA tablets	1,617	30.5	3,054	61.3	Home Delivery	27.1
15	Home Delivery against expected delivery *	267	7.0	291	7.7	Institutional Delivery	72.9
16	Institutional Delivery against expected delivery *	3,758	98.9	4,143	109.5	Home Delivery by SBA	7.1
17	Home Delivery against reported delivery **	267	6.6	291	6.6	PNC within 2days of delivery	58.2
18	Institutional Delivery against reported delivery **	3,758	93.4	4,143	93.4		
19	Total reported Deliveries	4,025		4,434			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	164	61.4	261	89.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	163	4.0	54	1.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,743		3,728			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)			NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,977	106.3	4,412	118.3	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	55	1.5	46	1.0	BCG	88.9
25	PC of newborn weighted at birth to live birth	3,977	100.0	4,412	100.0	3 dose of DPT	76.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	221	5.6	164	3.7	Measles First dose	71.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,685	92.7	4,361	98.8	3 doses of penta or hepatitis B vaccine	68.2
28	Children fully immunized	3,884	103.8	3,311	88.8	Full Immunization	64.9
29	Children who have received BCG	4,056	108.4	3,825	102.6		
30	Children who have received Pentavalent 1	4,276	114.2	4,095	109.8		
31	Children who have received Pentavalent 3	3,789	101.2	3,504	94.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,769	100.7	3,279	88.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,608		1,105			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.7
35	Number of Tubectomies performed	39	25	Spacing	4.2
36	Number of IUD insertion	591	288	Women using any method	61.8
37	Number of IUD removals	311	216	Women using modern method	22.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	702	764		
39	General OPD cases per 10,000 population ***	7453	9135		
40	Ayush OPD cases per 10,000 population ***	69	60		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	4	0		
42	Neonatal Deaths within 1 to 28 days	35	8		
43	Total Neonatal Death	39	8		
44	Deaths between (1 - 11) months	28	3		
45	Total reported infant deaths	67	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	2	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	2	4		

Imphal East Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,56,113					
2	Sex Ratio	1,011					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	42					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	8,081		8,015			
9	Expected number of Delivery	7,435		7,373			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,092	100.1	7,669	95.7	ANC Check up in first trimester	78.6
11	Mothers registered in the first trimester	6,311	78.0	5,817	75.9	At least 4ANC check up	87.1
12	Mothers who had 4 or more ANC check ups	5,493	67.9	6,965	90.8	Neonatal tetanus received	89.1
13	PW who got TT 2 / Booster injection	4,095	50.6	4,366	56.9	100 IFA tablets consumed	55.8
14	PW who consumed 180 IFA tablets	9,820	121.4	10,315	134.5	Home Delivery	8.3
15	Home Delivery against expected delivery *	18	0.2	24	0.3	Institutional Delivery	91.7
16	Institutional Delivery against expected delivery *	6,498	87.4	6,660	90.3	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	18	0.3	24	0.4	PNC within 2days of delivery	85.4
18	Institutional Delivery against reported delivery **	6,498	99.7	6,660	99.6		
19	Total reported Deliveries	6,516		6,684			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	66.7	20	83.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,065	16.3	1,213	18.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,325		7,264			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	6,568	89.7	6,688	92.1	Breastfed within 1 hour of birth	47.4
24	Total Still Birth	36	0.5	55	0.8	BCG	100
25	PC of newborn weighted at birth to live birth	6,433	97.9	6,588	98.5	3 dose of DPT	83.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	161	2.5	141	2.1	Measles First dose	81.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,295	95.8	6,421	96.0	3 doses of penta or hepatitis B vaccine	81.9
28	Children fully immunized	5,178	70.7	5,553	76.4	Full Immunization	76.2
29	Children who have received BCG	7,351	100.4	7,205	99.2		
30	Children who have received Pentavalent 1	6,034	82.4	6,227	85.7		
31	Children who have received Pentavalent 3	5,524	75.4	6,006	82.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,358	73.1	5,895	81.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	574		806			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.7
35	Number of Tubectomies performed	14	33	Spacing	5.4
36	Number of IUD insertion	117	89	Women using any method	50.1
37	Number of IUD removals	93	95	Women using modern method	16.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	167	210		
39	General OPD cases per 10,000 population ***	6740	8464		
40	Ayush OPD cases per 10,000 population ***	351	390		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	6	0	
42	Neonatal Deaths within 1 to 28 days	7	0	
43	Total Neonatal Death	13	0	
44	Deaths between (1 - 11) months	8	1	
45	Total reported infant deaths	21	1	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Imphal West Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	5,17,992					
2	Sex Ratio	1,029					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	9,243		9,177			
9	Expected number of Delivery	8,503		8,443			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	9,821	106.3	10,681	116.4	ANC Check up in first trimester	83.2
11	Mothers registered in the first trimester	7,030	71.6	8,462	79.2	At least 4ANC check up	93.4
12	Mothers who had 4 or more ANC check ups	11,866	120.8	10,498	98.3	Neonatal tetanus received	92.7
13	PW who got TT 2 / Booster injection	6,099	62.1	6,676	62.5	100 IFA tablets consumed	60.9
14	PW who consumed 180 IFA tablets	4,424	45.0	5,039	47.2	Home Delivery	4.3
15	Home Delivery against expected delivery *	82	1.0	88	1.0	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	11,912	140.1	11,101	131.5	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	82	0.7	88	0.8	PNC within 2days of delivery	90.8
18	Institutional Delivery against reported delivery **	11,912	99.3	11,101	99.2		
19	Total reported Deliveries	11,994		11,189			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	67	81.7	74	84.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,269	10.6	363	3.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,377		8,318			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	12,118	144.7	11,265	135.4	Breastfed within 1 hour of birth	62.6
24	Total Still Birth	69	0.8	55	0.5	BCG	94.7
25	PC of newborn weighted at birth to live birth	12,104	99.9	11,210	99.5	3 dose of DPT	94.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,388	11.5	1,148	10.2	Measles First dose	88.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,785	64.2	7,370	65.4	3 doses of penta or hepatitis B vaccine	94.4
28	Children fully immunized	5,921	70.7	6,604	79.4	Full Immunization	74.1
29	Children who have received BCG	11,929	142.4	11,452	137.7		
30	Children who have received Pentavalent 1	6,608	78.9	6,621	79.6		
31	Children who have received Pentavalent 3	5,966	71.2	6,501	78.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,001	71.6	6,477	77.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,253		1,182			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	12.5
35	Number of Tubectomies performed	274	304	Spacing	6.4
36	Number of IUD insertion	191	356	Women using any method	69.9
37	Number of IUD removals	165	173	Women using modern method	16.4

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1059	531		
39	General OPD cases per 10,000 population ***	42476	8967		
40	Ayush OPD cases per 10,000 population ***	992	1606		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	4	2	
42	Neonatal Deaths within 1 to 28 days	5	13	
43	Total Neonatal Death	9	15	
44	Deaths between (1 - 11) months	5	8	
45	Total reported infant deaths	14	23	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	3	
48	Due to Pregnancy related infection and sepsis, Fever	1	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1	
52	Due to Other/Unknown Causes	7	0	
53	Total reported maternal deaths	10	4	

Jiribam Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	6					
4	Primary Health Centers (PHC)	1					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	797		791			
9	Expected number of Delivery	734		728			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	580	72.7	599	75.7	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	167	28.8	326	54.4	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	9	1.6	115	19.2	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	406	70.0	551	92.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	236	40.7	579	96.7	Home Delivery	NA
15	Home Delivery against expected delivery *	1	0.1	0	0.0	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	14	1.9	15	2.1	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	1	6.7	0	0.0	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	14	93.3	15	100.0		
19	Total reported Deliveries	15		15			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	723		717			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	15	2.1	13	1.8	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	2	15.4	BCG	NA
25	PC of newborn weighted at birth to live birth	15	100.0	13	100.0	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	7.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	15	100.0	13	100.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	244	33.8	462	64.5	Full Immunization	NA
29	Children who have received BCG	99	13.7	235	32.8		
30	Children who have received Pentavalent 1	367	50.8	496	69.2		
31	Children who have received Pentavalent 3	235	32.5	332	46.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	244	33.8	753	105.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5		59			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	0	0	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	32	44		
39	General OPD cases per 10,000 population ***	1990	2485		
40	Ayush OPD cases per 10,000 population ***	0	0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kakching Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,503		2,484			
9	Expected number of Delivery	2,302		2,285			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,237	129.3	3,414	137.4	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	1,764	54.5	2,232	65.4	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	2,231	68.9	1,239	36.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	1,411	43.6	1,937	56.7	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	2,799	86.5	3,986	116.8	Home Delivery	NA
15	Home Delivery against expected delivery *	28	1.2	33	1.4	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	365	15.9	315	13.8	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	28	7.1	33	9.5	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	365	92.9	315	90.5		
19	Total reported Deliveries	393		348			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	7.1	8	24.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	330	84.0	240	69.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,268		2,251			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	411	18.1	349	15.5	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.1	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	309	75.2	319	91.4	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	4.9	6	1.9	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	366	89.1	316	90.5	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	1,728	76.2	1,731	76.9	Full Immunization	NA
29	Children who have received BCG	719	31.7	747	33.2		
30	Children who have received Pentavalent 1	1,846	81.4	1,984	88.1		
31	Children who have received Pentavalent 3	1,765	77.8	1,872	83.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,677	73.9	1,711	76.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	786		665			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	20	12	Women using any method	NA
37	Number of IUD removals	42	92	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	514	404		
39	General OPD cases per 10,000 population ***	7225	8379		
40	Ayush OPD cases per 10,000 population ***	826	732		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Kamjong Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	871		877			
9	Expected number of Delivery	802		807			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	355	40.7	278	31.7	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	117	33.0	83	29.9	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	201	56.6	142	51.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	207	58.3	148	53.2	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	272	76.6	184	66.2	Home Delivery	NA
15	Home Delivery against expected delivery *	127	15.8	130	16.1	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	46	5.7	61	7.6	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	127	73.4	130	68.1	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	46	26.6	61	31.9		
19	Total reported Deliveries	173		191			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	30.7	64	49.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	35	20.2	42	22.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	790		795			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	175	22.2	188	23.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	3	1.6	BCG	NA
25	PC of newborn weighted at birth to live birth	169	96.6	175	93.1	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	1	0.6	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	169	96.6	168	89.4	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	364	46.1	270	34.0	Full Immunization	NA
29	Children who have received BCG	268	33.9	192	24.1		
30	Children who have received Pentavalent 1	388	49.1	270	34.0		
31	Children who have received Pentavalent 3	352	44.6	286	36.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	361	45.7	270	34.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	35		33			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	5	8	Women using any method	NA
37	Number of IUD removals	4	3	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	54	53		
39	General OPD cases per 10,000 population ***	2634	2099		
40	Ayush OPD cases per 10,000 population ***	37	3		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	2	0	
45	Total reported infant deaths	2	0	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Kangpokpi Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,734		2,739			
9	Expected number of Delivery	2,515		2,520			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,133	78.0	2,395	87.4	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	1,246	58.4	1,275	53.2	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	807	37.8	961	40.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	1,132	53.1	1,270	53.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	788	36.9	1,013	42.3	Home Delivery	NA
15	Home Delivery against expected delivery *	578	23.0	560	22.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	489	19.4	555	22.0	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	578	54.2	560	50.2	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	489	45.8	555	49.8		
19	Total reported Deliveries	1,067		1,115			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	406	70.2	357	63.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	478	44.8	349	31.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,478		2,483			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,068	43.1	1,115	44.9	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.1	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	1,038	97.2	1,111	99.6	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.9	9	0.8	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,034	96.8	1,094	98.1	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	2,078	83.9	2,040	82.2	Full Immunization	NA
29	Children who have received BCG	1,992	80.4	2,190	88.2		
30	Children who have received Pentavalent 1	2,344	94.6	2,560	103.1		
31	Children who have received Pentavalent 3	2,153	86.9	2,250	90.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,089	84.3	2,029	81.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	862		1,152			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	75	133	Women using any method	NA
37	Number of IUD removals	79	82	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	120	112		
39	General OPD cases per 10,000 population ***	3322	4744		
40	Ayush OPD cases per 10,000 population ***	176	82		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	0	1	
43	Total Neonatal Death	1	1	
44	Deaths between (1 - 11) months	2	0	
45	Total reported infant deaths	3	1	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Noney Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	758	760				
9	Expected number of Delivery	697	699				
		HMIS (2024-25)	HMIS (2025-26)			NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,149	151.6	1,013	133.3	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	460	40.0	413	40.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	799	69.5	687	67.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	626	54.5	594	58.6	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	784	68.2	1,095	108.1	Home Delivery	NA
15	Home Delivery against expected delivery *	168	24.1	158	22.6	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	212	30.4	192	27.5	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	168	44.2	158	45.1	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	212	55.8	192	54.9		
19	Total reported Deliveries	380		350			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	11.9	2	1.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	2.4	10	2.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	687		689			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)			NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	382	55.6	351	51.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	1	0.3	BCG	NA
25	PC of newborn weighted at birth to live birth	352	92.1	302	86.0	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.7	2	0.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	337	88.2	289	82.3	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	515	75.0	558	81.0	Full Immunization	NA
29	Children who have received BCG	428	62.3	486	70.6		
30	Children who have received Pentavalent 1	700	101.9	712	103.4		
31	Children who have received Pentavalent 3	580	84.4	642	93.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	518	75.4	559	81.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	302		152			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	111	145	Women using any method	NA
37	Number of IUD removals	91	94	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	86	71		
39	General OPD cases per 10,000 population ***	3901	4565		
40	Ayush OPD cases per 10,000 population ***	0	4		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Pherzawl Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	689		686			
9	Expected number of Delivery	634		631			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	363	52.7	373	54.4	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	165	45.5	174	46.6	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	225	62.0	196	52.5	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	146	40.2	202	54.2	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	169	46.6	250	67.0	Home Delivery	NA
15	Home Delivery against expected delivery *	40	6.3	49	7.8	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	87	13.7	97	15.4	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	40	31.5	49	33.6	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	87	68.5	97	66.4		
19	Total reported Deliveries	127		146			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	12.5	18	36.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23	18.1	18	12.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	624		622			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	127	20.3	145	23.3	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	1	0.7	BCG	NA
25	PC of newborn weighted at birth to live birth	90	70.9	107	73.8	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	14.4	4	3.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	107	84.3	141	97.2	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	130	20.8	187	30.1	Full Immunization	NA
29	Children who have received BCG	148	23.7	238	38.3		
30	Children who have received Pentavalent 1	179	28.7	296	47.6		
31	Children who have received Pentavalent 3	142	22.7	261	42.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	130	20.8	209	33.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	57		87			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	0	Women using any method	NA
37	Number of IUD removals	2	0	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	78	90		
39	General OPD cases per 10,000 population ***	1577	1659		
40	Ayush OPD cases per 10,000 population ***	93	82		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	3	1	
43	Total Neonatal Death	4	1	
44	Deaths between (1 - 11) months	2	6	
45	Total reported infant deaths	6	7	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Senapati Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,79,148					
2	Sex Ratio	939					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	31					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	5,175	5,185				
9	Expected number of Delivery	4,761	4,770				
		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	5,299	102.4	4,865	93.8	ANC Check up in first trimester	73.9
11	Mothers registered in the first trimester	2,031	38.3	2,134	43.9	At least 4ANC check up	64.9
12	Mothers who had 4 or more ANC check ups	2,266	42.8	2,235	45.9	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	4,679	88.3	4,790	98.5	100 IFA tablets consumed	28.4
14	PW who consumed 180 IFA tablets	5,511	104.0	5,427	111.6	Home Delivery	54.2
15	Home Delivery against expected delivery *	1,961	41.2	1,828	38.3	Institutional Delivery	45.8
16	Institutional Delivery against expected delivery *	1,878	39.4	1,766	37.0	Home Delivery by SBA	19.3
17	Home Delivery against reported delivery **	1,961	51.1	1,828	50.9	PNC within 2days of delivery	37.0
18	Institutional Delivery against reported delivery **	1,878	48.9	1,766	49.1		
19	Total reported Deliveries	3,839		3,594			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,390	70.9	1,452	79.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	894	23.3	912	25.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,690		4,700			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	3,850	82.1	3,600	76.6	Breastfed within 1 hour of birth	57.6
24	Total Still Birth	19	0.4	7	0.2	BCG	87.2
25	PC of newborn weighted at birth to live birth	3,829	99.5	3,585	99.6	3 dose of DPT	77.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	28	0.7	24	0.7	Measles First dose	75.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,659	95.0	3,579	99.4	3 doses of penta or hepatitis B vaccine	77.2
28	Children fully immunized	3,211	68.5	3,318	70.6	Full Immunization	65
29	Children who have received BCG	3,894	83.0	3,646	77.6		
30	Children who have received Pentavalent 1	3,843	81.9	3,575	76.1		
31	Children who have received Pentavalent 3	3,731	79.6	3,445	73.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,478	74.2	3,358	71.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	374		309			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.5
35	Number of Tubectomies performed	29	28	Spacing	4.1
36	Number of IUD insertion	64	61	Women using any method	65.2
37	Number of IUD removals	53	66	Women using modern method	17.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	161	76		
39	General OPD cases per 10,000 population ***	4505	5016		
40	Ayush OPD cases per 10,000 population ***	29	25		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	1	0	

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,651					
2	Sex Ratio	953					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,122		1,125			
9	Expected number of Delivery	1,032		1,035			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,347	120.1	1,049	93.3	ANC Check up in first trimester	69.4
11	Mothers registered in the first trimester	838	62.2	619	59.0	At least 4ANC check up	56.4
12	Mothers who had 4 or more ANC check ups	725	53.8	526	50.1	Neonatal tetanus received	81.0
13	PW who got TT 2 / Booster injection	774	57.5	802	76.5	100 IFA tablets consumed	31.0
14	PW who consumed 180 IFA tablets	1,011	75.1	833	79.4	Home Delivery	42.3
15	Home Delivery against expected delivery *	309	29.9	297	28.7	Institutional Delivery	57.7
16	Institutional Delivery against expected delivery *	496	48.1	430	41.6	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	309	38.4	297	40.9	PNC within 2days of delivery	52.7
18	Institutional Delivery against reported delivery **	496	61.6	430	59.1		
19	Total reported Deliveries	805		727			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	59	19.1	27	9.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	151	18.8	144	19.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,017		1,019			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	799	78.6	722	70.8	Breastfed within 1 hour of birth	62.9
24	Total Still Birth	8	0.8	7	1.0	BCG	91.2
25	PC of newborn weighted at birth to live birth	785	98.2	716	99.2	3 dose of DPT	78.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	2.9	27	3.8	Measles First dose	77.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	698	87.4	696	96.4	3 doses of penta or hepatitis B vaccine	73.4
28	Children fully immunized	762	75.0	778	76.3	Full Immunization	67.4
29	Children who have received BCG	807	79.4	689	67.6		
30	Children who have received Pentavalent 1	1,031	101.4	880	86.3		
31	Children who have received Pentavalent 3	875	86.1	768	75.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	763	75.1	779	76.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	722		778			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.4
35	Number of Tubectomies performed	9	0	Spacing	3.2
36	Number of IUD insertion	254	207	Women using any method	65.2
37	Number of IUD removals	261	212	Women using modern method	22.2

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	269	298		
39	General OPD cases per 10,000 population ***	3876	3884		
40	Ayush OPD cases per 10,000 population ***	89	246		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	7	3	
42	Neonatal Deaths within 1 to 28 days	1	3	
43	Total Neonatal Death	8	6	
44	Deaths between (1 - 11) months	6	3	
45	Total reported infant deaths	14	9	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	1	0	
53	Total reported maternal deaths	1	0	

Tengnoupal Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	9					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	919		917			
9	Expected number of Delivery	845		844			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	780	84.9	895	97.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	512	65.6	678	75.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	519	66.5	500	55.9	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	665	85.3	708	79.1	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	617	79.1	699	78.1	Home Delivery	NA
15	Home Delivery against expected delivery *	224	26.5	135	16.0	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	84	9.9	137	16.2	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	224	72.7	135	49.6	PNC within 2days of delivery	NA
18	Institutional Delivery against reported delivery **	84	27.3	137	50.4		
19	Total reported Deliveries	308		272			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	197	87.9	125	92.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	60	19.5	143	52.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	832		831			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	310	37.2	271	32.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	2	0.7	BCG	NA
25	PC of newborn weighted at birth to live birth	291	93.9	270	99.6	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	2.7	3	1.1	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	293	94.5	263	97.0	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	620	74.5	504	60.6	Full Immunization	NA
29	Children who have received BCG	623	74.8	579	69.6		
30	Children who have received Pentavalent 1	668	80.2	588	70.7		
31	Children who have received Pentavalent 3	671	80.6	536	64.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	619	74.4	510	61.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	103		157			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	0	7	Women using any method	NA
37	Number of IUD removals	8	4	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	30	137		
39	General OPD cases per 10,000 population ***	3670	3991		
40	Ayush OPD cases per 10,000 population ***	252	252		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Thoubal Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,22,168					
2	Sex Ratio	1,006					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	5,116		5,078			
9	Expected number of Delivery	4,707		4,672			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,784	113.1	5,255	103.5	ANC Check up in first trimester	90.6
11	Mothers registered in the first trimester	4,544	78.6	4,189	79.7	At least 4ANC check up	89.9
12	Mothers who had 4 or more ANC check ups	4,077	70.5	5,081	96.7	Neonatal tetanus received	92.9
13	PW who got TT 2 / Booster injection	3,329	57.6	3,796	72.2	100 IFA tablets consumed	68.5
14	PW who consumed 180 IFA tablets	5,120	88.5	4,306	81.9	Home Delivery	12.2
15	Home Delivery against expected delivery *	10	0.2	16	0.3	Institutional Delivery	87.8
16	Institutional Delivery against expected delivery *	2,942	62.5	3,134	67.1	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	10	0.3	16	0.5	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	2,942	99.7	3,134	99.5		
19	Total reported Deliveries	2,952		3,150			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	70.0	10	62.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	513	17.4	259	8.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,637		4,603			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,960	63.8	3,163	68.7	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	1	0.0	4	0.1	BCG	98.7
25	PC of newborn weighted at birth to live birth	2,960	100.0	3,162	100.0	3 dose of DPT	84.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	115	3.9	550	17.4	Measles First dose	77.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,646	55.6	1,776	56.1	3 doses of penta or hepatitis B vaccine	83.2
28	Children fully immunized	4,366	94.2	4,440	96.5	Full Immunization	74.2
29	Children who have received BCG	3,147	67.9	3,205	69.6		
30	Children who have received Pentavalent 1	4,995	107.7	4,787	104.0		
31	Children who have received Pentavalent 3	4,701	101.4	4,519	98.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,391	94.7	4,440	96.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	841		1,529			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	7	3	Total unmet need	6
35	Number of Tubectomies performed	16	5	Spacing	2.3
36	Number of IUD insertion	71	89	Women using any method	72.2
37	Number of IUD removals	81	56	Women using modern method	17.8

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	157	203		
39	General OPD cases per 10,000 population ***	11051	12437		
40	Ayush OPD cases per 10,000 population ***	517	525		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	0	0	
44	Deaths between (1 - 11) months	0	0	
45	Total reported infant deaths	0	0	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	1	

Ukhrul Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,83,998					
2	Sex Ratio	948					
B)Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	2,550	2,567				
9	Expected number of Delivery	2,346	2,362				
		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	2,343	91.9	1,928	75.1	ANC Check up in first trimester	58.3
11	Mothers registered in the first trimester	974	41.6	888	46.1	At least 4ANC check up	38.8
12	Mothers who had 4 or more ANC check ups	1,914	81.7	1,543	80.0	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	915	39.1	836	43.4	100 IFA tablets consumed	25.1
14	PW who consumed 180 IFA tablets	449	19.2	338	17.5	Home Delivery	55.4
15	Home Delivery against expected delivery *	206	8.8	213	9.0	Institutional Delivery	44.6
16	Institutional Delivery against expected delivery *	1,297	55.3	1,088	46.1	Home Delivery by SBA	9.9
17	Home Delivery against reported delivery **	206	13.7	213	16.4	PNC within 2days of delivery	44.9
18	Institutional Delivery against reported delivery **	1,297	86.3	1,088	83.6		
19	Total reported Deliveries	1,503		1,301			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	93	45.1	150	70.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,425	94.8	27	2.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,311		2,327			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
23	Total reported live births	1,501	64.9	1,302	56.0	Breastfed within 1 hour of birth	63.6
24	Total Still Birth	3	0.1	1	0.1	BCG	91.5
25	PC of newborn weighted at birth to live birth	1,499	99.9	1,298	99.7	3 dose of DPT	53.3

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	56	3.7	42	3.2	Measles First dose	53.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,487	99.1	1,292	99.2	3 doses of penta or hepatitis B vaccine	51.2
28	Children fully immunized	1,076	46.6	1,062	45.6	Full Immunization	39.4
29	Children who have received BCG	1,610	69.7	1,396	60.0		
30	Children who have received Pentavalent 1	1,421	61.5	1,293	55.6		
31	Children who have received Pentavalent 3	1,180	51.1	1,108	47.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,075	46.5	1,060	45.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5		55			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	12.7
35	Number of Tubectomies performed	4	7	Spacing	5.2
36	Number of IUD insertion	30	57	Women using any method	56.9
37	Number of IUD removals	67	47	Women using modern method	12.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	127	118		
39	General OPD cases per 10,000 population ***	3786	3261		
40	Ayush OPD cases per 10,000 population ***	43	115		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		