

Meghalaya Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	29,66,889					
2	Sex Ratio	986					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	480					
4	Primary Health Centers (PHC)	135					
5	Community Health Centers (CHC)	28					
6	SDH	1					
7	DH	14					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	98,763		1,00,186			
9	Expected number of Delivery	92,478		93,811			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,02,987	104.3	98,749	98.6	ANC Check up in first trimester	53.9
11	Mothers registered in the first trimester	49,896	48.4	51,374	52.0	At least 4ANC check up	52.2
12	Mothers who had 4 or more ANC check ups	79,189	76.9	77,752	78.7	Neonatal tetanus received	82.1
13	PW who got TT 2 / Booster injection	76,498	74.3	74,324	75.3	100 IFA tablets consumed	43.1
14	PW who consumed 180 IFA tablets	71,810	69.7	63,879	64.7	Home Delivery	41.9
15	Home Delivery against expected delivery *	21,287	23.0	16,708	17.8	Institutional Delivery	58.1
16	Institutional Delivery Against expected delivery *	64,006	69.2	64,582	68.8	Home Delivery by SBA	6.6
17	Home Delivery against reported delivery **	21,287	25.0	16,708	20.6	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	64,006	75.0	64,582	79.4		
19	Total reported Deliveries	85,293		81,290			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,134	5.3	1,608	9.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	43,559	51.1	38,559	47.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	87,091		87,982			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	84,202	96.7	80,443	91.4	Breastfed within 1 hour of birth	78.8
24	Total Still Birth	2,039	2.3	1,757	2.2	BCG	89.3
25	PC of newborn weighted at birth to live birth	83,277	98.9	79,596	98.9	3 dose of DPT	73.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	7,654	9.2	7,517	9.4	Measles First dose	72.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	73,860	87.7	69,110	85.9	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	72,931	83.7	72,088	81.9	Full Immunization	63.8
29	Children who have received BCG	82,556	94.8	79,579	90.4		
30	Children who have received Pentavalent 1	77,717	89.2	74,929	85.2		
31	Children who have received Pentavalent 3	71,337	81.9	69,668	79.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	72,995	83.8	72,112	82.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	75,187		73,007			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	1	Total unmet need	26.9
35	Number of Tubectomies performed	2,999	3,145	Spacing	18.3
36	Number of IUD insertion	2,004	1,764	Women using any method	27.4
37	Number of IUD removals	2,004	1,845	Women using modern method	22.5

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	768	771		
39	General OPD cases per 10,000 population ***	13397	13855		
40	Ayush OPD cases per 10,000 population ***	831	1044		

G) Mortality Details

I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	270	222		
42	Neonatal Deaths within 1 to 28 days	678	630		
43	Total Neonatal Death	948	852		
44	Deaths between (1 - 11) months	1,124	1,000		
45	Total reported infant deaths	2,072	1,852		

II) Maternal Mortality

	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	2	1		
47	Due to PPH (Post-Partum Haemorrhage)	14	4		
48	Due to Pregnancy related infection and sepsis, Fever	16	4		
49	Due to Abortive complication	2	1		
50	Due to Obstructed/prolonged labour	3	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	6	7		
52	Due to Other/Unknown Causes	39	36		
53	Total reported maternal deaths	82	53		

Eastern West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,14,228					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	3,779	3,959				
9	Expected number of Delivery	3,539	3,707				
		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	6,372	168.6	6,319	159.6	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	3,175	49.8	3,356	53.1	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	4,548	71.4	3,693	58.4	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	4,874	76.5	4,807	76.1	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	4,305	67.6	3,477	55.0	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,218	34.4	1,011	27.3	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	3,838	108.5	3,713	100.2	Home Delivery by SBA	7.2
17	Home Delivery against reported delivery **	1,218	24.1	1,011	21.4	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	3,838	75.9	3,713	78.6		
19	Total reported Deliveries	5,056		4,724			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	4.5	46	4.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,450	28.7	1,752	37.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,332		3,477			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
23	Total reported live births	4,979	149.4	4,669	134.3	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	117	3.5	94	2.0	BCG	86.7
25	PC of newborn weighted at birth to live birth	4,969	99.8	4,640	99.4	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	490	9.9	431	9.3	Measles First dose	71.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,734	95.1	4,343	93.0	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	4,598	138.0	4,583	131.8	Full Immunization	62.5
29	Children who have received BCG	5,053	151.6	4,614	132.7		
30	Children who have received Pentavalent 1	4,906	147.2	4,701	135.2		
31	Children who have received Pentavalent 3	4,644	139.4	4,565	131.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,621	138.7	4,584	131.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,990		5,528			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.8
35	Number of Tubectomies performed	196		221		Spacing	21.1
36	Number of IUD insertion	107		105		Women using any method	26.3
37	Number of IUD removals	98		84		Women using modern method	15.3
F) Service delivery		HMIS (2024-25)		HMIS (2025-26)			
38	IPD cases per 10,000 population ***	1162		1047			
39	General OPD cases per 10,000 population ***	21991		19684			
40	Ayush OPD cases per 10,000 population ***	3365		3544			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2024-25)		HMIS (2025-26)			
41	Neonatal death within 24 hours	19		7			
42	Neonatal Deaths within 1 to 28 days	28		36			
43	Total Neonatal Death	47		43			
44	Deaths between (1 - 11) months	75		56			
45	Total reported infant deaths	122		99			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2024-25)		HMIS (2025-26)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	2		0			
53	Total reported maternal deaths	2		0			

East Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,45,798					
2	Sex Ratio	968					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	4,761	4,820				
9	Expected number of Delivery	4,458	4,513				
		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	4,845	101.8	4,929	102.3	ANC Check up in first trimester	59.2
11	Mothers registered in the first trimester	2,101	43.4	2,314	46.9	At least 4ANC check up	25.5
12	Mothers who had 4 or more ANC check ups	3,517	72.6	3,651	74.1	Neonatal tetanus received	74.5
13	PW who got TT 2 / Booster injection	3,742	77.2	3,913	79.4	100 IFA tablets consumed	28.8
14	PW who consumed 180 IFA tablets	3,585	74.0	2,976	60.4	Home Delivery	26.2
15	Home Delivery against expected delivery *	607	13.6	475	10.5	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	3,723	83.5	3,977	88.1	Home Delivery by SBA	7.5
17	Home Delivery against reported delivery **	607	14.0	475	10.7	PNC within 2days of delivery	59.9
18	Institutional Delivery against reported delivery **	3,723	86.0	3,977	89.3		
19	Total reported Deliveries	4,330		4,452			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	153	25.2	67	14.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,849	65.8	2,766	62.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,198		4,233			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
23	Total reported live births	4,319	102.9	4,421	104.4	Breastfed within 1 hour of birth	48.0
24	Total Still Birth	86	2.0	101	2.3	BCG	81.5
25	PC of newborn weighted at birth to live birth	4,243	98.2	4,392	99.3	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	333	7.8	382	8.7	Measles First dose	83.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,147	96.0	4,257	96.3	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	4,281	102.0	4,003	94.6	Full Immunization	72.4
29	Children who have received BCG	4,202	100.1	4,180	98.8		
30	Children who have received Pentavalent 1	4,279	101.9	4,034	95.3		
31	Children who have received Pentavalent 3	3,940	93.9	3,702	87.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,281	102.0	4,006	94.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,508		1,296			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	21.0
35	Number of Tubectomies performed	204	109	Spacing	12.4
36	Number of IUD insertion	259	253	Women using any method	37.0
37	Number of IUD removals	91	79	Women using modern method	35.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	439	434		
39	General OPD cases per 10,000 population ***	6658	7101		
40	Ayush OPD cases per 10,000 population ***	458	686		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	12	9		
42	Neonatal Deaths within 1 to 28 days	33	39		
43	Total Neonatal Death	45	48		
44	Deaths between (1 - 11) months	23	23		
45	Total reported infant deaths	68	71		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	1		
47	Due to PPH (Post-Partum Haemmorhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	3	2		

East Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,22,939					
2	Sex Ratio	1,008					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	36					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	4,235	4,311				
9	Expected number of Delivery	3,965	4,036				
		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	4,193	99.0	4,097	95.0	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	1,835	43.8	1,935	47.2	At least 4ANC check up	58.6
12	Mothers who had 4 or more ANC check ups	2,309	55.1	3,076	75.1	Neonatal tetanus received	87.7
13	PW who got TT 2 / Booster injection	3,728	88.9	3,603	87.9	100 IFA tablets consumed	51.9
14	PW who consumed 180 IFA tablets	3,785	90.3	3,127	76.3	Home Delivery	51.6
15	Home Delivery against expected delivery *	549	13.8	400	9.9	Institutional Delivery	48.4
16	Institutional Delivery Against expected delivery *	1,788	45.1	1,759	43.6	Home Delivery by SBA	6.8
17	Home Delivery against reported delivery **	549	23.5	400	18.5	PNC within 2days of delivery	49.1
18	Institutional Delivery against reported delivery **	1,788	76.5	1,759	81.5		
19	Total reported Deliveries	2,337		2,159			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	136	24.8	88	22.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,188	50.8	1,261	58.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,734		3,785			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
23	Total reported live births	2,306	61.8	2,145	56.7	Breastfed within 1 hour of birth	85.3
24	Total Still Birth	42	1.1	23	1.1	BCG	92.6
25	PC of newborn weighted at birth to live birth	2,259	98.0	2,128	99.2	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	175	7.7	151	7.1	Measles First dose	83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,195	95.2	2,077	96.8	3 doses of penta or hepatitis B vaccine	77.8
28	Children fully immunized	4,000	107.1	3,862	102.0	Full Immunization	74.4
29	Children who have received BCG	2,583	69.2	2,383	63.0		
30	Children who have received Pentavalent 1	4,021	107.7	3,901	103.1		
31	Children who have received Pentavalent 3	3,899	104.4	3,881	102.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,997	107.0	3,884	102.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,287		5,990			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	26.0
35	Number of Tubectomies performed	0	0	Spacing	20.1
36	Number of IUD insertion	40	40	Women using any method	33.6
37	Number of IUD removals	33	30	Women using modern method	24
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	543	604		
39	General OPD cases per 10,000 population ***	14121	14934		
40	Ayush OPD cases per 10,000 population ***	853	978		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	8	6		
42	Neonatal Deaths within 1 to 28 days	17	8		
43	Total Neonatal Death	25	14		
44	Deaths between (1 - 11) months	38	55		
45	Total reported infant deaths	63	69		
II) Maternal Mortality					
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	0		

East Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,25,922					
2	Sex Ratio	1,008					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	76					
4	Primary Health Centers (PHC)	39					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	2					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	26,665	26,967				
9	Expected number of Delivery	24,968	25,251				
		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	29,070	109.0	27,808	103.1	ANC Check up in first trimester	56.7
11	Mothers registered in the first trimester	15,632	53.8	15,296	55.0	At least 4ANC check up	57.5
12	Mothers who had 4 or more ANC check ups	25,883	89.0	22,997	82.7	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	17,601	60.5	16,874	60.7	100 IFA tablets consumed	40.1
14	PW who consumed 180 IFA tablets	19,105	65.7	17,107	61.5	Home Delivery	36.6
15	Home Delivery against expected delivery *	4,343	17.4	3,802	15.1	Institutional Delivery	63.4
16	Institutional Delivery Against expected delivery *	20,856	83.5	20,731	82.1	Home Delivery by SBA	6.2
17	Home Delivery against reported delivery **	4,343	17.2	3,802	15.5	PNC within 2days of delivery	33.6
18	Institutional Delivery against reported delivery **	20,856	82.8	20,731	84.5		
19	Total reported Deliveries	25,199		24,533			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	1.1	47	1.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,996	71.4	12,394	50.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	23,514		23,682			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
23	Total reported live births	24,929	106.0	24,237	102.3	Breastfed within 1 hour of birth	86.3
24	Total Still Birth	625	2.7	619	2.6	BCG	84.2
25	PC of newborn weighted at birth to live birth	24,812	99.5	24,175	99.7	3 dose of DPT	59.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,509	10.1	2,555	10.6	Measles First dose	56.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	19,387	77.8	18,000	74.3	3 doses of penta or hepatitis B vaccine	46.8
28	Children fully immunized	15,445	65.7	15,570	65.7	Full Immunization	49.1
29	Children who have received BCG	23,669	100.7	23,405	98.8		
30	Children who have received Pentavalent 1	17,848	75.9	16,946	71.6		
31	Children who have received Pentavalent 3	15,391	65.5	15,037	63.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,502	65.9	15,726	66.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	16,300		15,298			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	33.0
35	Number of Tubectomies performed	1,122	1,201	Spacing	25.2
36	Number of IUD insertion	568	486	Women using any method	12.1
37	Number of IUD removals	696	649	Women using modern method	10.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1276	1260		
39	General OPD cases per 10,000 population ***	19928	21249		
40	Ayush OPD cases per 10,000 population ***	777	1218		

G) Mortality Details				
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	91	86	
42	Neonatal Deaths within 1 to 28 days	270	236	
43	Total Neonatal Death	361	322	
44	Deaths between (1 - 11) months	408	391	
45	Total reported infant deaths	769	713	

II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	2	3	
48	Due to Pregnancy related infection and sepsis, Fever	9	0	
49	Due to Abortive complication	0	1	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	2	
52	Due to Other/Unknown Causes	16	19	
53	Total reported maternal deaths	28	25	

North Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,72,119					
2	Sex Ratio	968					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	5,620		5,690			
9	Expected number of Delivery	5,262		5,328			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,683	83.3	4,382	77.0	ANC Check up in first trimester	40.3
11	Mothers registered in the first trimester	2,258	48.2	2,410	55.0	At least 4ANC check up	24.3
12	Mothers who had 4 or more ANC check ups	4,696	100.3	4,906	112.0	Neonatal tetanus received	55.5
13	PW who got TT 2 / Booster injection	4,117	87.9	3,948	90.1	100 IFA tablets consumed	23.7
14	PW who consumed 180 IFA tablets	4,160	88.8	3,797	86.6	Home Delivery	38.5
15	Home Delivery against expected delivery *	1,095	20.8	997	18.7	Institutional Delivery	61.5
16	Institutional Delivery Against expected delivery *	2,123	40.3	2,207	41.4	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	1,095	34.0	997	31.1	PNC within 2days of delivery	40.5
18	Institutional Delivery against reported delivery **	2,123	66.0	2,207	68.9		
19	Total reported Deliveries	3,218		3,204			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	10.0	202	20.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,550	48.2	1,398	43.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,956		4,997			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	3,192	64.4	3,153	63.1	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	57	1.2	79	2.5	BCG	65.9
25	PC of newborn weighted at birth to live birth	3,151	98.7	3,099	98.3	3 dose of DPT	57.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	137	4.3	181	5.8	Measles First dose	58.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,117	97.7	3,091	98.0	3 doses of penta or hepatitis B vaccine	39.5
28	Children fully immunized	3,640	73.4	3,560	71.2	Full Immunization	47.5
29	Children who have received BCG	3,402	68.6	3,390	67.8		
30	Children who have received Pentavalent 1	3,717	75.0	3,592	71.9		
31	Children who have received Pentavalent 3	3,333	67.3	3,377	67.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,629	73.2	3,521	70.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,929		1,766			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	25.2
35	Number of Tubectomies performed	1	7	Spacing	12.9
36	Number of IUD insertion	25	41	Women using any method	19.2
37	Number of IUD removals	48	23	Women using modern method	17.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	246	239		
39	General OPD cases per 10,000 population ***	8378	10008		
40	Ayush OPD cases per 10,000 population ***	198	381		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	5	1		
42	Neonatal Deaths within 1 to 28 days	23	10		
43	Total Neonatal Death	28	11		
44	Deaths between (1 - 11) months	28	27		
45	Total reported infant deaths	56	38		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	0		
53	Total reported maternal deaths	5	0		

Ri Bhoi Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,58,840					
2	Sex Ratio	951					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	36					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	9,150		9,338			
9	Expected number of Delivery	8,568		8,744			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,761	95.7	8,098	86.7	ANC Check up in first trimester	56.1
11	Mothers registered in the first trimester	5,397	61.6	5,768	71.2	At least 4ANC check up	61.0
12	Mothers who had 4 or more ANC check ups	8,626	98.5	7,733	95.5	Neonatal tetanus received	86.2
13	PW who got TT 2 / Booster injection	7,121	81.3	6,469	79.9	100 IFA tablets consumed	48.8
14	PW who consumed 180 IFA tablets	4,991	57.0	5,727	70.7	Home Delivery	43.1
15	Home Delivery against expected delivery *	2,026	23.6	1,346	15.4	Institutional Delivery	56.9
16	Institutional Delivery Against expected delivery *	4,281	50.0	4,354	49.8	Home Delivery by SBA	8.4
17	Home Delivery against reported delivery **	2,026	32.1	1,346	23.6	PNC within 2days of delivery	39.5
18	Institutional Delivery against reported delivery **	4,281	67.9	4,354	76.4		
19	Total reported Deliveries	6,307		5,700			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	1.6	270	20.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,894	30.0	2,370	41.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,069		8,201			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	6,252	77.5	5,675	69.2	Breastfed within 1 hour of birth	85.9
24	Total Still Birth	117	1.4	97	1.7	BCG	94
25	PC of newborn weighted at birth to live birth	6,155	98.4	5,610	98.9	3 dose of DPT	82.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	385	6.3	359	6.4	Measles First dose	80.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,908	94.5	5,491	96.8	3 doses of penta or hepatitis B vaccine	71.5
28	Children fully immunized	6,663	82.6	6,731	82.1	Full Immunization	74.8
29	Children who have received BCG	6,954	86.2	6,158	75.1		
30	Children who have received Pentavalent 1	7,190	89.1	6,922	84.4		
31	Children who have received Pentavalent 3	6,682	82.8	6,652	81.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,704	83.1	6,770	82.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,424		8,951			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	27.0
35	Number of Tubectomies performed	201	128	Spacing	18.4
36	Number of IUD insertion	213	171	Women using any method	33.1
37	Number of IUD removals	245	165	Women using modern method	19.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	484	581		
39	General OPD cases per 10,000 population ***	12582	11904		
40	Ayush OPD cases per 10,000 population ***	1304	1536		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	8	1		
42	Neonatal Deaths within 1 to 28 days	35	32		
43	Total Neonatal Death	43	33		
44	Deaths between (1 - 11) months	60	46		
45	Total reported infant deaths	103	79		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	0	1		

South Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,42,334					
2	Sex Ratio	944					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	4,808		4,885			
9	Expected number of Delivery	4,502		4,574			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,498	93.6	4,679	95.8	ANC Check up in first trimester	68.7
11	Mothers registered in the first trimester	1,987	44.2	2,300	49.2	At least 4ANC check up	33.3
12	Mothers who had 4 or more ANC check ups	3,318	73.8	3,940	84.2	Neonatal tetanus received	86.0
13	PW who got TT 2 / Booster injection	3,410	75.8	3,786	80.9	100 IFA tablets consumed	51.8
14	PW who consumed 180 IFA tablets	4,080	90.7	4,564	97.5	Home Delivery	11.7
15	Home Delivery against expected delivery *	1,186	26.3	1,130	24.7	Institutional Delivery	88.3
16	Institutional Delivery Against expected delivery *	1,917	42.6	2,129	46.5	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	1,186	38.2	1,130	34.7	PNC within 2days of delivery	65.9
18	Institutional Delivery against reported delivery **	1,917	61.8	2,129	65.3		
19	Total reported Deliveries	3,103		3,259			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	164	13.8	203	18.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,187	38.3	1,495	45.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,240		4,290			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	3,064	72.3	3,227	75.2	Breastfed within 1 hour of birth	59.8
24	Total Still Birth	64	1.5	58	1.8	BCG	100
25	PC of newborn weighted at birth to live birth	3,048	99.5	3,215	99.6	3 dose of DPT	86.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	180	5.9	221	6.9	Measles First dose	89.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,027	98.8	3,169	98.2	3 doses of penta or hepatitis B vaccine	86.8
28	Children fully immunized	3,711	87.5	3,526	82.2	Full Immunization	86.8
29	Children who have received BCG	2,748	64.8	3,121	72.8		
30	Children who have received Pentavalent 1	3,650	86.1	3,502	81.6		
31	Children who have received Pentavalent 3	3,372	79.5	3,087	72.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,703	87.3	3,531	82.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,238		1,165			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	25.3
35	Number of Tubectomies performed	0	34	Spacing	14.4
36	Number of IUD insertion	7	5	Women using any method	37.6
37	Number of IUD removals	7	47	Women using modern method	33.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	261	258		
39	General OPD cases per 10,000 population ***	7562	7539		
40	Ayush OPD cases per 10,000 population ***	314	373		

G) Mortality Details				
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	12	7	
42	Neonatal Deaths within 1 to 28 days	17	16	
43	Total Neonatal Death	29	23	
44	Deaths between (1 - 11) months	22	20	
45	Total reported infant deaths	51	43	

II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	1	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	1	0	

South West Garo Hills Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,77,556					
2	Sex Ratio	979					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	32					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	5,848		5,926			
9	Expected number of Delivery	5,476		5,549			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,166	71.2	3,893	65.7	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	2,399	57.6	2,333	59.9	At least 4ANC check up	28.5
12	Mothers who had 4 or more ANC check ups	3,193	76.6	3,393	87.2	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	3,426	82.2	3,158	81.1	100 IFA tablets consumed	28.3
14	PW who consumed 180 IFA tablets	3,569	85.7	3,524	90.5	Home Delivery	16.3
15	Home Delivery against expected delivery *	323	5.9	227	4.1	Institutional Delivery	83.7
16	Institutional Delivery Against expected delivery *	2,820	51.5	2,745	49.5	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	323	10.3	227	7.6	PNC within 2days of delivery	60.6
18	Institutional Delivery against reported delivery **	2,820	89.7	2,745	92.4		
19	Total reported Deliveries	3,143		2,972			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	21	6.5	17	7.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,279	72.5	2,136	71.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,157		5,204			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	3,102	60.2	2,934	56.4	Breastfed within 1 hour of birth	54.5
24	Total Still Birth	61	1.2	45	1.5	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,086	99.5	2,926	99.7	3 dose of DPT	90.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	315	10.2	287	9.8	Measles First dose	92.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,046	98.2	2,869	97.8	3 doses of penta or hepatitis B vaccine	89.5
28	Children fully immunized	3,933	76.3	3,429	65.9	Full Immunization	85.4
29	Children who have received BCG	3,082	59.8	2,890	55.5		
30	Children who have received Pentavalent 1	3,641	70.6	3,462	66.5		
31	Children who have received Pentavalent 3	3,668	71.1	3,233	62.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,922	76.1	3,423	65.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,860		1,892			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	30.4
35	Number of Tubectomies performed	51	30	Spacing	16.7
36	Number of IUD insertion	97	93	Women using any method	36.7
37	Number of IUD removals	144	154	Women using modern method	32.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	401	411		
39	General OPD cases per 10,000 population ***	8258	8526		
40	Ayush OPD cases per 10,000 population ***	411	509		

G) Mortality Details				
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	8	4	
42	Neonatal Deaths within 1 to 28 days	24	20	
43	Total Neonatal Death	32	24	
44	Deaths between (1 - 11) months	74	49	
45	Total reported infant deaths	106	73	

II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	1	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1	
52	Due to Other/Unknown Causes	4	0	
53	Total reported maternal deaths	4	2	

South West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	99,171					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	25					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	3,380		3,437			
9	Expected number of Delivery	3,165		3,218			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,854	114.0	3,794	110.4	ANC Check up in first trimester	48.5
11	Mothers registered in the first trimester	1,748	45.4	1,797	47.4	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,560	40.5	1,705	44.9	Neonatal tetanus received	85.6
13	PW who got TT 2 / Booster injection	3,063	79.5	3,008	79.3	100 IFA tablets consumed	53.8
14	PW who consumed 180 IFA tablets	2,703	70.1	2,069	54.5	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,572	49.7	1,277	39.7	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	1,538	48.6	1,689	52.5	Home Delivery by SBA	7.6
17	Home Delivery against reported delivery **	1,572	50.5	1,277	43.1	PNC within 2days of delivery	42.9
18	Institutional Delivery against reported delivery **	1,538	49.5	1,689	56.9		
19	Total reported Deliveries	3,110		2,966			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	1.2	25	2.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,472	47.3	824	27.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,981		3,018			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	3,042	102.1	2,927	97.0	Breastfed within 1 hour of birth	76.8
24	Total Still Birth	85	2.9	59	2.0	BCG	95.8
25	PC of newborn weighted at birth to live birth	3,035	99.8	2,895	98.9	3 dose of DPT	86.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	183	6.0	250	8.6	Measles First dose	86.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,885	94.8	2,788	95.3	3 doses of penta or hepatitis B vaccine	82.4
28	Children fully immunized	2,689	90.2	2,876	95.3	Full Immunization	78.8
29	Children who have received BCG	2,877	96.5	2,796	92.6		
30	Children who have received Pentavalent 1	3,196	107.2	3,159	104.7		
31	Children who have received Pentavalent 3	2,870	96.3	2,949	97.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,655	89.1	2,874	95.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,593		5,052			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	26.2
35	Number of Tubectomies performed	13	27	Spacing	20.1
36	Number of IUD insertion	26	23	Women using any method	26.5
37	Number of IUD removals	9	12	Women using modern method	15.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	623	573		
39	General OPD cases per 10,000 population ***	14507	13594		
40	Ayush OPD cases per 10,000 population ***	963	1351		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	19	11		
42	Neonatal Deaths within 1 to 28 days	21	13		
43	Total Neonatal Death	40	24		
44	Deaths between (1 - 11) months	94	82		
45	Total reported infant deaths	134	106		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	Total reported maternal deaths	1	1		

West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,65,735					
2	Sex Ratio	979					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	69					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	2					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	15,340		15,544			
9	Expected number of Delivery	14,364		14,555			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,798	89.9	13,222	85.1	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	6,028	43.7	6,277	47.5	At least 4ANC check up	48.0
12	Mothers who had 4 or more ANC check ups	12,325	89.3	12,234	92.5	Neonatal tetanus received	91.3
13	PW who got TT 2 / Booster injection	11,845	85.8	11,590	87.7	100 IFA tablets consumed	48.2
14	PW who consumed 180 IFA tablets	11,091	80.4	8,331	63.0	Home Delivery	10.4
15	Home Delivery against expected delivery *	3,858	26.9	2,441	16.8	Institutional Delivery	89.6
16	Institutional Delivery Against expected delivery *	9,718	67.7	10,107	69.4	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	3,858	28.4	2,441	19.5	PNC within 2days of delivery	70.9
18	Institutional Delivery against reported delivery **	9,718	71.6	10,107	80.5		
19	Total reported Deliveries	13,576		12,548			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	223	5.8	351	14.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,829	50.3	6,494	51.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	13,527		13,651			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	13,290	98.2	12,363	90.6	Breastfed within 1 hour of birth	47.2
24	Total Still Birth	393	2.9	291	2.4	BCG	100
25	PC of newborn weighted at birth to live birth	13,059	98.3	12,063	97.6	3 dose of DPT	84.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,583	12.1	1,381	11.4	Measles First dose	87.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	11,747	88.4	10,766	87.1	3 doses of penta or hepatitis B vaccine	78.5
28	Children fully immunized	10,719	79.2	10,332	75.7	Full Immunization	77.1
29	Children who have received BCG	12,465	92.1	11,956	87.6		
30	Children who have received Pentavalent 1	11,182	82.7	10,688	78.3		
31	Children who have received Pentavalent 3	10,230	75.6	9,811	71.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,724	79.3	10,342	75.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,040		4,595			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	19.7
35	Number of Tubectomies performed	550	662	Spacing	9.2
36	Number of IUD insertion	370	271	Women using any method	44.1
37	Number of IUD removals	383	393	Women using modern method	39.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	499	509		
39	General OPD cases per 10,000 population ***	7884	7951		
40	Ayush OPD cases per 10,000 population ***	397	337		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	34	49		
42	Neonatal Deaths within 1 to 28 days	111	116		
43	Total Neonatal Death	145	165		
44	Deaths between (1 - 11) months	130	118		
45	Total reported infant deaths	275	283		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	2	0		
47	Due to PPH (Post-Partum Haemorrhage)	3	0		
48	Due to Pregnancy related infection and sepsis, Fever	5	4		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	2	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	0		
52	Due to Other/Unknown Causes	9	12		
53	Total reported maternal deaths	24	16		

West Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,72,185					
2	Sex Ratio	1,008					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	46					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	2					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	9,376		9,543			
9	Expected number of Delivery	8,779		8,936			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,485	133.2	11,439	119.9	ANC Check up in first trimester	44.0
11	Mothers registered in the first trimester	4,837	38.7	4,966	43.4	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	4,659	37.3	5,824	50.9	Neonatal tetanus received	79.2
13	PW who got TT 2 / Booster injection	8,178	65.5	8,058	70.4	100 IFA tablets consumed	32.7
14	PW who consumed 180 IFA tablets	6,217	49.8	5,632	49.2	Home Delivery	57.8
15	Home Delivery against expected delivery *	2,587	29.5	1,938	21.7	Institutional Delivery	42.2
16	Institutional Delivery Against expected delivery *	7,982	90.9	8,054	90.1	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	2,587	24.5	1,938	19.4	PNC within 2days of delivery	28.6
18	Institutional Delivery against reported delivery **	7,982	75.5	8,054	80.6		
19	Total reported Deliveries	10,569		9,992			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	68	2.6	133	6.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,184	30.1	3,873	38.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,268		8,381			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	10,486	126.8	9,944	118.7	Breastfed within 1 hour of birth	88.5
24	Total Still Birth	262	3.2	204	2.1	BCG	90.9
25	PC of newborn weighted at birth to live birth	10,246	97.7	9,739	97.9	3 dose of DPT	77
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,105	10.8	1,046	10.7	Measles First dose	72.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,553	81.6	7,683	77.3	3 doses of penta or hepatitis B vaccine	72
28	Children fully immunized	8,245	99.7	8,447	100.8	Full Immunization	59.7
29	Children who have received BCG	9,820	118.8	9,753	116.4		
30	Children who have received Pentavalent 1	8,651	104.6	8,641	103.1		
31	Children who have received Pentavalent 3	8,306	100.5	8,430	100.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,236	99.6	8,268	98.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13,311		15,155			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	29.3
35	Number of Tubectomies performed	573	633	Spacing	21.7
36	Number of IUD insertion	142	151	Women using any method	19.3
37	Number of IUD removals	129	119	Women using modern method	17.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1001	1018		
39	General OPD cases per 10,000 population ***	14138	15500		
40	Ayush OPD cases per 10,000 population ***	1004	1114		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	41	27		
42	Neonatal Deaths within 1 to 28 days	54	56		
43	Total Neonatal Death	95	83		
44	Deaths between (1 - 11) months	85	69		
45	Total reported infant deaths	180	152		
II) Maternal Mortality					
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	5	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	1	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	2	2		
53	Total reported maternal deaths	8	3		

West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,70,062					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	5,796		5,894			
9	Expected number of Delivery	5,427		5,519			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,262	108.0	6,089	103.3	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	2,499	39.9	2,622	43.1	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	4,555	72.7	4,600	75.5	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	5,393	86.1	5,110	83.9	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	4,219	67.4	3,548	58.3	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,923	35.4	1,664	30.2	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	3,422	63.0	3,117	56.5	Home Delivery by SBA	7.2
17	Home Delivery against reported delivery **	1,923	36.0	1,664	34.8	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	3,422	64.0	3,117	65.2		
19	Total reported Deliveries	5,345		4,781			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	5.6	159	9.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,681	31.4	1,796	37.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,111		5,176			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
23	Total reported live births	5,241	102.5	4,748	91.7	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	130	2.5	87	1.8	BCG	86.7
25	PC of newborn weighted at birth to live birth	5,214	99.5	4,714	99.3	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	259	5.0	273	5.8	Measles First dose	71.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,114	97.6	4,576	96.4	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	5,007	98.0	5,169	99.9	Full Immunization	62.5
29	Children who have received BCG	5,701	111.5	4,933	95.3		
30	Children who have received Pentavalent 1	5,436	106.4	5,381	104.0		
31	Children who have received Pentavalent 3	5,002	97.9	4,944	95.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,021	98.2	5,183	100.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,707		6,319			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	1	Total unmet need	25.8
35	Number of Tubectomies performed	88	93	Spacing	21.1
36	Number of IUD insertion	150	125	Women using any method	26.3
37	Number of IUD removals	121	90	Women using modern method	15.3

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	769	736		
39	General OPD cases per 10,000 population ***	11684	11006		
40	Ayush OPD cases per 10,000 population ***	1238	1424		

G) Mortality Details				
I)	Infant Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	13	14	
42	Neonatal Deaths within 1 to 28 days	45	48	
43	Total Neonatal Death	58	62	
44	Deaths between (1 - 11) months	87	64	
45	Total reported infant deaths	145	126	

II) Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	2	
52	Due to Other/Unknown Causes	3	1	
53	Total reported maternal deaths	5	3	