

Mizoram Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,97,206					
2	Sex Ratio	975					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	380					
4	Primary Health Centers (PHC)	65					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	12					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	22,434	22,626				
9	Expected number of Delivery	20,639	20,816				
		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
10	PW register for ANC	21,036	93.8	20,067	88.7	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	17,117	81.4	16,498	82.2	At least 4ANC check up	58.0
12	Mothers who had 4 or more ANC check ups	14,321	68.1	13,721	68.4	Neonatal tetanus received	80.0
13	PW who got TT 2 / Booster injection	19,188	91.2	18,783	93.6	100 IFA tablets consumed	61.9
14	PW who consumed 180 IFA tablets	17,631	83.8	16,629	82.9	Home Delivery	14.2
15	Home Delivery against expected delivery *	1,753	8.5	1,460	7.0	Institutional Delivery	85.8
16	Institutional Delivery Against expected delivery *	17,628	85.4	18,617	89.4	Home Delivery by SBA	3.5
17	Reported Home Delivery **	1,753	9.0	1,460	7.3	PNC within 2days of delivery	68.0
18	Reported institutional Delivery **	17,628	91.0	18,617	92.7		
19	Total reported Deliveries	19,381		20,077			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	292	16.7	226	15.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,838	76.6	14,683	73.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	20,170		20,302			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)			
		Number	PC	Number	PC		
23	Total reported live births	19,377	96.1	20,018	98.6	Breastfed within 1 hour of birth	60.1
24	Total Still Birth	233	1.2	178	0.9	BCG	83.4
25	PC of newborn weighted at birth to live birth	18,675	96.4	19,751	98.7	3 dose of DPT	80.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,125	6.0	1,071	5.4	Measles First dose	80.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,950	87.5	18,084	90.3	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	17,967	89.1	17,751	87.4	Full Immunization	72.5
29	Children who have received BCG	19,290	95.6	19,254	94.8		
30	Children who have received Pentavalent 1	19,252	95.4	19,083	94.0		
31	Children who have received Pentavalent 3	18,788	93.1	18,506	91.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,109	89.8	17,932	88.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	14,832		15,812			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	18.9
35	Number of Tubectomies performed	1,068	1,360	Spacing	12.8
36	Number of IUD insertion	1,063	1,024	Women using any method	31.2
37	Number of IUD removals	964	876	Women using modern method	30.8

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	703	934		
39	General OPD cases per 10,000 population ***	17386	17971		
40	Ayush OPD cases per 10,000 population ***	910	861		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	45	68	
42	Neonatal Deaths within 1 to 28 days	124	101	
43	Total Neonatal Death	169	169	
44	Deaths between (1 - 11) months	106	136	
45	Total reported infant deaths	275	305	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	4	7	
48	Due to Pregnancy related infection and sepsis, Fever	3	2	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	1	
52	Due to Other/Unknown Causes	8	7	
53	Total reported maternal deaths	16	17	

Aizawl Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,00,309					
2	Sex Ratio	1,009					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	80					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	2					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,836		8,923			
9	Expected number of Delivery	8,129		8,210			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,615	74.9	6,412	71.9	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	6,179	93.4	5,989	93.4	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	5,559	84.0	5,410	84.4	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	6,240	94.3	6,571	102.5	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	6,791	102.7	6,256	97.6	Home Delivery	2.6
15	Home Delivery against expected delivery *	18	0.2	17	0.2	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	8,530	104.9	9,446	115.1	Home Delivery by SBA	0.3
17	Reported Home Delivery **	18	0.2	17	0.2	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	8,530	99.8	9,446	99.8		
19	Total reported Deliveries	8,548		9,463			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	44.4	6	35.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,962	104.8	8,780	92.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,945		8,007			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	8,648	108.9	9,474	118.3	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	26	0.3	61	0.6	BCG	81.6

25	PC of newborn weighted at birth to live birth	8,435	97.5	9,464	99.9	3 dose of DPT	79.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	535	6.3	480	5.1	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,173	82.9	8,407	88.7	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	6,349	79.9	6,335	79.1	Full Immunization	66.4
29	Children who have received BCG	8,363	105.3	8,231	102.8		
30	Children who have received Pentavalent 1	6,553	82.5	6,518	81.4		
31	Children who have received Pentavalent 3	6,552	82.5	6,426	80.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,444	81.1	6,379	79.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,032		5,925			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	24
35	Number of Tubectomies performed	586	739	Spacing	14
36	Number of IUD insertion	503	502	Women using any method	21.6
37	Number of IUD removals	372	352	Women using modern method	21
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	921	1420		
39	General OPD cases per 10,000 population ***	22137	24764		
40	Ayush OPD cases per 10,000 population ***	713	477		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	17	44	
42	Neonatal Deaths within 1 to 28 days	69	62	
43	Total Neonatal Death	86	106	
44	Deaths between (1 - 11) months	20	44	
45	Total reported infant deaths	106	150	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	4	
48	Due to Pregnancy related infection and sepsis, Fever	2	1	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0	
52	Due to Other/I Unknown Causes	5	2	

53	Total reported maternal deaths	9	7	
----	--------------------------------	---	---	--

Champhai Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,341		1,344			
9	Expected number of Delivery	1,234		1,236			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,598	119.2	1,414	105.2	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,404	87.9	1,203	85.1	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,237	77.4	1,101	77.9	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,532	95.9	1,381	97.7	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,250	78.2	1,161	82.1	Home Delivery	3.3
15	Home Delivery against expected delivery *	32	2.6	25	2.0	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,446	117.2	1,436	116.2	Home Delivery by SBA	1.6
17	Reported Home Delivery **	32	2.2	25	1.7	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,446	97.8	1,436	98.3		
19	Total reported Deliveries	1,478		1,461			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	31.3	7	28.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	485	32.8	683	46.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,206		1,206			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,457	120.9	1,450	120.3	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	24	2.0	13	0.9	BCG	97.6

25	PC of newborn weighted at birth to live birth	1,415	97.1	1,430	98.6	3 dose of DPT	90.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	95	6.7	114	8.0	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,266	86.9	1,361	93.9	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,475	122.4	1,480	122.7	Full Immunization	85.3
29	Children who have received BCG	1,565	129.8	1,688	140.0		
30	Children who have received Pentavalent 1	1,657	137.5	1,488	123.4		
31	Children who have received Pentavalent 3	1,545	128.2	1,584	131.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,483	123.0	1,487	123.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	960		927			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	11.2
35	Number of Tubectomies performed	45	97	Spacing	8.3
36	Number of IUD insertion	128	89	Women using any method	50
37	Number of IUD removals	124	101	Women using modern method	49.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	609	611		
39	General OPD cases per 10,000 population ***	14705	13655		
40	Ayush OPD cases per 10,000 population ***	1152	1388		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	1	3	
42	Neonatal Deaths within 1 to 28 days	19	5	
43	Total Neonatal Death	20	8	
44	Deaths between (1 - 11) months	7	7	
45	Total reported infant deaths	27	15	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	

52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Hnahthial Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	422		421			
9	Expected number of Delivery	388		387			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	436	103.4	456	108.3	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	397	91.1	404	88.6	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	373	85.6	360	78.9	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	375	86.0	447	98.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	405	92.9	379	83.1	Home Delivery	NA
15	Home Delivery against expected delivery *	3	0.8	4	1.0	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	178	45.9	178	45.9	Home Delivery by SBA	NA
17	Reported Home Delivery **	3	1.7	4	2.2	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	178	98.3	178	97.8		
19	Total reported Deliveries	181		182			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	1	25.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	291	160.8	266	146.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	379		378			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	181	47.7	180	47.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	0	0.0	2	1.1	BCG	NA

25	PC of newborn weighted at birth to live birth	181	100.0	179	99.4	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	2.2	1	0.6	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	177	97.8	175	97.2	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	416	109.7	404	106.9	Full Immunization	NA
29	Children who have received BCG	177	46.7	177	46.8		
30	Children who have received Pentavalent 1	421	111.0	387	102.4		
31	Children who have received Pentavalent 3	406	107.1	379	100.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	424	111.8	406	107.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	326		348			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	10	13	Women using any method	NA
37	Number of IUD removals	22	19	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	375	387		
39	General OPD cases per 10,000 population ***	21241	16642		
40	Ayush OPD cases per 10,000 population ***	2191	2481		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	0	0	
42	Neonatal Deaths within 1 to 28 days	1	1	
43	Total Neonatal Death	1	1	
44	Deaths between (1 - 11) months	3	2	
45	Total reported infant deaths	4	3	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	

53	Total reported maternal deaths	0	0	
----	--------------------------------	---	---	--

Khawzawl Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	719		721			
9	Expected number of Delivery	662		663			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	603	83.8	593	82.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	538	89.2	519	87.5	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	445	73.8	398	67.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	526	87.2	548	92.4	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	524	86.9	465	78.4	Home Delivery	NA
15	Home Delivery against expected delivery *	4	0.6	8	1.2	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	230	34.8	188	28.3	Home Delivery by SBA	NA
17	Reported Home Delivery **	4	1.7	8	4.1	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	230	98.3	188	95.9		
19	Total reported Deliveries	234		196			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	25.0	2	25.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	256	109.4	255	130.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	647		647			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	234	36.2	194	30.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	1	0.2	2	1.0	BCG	NA

25	PC of newborn weighted at birth to live birth	217	92.7	194	100.0	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.3	2	1.0	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	219	93.6	193	99.5	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	564	87.2	541	83.6	Full Immunization	NA
29	Children who have received BCG	202	31.2	191	29.5		
30	Children who have received Pentavalent 1	568	87.8	525	81.2		
31	Children who have received Pentavalent 3	581	89.8	556	85.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	570	88.1	548	84.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	610		666			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	18	18	Women using any method	NA
37	Number of IUD removals	24	29	Women using modern method	NA
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	260	335		
39	General OPD cases per 10,000 population ***	9863	11110		
40	Ayush OPD cases per 10,000 population ***	1809	1545		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kolasib Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	1,561		1,579			
9	Expected number of Delivery	1,436		1,453			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,683	107.8	1,593	100.9	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,316	78.2	1,345	84.4	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,053	62.6	1,101	69.1	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,602	95.2	1,532	96.2	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,193	70.9	1,231	77.3	Home Delivery	8.6
15	Home Delivery against expected delivery *	32	2.2	18	1.2	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,093	76.1	1,021	70.3	Home Delivery by SBA	2.7
17	Reported Home Delivery **	32	2.8	18	1.7	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,093	97.2	1,021	98.3		
19	Total reported Deliveries	1,125		1,039			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	28.1	5	27.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,144	101.7	1,201	115.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,403		1,417			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,105	78.7	1,020	72.0	Breastfed within 1 hour of birth	63

24	Total Still Birth	26	1.9	21	2.1	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,096	99.2	1,017	99.7	3 dose of DPT	85.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	64	5.8	76	7.5	Measles First dose	83.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,015	91.9	976	95.7	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,322	94.2	1,360	96.0	Full Immunization	80.4
29	Children who have received BCG	1,118	79.7	1,074	75.8		
30	Children who have received Pentavalent 1	1,454	103.6	1,435	101.3		
31	Children who have received Pentavalent 3	1,395	99.4	1,327	93.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,341	95.6	1,378	97.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,486		1,374			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.6
35	Number of Tubectomies performed	70	65	Spacing	11.7
36	Number of IUD insertion	59	61	Women using any method	38.1
37	Number of IUD removals	74	63	Women using modern method	37.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	463	546		
39	General OPD cases per 10,000 population ***	13794	12245		
40	Ayush OPD cases per 10,000 population ***	1039	634		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	3	6		
42	Neonatal Deaths within 1 to 28 days	3	4		
43	Total Neonatal Death	6	10		
44	Deaths between (1 - 11) months	5	13		
45	Total reported infant deaths	11	23		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		

51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	1	0	
53	Total reported maternal deaths	1	1	

Lawngtlai Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,418		2,466			
9	Expected number of Delivery	2,224		2,268			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,855	118.1	2,640	107.1	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,803	63.2	1,711	64.8	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	1,267	44.4	1,117	42.3	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	2,243	78.6	2,119	80.3	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,661	58.2	1,558	59.0	Home Delivery	46.3
15	Home Delivery against expected delivery *	741	33.3	622	27.4	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,508	67.8	1,463	64.5	Home Delivery by SBA	9.3
17	Reported Home Delivery **	741	32.9	622	29.8	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,508	67.1	1,463	70.2		
19	Total reported Deliveries	2,249		2,085			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	10.5	99	15.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	797	35.4	741	35.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,174		2,212			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		

23	Total reported live births	2,239	103.0	2,079	94.0	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	25	1.2	21	1.0	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,969	87.9	1,976	95.0	3 dose of DPT	74.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	160	8.1	92	4.7	Measles First dose	76.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,037	91.0	1,897	91.2	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,839	84.6	1,724	77.9	Full Immunization	70.2
29	Children who have received BCG	2,460	113.2	2,157	97.5		
30	Children who have received Pentavalent 1	2,361	108.6	2,315	104.6		
31	Children who have received Pentavalent 3	2,200	101.2	2,173	98.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,834	84.4	1,786	80.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,565		1,460			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	67	78	Spacing	13
36	Number of IUD insertion	45	75	Women using any method	29.7
37	Number of IUD removals	74	63	Women using modern method	29.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	555	619		
39	General OPD cases per 10,000 population ***	11053	10685		
40	Ayush OPD cases per 10,000 population ***	1059	798		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	4	2		
42	Neonatal Deaths within 1 to 28 days	8	10		
43	Total Neonatal Death	12	12		
44	Deaths between (1 - 11) months	15	35		
45	Total reported infant deaths	27	47		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		

50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	1	
53	Total reported maternal deaths	2	1	

Lunglei Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	2,200	2,196				
9	Expected number of Delivery	2,024	2,020				
		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	2,196	99.8	2,122	96.6	ANC Check up in first trimester	68.8
11	Mothers registered in the first trimester	1,446	65.8	1,396	65.8	At least 4ANC check up	56.7
12	Mothers who had 4 or more ANC check ups	1,202	54.7	1,033	48.7	Neonatal tetanus received	79.9
13	PW who got TT 2 / Booster injection	2,346	106.8	2,002	94.3	100 IFA tablets consumed	64.7
14	PW who consumed 180 IFA tablets	2,211	100.7	1,982	93.4	Home Delivery	17.3
15	Home Delivery against expected delivery *	390	19.3	326	16.1	Institutional Delivery	82.7
16	Institutional Delivery Against expected delivery *	2,013	99.5	2,060	102.0	Home Delivery by SBA	3.9
17	Reported Home Delivery **	390	16.2	326	13.7	PNC within 2days of delivery	67.1
18	Reported institutional Delivery **	2,013	83.8	2,060	86.3		
19	Total reported Deliveries	2,403		2,386			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	36	9.2	22	6.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	675	28.1	685	28.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1.978		1.970			

D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,385	120.6	2,360	119.8	Breastfed within 1 hour of birth	63.8
24	Total Still Birth	79	4.0	34	1.4	BCG	79.3
25	PC of newborn weighted at birth to live birth	2,335	97.9	2,313	98.0	3 dose of DPT	85
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	115	4.9	153	6.6	Measles First dose	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,007	84.2	2,019	85.6	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,943	98.2	1,778	90.2	Full Immunization	73.8
29	Children who have received BCG	2,344	118.5	2,285	116.0		
30	Children who have received Pentavalent 1	1,956	98.9	1,964	99.7		
31	Children who have received Pentavalent 3	1,900	96.1	1,861	94.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,923	97.2	1,804	91.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	778		731			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	15.4
35	Number of Tubectomies performed	240		276		Spacing	12.5
36	Number of IUD insertion	152		111		Women using any method	33
37	Number of IUD removals	91		87		Women using modern method	33
F) Service delivery		HMIS (2024-25)		HMIS (2025-26)			
38	IPD cases per 10,000 population ***	845		822			
39	General OPD cases per 10,000 population ***	20097		19004			
40	Ayush OPD cases per 10,000 population ***	1368		1267			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2024-25)		HMIS (2025-26)			
41	Neonatal death within 24 hours	13		6			
42	Neonatal Deaths within 1 to 28 days	9		11			
43	Total Neonatal Death	22		17			
44	Deaths between (1 - 11) months	15		13			
45	Total reported infant deaths	37		30			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2024-25)		HMIS (2025-26)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	0		2			

48	Due to Pregnancy related infection and sepsis, Fever	1	1	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	2	2	
53	Total reported maternal deaths	3	5	

Mamit Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	1,771	1,810				
9	Expected number of Delivery	1,629	1,665				
		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,797	101.5	1,679	92.8	ANC Check up in first trimester	64.5
11	Mothers registered in the first trimester	1,326	73.8	1,309	78.0	At least 4ANC check up	52.5
12	Mothers who had 4 or more ANC check ups	1,142	63.6	968	57.7	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	1,495	83.2	1,421	84.6	100 IFA tablets consumed	68.8
14	PW who consumed 180 IFA tablets	1,319	73.4	1,161	69.1	Home Delivery	25.0
15	Home Delivery against expected delivery *	379	23.3	310	18.6	Institutional Delivery	75.0
16	Institutional Delivery Against expected delivery *	755	46.3	780	46.8	Home Delivery by SBA	7.1
17	Reported Home Delivery **	379	33.4	310	28.4	PNC within 2days of delivery	63.9
18	Reported institutional Delivery **	755	66.6	780	71.6		
19	Total reported Deliveries	1,134		1,090			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	123	32.5	63	20.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	367	32.4	394	36.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,592		1,624			

D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,124	70.6	1,088	67.0	Breastfed within 1 hour of birth	56.8
24	Total Still Birth	13	0.8	5	0.5	BCG	98.5
25	PC of newborn weighted at birth to live birth	1,028	91.5	1,009	92.7	3 dose of DPT	95.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	4.0	52	5.2	Measles First dose	95.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,068	95.0	1,067	98.1	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,365	85.7	1,287	79.2	Full Immunization	85.9
29	Children who have received BCG	1,078	67.7	1,145	70.5		
30	Children who have received Pentavalent 1	1,529	96.0	1,516	93.3		
31	Children who have received Pentavalent 3	1,415	88.9	1,285	79.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,388	87.2	1,289	79.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,385		1,509			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17
35	Number of Tubectomies performed	29		15		Spacing	14
36	Number of IUD insertion	47		15		Women using any method	41.6
37	Number of IUD removals	49		57		Women using modern method	41.3
F) Service delivery		HMIS (2024-25)		HMIS (2025-26)			
38	IPD cases per 10,000 population ***	367		396			
39	General OPD cases per 10,000 population ***	11686		10874			
40	Ayush OPD cases per 10,000 population ***	238		178			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2024-25)		HMIS (2025-26)			
41	Neonatal death within 24 hours	3		4			
42	Neonatal Deaths within 1 to 28 days	4		2			
43	Total Neonatal Death	7		6			
44	Deaths between (1 - 11) months	6		1			
45	Total reported infant deaths	13		7			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2024-25)		HMIS (2025-26)			
46	Due to APH (Antepartum Haemmorrhage)	0		0			
47	Due to PPH (Post-Partum Haemmorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis. Fever	0		0			

22	Expected number of Live Birth	1,032		1,036			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Numb er	PC		
23	Total reported live births	1,125	109.0	1,289	124.5	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	23	2.2	14	1.1	BCG	69.9
25	PC of newborn weighted at birth to live birth	1,125	100.0	1,289	100.0	3 dose of DPT	60.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	62	5.5	65	5.0	Measles First dose	65.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,120	99.6	1,134	88.0	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,039	100.7	1,134	109.5	Full Immunization	60.3
29	Children who have received BCG	1,112	107.8	1,279	123.5		
30	Children who have received Pentavalent 1	1,160	112.4	1,187	114.6		
31	Children who have received Pentavalent 3	1,134	109.9	1,135	109.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,050	101.8	1,143	110.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,250		1,126			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	22.5
35	Number of Tubectomies performed	23		68		Spacing	15.2
36	Number of IUD insertion	60		88		Women using any method	22.6
37	Number of IUD removals	59		71		Women using modern method	21.7
F) Service delivery		HMIS (2024-25)		HMIS (2025-26)			
38	IPD cases per 10,000 population ***	812		984			
39	General OPD cases per 10,000 population ***	13146		12485			
40	Ayush OPD cases per 10,000 population ***	838		1113			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2024-25)		HMIS (2025-26)			
41	Neonatal death within 24 hours	1		1			
42	Neonatal Deaths within 1 to 28 days	9		6			
43	Total Neonatal Death	10		7			
44	Deaths between (1 - 11) months	31		18			
45	Total reported infant deaths	41		25			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2024-25)		HMIS (2025-26)			
46	Due to APH (Antepartum Haemorrhage)	0		0			

47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	1	
53	Total reported maternal deaths	0	1	

Saitual Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	948		958			
9	Expected number of Delivery	872		881			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	820	86.5	787	82.2	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	717	87.4	683	86.8	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	587	71.6	577	73.3	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	742	90.5	689	87.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	669	81.6	664	84.4	Home Delivery	NA
15	Home Delivery against expected delivery *	7	0.8	2	0.2	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	354	40.6	335	38.0	Home Delivery by SBA	NA
17	Reported Home Delivery **	7	1.9	2	0.6	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	354	98.1	335	99.4		
19	Total reported Deliveries	361		337			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	57.1	1	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	486	134.6	478	141.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	853		859			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	362	42.5	337	39.2	Breastfed within 1 hour of birth	NA
24	Total Still Birth	5	0.6	2	0.6	BCG	NA
25	PC of newborn weighted at birth to live birth	357	98.6	333	98.8	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.9	9	2.7	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	356	98.3	332	98.5	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	707	82.9	712	82.9	Full Immunization	NA
29	Children who have received BCG	336	39.4	364	42.4		
30	Children who have received Pentavalent 1	719	84.3	703	81.8		
31	Children who have received Pentavalent 3	717	84.1	740	86.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	704	82.6	716	83.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	875		1,033			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	7	Spacing	NA
36	Number of IUD insertion	25	27	Women using any method	NA
37	Number of IUD removals	25	13	Women using modern method	NA

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	367	435		
39	General OPD cases per 10,000 population ***	13666	13837		
40	Ayush OPD cases per 10,000 population ***	1021	1080		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	1	0	
43	Total Neonatal Death	2	0	
44	Deaths between (1 - 11) months	1	2	
45	Total reported infant deaths	3	2	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	

47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Serchhip Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,126		1,131			
9	Expected number of Delivery	1,035		1,041			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,099	97.6	1,119	98.9	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	915	83.3	937	83.7	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	725	66.0	829	74.1	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	992	90.3	999	89.3	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	817	74.3	873	78.0	Home Delivery	3.8
15	Home Delivery against expected delivery *	3	0.3	9	0.9	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	525	50.7	539	51.8	Home Delivery by SBA	0.6
17	Reported Home Delivery **	3	0.6	9	1.6	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	525	99.4	539	98.4		
19	Total reported Deliveries	528		548			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	8	88.9		

21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	439	83.1	513	93.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,012		1,015			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	517	51.1	547	53.9	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	11	1.1	3	0.5	BCG	89.8
25	PC of newborn weighted at birth to live birth	517	100.0	547	100.0	3 dose of DPT	84.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	30	5.8	27	4.9	Measles First dose	85.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	512	99.0	523	95.6	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	948	93.7	996	98.1	Full Immunization	84.7
29	Children who have received BCG	535	52.9	663	65.3		
30	Children who have received Pentavalent 1	874	86.4	1,045	103.0		
31	Children who have received Pentavalent 3	943	93.2	1,040	102.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	948	93.7	996	98.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	565		713			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	15.9
35	Number of Tubectomies performed	8		15		Spacing	11.8
36	Number of IUD insertion	16		25		Women using any method	40
37	Number of IUD removals	50		21		Women using modern method	39.4
F) Service delivery		HMIS (2024-25)		HMIS (2025-26)			
38	IPD cases per 10,000 population ***	544		695			
39	General OPD cases per 10,000 population ***	15512		15496			
40	Ayush OPD cases per 10,000 population ***	723		2492			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2024-25)		HMIS (2025-26)			
41	Neonatal death within 24 hours	1		2			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	1		2			
44	Deaths between (1 - 11) months	1		1			
45	Total reported infant deaths	2		3			
II)	Maternal Mortality						

	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	1	0	