

Nagaland Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	19,78,502					
2	Sex Ratio	931					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	469					
4	Primary Health Centers (PHC)	139					
5	Community Health Centers (CHC)	25					
6	SDH	0					
7	DH	12					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	35,019		34,105			
9	Expected number of Delivery	32,217		31,377			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	22,790	65.1	25,066	73.5	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	8,988	39.4	9,396	37.5	At least 4ANC check up	20.7
12	Mothers who had 4 or more ANC check ups	9,035	39.6	9,615	38.4	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	15,739	69.1	15,614	62.3	100 IFA tablets consumed	10.2
14	PW who consumed 180 IFA tablets	16,935	74.3	19,706	78.6	Home Delivery	54.3
15	Home Delivery against expected delivery *	3,240	10.1	3,050	9.7	Institutional Delivery	45.7
16	Institutional Delivery against expected delivery *	16,035	49.8	16,302	52.0	Home Delivery by SBA	10.4
17	Home Delivery against reported delivery **	3,240	16.8	3,050	15.8	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	16,035	83.2	16,302	84.2		
19	Total reported Deliveries	19,275		19,352			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,482	45.7	1,529	50.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,065	41.8	6,262	32.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,549		30,695			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	19,136	60.7	19,239	62.7	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	277	1.4	282	1.5	BCG	85.5
25	PC of newborn weighted at birth to live birth	18,631	97.4	18,916	98.3	3 dose of DPT	71.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	748	4.0	894	4.7	Measles First dose	73.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	16,371	85.6	15,970	83.0	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	17,395	55.1	16,287	53.1	Full Immunization	57.9
29	Children who have received BCG	19,553	62.0	18,795	61.2		
30	Children who have received Pentavalent 1	20,013	63.4	19,293	62.9		
31	Children who have received Pentavalent 3	17,680	56.0	17,218	56.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,399	55.1	16,266	53.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,604		7,340			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	9.1
35	Number of Tubectomies performed	1,326	1,101	Spacing	4.5
36	Number of IUD insertion	2,950	2,445	Women using any method	57.4
37	Number of IUD removals	1,964	1,697	Women using modern method	45.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	369	389		
39	General OPD cases per 10,000 population ***	6817	7022		
40	Ayush OPD cases per 10,000 population ***	292	282		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	30	37		
42	Neonatal Deaths within 1 to 28 days	100	98		
43	Total Neonatal Death	130	135		
44	Deaths between (1 - 11) months	28	33		
45	Total reported infant deaths	158	168		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	1	1		
47	Due to PPH (Post-Partum Haemorrhage)	5	4		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	5		
52	Due to Other/Unknown Causes	5	8		
53	Total reported maternal deaths	13	18		

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,811					
2	Sex Ratio	916					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	6,628	6,456				
9	Expected number of Delivery	6,098	5,939				
		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	7,791	117.5	9,918	153.6	ANC Check up in first trimester	71.4
11	Mothers registered in the first trimester	3,565	45.8	3,850	38.8	At least 4ANC check up	50.1
12	Mothers who had 4 or more ANC check ups	3,435	44.1	3,217	32.4	Neonatal tetanus received	86.4
13	PW who got TT 2 / Booster injection	5,909	75.8	5,347	53.9	100 IFA tablets consumed	14.9
14	PW who consumed 180 IFA tablets	6,351	81.5	7,690	77.5	Home Delivery	26.3
15	Home Delivery against expected delivery *	490	8.0	448	7.5	Institutional Delivery	73.7
16	Institutional Delivery against expected delivery *	6,174	101.2	6,618	111.4	Home Delivery by SBA	9.4
17	Home Delivery against reported delivery **	490	7.4	448	6.3	PNC within 2days of delivery	68.7
18	Institutional Delivery against reported delivery **	6,174	92.6	6,618	93.7		
19	Total reported Deliveries	6,664		7,066			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	8.6	67	15.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,509	22.6	347	4.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,972		5,810			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
23	Total reported live births	6,605	110.6	7,020	120.8	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	137	2.1	149	2.1	BCG	85.1
25	PC of newborn weighted at birth to live birth	6,391	96.8	6,986	99.5	3 dose of DPT	73.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	470	7.4	548	7.8	Measles First dose	74.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,018	76.0	4,956	70.6	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	5,403	90.5	4,228	72.8	Full Immunization	55.9
29	Children who have received BCG	6,956	116.5	6,466	111.3		
30	Children who have received Pentavalent 1	6,493	108.7	6,271	107.9		
31	Children who have received Pentavalent 3	5,347	89.5	4,998	86.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,420	90.8	4,630	79.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,193		924			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	14.3
35	Number of Tubectomies performed	438	453	Spacing	5.8
36	Number of IUD insertion	184	265	Women using any method	46.9
37	Number of IUD removals	261	160	Women using modern method	38.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	932	1014		
39	General OPD cases per 10,000 population ***	11513	12502		
40	Ayush OPD cases per 10,000 population ***	310	323		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	17	16		
42	Neonatal Deaths within 1 to 28 days	57	50		
43	Total Neonatal Death	74	66		
44	Deaths between (1 - 11) months	21	12		
45	Total reported infant deaths	95	78		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	1	1		
47	Due to PPH (Post-Partum Haemorrhage)	2	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	4		
52	Due to Other/Unknown Causes	1	5		
53	Total reported maternal deaths	4	11		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,295		1,261			
9	Expected number of Delivery	1,191		1,160			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	882	68.1	801	63.5	ANC Check up in first trimester	27.2
11	Mothers registered in the first trimester	358	40.6	318	39.7	At least 4ANC check up	5.8
12	Mothers who had 4 or more ANC check ups	467	52.9	394	49.2	Neonatal tetanus received	63
13	PW who got TT 2 / Booster injection	640	72.6	625	78.0	100 IFA tablets consumed	1.6
14	PW who consumed 180 IFA tablets	579	65.6	607	75.8	Home Delivery	65.2
15	Home Delivery against expected delivery *	109	9.1	136	11.7	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	624	52.4	571	49.2	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	109	14.9	136	19.2	PNC within 2days of delivery	31.9
18	Institutional Delivery against reported delivery **	624	85.1	571	80.8		
19	Total reported Deliveries	733		707			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	34	31.2	38	27.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	548	74.8	315	44.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,167		1,135			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	722	61.9	701	61.8	Breastfed within 1 hour of birth	55.5
24	Total Still Birth	16	2.2	9	1.3	BCG	82.1
25	PC of newborn weighted at birth to live birth	712	98.6	692	98.7	3 dose of DPT	60.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	2.7	12	1.7	Measles First dose	66.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	712	98.6	677	96.6	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	713	61.1	620	54.6	Full Immunization	42.8
29	Children who have received BCG	734	62.9	701	61.8		
30	Children who have received Pentavalent 1	778	66.7	744	65.5		
31	Children who have received Pentavalent 3	698	59.8	689	60.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	716	61.4	628	55.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	524		406			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17.3
35	Number of Tubectomies performed	32	0	Spacing	10.2
36	Number of IUD insertion	194	156	Women using any method	42.5
37	Number of IUD removals	198	164	Women using modern method	32.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	228	213		
39	General OPD cases per 10,000 population ***	5421	4660		
40	Ayush OPD cases per 10,000 population ***	166	144		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths within 1 to 28 days	3	1		
43	Total Neonatal Death	6	2		
44	Deaths between (1 - 11) months	1	3		
45	Total reported infant deaths	7	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,67,988					
2	Sex Ratio	927					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	42					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	4,689		4,567			
9	Expected number of Delivery	4,314		4,202			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,766	59.0	3,125	68.4	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	1,130	40.9	1,499	48.0	At least 4ANC check up	28.3
12	Mothers who had 4 or more ANC check ups	1,493	54.0	2,038	65.2	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	1,636	59.1	1,652	52.9	100 IFA tablets consumed	17.2
14	PW who consumed 180 IFA tablets	2,059	74.4	2,673	85.5	Home Delivery	33.1
15	Home Delivery against expected delivery *	107	2.5	70	1.7	Institutional Delivery	66.9
16	Institutional Delivery against expected delivery *	2,785	64.6	2,669	63.5	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	107	3.7	70	2.6	PNC within 2days of delivery	58.9
18	Institutional Delivery against reported delivery **	2,785	96.3	2,669	97.4		
19	Total reported Deliveries	2,892		2,739			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	51	47.7	38	54.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,499	51.8	1,104	40.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,225		4,110			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,863	67.8	2,725	66.3	Breastfed within 1 hour of birth	60.3
24	Total Still Birth	37	1.3	27	1.0	BCG	100
25	PC of newborn weighted at birth to live birth	2,817	98.4	2,712	99.5	3 dose of DPT	88.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	97	3.4	142	5.2	Measles First dose	86.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,272	79.4	2,187	80.3	3 doses of penta or hepatitis B vaccine	88.7
28	Children fully immunized	2,511	59.4	2,494	60.7	Full Immunization	82.8
29	Children who have received BCG	2,959	70.0	2,724	66.3		
30	Children who have received Pentavalent 1	2,808	66.5	2,554	62.1		
31	Children who have received Pentavalent 3	2,641	62.5	2,527	61.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,516	59.6	2,486	60.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,536		1,390			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.1
35	Number of Tubectomies performed	278	210	Spacing	7.2
36	Number of IUD insertion	533	401	Women using any method	60.7
37	Number of IUD removals	247	124	Women using modern method	46.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	546	532		
39	General OPD cases per 10,000 population ***	11095	10868		
40	Ayush OPD cases per 10,000 population ***	383	339		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	3	3		
42	Neonatal Deaths within 1 to 28 days	25	27		
43	Total Neonatal Death	28	30		
44	Deaths between (1 - 11) months	2	8		
45	Total reported infant deaths	30	38		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	2	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	2	3		
53	Total reported maternal deaths	5	4		

Longleng Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	883		860			
9	Expected number of Delivery	813		791			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	500	56.6	457	53.1	ANC Check up in first trimester	42.3
11	Mothers registered in the first trimester	162	32.4	189	41.4	At least 4ANC check up	15.4
12	Mothers who had 4 or more ANC check ups	205	41.0	343	75.1	Neonatal tetanus received	75.5
13	PW who got TT 2 / Booster injection	324	64.8	371	81.2	100 IFA tablets consumed	2.6
14	PW who consumed 180 IFA tablets	371	74.2	367	80.3	Home Delivery	61.3
15	Home Delivery against expected delivery *	31	3.8	37	4.7	Institutional Delivery	38.7
16	Institutional Delivery against expected delivery *	324	39.9	332	41.9	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	31	8.7	37	10.0	PNC within 2days of delivery	28.5
18	Institutional Delivery against reported delivery **	324	91.3	332	90.0		
19	Total reported Deliveries	355		369			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	16.1	11	29.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	81	22.8	84	22.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	796		774			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	357	44.9	370	47.8	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	2	0.6	2	0.5	BCG	88.3
25	PC of newborn weighted at birth to live birth	321	89.9	349	94.3	3 dose of DPT	64.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	3.4	15	4.3	Measles First dose	73.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	333	93.3	341	92.2	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	434	54.5	446	57.6	Full Immunization	53
29	Children who have received BCG	421	52.9	388	50.1		
30	Children who have received Pentavalent 1	469	58.9	428	55.3		
31	Children who have received Pentavalent 3	443	55.7	433	55.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	421	52.9	460	59.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	116		178			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.3
35	Number of Tubectomies performed	30	14	Spacing	2.9
36	Number of IUD insertion	181	109	Women using any method	66.5
37	Number of IUD removals	132	118	Women using modern method	56.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	260	271		
39	General OPD cases per 10,000 population ***	6861	6957		
40	Ayush OPD cases per 10,000 population ***	321	314		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	2		
44	Deaths between (1 - 11) months	0	1		
45	Total reported infant deaths	0	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Mokokchung Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622					
2	Sex Ratio	927					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	17					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	3,406		3,317			
9	Expected number of Delivery	3,133		3,051			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,531	45.0	1,626	49.0	ANC Check up in first trimester	51.6
11	Mothers registered in the first trimester	953	62.2	942	57.9	At least 4ANC check up	18.2
12	Mothers who had 4 or more ANC check ups	956	62.4	1,038	63.8	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	866	56.6	942	57.9	100 IFA tablets consumed	12.5
14	PW who consumed 180 IFA tablets	971	63.4	1,074	66.1	Home Delivery	48.5
15	Home Delivery against expected delivery *	119	3.8	114	3.7	Institutional Delivery	51.5
16	Institutional Delivery against expected delivery *	977	31.2	944	30.9	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	119	10.9	114	10.8	PNC within 2days of delivery	47.4
18	Institutional Delivery against reported delivery **	977	89.1	944	89.2		
19	Total reported Deliveries	1,096		1,058			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103	86.6	104	91.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	931	84.9	923	87.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,068		2,985			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,088	35.5	1,045	35.0	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	17	1.6	21	2.0	BCG	96.8
25	PC of newborn weighted at birth to live birth	1,056	97.1	1,020	97.6	3 dose of DPT	99
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.8	52	5.1	Measles First dose	100

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,065	97.9	931	89.1	3 doses of penta or hepatitis B vaccine	96
28	Children fully immunized	1,122	36.6	1,146	38.4	Full Immunization	92
29	Children who have received BCG	1,187	38.7	1,157	38.8		
30	Children who have received Pentavalent 1	1,155	37.6	1,221	40.9		
31	Children who have received Pentavalent 3	1,164	37.9	1,185	39.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,130	36.8	1,151	38.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	505		538			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.4
35	Number of Tubectomies performed	89	82	Spacing	3.4
36	Number of IUD insertion	120	81	Women using any method	66.7
37	Number of IUD removals	91	105	Women using modern method	52.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	227	242		
39	General OPD cases per 10,000 population ***	6018	6153		
40	Ayush OPD cases per 10,000 population ***	470	463		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths within 1 to 28 days	5	5		
43	Total Neonatal Death	5	7		
44	Deaths between (1 - 11) months	1	2		
45	Total reported infant deaths	6	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	3	0		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	59					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	4,379		4,265			
9	Expected number of Delivery	4,029		3,924			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,635	60.2	2,676	62.7	ANC Check up in first trimester	44.6
11	Mothers registered in the first trimester	815	30.9	767	28.7	At least 4ANC check up	9.7
12	Mothers who had 4 or more ANC check ups	720	27.3	702	26.2	Neonatal tetanus received	78
13	PW who got TT 2 / Booster injection	1,976	75.0	2,213	82.7	100 IFA tablets consumed	10.6
14	PW who consumed 180 IFA tablets	2,025	76.9	2,176	81.3	Home Delivery	78.6
15	Home Delivery against expected delivery *	953	23.7	925	23.6	Institutional Delivery	21.4
16	Institutional Delivery against expected delivery *	1,676	41.6	1,802	45.9	Home Delivery by SBA	9.5
17	Home Delivery against reported delivery **	953	36.2	925	33.9	PNC within 2days of delivery	25.6
18	Institutional Delivery against reported delivery **	1,676	63.8	1,802	66.1		
19	Total reported Deliveries	2,629		2,727			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	325	34.1	402	43.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,357	51.6	1,400	51.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,945		3,838			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,620	66.4	2,718	70.8	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	15	0.6	27	1.0	BCG	87.1
25	PC of newborn weighted at birth to live birth	2,590	98.9	2,635	96.9	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	31	1.2	54	2.0	Measles First dose	83.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,443	93.2	2,550	93.8	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,334	59.2	2,498	65.1	Full Immunization	62.4
29	Children who have received BCG	2,491	63.1	2,581	67.2		
30	Children who have received Pentavalent 1	2,677	67.9	2,638	68.7		
31	Children who have received Pentavalent 3	2,327	59.0	2,326	60.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,306	58.5	2,183	56.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,522		1,597			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.7
35	Number of Tubectomies performed	115	117	Spacing	0.6
36	Number of IUD insertion	859	790	Women using any method	68.7
37	Number of IUD removals	492	427	Women using modern method	55.6
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	223	218		
39	General OPD cases per 10,000 population ***	4714	4889		
40	Ayush OPD cases per 10,000 population ***	160	114		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	3		
42	Neonatal Deaths within 1 to 28 days	2	1		
43	Total Neonatal Death	2	4		
44	Deaths between (1 - 11) months	1	0		
45	Total reported infant deaths	3	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	1		

Noklak Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	399	388				
9	Expected number of Delivery	367	357				
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	495	124.1	404	104.0	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	121	24.4	94	23.3	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	70	14.1	72	17.8	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	275	55.6	238	58.9	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	367	74.1	295	73.0	Home Delivery	65.2
15	Home Delivery against expected delivery *	134	36.5	94	26.3	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	274	74.7	250	69.9	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	134	32.8	94	27.3	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	274	67.2	250	72.7		
19	Total reported Deliveries	408		344			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	108	80.6	68	72.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	145	35.5	138	40.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	359		350			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	406	113.0	344	98.4	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	8	2.0	2	0.6	BCG	75.6
25	PC of newborn weighted at birth to live birth	380	93.6	332	96.5	3 dose of DPT	56.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.7	5	1.5	Measles First dose	53.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	377	92.9	333	96.8	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	277	77.1	248	70.9	Full Immunization	39.9
29	Children who have received BCG	320	89.0	364	104.1		
30	Children who have received Pentavalent 1	409	113.8	358	102.4		
31	Children who have received Pentavalent 3	309	86.0	328	93.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	268	74.6	221	63.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	160		191			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.9
35	Number of Tubectomies performed	0	0	Spacing	5.9
36	Number of IUD insertion	58	41	Women using any method	52.6
37	Number of IUD removals	39	34	Women using modern method	37.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	369	424		
39	General OPD cases per 10,000 population ***	10589	9705		
40	Ayush OPD cases per 10,000 population ***	473	468		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Peren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	1,666		1,623			
9	Expected number of Delivery	1,533		1,493			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,283	77.0	1,100	67.8	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	360	28.1	262	23.8	At least 4ANC check up	14.5
12	Mothers who had 4 or more ANC check ups	253	19.7	257	23.4	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	874	68.1	840	76.4	100 IFA tablets consumed	6.1
14	PW who consumed 180 IFA tablets	857	66.8	730	66.4	Home Delivery	56.5
15	Home Delivery against expected delivery *	301	19.6	245	16.4	Institutional Delivery	43.5
16	Institutional Delivery against expected delivery *	489	31.9	491	32.9	Home Delivery by SBA	9.6
17	Home Delivery against reported delivery **	301	38.1	245	33.3	PNC within 2days of delivery	46.9
18	Institutional Delivery against reported delivery **	489	61.9	491	66.7		
19	Total reported Deliveries	790		736			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103	34.2	89	36.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	121	15.3	408	55.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,501		1,460			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	786	52.4	737	50.5	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	5	0.6	8	1.1	BCG	86.8
25	PC of newborn weighted at birth to live birth	732	93.1	694	94.2	3 dose of DPT	71.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	2.3	7	1.0	Measles First dose	74.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	735	93.5	695	94.3	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	793	52.8	964	66.0	Full Immunization	63.3
29	Children who have received BCG	821	54.7	884	60.5		
30	Children who have received Pentavalent 1	1,024	68.2	1,037	71.0		
31	Children who have received Pentavalent 3	828	55.2	946	64.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	786	52.4	835	57.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	159		125			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.2
35	Number of Tubectomies performed	15	19	Spacing	4.5
36	Number of IUD insertion	89	70	Women using any method	58.6
37	Number of IUD removals	76	61	Women using modern method	42
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	98	106		
39	General OPD cases per 10,000 population ***	4253	4312		
40	Ayush OPD cases per 10,000 population ***	442	408		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	3	1		
43	Total Neonatal Death	3	1		
44	Deaths between (1 - 11) months	0	3		
45	Total reported infant deaths	3	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,63,418					
2	Sex Ratio	951					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	49					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,860		2,785			
9	Expected number of Delivery	2,631		2,562			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,552	54.3	1,658	59.5	ANC Check up in first trimester	50.1
11	Mothers registered in the first trimester	602	38.8	617	37.2	At least 4ANC check up	9.5
12	Mothers who had 4 or more ANC check ups	470	30.3	492	29.7	Neonatal tetanus received	83.8
13	PW who got TT 2 / Booster injection	1,382	89.0	1,473	88.8	100 IFA tablets consumed	13.5
14	PW who consumed 180 IFA tablets	1,265	81.5	1,580	95.3	Home Delivery	67.8
15	Home Delivery against expected delivery *	330	12.5	359	14.0	Institutional Delivery	32.2
16	Institutional Delivery against expected delivery *	846	32.2	846	33.0	Home Delivery by SBA	18.5
17	Home Delivery against reported delivery **	330	28.1	359	29.8	PNC within 2days of delivery	39.6
18	Institutional Delivery against reported delivery **	846	71.9	846	70.2		
19	Total reported Deliveries	1,176		1,205			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	218	66.1	220	61.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	546	46.4	421	34.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,576		2,506			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,173	45.5	1,191	47.5	Breastfed within 1 hour of birth	64.8
24	Total Still Birth	9	0.8	16	1.3	BCG	87.6
25	PC of newborn weighted at birth to live birth	1,155	98.5	1,179	99.0	3 dose of DPT	65.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	0.9	11	0.9	Measles First dose	71.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,106	94.3	1,128	94.7	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,160	45.0	1,130	45.1	Full Immunization	54.6
29	Children who have received BCG	1,160	45.0	1,153	46.0		
30	Children who have received Pentavalent 1	1,336	51.9	1,275	50.9		
31	Children who have received Pentavalent 3	1,202	46.7	1,187	47.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,153	44.8	1,131	45.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	404		424			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	6.5
35	Number of Tubectomies performed	134	70	Spacing	3.5
36	Number of IUD insertion	263	204	Women using any method	56.3
37	Number of IUD removals	146	139	Women using modern method	47.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	180	194		
39	General OPD cases per 10,000 population ***	4703	5046		
40	Ayush OPD cases per 10,000 population ***	328	367		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	2	5		
43	Total Neonatal Death	2	6		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	2	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	3,440		3,350			
9	Expected number of Delivery	3,165		3,082			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,288	37.4	1,424	42.5	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	335	26.0	302	21.2	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	466	36.2	510	35.8	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	653	50.7	830	58.3	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	1,031	80.0	1,317	92.5	Home Delivery	65.2
15	Home Delivery against expected delivery *	307	9.7	272	8.8	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	746	23.6	710	23.0	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	307	29.2	272	27.7	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	746	70.8	710	72.3		
19	Total reported Deliveries	1,053		982			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	61.2	203	74.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	269	25.5	235	23.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,099		3,015			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,041	33.6	976	32.4	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	19	1.8	8	0.8	BCG	75.6
25	PC of newborn weighted at birth to live birth	1,010	97.0	938	96.1	3 dose of DPT	56.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	19	1.9	19	2.0	Measles First dose	53.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,003	96.3	941	96.4	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,054	34.0	1,042	34.6	Full Immunization	39.9
29	Children who have received BCG	1,123	36.2	1,095	36.3		
30	Children who have received Pentavalent 1	1,222	39.4	1,206	40.0		
31	Children who have received Pentavalent 3	1,084	35.0	1,113	36.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,064	34.3	1,057	35.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	165		270			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.9
35	Number of Tubectomies performed	47	65	Spacing	5.9
36	Number of IUD insertion	198	158	Women using any method	52.6
37	Number of IUD removals	114	120	Women using modern method	37.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	162	186		
39	General OPD cases per 10,000 population ***	2429	2467		
40	Ayush OPD cases per 10,000 population ***	30	37		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	6	6		
42	Neonatal Deaths within 1 to 28 days	2	5		
43	Total Neonatal Death	8	11		
44	Deaths between (1 - 11) months	2	4		
45	Total reported infant deaths	10	15		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers (SC)	42					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	2,911		2,835			
9	Expected number of Delivery	2,678		2,608			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	960	33.0	898	31.7	ANC Check up in first trimester	57.8
11	Mothers registered in the first trimester	287	29.9	276	30.7	At least 4ANC check up	34.7
12	Mothers who had 4 or more ANC check ups	264	27.5	276	30.7	Neonatal tetanus received	77.6
13	PW who got TT 2 / Booster injection	782	81.5	598	66.6	100 IFA tablets consumed	12.9
14	PW who consumed 180 IFA tablets	690	71.9	724	80.6	Home Delivery	56.4
15	Home Delivery against expected delivery *	190	7.1	194	7.4	Institutional Delivery	43.6
16	Institutional Delivery against expected delivery *	473	17.7	440	16.9	Home Delivery by SBA	19.9
17	Home Delivery against reported delivery **	190	28.7	194	30.6	PNC within 2days of delivery	50.7
18	Institutional Delivery against reported delivery **	473	71.3	440	69.4		
19	Total reported Deliveries	663		634			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	173	91.1	146	75.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	457	68.9	310	48.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,622		2,551			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	663	25.3	634	24.9	Breastfed within 1 hour of birth	48.5
24	Total Still Birth	4	0.6	2	0.3	BCG	73.3
25	PC of newborn weighted at birth to live birth	660	99.5	605	95.4	3 dose of DPT	61.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.3	7	1.2	Measles First dose	66.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	660	99.5	597	94.2	3 doses of penta or hepatitis B vaccine	55.1
28	Children fully immunized	760	29.0	737	28.9	Full Immunization	42.8
29	Children who have received BCG	670	25.6	587	23.0		
30	Children who have received Pentavalent 1	775	29.6	755	29.6		
31	Children who have received Pentavalent 3	782	29.8	717	28.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	762	29.1	742	29.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	263		314			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	3.2
35	Number of Tubectomies performed	71	27	Spacing	1.4
36	Number of IUD insertion	36	27	Women using any method	64.6
37	Number of IUD removals	36	19	Women using modern method	50.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	99	114		
39	General OPD cases per 10,000 population ***	3806	4029		
40	Ayush OPD cases per 10,000 population ***	331	350		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,757					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	2,463		2,399			
9	Expected number of Delivery	2,266		2,207			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,107	44.9	979	40.8	ANC Check up in first trimester	46.5
11	Mothers registered in the first trimester	300	27.1	280	28.6	At least 4ANC check up	11.2
12	Mothers who had 4 or more ANC check ups	236	21.3	276	28.2	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	422	38.1	485	49.5	100 IFA tablets consumed	5.5
14	PW who consumed 180 IFA tablets	369	33.3	473	48.3	Home Delivery	65
15	Home Delivery against expected delivery *	169	7.5	156	7.1	Institutional Delivery	35
16	Institutional Delivery against expected delivery *	647	28.6	629	28.5	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	169	20.7	156	19.9	PNC within 2days of delivery	24.9
18	Institutional Delivery against reported delivery **	647	79.3	629	80.1		
19	Total reported Deliveries	816		785			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	132	78.1	143	91.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	602	73.8	577	73.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,219		2,159			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	812	36.6	778	36.0	Breastfed within 1 hour of birth	38.4
24	Total Still Birth	8	1.0	11	1.4	BCG	82.2
25	PC of newborn weighted at birth to live birth	807	99.4	774	99.5	3 dose of DPT	72.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	2.2	22	2.8	Measles First dose	76.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	647	79.7	634	81.5	3 doses of penta or hepatitis B vaccine	72.3
28	Children fully immunized	834	37.6	734	34.0	Full Immunization	60.7
29	Children who have received BCG	711	32.0	695	32.2		
30	Children who have received Pentavalent 1	867	39.1	806	37.3		
31	Children who have received Pentavalent 3	855	38.5	769	35.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	857	38.6	742	34.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,057		983			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.8
35	Number of Tubectomies performed	77	44	Spacing	0.7
36	Number of IUD insertion	235	143	Women using any method	68.8
37	Number of IUD removals	132	226	Women using modern method	56.5
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	93	105		
39	General OPD cases per 10,000 population ***	4855	4801		
40	Ayush OPD cases per 10,000 population ***	265	221		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	3		
42	Neonatal Deaths within 1 to 28 days	1	2		
43	Total Neonatal Death	2	5		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	2	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		