

Sikkim Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	6,10,577					
2	Sex Ratio	889					
B) Infrastructure Details (HDI-2023-24)		Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	4					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW #	11,803	11,788				
9	Expected number of Delivery #	10,859	10,845				
		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	7,189	60.9	6,900	58.5	ANC Check up in first trimester	63.7
11	Mothers registered in the first trimester	6,034	83.9	5,790	83.9	At least 4ANC check up	58.4
12	Number of PW received 4 or more ANC check ups	5,670	78.9	5,514	79.9	Neonatal tetanus received	92.0
13	PW who got TT 2 / Booster injection	6,580	91.5	6,277	91.0	100 IFA tablets consumed	54.7
14	PW who consumed 180 IFA tablets	6,358	88.4	6,068	87.9	Home Delivery	5.3
15	Home Delivery against expected delivery *	43	0.4	29	0.3	Institutional Delivery	94.7
16	Institutional Delivery against expected delivery *	6,209	57.2	5,815	53.6	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	43	0.7	29	0.5	PNC within 2days of delivery	69.3
18	Institutional Delivery against reported delivery **	6,209	99.3	5,815	99.5		
19	Total reported Deliveries	6,252		5,844			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	39.5	14	48.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,864	109.8	5,513	94.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	10,676		10,652			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	6,220	58.3	5,841	54.8	Breastfed within 1 hour of birth	33
24	Total Still Birth	99	0.9	66	1.1	BCG	96.6
25	PC of newborn weighted at birth to live birth	6,207	99.8	5,828	99.8	3 dose of DPT	91.4
26	PC of newborn having weight less than 2.5 ka to newborn weighted at birth.	548	8.8	573	9.8	Measles First dose	90.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	6,000	96.5	5,423	92.8	3 doses of penta or hepatitis B vaccine	89.1
28	Children fully immunized	6,951	65.1	6,606	62.0	Full Immunization	80.6
29	Children who have received BCG	6,259	58.6	5,800	54.4		
30	Children who have received Pentavalent 1	6,421	60.1	6,141	57.6		
31	Children who have received Pentavalent 3	6,586	61.7	6,351	59.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,815	63.8	6,574	61.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,471		3,611			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	0	Total unmet need	11.9
35	Number of Tubectomies performed	184	194	Spacing	4.9
36	Number of IUD insertion	202	163	Women using any method	69.1
37	Number of IUD removals	372	321	Women using modern method	54.9

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	479	464		
39	General OPD cases per 10,000 population ***	15715	16436		
40	Ayush OPD cases per 10,000 population ***	333	516		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	7	10	
42	Neonatal Deaths within 1 to 28 days	7	8	
43	Total Neonatal Death	14	18	
44	Deaths between (1 - 11) months	13	13	
45	Total reported infant deaths	27	31	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	1	1	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	6	3	
53	Total reported maternal deaths	8	4	

Gangtok Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI-2023-24)		Numbers					
3	Sub Centers (SC)	55					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	NA					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW #	NA		4,151			
9	Expected number of Delivery #	NA		3,819			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	2,167	52.2	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	NA	NA	1,633	75.4	At least 4ANC check up	43.8
12	Number of PW received 4 or more ANC check ups	NA	NA	1,566	72.3	Neonatal tetanus received	90.3
13	PW who got TT 2 / Booster injection	NA	NA	2,004	92.5	100 IFA tablets consumed	48.3
14	PW who consumed 180 IFA tablets	NA	NA	1,871	86.3	Home Delivery	8.2
15	Home Delivery against expected delivery *	NA	NA	8	0.2	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	NA	NA	4,017	105.2	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	NA	NA	8	0.2	PNC within 2days of delivery	65.8
18	Institutional Delivery against reported delivery **	NA	NA	4,017	99.8		
19	Total reported Deliveries	NA		4,025			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	4	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	2,646	65.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	NA		3,751			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	4,035	107.6	Breastfed within 1 hour of birth	27.1
24	Total Still Birth	NA	NA	39	1.0	BCG	*
25	PC of newborn weighted at birth to live birth	NA	NA	4,032	99.9	3 dose of DPT	*
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	454	11.3	Measles First dose	*

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	3,663	90.8	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	NA	NA	2,224	59.3	Full Immunization	*
29	Children who have received BCG	NA	NA	4,003	106.7		
30	Children who have received Pentavalent 1	NA	NA	1,983	52.9		
31	Children who have received Pentavalent 3	NA	NA	2,066	55.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	2,217	59.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		910			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	17.7
35	Number of Tubectomies performed	NA	67	Spacing	7.2
36	Number of IUD insertion	NA	54	Women using any method	54.3
37	Number of IUD removals	NA	103	Women using modern method	42.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	NA	151		
39	General OPD cases per 10,000 population ***	NA	12262		
40	Ayush OPD cases per 10,000 population ***	NA	527		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	NA	2		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	2		
44	Deaths between (1 - 11) months	NA	1		
45	Total reported infant deaths	0	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	NA	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	1		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	3		
53	Total reported maternal deaths	0	4		

Gyalshing Factsheet

Key Indicators

SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI-2023-24)		Numbers					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW #	NA		1,406			
9	Expected number of Delivery #	NA		1,294			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	863	61.4	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	NA	NA	757	87.7	At least 4ANC check up	70.4
12	Number of PW received 4 or more ANC check ups	NA	NA	716	83.0	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	NA	NA	786	91.1	100 IFA tablets consumed	48.6
14	PW who consumed 180 IFA tablets	NA	NA	833	96.5	Home Delivery	0.7
15	Home Delivery against expected delivery *	NA	NA	3	0.2	Institutional Delivery	99.3
16	Institutional Delivery against expected delivery *	NA	NA	543	42.0	Home Delivery by SBA	0.0
17	Home Delivery against reported delivery **	NA	NA	3	0.5	PNC within 2days of delivery	63.6
18	Institutional Delivery against reported delivery **	NA	NA	543	99.5		
19	Total reported Deliveries	NA		546			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	3	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	426	78.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	NA		1,271			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	538	42.3	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	NA	NA	8	1.5	BCG	96.9
25	PC of newborn weighted at birth to live birth	NA	NA	538	100.0	3 dose of DPT	98.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	39	7.2	Measles First dose	98.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	511	95.0	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	NA	NA	822	64.7	Full Immunization	96.9
29	Children who have received BCG	NA	NA	517	40.7		
30	Children who have received Pentavalent 1	NA	NA	758	59.7		
31	Children who have received Pentavalent 3	NA	NA	791	62.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	820	64.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		479			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	4.3
35	Number of Tubectomies performed	NA	9	Spacing	1.1
36	Number of IUD insertion	NA	32	Women using any method	88.2
37	Number of IUD removals	NA	76	Women using modern method	70.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	NA	518		
39	General OPD cases per 10,000 population ***	NA	18964		
40	Ayush OPD cases per 10,000 population ***	NA	837		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	NA	1		
42	Neonatal Deaths within 1 to 28 days	NA	4		
43	Total Neonatal Death	0	5		
44	Deaths between (1 - 11) months	NA	3		
45	Total reported infant deaths	0	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	NA	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Mangan Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (HDI-2023-24)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW #	771		765			
9	Expected number of Delivery #	709		704			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	415	53.8	426	55.7	ANC Check up in first trimester	66.2
11	Mothers registered in the first trimester	366	88.2	372	87.3	At least 4ANC check up	59.4
12	Number of PW received 4 or more ANC check ups	409	98.6	332	77.9	Neonatal tetanus received	92.5
13	PW who got TT 2 / Booster injection	404	97.3	381	89.4	100 IFA tablets consumed	74.0
14	PW who consumed 180 IFA tablets	419	101.0	337	79.1	Home Delivery	2.7
15	Home Delivery against expected delivery *	3	0.4	2	0.3	Institutional Delivery	97.3
16	Institutional Delivery against expected delivery *	80	11.3	52	7.4	Home Delivery by SBA	1.5
17	Home Delivery against reported delivery **	3	3.6	2	3.7	PNC within 2days of delivery	71.3
18	Institutional Delivery against reported delivery **	80	96.4	52	96.3		
19	Total reported Deliveries	83		54			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	322	388.0	251	464.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	697		691			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	83	11.9	52	7.5	Breastfed within 1 hour of birth	26.1
24	Total Still Birth	1	0.1	2	3.8	BCG	100
25	PC of newborn weighted at birth to live birth	83	100.0	52	100.0	3 dose of DPT	100
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	13.3	4	7.7	Measles First dose	96.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	82	98.8	52	100.0	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	413	59.2	394	57.0	Full Immunization	90.8
29	Children who have received BCG	82	11.8	52	7.5		
30	Children who have received Pentavalent 1	390	55.9	333	48.2		
31	Children who have received Pentavalent 3	431	61.8	347	50.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	410	58.8	396	57.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	259		214			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.8
35	Number of Tubectomies performed	0	0	Spacing	6.9
36	Number of IUD insertion	11	8	Women using any method	75.7
37	Number of IUD removals	12	15	Women using modern method	61

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	432	517		
39	General OPD cases per 10,000 population ***	15162	16858		
40	Ayush OPD cases per 10,000 population ***	369	586		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	1	0	
42	Neonatal Deaths within 1 to 28 days	0	0	
43	Total Neonatal Death	1	0	
44	Deaths between (1 - 11) months	2	1	
45	Total reported infant deaths	3	1	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	0	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	0	0	
53	Total reported maternal deaths	0	0	

Namchi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,46,850					
2	Sex Ratio	914					
	B) Infrastructure Details (HDI-2023-24)	Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW #	2,793		2,787			
9	Expected number of Delivery #	2,570		2,564			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,615	57.8	1,513	54.3	ANC Check up in first trimester	78.1
11	Mothers registered in the first trimester	1,471	91.1	1,379	91.1	At least 4ANC check up	84.5
12	Number of PW received 4 or more ANC check ups	1,339	82.9	1,313	86.8	Neonatal tetanus received	92.3
13	PW who got TT 2 / Booster injection	1,416	87.7	1,365	90.2	100 IFA tablets consumed	71.3
14	PW who consumed 180 IFA tablets	1,400	86.7	1,339	88.5	Home Delivery	2.6
15	Home Delivery against expected delivery *	8	0.3	12	0.5	Institutional Delivery	97.4
16	Institutional Delivery against expected delivery *	1,084	42.2	1,084	42.3	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	8	0.7	12	1.1	PNC within 2days of delivery	83.1
18	Institutional Delivery against reported delivery **	1,084	99.3	1,084	98.9		
19	Total reported Deliveries	1,092		1,096			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	37.5	3	25.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	849	77.7	1,076	98.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	2,526		2,519			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,080	42.7	1,095	43.5	Breastfed within 1 hour of birth	28.2
24	Total Still Birth	16	0.6	13	1.2	BCG	89.5
25	PC of newborn weighted at birth to live birth	1,079	99.9	1,089	99.5	3 dose of DPT	89.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	4.6	64	5.9	Measles First dose	86.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,070	99.1	1,081	98.7	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	1,431	56.6	1,459	57.9	Full Immunization	86.4
29	Children who have received BCG	1,094	43.3	1,088	43.2		
30	Children who have received Pentavalent 1	1,487	58.9	1,502	59.6		
31	Children who have received Pentavalent 3	1,474	58.3	1,507	59.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,434	56.8	1,460	58.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	869		945			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	5.2
35	Number of Tubectomies performed	127	118	Spacing	2.8
36	Number of IUD insertion	26	16	Women using any method	85
37	Number of IUD removals	90	81	Women using modern method	67.6

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	723	769		
39	General OPD cases per 10,000 population ***	20153	21531		
40	Ayush OPD cases per 10,000 population ***	698	453		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	3	7	
42	Neonatal Deaths within 1 to 28 days	0	2	
43	Total Neonatal Death	3	9	
44	Deaths between (1 - 11) months	5	5	
45	Total reported infant deaths	8	14	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	0	0	
47	Due to PPH (Post-Partum Haemorrhage)	1	0	
48	Due to Pregnancy related infection and sepsis, Fever	0	0	
49	Due to Abortive complication	0	0	
50	Due to Obstructed/prolonged labour	0	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0	
52	Due to Other/Unknown Causes	1	0	
53	Total reported maternal deaths	2	0	

Pakyong Factsheet

Key Indicators

SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI-2023-24)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW #	NA		1,481			
9	Expected number of Delivery #	NA		1,363			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	1,226	82.8	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	NA	NA	1,033	84.3	At least 4ANC check up	43.8
12	Number of PW received 4 or more ANC check ups	NA	NA	1,012	82.5	Neonatal tetanus received	90.3
13	PW who got TT 2 / Booster injection	NA	NA	1,069	87.2	100 IFA tablets consumed	48.3
14	PW who consumed 180 IFA tablets	NA	NA	1,081	88.2	Home Delivery	8.2
15	Home Delivery against expected delivery *	NA	NA	3	0.2	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	NA	NA	55	4.0	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	NA	NA	3	5.2	PNC within 2days of delivery	65.8
18	Institutional Delivery against reported delivery **	NA	NA	55	94.8		
19	Total reported Deliveries	NA		58			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	3	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	642	1106.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	NA		1,339			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	57	4.3	Breastfed within 1 hour of birth	27.1
24	Total Still Birth	NA	NA	2	3.5	BCG	*
25	PC of newborn weighted at birth to live birth	NA	NA	54	94.7	3 dose of DPT	*
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	4	7.4	Measles First dose	*

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	54	94.7	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	NA	NA	1,076	80.4	Full Immunization	*
29	Children who have received BCG	NA	NA	68	5.1		
30	Children who have received Pentavalent 1	NA	NA	954	71.3		
31	Children who have received Pentavalent 3	NA	NA	1,006	75.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	1,050	78.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		620			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	17.7
35	Number of Tubectomies performed	NA	0	Spacing	7.2
36	Number of IUD insertion	NA	39	Women using any method	54.3
37	Number of IUD removals	NA	24	Women using modern method	42.8
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	NA	850		
39	General OPD cases per 10,000 population ***	NA	18797		
40	Ayush OPD cases per 10,000 population ***	NA	541		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	NA	0		
42	Neonatal Deaths within 1 to 28 days	NA	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	NA	2		
45	Total reported infant deaths	0	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	NA	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	NA	0		
49	Due to Abortive complication	NA	0		
50	Due to Obstructed/prolonged labour	NA	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0		
52	Due to Other/Unknown Causes	NA	0		
53	Total reported maternal deaths	0	0		

Soreng Factsheet

Key Indicators

SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI-2023-24)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW #	NA		1,214			
9	Expected number of Delivery #	NA		1,116			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	705	58.1	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	NA	NA	616	87.4	At least 4ANC check up	70.4
12	Number of PW received 4 or more ANC check ups	NA	NA	575	81.6	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	NA	NA	672	95.3	100 IFA tablets consumed	48.6
14	PW who consumed 180 IFA tablets	NA	NA	607	86.1	Home Delivery	0.7
15	Home Delivery against expected delivery *	NA	NA	1	0.1	Institutional Delivery	99.3
16	Institutional Delivery against expected delivery *	NA	NA	64	5.7	Home Delivery by SBA	0.0
17	Home Delivery against reported delivery **	NA	NA	1	1.5	PNC within 2days of delivery	63.6
18	Institutional Delivery against reported delivery **	NA	NA	64	98.5		
19	Total reported Deliveries	NA		65			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	1	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	472	726.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	NA		1,097			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	NA	NA	64	5.8	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	NA	NA	2	3.1	BCG	96.9
25	PC of newborn weighted at birth to live birth	NA	NA	63	98.4	3 dose of DPT	98.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	8	12.7	Measles First dose	98.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	NA	NA	62	96.9	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	NA	NA	631	57.5	Full Immunization	96.9
29	Children who have received BCG	NA	NA	72	6.6		
30	Children who have received Pentavalent 1	NA	NA	611	55.7		
31	Children who have received Pentavalent 3	NA	NA	634	57.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	NA	NA	631	57.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		443			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	NA	0	Total unmet need	4.3
35	Number of Tubectomies performed	NA	0	Spacing	1.1
36	Number of IUD insertion	NA	14	Women using any method	88.2
37	Number of IUD removals	NA	22	Women using modern method	70.8

F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	NA	263		
39	General OPD cases per 10,000 population ***	NA	12708		
40	Ayush OPD cases per 10,000 population ***	NA	170		

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
41	Neonatal death within 24 hours	NA	0	
42	Neonatal Deaths within 1 to 28 days	NA	2	
43	Total Neonatal Death	0	2	
44	Deaths between (1 - 11) months	NA	1	
45	Total reported infant deaths	0	3	

II) Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)	
46	Due to APH (Antepartum Haemorrhage)	NA	0	
47	Due to PPH (Post-Partum Haemorrhage)	NA	0	
48	Due to Pregnancy related infection and sepsis, Fever	NA	0	
49	Due to Abortive complication	NA	0	
50	Due to Obstructed/prolonged labour	NA	0	
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	NA	0	
52	Due to Other/Unknown Causes	NA	0	
53	Total reported maternal deaths	0	0	