

Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	36,73,917					
2	Sex Ratio	1,017					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers(SC)	1,003					
4	Primary Health Centers(PHC)	121					
5	Community Health Centers (CHC)	21					
6	SDH	15					
7	DH	7					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	72,928	72,580				
9	Expected number of Delivery	67,624	67,301				
		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	52,684	72.2	50,537	69.6	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	46,668	88.6	44,822	88.7	At least 4ANC check up	52.8
12	Number of PW received 4 or more ANC check ups	49,422	93.8	49,177	97.3	Neonatal tetanus received	90.2
13	PW who got TT 2 / Booster injection	46,592	88.4	45,073	89.2	100 IFA tablets consumed	18.8
14	PW who consumed 180 IFA tablets	52,172	99.0	48,712	96.4	Home Delivery	12.3
15	Home Delivery against expected delivery *	506	0.7	257	0.4	Institutional Delivery	87.7
16	Institutional Delivery against expected delivery *	44,242	65.4	43,089	64.0	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	506	1.1	257	0.6	PNC within 2days of delivery	72.1
18	Institutional Delivery against reported delivery **	44,242	98.9	43,089	99.4		
19	Total reported Deliveries	44,748		43,346			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	2.0	6	2.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	46,196	103.2	40,456	93.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	66,298		65,982			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	44,441	67.0	43,079	65.3	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	613	1.4	538	1.2	BCG	97.6
25	PC of newborn weighted at birth to live birth	44,328	99.7	42,959	99.7	3 dose of DPT	89.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,125	11.6	4,877	11.4	Measles First dose	84.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	43,502	97.9	41,924	97.3	3 doses of penta or hepatitis B vaccine	86.8
28	Children fully immunized	47,502	71.6	45,482	68.9	Full Immunization	70.3
29	Children who have received BCG	44,076	66.5	41,725	63.2		
30	Children who have received Pentavalent 1	46,509	70.2	46,273	70.1		
31	Children who have received Pentavalent 3	44,454	67.1	44,306	67.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	47,550	71.7	45,522	69.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	12,101		14,092			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	5	Total unmet need	15.3
35	Number of Tubectomies performed	2,689	2,948	Spacing	3.9
36	Number of IUD insertion	433	386	Women using any method	58.9
37	Number of IUD removals	469	415	Women using modern method	44.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1138	1183		
39	General OPD cases per 10,000 population ***	12462	13108		
40	Ayush OPD cases per 10,000 population ***	615	602		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	106	110		
42	Neonatal Deaths within 1 to 28 days	273	224		
43	Total Neonatal Death	379	334		
44	Deaths between (1 - 11) months	233	210		
45	Total reported infant deaths	612	544		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorrhage)	1	0		
47	Due to PPH (Post-Partum Haemmorrhage)	9	7		
48	Due to Pregnancy related infection and sepsis, Fever	1	12		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	2		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	8	11		
52	Due to Other/Unknown Causes	15	10		
53	Total reported maternal deaths	34	42		

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,230					
2	Sex Ratio	945					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers(SC)	121					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	3					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,125		8,150			
9	Expected number of Delivery	7,534		7,557			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,598	81.2	6,138	75.3	ANC Check up in first trimester	58.1
11	Mothers registered in the first trimester	5,837	88.5	5,467	89.1	At least 4ANC check up	52.0
12	Number of PW received 4 or more ANC check ups	5,108	77.4	4,918	80.1	Neonatal tetanus received	97.8
13	PW who got TT 2 / Booster injection	5,929	89.9	5,608	91.4	100 IFA tablets consumed	26.0
14	PW who consumed 180 IFA tablets	6,266	95.0	6,030	98.2	Home Delivery	12.7
15	Home Delivery against expected delivery *	185	2.5	89	1.2	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	5,202	69.0	4,950	65.5	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	185	3.4	89	1.8	PNC within 2days of delivery	72.4
18	Institutional Delivery against reported delivery **	5,202	96.6	4,950	98.2		
19	Total reported Deliveries	5,387		5,039			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.5	1	1.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,710	50.3	2,548	50.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,386		7,409			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	5,323	72.1	4,999	67.5	Breastfed within 1 hour of birth	44.0
24	Total Still Birth	94	1.8	63	1.3	BCG	97.6

25	PC of newborn weighted at birth to live birth	5,269	99.0	4,994	99.9	3 dose of DPT	89.0
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	424	8.0	393	7.9	Measles First dose	90.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,186	97.4	4,927	98.6	3 doses of penta or hepatitis B vaccine	86.2
28	Children fully immunized	5,205	70.5	4,961	67.0	Full Immunization	73.7
29	Children who have received BCG	5,599	75.8	5,155	69.6		
30	Children who have received Pentavalent 1	5,457	73.9	5,436	73.4		
31	Children who have received Pentavalent 3	4,873	66.0	4,984	67.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,216	70.6	4,985	67.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,027		1,099			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.0
35	Number of Tubectomies performed	50	9	Spacing	1.8
36	Number of IUD insertion	73	71	Women using any method	80.9
37	Number of IUD removals	50	51	Women using modern method	53.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	956	900		
39	General OPD cases per 10,000 population ***	9754	8729		
40	Ayush OPD cases per 10,000 population ***	317	437		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	26	20		
42	Neonatal Deaths within 1 to 28 days	20	12		
43	Total Neonatal Death	46	32		
44	Deaths between (1 - 11) months	46	54		
45	Total reported infant deaths	92	86		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	1	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	1		

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,36,868					
2	Sex Ratio	957					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers(SC)	145					
4	Primary Health Centers(PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	3					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,618		8,570			
9	Expected number of Delivery	7,991		7,947			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,815	67.5	5,603	65.4	ANC Check up in first trimester	54.2
11	Mothers registered in the first trimester	5,173	89.0	4,904	87.5	At least 4ANC check up	58.4
12	Number of PW received 4 or more ANC check ups	5,000	86.0	4,759	84.9	Neonatal tetanus received	89.4
13	PW who got TT 2 / Booster injection	5,242	90.1	5,238	93.5	100 IFA tablets consumed	29.5
14	PW who consumed 180 IFA tablets	5,584	96.0	5,086	90.8	Home Delivery	10.3
15	Home Delivery against expected delivery *	18	0.2	12	0.2	Institutional Delivery	89.7
16	Institutional Delivery against expected delivery *	4,451	55.7	4,375	55.1	Home Delivery by SBA	0.7
17	Home Delivery against reported delivery **	18	0.4	12	0.3	PNC within 2days of delivery	68.0
18	Institutional Delivery against reported delivery **	4,451	99.6	4,375	99.7		
19	Total reported Deliveries	4,469		4,387			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,824	85.6	3,392	77.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,834		7,791			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,445	56.7	4,372	56.1	Breastfed within 1 hour of birth	15.8
24	Total Still Birth	42	0.9	41	0.9	BCG	89.0
25	PC of newborn weighted at birth to live birth	4,432	99.7	4,371	100.0	3 dose of DPT	81.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	364	8.2	394	9.0	Measles First dose	83.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,318	97.1	4,193	95.9	3 doses of penta or hepatitis B vaccine	72.7
28	Children fully immunized	5,099	65.1	4,884	62.7	Full Immunization	48.5
29	Children who have received BCG	4,335	55.3	4,082	52.4		
30	Children who have received Pentavalent 1	5,175	66.1	5,048	64.8		
31	Children who have received Pentavalent 3	4,824	61.6	4,629	59.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,124	65.4	4,897	62.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,719		1,828			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	5	Total unmet need	17.3
35	Number of Tubectomies performed	363	334	Spacing	3.7
36	Number of IUD insertion	90	82	Women using any method	50.7
37	Number of IUD removals	58	41	Women using modern method	40.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	955	982		
39	General OPD cases per 10,000 population ***	10307	11455		
40	Ayush OPD cases per 10,000 population ***	595	648		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	14	13		
42	Neonatal Deaths within 1 to 28 days	3	6		
43	Total Neonatal Death	17	19		
44	Deaths between (1 - 11) months	12	2		
45	Total reported infant deaths	29	21		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	2	0		

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,27,391					
2	Sex Ratio	964					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers(SC)	104					
4	Primary Health Centers(PHC)	10					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	6,361	6,317				
9	Expected number of Delivery	5,899	5,857				
		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	3,630	57.1	3,328	52.7	ANC Check up in first trimester	41.0
11	Mothers registered in the first trimester	3,206	88.3	2,912	87.5	At least 4ANC check up	24.6
12	Number of PW received 4 or more ANC check ups	3,153	86.9	2,872	86.3	Neonatal tetanus received	95.6
13	PW who got TT 2 / Booster injection	3,356	92.5	3,015	90.6	100 IFA tablets consumed	31.6
14	PW who consumed 180 IFA tablets	3,558	98.0	3,241	97.4	Home Delivery	28.5
15	Home Delivery against expected delivery *	12	0.2	3	0.1	Institutional Delivery	71.5
16	Institutional Delivery against expected delivery *	2,105	35.7	2,027	34.6	Home Delivery by SBA	2.9
17	Home Delivery against reported delivery **	12	0.6	3	0.1	PNC within 2days of delivery	44.5
18	Institutional Delivery against reported delivery **	2,105	99.4	2,027	99.9		
19	Total reported Deliveries	2,117		2,030			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	493	23.3	573	28.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,783		5,743			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	2,111	36.5	2,022	35.2	Breastfed within 1 hour of birth	21.7
24	Total Still Birth	17	0.8	17	0.8	BCG	85.1
25	PC of newborn weighted at birth to live birth	2,110	100.0	2,006	99.2	3 dose of DPT	78.0

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	214	10.1	183	9.1	Measles First dose	83.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,040	96.6	1,972	97.5	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	3,511	60.7	3,218	56.0	Full Immunization	58.3
29	Children who have received BCG	2,106	36.4	1,833	31.9		
30	Children who have received Pentavalent 1	3,412	59.0	3,268	56.9		
31	Children who have received Pentavalent 3	3,347	57.9	3,190	55.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,507	60.6	3,240	56.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	549		549			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	115	131	Spacing	3.7
36	Number of IUD insertion	25	42	Women using any method	66.8
37	Number of IUD removals	12	12	Women using modern method	40.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	621	605		
39	General OPD cases per 10,000 population ***	9342	9838		
40	Ayush OPD cases per 10,000 population ***	616	458		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	5	3		
42	Neonatal Deaths within 1 to 28 days	6	3		
43	Total Neonatal Death	11	6		
44	Deaths between (1 - 11) months	18	12		
45	Total reported infant deaths	29	18		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,15,946					
2	Sex Ratio	967					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers(SC)	101					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	2					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,475		8,456			
9	Expected number of Delivery	7,859		7,841			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,778	91.8	7,471	88.4	ANC Check up in first trimester	54.0
11	Mothers registered in the first trimester	7,195	92.5	6,702	89.7	At least 4ANC check up	40.6
12	Number of PW received 4 or more ANC check ups	6,789	87.3	6,640	88.9	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	7,175	92.2	6,651	89.0	100 IFA tablets consumed	22.0
14	PW who consumed 180 IFA tablets	7,643	98.3	7,479	100.1	Home Delivery	6.8
15	Home Delivery against expected delivery *	114	1.5	42	0.5	Institutional Delivery	93.2
16	Institutional Delivery against expected delivery *	4,436	56.4	3,850	49.1	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	114	2.5	42	1.1	PNC within 2days of delivery	66.3
18	Institutional Delivery against reported delivery **	4,436	97.5	3,850	98.9		
19	Total reported Deliveries	4,550		3,892			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	3.5	3	7.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,758	82.6	3,696	95.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,705		7,687			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,513	58.6	3,856	50.2	Breastfed within 1 hour of birth	24.8
24	Total Still Birth	58	1.3	44	1.1	BCG	91.8
25	PC of newborn weighted at birth to live birth	4,508	99.9	3,802	98.6	3 dose of DPT	83.9

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	437	9.7	355	9.3	Measles First dose	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,458	98.8	3,837	99.5	3 doses of penta or hepatitis B vaccine	80.6
28	Children fully immunized	6,742	87.5	6,439	83.8	Full Immunization	67.1
29	Children who have received BCG	4,870	63.2	4,107	53.4		
30	Children who have received Pentavalent 1	6,785	88.1	6,679	86.9		
31	Children who have received Pentavalent 3	6,418	83.3	6,436	83.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,742	87.5	6,404	83.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,542		1,674			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.1
35	Number of Tubectomies performed	125	102	Spacing	3.7
36	Number of IUD insertion	1	4	Women using any method	65.5
37	Number of IUD removals	95	66	Women using modern method	48.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	970	968		
39	General OPD cases per 10,000 population ***	8503	9603		
40	Ayush OPD cases per 10,000 population ***	849	869		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths within 1 to 28 days	4	2		
43	Total Neonatal Death	7	3		
44	Deaths between (1 - 11) months	14	11		
45	Total reported infant deaths	21	14		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	1		
52	Due to Other/Unknown Causes	1	4		
53	Total reported maternal deaths	1	6		

Sipahijala Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,84,233					
2	Sex Ratio	964					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers(SC)	143					
4	Primary Health Centers(PHC)	15					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	9,409		9,343			
9	Expected number of Delivery	8,724		8,664			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,548	80.2	7,216	77.2	ANC Check up in first trimester	78.7
11	Mothers registered in the first trimester	6,441	85.3	6,180	85.6	At least 4ANC check up	61.2
12	Number of PW received 4 or more ANC check ups	6,051	80.2	5,809	80.5	Neonatal tetanus received	99.3
13	PW who got TT 2 / Booster injection	6,651	88.1	6,611	91.6	100 IFA tablets consumed	31.8
14	PW who consumed 180 IFA tablets	7,198	95.4	6,597	91.4	Home Delivery	4.7
15	Home Delivery against expected delivery *	26	0.3	19	0.2	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	2,840	32.6	2,852	32.9	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	26	0.9	19	0.7	PNC within 2days of delivery	87.7
18	Institutional Delivery against reported delivery **	2,840	99.1	2,852	99.3		
19	Total reported Deliveries	2,866		2,871			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	5.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,526	192.8	5,033	175.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,553		8,494			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,858	33.4	2,852	33.6	Breastfed within 1 hour of birth	38.0
24	Total Still Birth	10	0.3	23	0.8	BCG	100.0
25	PC of newborn weighted at birth to live birth	2,853	99.8	2,843	99.7	3 dose of DPT	94.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	324	11.4	287	10.1	Measles First dose	94.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,785	97.4	2,782	97.5	3 doses of penta or hepatitis B vaccine	91.7
28	Children fully immunized	6,990	81.7	6,658	78.4	Full Immunization	88.4
29	Children who have received BCG	3,263	38.1	2,914	34.3		
30	Children who have received Pentavalent 1	6,811	79.6	6,738	79.3		
31	Children who have received Pentavalent 3	6,708	78.4	6,798	80.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,003	81.9	6,676	78.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	358		824			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.5
35	Number of Tubectomies performed	100	96	Spacing	0.9
36	Number of IUD insertion	8	2	Women using any method	80.1
37	Number of IUD removals	9	5	Women using modern method	53.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	678	669		
39	General OPD cases per 10,000 population ***	10070	11064		
40	Ayush OPD cases per 10,000 population ***	711	635		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	1	1		
42	Neonatal Deaths within 1 to 28 days	1	1		
43	Total Neonatal Death	2	2		
44	Deaths between (1 - 11) months	2	8		
45	Total reported infant deaths	4	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,33,737					
2	Sex Ratio	957					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers(SC)	148					
4	Primary Health Centers(PHC)	20					
5	Community Health Centers (CHC)	6					
6	SDH	2					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	8,556	8,509				
9	Expected number of Delivery	7,934	7,890				
		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	5,781	67.6	5,309	62.4	ANC Check up in first trimester	57.2
11	Mothers registered in the first trimester	5,252	90.8	4,849	91.3	At least 4ANC check up	41.5
12	Number of PW received 4 or more ANC check ups	4,707	81.4	4,472	84.2	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	5,166	89.4	4,838	91.1	100 IFA tablets consumed	38.0
14	PW who consumed 180 IFA tablets	5,850	101.2	5,257	99.0	Home Delivery	4.3
15	Home Delivery against expected delivery *	11	0.1	2	0.0	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	3,863	48.7	3,738	47.4	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	11	0.3	2	0.1	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	3,863	99.7	3,738	99.9		
19	Total reported Deliveries	3,874		3,740			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,029	104.0	3,977	106.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,778		7,736			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)			
		Number	PC	Number	PC		
23	Total reported live births	3,853	49.5	3,715	48.0	Breastfed within 1 hour of birth	20.9
24	Total Still Birth	35	0.9	35	0.9	BCG	96.1
25	PC of newborn weighted at birth to live birth	3,830	99.4	3,699	99.6	3 dose of DPT	87.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	417	10.9	333	9.0	Measles First dose	85.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,800	98.6	3,600	96.9	3 doses of penta or hepatitis B vaccine	85.7
28	Children fully immunized	5,115	65.8	5,085	65.7	Full Immunization	60.7
29	Children who have received BCG	3,743	48.1	3,679	47.6		
30	Children who have received Pentavalent 1	5,208	67.0	5,103	66.0		
31	Children who have received Pentavalent 3	5,085	65.4	5,095	65.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,124	65.9	5,091	65.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,010		1,069			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.1
35	Number of Tubectomies performed	64	90	Spacing	2.2
36	Number of IUD insertion	171	118	Women using any method	79.9
37	Number of IUD removals	150	135	Women using modern method	49.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1050	1075		
39	General OPD cases per 10,000 population ***	11787	11784		
40	Ayush OPD cases per 10,000 population ***	569	515		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	2	4		
42	Neonatal Deaths within 1 to 28 days	12	5		
43	Total Neonatal Death	14	9		
44	Deaths between (1 - 11) months	14	15		
45	Total reported infant deaths	28	24		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorrhage)	0	0		
47	Due to PPH (Post-Partum Haemmorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,77,335					
2	Sex Ratio	967					
	B) Infrastructure Details (HDI 2023-24)	Numbers					
3	Sub Centers(SC)	70					
4	Primary Health Centers(PHC)	12					
5	Community Health Centers (CHC)	0					
6	SDH	2					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	5,651		5,638			
9	Expected number of Delivery	5,240		5,228			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,599	81.4	4,529	80.3	ANC Check up in first trimester	63.2
11	Mothers registered in the first trimester	3,890	84.6	3,932	86.8	At least 4ANC check up	52.7
12	Number of PW received 4 or more ANC check ups	3,554	77.3	3,696	81.6	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	3,949	85.9	4,037	89.1	100 IFA tablets consumed	26.7
14	PW who consumed 180 IFA tablets	4,141	90.0	4,200	92.7	Home Delivery	10.8
15	Home Delivery against expected delivery *	131	2.5	87	1.7	Institutional Delivery	89.2
16	Institutional Delivery against expected delivery *	3,596	68.6	3,584	68.6	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	131	3.5	87	2.4	PNC within 2days of delivery	71.9
18	Institutional Delivery against reported delivery **	3,596	96.5	3,584	97.6		
19	Total reported Deliveries	3,727		3,671			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	3.1	1	1.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,664	98.3	3,209	87.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,137		5,126			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,696	71.9	3,651	71.2	Breastfed within 1 hour of birth	36.4
24	Total Still Birth	51	1.4	45	1.2	BCG	94.7
25	PC of newborn weighted at birth to live birth	3,691	99.9	3,642	99.8	3 dose of DPT	85.9

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	394	10.7	467	12.8	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,559	96.3	3,410	93.4	3 doses of penta or hepatitis B vaccine	82.5
28	Children fully immunized	4,197	81.7	3,975	77.6	Full Immunization	69.5
29	Children who have received BCG	3,314	64.5	3,494	68.2		
30	Children who have received Pentavalent 1	3,836	74.7	4,056	79.1		
31	Children who have received Pentavalent 3	3,612	70.3	3,642	71.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,195	81.7	3,958	77.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,775		2,176			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.2
35	Number of Tubectomies performed	190	214	Spacing	2.5
36	Number of IUD insertion	15	14	Women using any method	71.2
37	Number of IUD removals	11	7	Women using modern method	49.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1183	1241		
39	General OPD cases per 10,000 population ***	12521	13711		
40	Ayush OPD cases per 10,000 population ***	488	267		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	0	6		
42	Neonatal Deaths within 1 to 28 days	9	19		
43	Total Neonatal Death	9	25		
44	Deaths between (1 - 11) months	25	15		
45	Total reported infant deaths	34	40		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	2		

West Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,17,534					
2	Sex Ratio	964					
B) Infrastructure Details (HDI 2023-24)		Numbers					
3	Sub Centers(SC)	171					
4	Primary Health Centers(PHC)	20					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2024-25		2025-26			
8	Expected number of PW	17,828		17,703			
9	Expected number of Delivery	16,531		16,416			
		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	10,935	61.3	10,943	61.8	ANC Check up in first trimester	75.5
11	Mothers registered in the first trimester	9,674	88.5	9,876	90.2	At least 4ANC check up	67.1
12	Number of PW received 4 or more ANC check ups	15,060	137.7	16,011	146.3	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	9,124	83.4	9,075	82.9	100 IFA tablets consumed	17.3
14	PW who consumed 180 IFA tablets	11,932	109.1	10,822	98.9	Home Delivery	14.6
15	Home Delivery against expected delivery *	9	0.1	3	0.0	Institutional Delivery	85.4
16	Institutional Delivery against expected delivery *	17,749	107.4	17,713	107.9	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	9	0.1	3	0.0	PNC within 2days of delivery	76.6
18	Institutional Delivery against reported delivery **	17,749	99.9	17,713	100.0		
19	Total reported Deliveries	17,758		17,716			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	11.1	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,192	125.0	18,028	101.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	16,207		16,094			
D) Child Immunization :		HMIS (2024-25)		HMIS (2025-26)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	17,642	108.9	17,612	109.4	Breastfed within 1 hour of birth	61.1
24	Total Still Birth	306	1.7	270	1.5	BCG	93.1
25	PC of newborn weighted at birth to live birth	17,635	100.0	17,602	99.9	3 dose of DPT	77.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,551	14.5	2,465	14.0	Measles First dose	74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,356	98.4	17,203	97.7	3 doses of penta or hepatitis B vaccine	74.6
28	Children fully immunized	10,643	65.7	10,262	63.8	Full Immunization	69.6
29	Children who have received BCG	16,846	103.9	16,461	102.3		
30	Children who have received Pentavalent 1	9,825	60.6	9,945	61.8		
31	Children who have received Pentavalent 3	9,587	59.2	9,532	59.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,639	65.6	10,271	63.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,121		4,873			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.1
35	Number of Tubectomies performed	1,682	1,972	Spacing	2.5
36	Number of IUD insertion	50	53	Women using any method	78.3
37	Number of IUD removals	84	98	Women using modern method	54.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26)		
38	IPD cases per 10,000 population ***	1838	2016		
39	General OPD cases per 10,000 population ***	19237	20210		
40	Ayush OPD cases per 10,000 population ***	658	705		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
41	Neonatal death within 24 hours	55	62		
42	Neonatal Deaths within 1 to 28 days	218	176		
43	Total Neonatal Death	273	238		
44	Deaths between (1 - 11) months	102	93		
45	Total reported infant deaths	375	331		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26)		
46	Due to APH (Antepartum Haemmorhage)	1	0		
47	Due to PPH (Post-Partum Haemmorhage)	7	3		
48	Due to Pregnancy related infection and sepsis, Fever	1	12		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	2		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	8	10		
52	Due to Other/Unknown Causes	12	6		
53	Total reported maternal deaths	29	33		