

Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	36,73,917					
2	Sex Ratio	1,017					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers(SC)	1,000					
4	Primary Health Centers(PHC)	120					
5	Community Health Centers (CHC)	21					
6	SDH	15					
7	DH	7					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	72,928	72,580				
9	Expected number of Delivery	67,624	67,301				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	52,684	72.2	26,540	36.6	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	46,668	88.6	23,845	89.8	At least 4ANC check up	52.8
12	Number of PW received 4 or more ANC check ups	49,422	93.8	23,741	89.5	Neonatal tetanus received	90.2
13	PW who got TT 2 / Booster injection	46,592	88.4	24,641	92.8	100 IFA tablets consumed	18.8
14	PW who consumed 180 IFA tablets	52,172	99.0	23,921	90.1	Home Delivery	12.3
15	Home Delivery against expected delivery *	506	0.7	144	0.2	Institutional Delivery	87.7
16	Institutional Delivery against expected delivery *	44,242	65.4	20,371	30.3	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	506	1.1	144	0.7	PNC within 2days of delivery	72.1
18	Institutional Delivery against reported delivery **	44,242	98.9	20,371	99.3		
19	Total reported Deliveries	44,748		20,515			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	2.0	9	6.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	46,196	103.2	19,285	94.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	66,298		65,982			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	44,441	67.0	20,402	30.9	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	613	1.4	256	1.3	BCG	97.6
25	PC of newborn weighted at birth to live birth	44,328	99.7	20,364	99.8	3 dose of DPT	89.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,125	11.6	2,289	11.2	Measles First dose	84.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	43,502	97.9	19,856	97.3	3 doses of penta or hepatitis B vaccine	86.8
28	Children fully immunized	47,502	71.6	22,321	33.8	Full Immunization	70.3
29	Children who have received BCG	44,076	66.5	19,711	29.9		
30	Children who have received Pentavalent 1	46,509	70.2	21,420	32.5		
31	Children who have received Pentavalent 3	44,454	67.1	22,583	34.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	47,550	71.7	22,368	33.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	12,101		6,564			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	5	Total unmet need	15.3
35	Number of Tubectomies performed	2,689	1,352	Spacing	3.9
36	Number of IUD insertion	433	221	Women using any method	58.9
37	Number of IUD removals	469	234	Women using modern method	44.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1138	598		
39	General OPD cases per 10,000 population ***	12462	6282		
40	Ayush OPD cases per 10,000 population ***	615	299		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	106	45		
42	Neonatal Deaths within 1 to 28 days	273	92		
43	Total Neonatal Death	379	137		
44	Deaths between (1 - 11) months	233	90		
45	Total reported infant deaths	612	227		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorhage)	1	0		
47	Due to PPH (Post-Partum Haemmorhage)	9	2		
48	Due to Pregnancy related infection and sepsis, Fever	1	5		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	2		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	8	5		
52	Due to Other/Unknown Causes	15	8		
53	Total reported maternal deaths	34	22		

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,230					
2	Sex Ratio	945					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers(SC)	121					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	3					
7	DH	1					
C) Maternal Health:		2024-25	2025-26				
8	Expected number of PW	8,125	8,150				
9	Expected number of Delivery	7,534	7,557				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	6,598	81.2	3,301	40.5	ANC Check up in first trimester	58.1
11	Mothers registered in the first trimester	5,837	88.5	2,983	90.4	At least 4ANC check up	52.0
12	Number of PW received 4 or more ANC check ups	5,108	77.4	2,420	73.3	Neonatal tetanus received	97.8
13	PW who got TT 2 / Booster injection	5,929	89.9	3,104	94.0	100 IFA tablets consumed	26.0
14	PW who consumed 180 IFA tablets	6,266	95.0	3,179	96.3	Home Delivery	12.7
15	Home Delivery against expected delivery *	185	2.5	54	0.7	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	5,202	69.0	2,234	29.6	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	185	3.4	54	2.4	PNC within 2days of delivery	72.4
18	Institutional Delivery against reported delivery **	5,202	96.6	2,234	97.6		
19	Total reported Deliveries	5,387		2,288			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.5	2	3.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,710	50.3	1,175	51.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,386		7,409			
D) Child Immunization :		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	5,323	72.1	2,270	30.6	Breastfed within 1 hour of birth	44.0
24	Total Still Birth	94	1.8	32	1.4	BCG	97.6
25	PC of newborn weighted at birth to live birth	5,269	99.0	2,261	99.6	3 dose of DPT	89.0
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	424	8.0	188	8.3	Measles First dose	90.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,186	97.4	2,240	98.7	3 doses of penta or hepatitis B vaccine	86.2
28	Children fully immunized	5,205	70.5	2,241	30.2	Full Immunization	73.7
29	Children who have received BCG	5,599	75.8	2,383	32.2		
30	Children who have received Pentavalent 1	5,457	73.9	2,488	33.6		
31	Children who have received Pentavalent 3	4,873	66.0	2,616	35.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,216	70.6	2,276	30.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,027		467			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.0
35	Number of Tubectomies performed	50	9	Spacing	1.8
36	Number of IUD insertion	73	37	Women using any method	80.9
37	Number of IUD removals	50	30	Women using modern method	53.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	956	456		
39	General OPD cases per 10,000 population ***	9754	4216		
40	Ayush OPD cases per 10,000 population ***	317	174		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	26	5		
42	Neonatal Deaths within 1 to 28 days	20	2		
43	Total Neonatal Death	46	7		
44	Deaths between (1 - 11) months	46	24		
45	Total reported infant deaths	92	31		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorrhage)	0	0		
47	Due to PPH (Post-Partum Haemmorrhage)	1	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	1	1		

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,36,868					
2	Sex Ratio	0					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	145					
4	Primary Health Centers(PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	3					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,618		8,570			
9	Expected number of Delivery	7,991		7,947			
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,815	67.5	2,989	34.9	ANC Check up in first trimester	54.2
11	Mothers registered in the first trimester	5,173	89.0	2,659	89.0	At least 4ANC check up	58.4
12	Number of PW received 4 or more ANC check ups	5,000	86.0	2,294	76.7	Neonatal tetanus received	89.4
13	PW who got TT 2 / Booster injection	5,242	90.1	2,831	94.7	100 IFA tablets consumed	29.5
14	PW who consumed 180 IFA tablets	5,584	96.0	2,509	83.9	Home Delivery	10.3
15	Home Delivery against expected delivery *	18	0.2	4	0.1	Institutional Delivery	89.7
16	Institutional Delivery against expected delivery *	4,451	55.7	2,063	26.0	Home Delivery by SBA	0.7
17	Home Delivery against reported delivery **	18	0.4	4	0.2	PNC within 2days of delivery	68.0
18	Institutional Delivery against reported delivery **	4,451	99.6	2,063	99.8		
19	Total reported Deliveries	4,469		2,067			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,824	85.6	1,595	77.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,834		7,791			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,445	56.7	2,067	26.5	Breastfed within 1 hour of birth	15.8
24	Total Still Birth	42	0.9	18	0.9	BCG	89.0
25	PC of newborn weighted at birth to live birth	4,432	99.7	2,066	100.0	3 dose of DPT	81.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	364	8.2	201	9.7	Measles First dose	83.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,318	97.1	1,993	96.4	3 doses of penta or hepatitis B vaccine	72.7
28	Children fully immunized	5,099	65.1	2,459	31.6	Full Immunization	48.5
29	Children who have received BCG	4,335	55.3	1,899	24.4		
30	Children who have received Pentavalent 1	5,175	66.1	2,299	29.5		
31	Children who have received Pentavalent 3	4,824	61.6	2,350	30.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,124	65.4	2,456	31.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,719		711			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	5	Total unmet need	17.3
35	Number of Tubectomies performed	363	205	Spacing	3.7
36	Number of IUD insertion	90	49	Women using any method	50.7
37	Number of IUD removals	58	34	Women using modern method	40.3
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	955	524		
39	General OPD cases per 10,000 population ***	10307	5555		
40	Ayush OPD cases per 10,000 population ***	595	341		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	14	7		
42	Neonatal Deaths within 1 to 28 days	3	4		
43	Total Neonatal Death	17	11		
44	Deaths between (1 - 11) months	12	1		
45	Total reported infant deaths	29	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	2	0		

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,27,391					
2	Sex Ratio	0					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	104					
4	Primary Health Centers(PHC)	10					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2024-25	2025-26				
8	Expected number of PW	6,361	6,317				
9	Expected number of Delivery	5,899	5,857				
		HMIS (2024-25)	HMIS (2025-26) 2nd QTR			NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,630	57.1	1,781	28.2	ANC Check up in first trimester	41.0
11	Mothers registered in the first trimester	3,206	88.3	1,567	88.0	At least 4ANC check up	24.6
12	Number of PW received 4 or more ANC check ups	3,153	86.9	1,434	80.5	Neonatal tetanus received	95.6
13	PW who got TT 2 / Booster injection	3,356	92.5	1,672	93.9	100 IFA tablets consumed	31.6
14	PW who consumed 180 IFA tablets	3,558	98.0	1,549	87.0	Home Delivery	28.5
15	Home Delivery against expected delivery *	12	0.2	0	0.0	Institutional Delivery	71.5
16	Institutional Delivery against expected delivery *	2,105	35.7	776	13.2	Home Delivery by SBA	2.9
17	Home Delivery against reported delivery **	12	0.6	0	0.0	PNC within 2days of delivery	44.5
18	Institutional Delivery against reported delivery **	2,105	99.4	776	100.0		
19	Total reported Deliveries	2,117		776			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	493	23.3	243	31.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,783		5,743			
	D) Child Immunization :	HMIS (2024-25)	HMIS (2025-26) 2nd QTR			NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,111	36.5	775	13.5	Breastfed within 1 hour of birth	21.7
24	Total Still Birth	17	0.8	2	0.3	BCG	85.1
25	PC of newborn weighted at birth to live birth	2,110	100.0	771	99.5	3 dose of DPT	78.0

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	214	10.1	65	8.4	Measles First dose	83.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,040	96.6	753	97.2	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	3,511	60.7	1,594	27.8	Full Immunization	58.3
29	Children who have received BCG	2,106	36.4	851	14.8		
30	Children who have received Pentavalent 1	3,412	59.0	1,524	26.5		
31	Children who have received Pentavalent 3	3,347	57.9	1,610	28.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,507	60.6	1,600	27.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	549		282			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	115	48	Spacing	3.7
36	Number of IUD insertion	25	15	Women using any method	66.8
37	Number of IUD removals	12	5	Women using modern method	40.2
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	621	214		
39	General OPD cases per 10,000 population ***	9342	4067		
40	Ayush OPD cases per 10,000 population ***	616	229		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	5	1		
42	Neonatal Deaths within 1 to 28 days	6	0		
43	Total Neonatal Death	11	1		
44	Deaths between (1 - 11) months	18	5		
45	Total reported infant deaths	29	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorrhage)	0	0		
47	Due to PPH (Post-Partum Haemmorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,15,946					
2	Sex Ratio	967					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	99					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	2					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,475		8,456			
9	Expected number of Delivery	7,859		7,841			
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,778	91.8	3,974	47.0	ANC Check up in first trimester	54.0
11	Mothers registered in the first trimester	7,195	92.5	3,656	92.0	At least 4ANC check up	40.6
12	Number of PW received 4 or more ANC check ups	6,789	87.3	3,108	78.2	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	7,175	92.2	3,737	94.0	100 IFA tablets consumed	22.0
14	PW who consumed 180 IFA tablets	7,643	98.3	3,804	95.7	Home Delivery	6.8
15	Home Delivery against expected delivery *	114	1.5	27	0.3	Institutional Delivery	93.2
16	Institutional Delivery against expected delivery *	4,436	56.4	1,935	24.7	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	114	2.5	27	1.4	PNC within 2days of delivery	66.3
18	Institutional Delivery against reported delivery **	4,436	97.5	1,935	98.6		
19	Total reported Deliveries	4,550		1,962			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	3.5	3	11.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,758	82.6	1,676	85.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,705		7,687			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,513	58.6	1,939	25.2	Breastfed within 1 hour of birth	24.8
24	Total Still Birth	58	1.3	26	1.3	BCG	91.8
25	PC of newborn weighted at birth to live birth	4,508	99.9	1,937	99.9	3 dose of DPT	83.9

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	437	9.7	167	8.6	Measles First dose	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,458	98.8	1,935	99.8	3 doses of penta or hepatitis B vaccine	80.6
28	Children fully immunized	6,742	87.5	3,162	41.1	Full Immunization	67.1
29	Children who have received BCG	4,870	63.2	1,995	26.0		
30	Children who have received Pentavalent 1	6,785	88.1	3,094	40.2		
31	Children who have received Pentavalent 3	6,418	83.3	3,329	43.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,742	87.5	3,165	41.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,542		796			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.1
35	Number of Tubectomies performed	125	71	Spacing	3.7
36	Number of IUD insertion	1	3	Women using any method	65.5
37	Number of IUD removals	95	27	Women using modern method	48.7
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	970	507		
39	General OPD cases per 10,000 population ***	8503	4641		
40	Ayush OPD cases per 10,000 population ***	849	398		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	3	0		
42	Neonatal Deaths within 1 to 28 days	4	0		
43	Total Neonatal Death	7	0		
44	Deaths between (1 - 11) months	14	6		
45	Total reported infant deaths	21	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	1		
52	Due to Other/Unknown Causes	1	3		
53	Total reported maternal deaths	1	4		

Sipahijala Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,84,233					
2	Sex Ratio	0					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	142					
4	Primary Health Centers(PHC)	15					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	0					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	9,409		9,343			
9	Expected number of Delivery	8,724		8,664			
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,548	80.2	3,860	41.3	ANC Check up in first trimester	78.7
11	Mothers registered in the first trimester	6,441	85.3	3,335	86.4	At least 4ANC check up	61.2
12	Number of PW received 4 or more ANC check ups	6,051	80.2	2,805	72.7	Neonatal tetanus received	99.3
13	PW who got TT 2 / Booster injection	6,651	88.1	3,602	93.3	100 IFA tablets consumed	31.8
14	PW who consumed 180 IFA tablets	7,198	95.4	3,294	85.3	Home Delivery	4.7
15	Home Delivery against expected delivery *	26	0.3	10	0.1	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	2,840	32.6	1,358	15.7	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	26	0.9	10	0.7	PNC within 2days of delivery	87.7
18	Institutional Delivery against reported delivery **	2,840	99.1	1,358	99.3		
19	Total reported Deliveries	2,866		1,368			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	10.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,526	192.8	2,380	174.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,553		8,494			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,858	33.4	1,359	16.0	Breastfed within 1 hour of birth	38.0
24	Total Still Birth	10	0.3	11	0.8	BCG	100.0
25	PC of newborn weighted at birth to live birth	2,853	99.8	1,356	99.8	3 dose of DPT	94.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	324	11.4	119	8.8	Measles First dose	94.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,785	97.4	1,328	97.7	3 doses of penta or hepatitis B vaccine	91.7
28	Children fully immunized	6,990	81.7	3,357	39.5	Full Immunization	88.4
29	Children who have received BCG	3,263	38.1	1,417	16.7		
30	Children who have received Pentavalent 1	6,811	79.6	3,159	37.2		
31	Children who have received Pentavalent 3	6,708	78.4	3,493	41.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,003	81.9	3,370	39.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	358		499			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.5
35	Number of Tubectomies performed	100	42	Spacing	0.9
36	Number of IUD insertion	8	2	Women using any method	80.1
37	Number of IUD removals	9	5	Women using modern method	53.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	678	374		
39	General OPD cases per 10,000 population ***	10070	5438		
40	Ayush OPD cases per 10,000 population ***	711	343		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	1	1		
42	Neonatal Deaths within 1 to 28 days	1	0		
43	Total Neonatal Death	2	1		
44	Deaths between (1 - 11) months	2	6		
45	Total reported infant deaths	4	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorrhage)	0	0		
47	Due to PPH (Post-Partum Haemmorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,33,737					
2	Sex Ratio	957					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	148					
4	Primary Health Centers(PHC)	20					
5	Community Health Centers (CHC)	6					
6	SDH	2					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	8,556		8,509			
9	Expected number of Delivery	7,934		7,890			
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,781	67.6	2,857	33.6	ANC Check up in first trimester	57.2
11	Mothers registered in the first trimester	5,252	90.8	2,631	92.1	At least 4ANC check up	41.5
12	Number of PW received 4 or more ANC check ups	4,707	81.4	2,181	76.3	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	5,166	89.4	2,622	91.8	100 IFA tablets consumed	38.0
14	PW who consumed 180 IFA tablets	5,850	101.2	2,610	91.4	Home Delivery	4.3
15	Home Delivery against expected delivery *	11	0.1	2	0.0	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	3,863	48.7	1,822	23.1	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	11	0.3	2	0.1	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	3,863	99.7	1,822	99.9		
19	Total reported Deliveries	3,874		1,824			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,029	104.0	1,890	103.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,778		7,736			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,853	49.5	1,821	23.5	Breastfed within 1 hour of birth	20.9
24	Total Still Birth	35	0.9	11	0.6	BCG	96.1
25	PC of newborn weighted at birth to live birth	3,830	99.4	1,813	99.6	3 dose of DPT	87.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	417	10.9	154	8.5	Measles First dose	85.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,800	98.6	1,767	97.0	3 doses of penta or hepatitis B vaccine	85.7
28	Children fully immunized	5,115	65.8	2,509	32.4	Full Immunization	60.7
29	Children who have received BCG	3,743	48.1	1,748	22.6		
30	Children who have received Pentavalent 1	5,208	67.0	2,412	31.2		
31	Children who have received Pentavalent 3	5,085	65.4	2,579	33.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,124	65.9	2,510	32.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,010		548			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.1
35	Number of Tubectomies performed	64	59	Spacing	2.2
36	Number of IUD insertion	171	71	Women using any method	79.9
37	Number of IUD removals	150	80	Women using modern method	49.9
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1050	551		
39	General OPD cases per 10,000 population ***	11787	5819		
40	Ayush OPD cases per 10,000 population ***	569	262		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths within 1 to 28 days	12	3		
43	Total Neonatal Death	14	4		
44	Deaths between (1 - 11) months	14	12		
45	Total reported infant deaths	28	16		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,77,335					
2	Sex Ratio	0					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	70					
4	Primary Health Centers(PHC)	11					
5	Community Health Centers (CHC)	0					
6	SDH	2					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	5,651		5,638			
9	Expected number of Delivery	5,240		5,228			
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,599	81.4	2,390	42.4	ANC Check up in first trimester	63.2
11	Mothers registered in the first trimester	3,890	84.6	2,096	87.7	At least 4ANC check up	52.7
12	Number of PW received 4 or more ANC check ups	3,554	77.3	1,754	73.4	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	3,949	85.9	2,238	93.6	100 IFA tablets consumed	26.7
14	PW who consumed 180 IFA tablets	4,141	90.0	2,074	86.8	Home Delivery	10.8
15	Home Delivery against expected delivery *	131	2.5	44	0.8	Institutional Delivery	89.2
16	Institutional Delivery against expected delivery *	3,596	68.6	1,663	31.8	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	131	3.5	44	2.6	PNC within 2days of delivery	71.9
18	Institutional Delivery against reported delivery **	3,596	96.5	1,663	97.4		
19	Total reported Deliveries	3,727		1,707			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	3.1	2	4.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,664	98.3	1,692	99.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,137		5,126			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,696	71.9	1,696	33.1	Breastfed within 1 hour of birth	36.4
24	Total Still Birth	51	1.4	29	1.7	BCG	94.7
25	PC of newborn weighted at birth to live birth	3,691	99.9	1,692	99.8	3 dose of DPT	85.9

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	394	10.7	230	13.6	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,559	96.3	1,576	92.9	3 doses of penta or hepatitis B vaccine	82.5
28	Children fully immunized	4,197	81.7	1,814	35.4	Full Immunization	69.5
29	Children who have received BCG	3,314	64.5	1,474	28.8		
30	Children who have received Pentavalent 1	3,836	74.7	1,879	36.7		
31	Children who have received Pentavalent 3	3,612	70.3	1,824	35.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,195	81.7	1,812	35.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,775		1,004			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.2
35	Number of Tubectomies performed	190	64	Spacing	2.5
36	Number of IUD insertion	15	9	Women using any method	71.2
37	Number of IUD removals	11	1	Women using modern method	49.1
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1183	670		
39	General OPD cases per 10,000 population ***	12521	6669		
40	Ayush OPD cases per 10,000 population ***	488	125		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	0	3		
42	Neonatal Deaths within 1 to 28 days	9	12		
43	Total Neonatal Death	9	15		
44	Deaths between (1 - 11) months	25	5		
45	Total reported infant deaths	34	20		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorrhage)	0	0		
47	Due to PPH (Post-Partum Haemmorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	Total reported maternal deaths	1	1		

West Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,17,534					
2	Sex Ratio	964					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	171					
4	Primary Health Centers(PHC)	20					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2024-25		2025-26			
8	Expected number of PW	17,828		17,703			
9	Expected number of Delivery	16,531		16,416			
		HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	10,935	61.3	5,388	30.4	ANC Check up in first trimester	75.5
11	Mothers registered in the first trimester	9,674	88.5	4,918	91.3	At least 4ANC check up	67.1
12	Number of PW received 4 or more ANC check ups	15,060	137.7	7,745	143.7	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	9,124	83.4	4,835	89.7	100 IFA tablets consumed	17.3
14	PW who consumed 180 IFA tablets	11,932	109.1	4,902	91.0	Home Delivery	14.6
15	Home Delivery against expected delivery *	9	0.1	3	0.0	Institutional Delivery	85.4
16	Institutional Delivery against expected delivery *	17,749	107.4	8,520	51.9	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	9	0.1	3	0.0	PNC within 2days of delivery	76.6
18	Institutional Delivery against reported delivery **	17,749	99.9	8,520	100.0		
19	Total reported Deliveries	17,758		8,523			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	11.1	1	33.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,192	125.0	8,634	101.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	16,207		16,094			
	D) Child Immunization :	HMIS (2024-25)		HMIS (2025-26) 2nd QTR		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	17,642	108.9	8,475	52.7	Breastfed within 1 hour of birth	61.1
24	Total Still Birth	306	1.7	127	1.5	BCG	93.1
25	PC of newborn weighted at birth to live birth	17,635	100.0	8,468	99.9	3 dose of DPT	77.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,551	14.5	1,165	13.8	Measles First dose	74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,356	98.4	8,264	97.5	3 doses of penta or hepatitis B vaccine	74.6
28	Children fully immunized	10,643	65.7	5,185	32.2	Full Immunization	69.6
29	Children who have received BCG	16,846	103.9	7,944	49.4		
30	Children who have received Pentavalent 1	9,825	60.6	4,565	28.4		
31	Children who have received Pentavalent 3	9,587	59.2	4,782	29.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,639	65.6	5,179	32.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,121		2,257			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2024-25)	HMIS (2025-26) 2nd QTR	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.1
35	Number of Tubectomies performed	1,682	854	Spacing	2.5
36	Number of IUD insertion	50	35	Women using any method	78.3
37	Number of IUD removals	84	52	Women using modern method	54.4
F) Service delivery		HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
38	IPD cases per 10,000 population ***	1838	992		
39	General OPD cases per 10,000 population ***	19237	9667		
40	Ayush OPD cases per 10,000 population ***	658	362		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
41	Neonatal death within 24 hours	55	27		
42	Neonatal Deaths within 1 to 28 days	218	71		
43	Total Neonatal Death	273	98		
44	Deaths between (1 - 11) months	102	31		
45	Total reported infant deaths	375	129		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2024-25)	HMIS (2025-26) 2nd QTR		
46	Due to APH (Antepartum Haemmorrhage)	1	0		
47	Due to PPH (Post-Partum Haemmorrhage)	7	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	5		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	2		
51	Severe hypertension/fits/Pre Eclampsia/Eclampsia in pregnancy, during delivery and puerperium	8	4		
52	Due to Other/Unknown Causes	12	5		
53	Total reported maternal deaths	29	16		