

## ASSAM Factsheet

### Key Indicators

Key Indicators		A) Demographic Indicators (Census 2011)					
1	Population 2011	3,12,05,576					
2	Sex Ratio	954					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	4,728					
4	Primary Health Centers(PHC)	1,009					
5	Community Health Centers (CHC)	205					
6	SDH	16					
7	DH	21					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	8,19,963		8,29,474			
9	Expected number of Delivery	7,47,657		7,56,330			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,97,564	72.9	6,37,436	76.8	ANC Check-up in first trimester	63.8
11	Mothers registered in the first trimester	5,47,148	91.6	6,02,206	94.5	At least 4ANC check up	50.7
12	Mothers who had 4 or more ANC check ups	5,46,920	91.5	5,91,547	92.8	Neonatal tetanus received	94.5
13	PW who got TT 2 / Booster injection	5,59,071	93.6	5,97,769	93.8	100 IFA tablets consumed	47.5
14	PW who consumed 180 IFA tablets	5,84,576	97.8	6,28,561	98.6	Home Delivery	15.9
15	Home Delivery against expected delivery *	22,291	3.0	13,977	1.8	Institutional Delivery	84.1
16	Institutional Delivery against expected delivery *	5,23,679	70.0	5,18,065	68.5	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	22,291	4.1	13,977	2.6	PNC within 2days of delivery	65.3
18	Institutional Delivery against reported delivery **	5,23,679	95.9	5,18,065	97.4		
19	Total reported Deliveries	5,45,970		5,32,042			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8,696	39.0	5,394	38.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,78,358	69.3	4,04,662	76.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,45,421		7,54,067			
D) Child Immunization:		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	5,40,875	72.6	5,27,586	70.0	Breastfed within 1 hour of birth	49.1
24	Total Still Birth	8,642	1.2	8,306	1.1	BCG	92.5
25	PC of newborn weighted at birth to live birth	5,38,499	99.6	5,25,203	99.5	3 dose of DPT	81.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	72,135	13.4	75,521	14.4	Measles First dose	82.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,18,107	95.8	5,07,917	96.3	3 doses of penta or hepatitis B vaccine	75.1
28	Children fully immunized	6,15,079	82.5	5,99,151	79.5	Full Immunization	66.4
29	Children who have received BCG	5,67,392	76.1	5,72,201	75.9		
30	Children who have received Pentavalent 1	6,05,204	81.2	5,97,063	79.2		
31	Children who have received Pentavalent 3	5,98,533	80.3	5,83,356	77.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,13,748	82.3	5,98,177	79.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	71,137		91,254			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	413	282	Total unmet need	11
35	Number of Tubectomies performed	31,329	29,397	Spacing	4.1
36	Number of IUD insertion	49,495	51,838	Women using any method	60.8
37	Number of IUD removals	17,007	18,273	Women using modern method	45.3

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	516	563		
39	General OPD cases per 10,000 population ***	12,052	13,867		
40	Ayush OPD cases per 10,000 population ***	612	821		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	573	626		
42	Neonatal Deaths within 1 to 28 days	2,748	2,627		
43	<b>Total Neonatal Death</b>	<b>3,321</b>	<b>3,253</b>		
44	Deaths between (1 - 11) months	994	991		
45	<b>Total reported infant deaths</b>	<b>4,315</b>	<b>4,244</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	18	17		
47	Due to PPH (Post-Partum haemorrhage)	54	32		
48	Due to Pregnancy related infection and sepsis, Fever	63	61		
49	Due to Abortive complication	15	4		
50	Due to Obstructed/prolonged labour	4	5		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	62	62		
52	Due to Other/Unknown Causes	150	112		
53	<b>Total reported maternal deaths</b>	<b>366</b>	<b>293</b>		

## Baksa Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,50,075					
2	Sex Ratio	967					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24	2024-25				
8	Expected number of PW	24,837	25,115				
9	Expected number of Delivery	22,647	22,900				
		HMIS (2023-24)	HMIS (2024-25)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,031	52.5	13,157	52.4	ANC Check-up in first trimester	61.1
11	Mothers registered in the first trimester	12,108	92.9	12,525	95.2	At least 4ANC check up	56.0
12	Mothers who had 4 or more ANC check ups	11,362	87.2	11,002	83.6	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	11,869	91.1	11,874	90.2	100 IFA tablets consumed	56.2
14	PW who consumed 180 IFA tablets	12,514	96.0	12,411	94.3	Home Delivery	10.1
15	Home Delivery against expected delivery *	39	0.2	19	0.1	Institutional Delivery	89.9
16	Institutional Delivery against expected delivery *	5,568	24.6	5,084	22.2	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	39	0.7	19	0.4	PNC within 2days of delivery	65.0
18	Institutional Delivery against reported delivery **	5,568	99.3	5,084	99.6		
19	Total reported Deliveries	5,607		5,103			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	97.4	18	94.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,162	145.6	7,675	150.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	22,579		22,832			
	D) Child Immunization:	HMIS (2023-24)	HMIS (2024-25)			NFHS-5(2019-20)	
23	Total reported live births	5,548	24.6	5,050	22.1	Breastfed within 1 hour of birth	34.9
24	Total Still Birth	72	0.3	68	0.3	BCG	93.6
25	PC of newborn weighted at birth to live birth	5,546	100.0	5,050	100.0	3 dose of DPT	87.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	624	11.3	632	12.5	Measles First dose	91.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,487	98.9	4,913	97.3	3 doses of penta or hepatitis B vaccine	68.3
28	Children fully immunized	13,208	58.5	12,107	53.0	Full Immunization	70.5
29	Children who have received BCG	8,691	38.5	6,475	28.4		
30	Children who have received Pentavalent 1	12,345	54.7	11,643	51.0		
31	Children who have received Pentavalent 3	12,407	54.9	11,686	51.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,207	58.5	12,106	53.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	617		721			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	15	16	Total unmet need	12.5
35	Number of Tubectomies performed	560	601	Spacing	5.7
36	Number of IUD insertion	1,409	1,094	Women using any method	59.2
37	Number of IUD removals	565	390	Women using modern method	47.3
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	46	53		
39	General OPD cases per 10,000 population ***	6,320	7,401		
40	Ayush OPD cases per 10,000 population ***	1,428	1791		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	2	3		
43	<b>Total Neonatal Death</b>	<b>2</b>	<b>3</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>2</b>	<b>3</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Barpeta Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	16,93,622					
2	Sex Ratio	951					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	262					
4	Primary Health Centers(PHC)	50					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	49,960	51,029				
9	Expected number of Delivery	45,554	46,529				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	36,045	72.1	37,201	72.9	ANC Check-up in first trimester	62.2
11	Mothers registered in the first trimester	33,208	92.1	35,595	95.7	At least 4ANC check up	43.6
12	Mothers who had 4 or more ANC check ups	32,977	91.5	34,352	92.3	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	33,997	94.3	35,137	94.5	100 IFA tablets consumed	49.4
14	PW who consumed 180 IFA tablets	35,558	98.6	36,692	98.6	Home Delivery	12.4
15	Home Delivery against expected delivery *	1,195	2.6	313	0.7	Institutional Delivery	87.6
16	Institutional Delivery against expected delivery *	36,386	79.9	35,808	77.0	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	1,195	3.2	313	0.9	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	36,386	96.8	35,808	99.1		
19	Total reported Deliveries	37,581		36,121			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,103	92.3	260	83.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,521	59.9	36,979	102.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	45,418		46,390			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	37,298	82.1	35,901	77.4	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	565	1.2	572	1.2	BCG	94.3
25	PC of newborn weighted at birth to live birth	37,088	99.4	35,888	100.0	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,553	9.6	3,804	10.6	Measles First dose	83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	36,151	96.9	35,325	98.4	3 doses of penta or hepatitis B vaccine	67.8
28	Children fully immunized	36,805	81.0	34,764	74.9	Full Immunization	54.6
29	Children who have received BCG	36,422	80.2	41,667	89.8		
30	Children who have received Pentavalent 1	36,366	80.1	34,296	73.9		
31	Children who have received Pentavalent 3	36,213	79.7	33,836	72.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	36,789	81.0	34,754	74.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,713		2,578			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	8	Total unmet need	12.3
35	Number of Tubectomies performed	1,886	2,695	Spacing	3.9
36	Number of IUD insertion	1,979	2,851	Women using any method	57.3
37	Number of IUD removals	637	910	Women using modern method	47.4

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	289	356		
39	General OPD cases per 10,000 population ***	8,423	10,343		
40	Ayush OPD cases per 10,000 population ***	681	839		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	86	56		
42	Neonatal Deaths within 1 to 28 days	684	493		
43	<b>Total Neonatal Death</b>	<b>770</b>	<b>549</b>		
44	Deaths between (1 - 11) months	0	45		
45	<b>Total reported infant deaths</b>	<b>770</b>	<b>594</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	4		
47	Due to PPH (Post-Partum haemorrhage)	8	0		
48	Due to Pregnancy related infection and sepsis, Fever	6	6		
49	Due to Abortive complication	5	0		
50	Due to Obstructed/prolonged labour	1	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	7	11		
52	Due to Other/Unknown Causes	34	22		
53	<b>Total reported maternal deaths</b>	<b>61</b>	<b>44</b>		

## Biswanath Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,12,491					
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	139					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	3					
6	SDH	2					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	16,888		17,153			
9	Expected number of Delivery	15,399		15,640			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,294	72.8	12,382	72.2	ANC Check-up in first trimester	41.2
11	Mothers registered in the first trimester	11,243	91.5	11,740	94.8	At least 4ANC check up	46.5
12	Mothers who had 4 or more ANC check ups	11,681	95.0	12,101	97.7	Neonatal tetanus received	94.6
13	PW who got TT 2 / Booster injection	11,655	94.8	11,680	94.3	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	12,058	98.1	12,314	99.5	Home Delivery	15.7
15	Home Delivery against expected delivery *	26	0.2	19	0.1	Institutional Delivery	84.3
16	Institutional Delivery against expected delivery *	8,375	54.4	8,253	52.8	Home Delivery by SBA	0.6
17	Home Delivery against reported delivery **	26	0.3	19	0.2	PNC within 2days of delivery	56.5
18	Institutional Delivery against reported delivery **	8,375	99.7	8,253	99.8		
19	Total reported Deliveries	8,401		8,272			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	88.5	18	94.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,570	102.0	9,503	114.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,353		15,594			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	8,355	54.4	8,235	52.8	Breastfed within 1 hour of birth	62.7
24	Total Still Birth	62	0.4	58	0.4	BCG	88.3
25	PC of newborn weighted at birth to live birth	8,350	99.9	8,221	99.8	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	742	8.9	787	9.6	Measles First dose	87.2



27	PC of newborns breastfed within 1 hour to total reported live birth.	8,205	98.2	8,015	97.3	3 doses of penta or hepatitis B vaccine	82.6
28	Children fully immunized	12,892	84.0	12,411	79.6	Full Immunization	66.2
29	Children who have received BCG	9,528	62.1	10,001	64.1		
30	Children who have received Pentavalent 1	12,204	79.5	11,867	76.1		
31	Children who have received Pentavalent 3	12,071	78.6	11,665	74.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,885	83.9	12,411	79.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	515		492			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	35	5	Total unmet need	5.3
35	Number of Tubectomies performed	705	544	Spacing	1.4
36	Number of IUD insertion	542	593	Women using any method	72.4
37	Number of IUD removals	219	286	Women using modern method	56.1

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	476	431		
39	General OPD cases per 10,000 population ***	14,955	16,169		
40	Ayush OPD cases per 10,000 population ***	187	762		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	4	1		
42	Neonatal Deaths within 1 to 28 days	6	2		
43	<b>Total Neonatal Death</b>	<b>10</b>	<b>3</b>		
44	Deaths between (1 - 11) months	6	1		
45	<b>Total reported infant deaths</b>	<b>16</b>	<b>4</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		



## Bongaigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,38,804					
2	Sex Ratio	961					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	108					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24	2024-25				
8	Expected number of PW	21,332	21,750				
9	Expected number of Delivery	19,451	19,832				
		HMIS (2023-24)	HMIS (2024-25)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	13,868	65.0	14,715	67.7	ANC Check-up in first trimester	65.1
11	Mothers registered in the first trimester	12,762	92.0	14,091	95.8	At least 4ANC check up	33.9
12	Mothers who had 4 or more ANC check ups	12,615	91.0	14,368	97.6	Neonatal tetanus received	91.8
13	PW who got TT 2 / Booster injection	12,872	92.8	13,650	92.8	100 IFA tablets consumed	46.7
14	PW who consumed 180 IFA tablets	13,868	100.0	14,715	100.0	Home Delivery	15.5
15	Home Delivery against expected delivery *	137	0.7	104	0.5	Institutional Delivery	84.5
16	Institutional Delivery against expected delivery *	12,933	66.5	12,258	61.8	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	137	1.0	104	0.8	PNC within 2days of delivery	57.0
18	Institutional Delivery against reported delivery **	12,933	99.0	12,258	99.2		
19	Total reported Deliveries	13,070		12,362			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	128	93.4	91	87.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,859	75.4	12,829	103.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,393		19,773			
	D) Child Immunization:	HMIS (2023-24)	HMIS (2024-25)			NFHS-5(2019-20)	
23	Total reported live births	13,009	67.1	12,383	62.6	Breastfed within 1 hour of birth	46.7
24	Total Still Birth	178	0.9	130	0.7	BCG	94.1
25	PC of newborn weighted at birth to live birth	12,990	99.9	12,368	99.9	3 dose of DPT	80.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,510	11.6	1,280	10.3	Measles First dose	84.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	12,763	98.1	12,166	98.2	3 doses of penta or hepatitis B vaccine	71.3
28	Children fully immunized	14,970	77.2	15,137	76.6	Full Immunization	67.9
29	Children who have received BCG	15,327	79.0	16,946	85.7		
30	Children who have received Pentavalent 1	14,979	77.2	15,032	76.0		
31	Children who have received Pentavalent 3	14,768	76.2	14,637	74.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	14,970	77.2	15,130	76.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,093		1,165			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	16.1
35	Number of Tubectomies performed	916	845	Spacing	5.1
36	Number of IUD insertion	1,166	1,595	Women using any method	57.6
37	Number of IUD removals	190	228	Women using modern method	45.3

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	479	436		
39	General OPD cases per 10,000 population ***	9,310	10,557		
40	Ayush OPD cases per 10,000 population ***	206	588		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	8	9		
42	Neonatal Deaths within 1 to 28 days	13	9		
43	<b>Total Neonatal Death</b>	<b>21</b>	<b>18</b>		
44	Deaths between (1 - 11) months	2	0		
45	<b>Total reported infant deaths</b>	<b>23</b>	<b>18</b>		

#### II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	2	3		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>6</b>		

## Cachar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	17,36,617					
2	Sex Ratio	958					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	270					
4	Primary Health Centers (PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	50,493		51,511			
9	Expected number of Delivery	46,040		46,969			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	37,323	73.9	39,175	76.1	ANC Check-up in first trimester	52.0
11	Mothers registered in the first trimester	34,098	91.4	36,284	92.6	At least 4ANC check up	32.7
12	Mothers who had 4 or more ANC check ups	33,987	91.1	35,824	91.4	Neonatal tetanus received	90.0
13	PW who got TT 2 / Booster injection	36,044	96.6	37,906	96.8	100 IFA tablets consumed	35.6
14	PW who consumed 180 IFA tablets	36,459	97.7	38,527	98.3	Home Delivery	20.8
15	Home Delivery against expected delivery *	237	0.5	171	0.4	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	40,947	88.9	39,293	83.7	Home Delivery by SBA	2.1
17	Home Delivery against reported delivery **	237	0.6	171	0.4	PNC within 2days of delivery	57.3
18	Institutional Delivery against reported delivery **	40,947	99.4	39,293	99.6		
19	Total reported Deliveries	41,184		39,464			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	121	51.1	94	55.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	31,122	75.6	30,002	76.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	45,903		46,829			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	40,660	88.6	38,991	83.3	Breastfed within 1 hour of birth	29.8
24	Total Still Birth	873	1.9	794	1.7	BCG	88.3
25	PC of newborn weighted at birth to live birth	40,660	100.0	38,991	100.0	3 dose of DPT	82.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,617	18.7	7,148	18.3	Measles First dose	76.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	40,026	98.4	38,494	98.7	3 doses of penta or hepatitis B vaccine	63.8
28	Children fully immunized	43,807	95.4	42,991	91.8	Full Immunization	70.4
29	Children who have received BCG	42,420	92.4	42,073	89.8		
30	Children who have received Pentavalent 1	44,758	97.5	43,566	93.0		
31	Children who have received Pentavalent 3	43,825	95.5	43,089	92.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	43,444	94.6	42,978	91.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,992		4,143			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	19	13	Total unmet need	15.6
35	Number of Tubectomies performed	2,058	1,710	Spacing	6.9
36	Number of IUD insertion	2,350	1,678	Women using any method	48
37	Number of IUD removals	228	173	Women using modern method	38.2

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	842	773		
39	General OPD cases per 10,000 population ***	12,308	13,450		
40	Ayush OPD cases per 10,000 population ***	39	138		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	85	114		
42	Neonatal Deaths within 1 to 28 days	0	3		
43	<b>Total Neonatal Death</b>	<b>85</b>	<b>117</b>		
44	Deaths between (1 - 11) months	236	304		
45	<b>Total reported infant deaths</b>	<b>321</b>	<b>421</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	1	0		
47	Due to PPH (Post-Partum haemorrhage)	1	2		
48	Due to Pregnancy related infection and sepsis, Fever	3	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	30	27		
53	<b>Total reported maternal deaths</b>	<b>35</b>	<b>31</b>		

## Charaideo Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,58,615					
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	70					
4	Primary Health Centers (PHC)	19					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	11,736		11,846			
9	Expected number of Delivery	10,701		10,801			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,596	56.2	7,136	60.2	ANC Check-up in first trimester	74.1
11	Mothers registered in the first trimester	6,105	92.6	6,860	96.1	At least 4ANC check up	64.5
12	Mothers who had 4 or more ANC check ups	6,083	92.2	6,749	94.6	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	6,271	95.1	6,788	95.1	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	6,561	99.5	7,116	99.7	Home Delivery	11.8
15	Home Delivery against expected delivery *	4	0.0	2	0.0	Institutional Delivery	88.2
16	Institutional Delivery against expected delivery *	3,633	34.0	3,720	34.4	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	4	0.1	2	0.1	PNC within 2days of delivery	70.5
18	Institutional Delivery against reported delivery **	3,633	99.9	3,720	99.9		
19	Total reported Deliveries	3,637		3,722			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	100.0	2	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,915	107.6	4,379	117.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	10,669		10,769			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	3,596	33.7	3,696	34.3	Breastfed within 1 hour of birth	58.3
24	Total Still Birth	42	0.4	46	0.4	BCG	96.2
25	PC of newborn weighted at birth to live birth	3,596	100.0	3,694	99.9	3 dose of DPT	90.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	750	20.9	789	21.4	Measles First dose	90

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,543	98.5	3,552	96.1	3 doses of penta or hepatitis B vaccine	79.6
28	Children fully immunized	6,491	60.8	6,767	62.8	Full Immunization	74
29	Children who have received BCG	3,726	34.9	3,881	36.0		
30	Children who have received Pentavalent 1	6,269	58.8	6,922	64.3		
31	Children who have received Pentavalent 3	6,009	56.3	6,644	61.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,491	60.8	6,765	62.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	729		1,494			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	26	0	Total unmet need	8.3
35	Number of Tubectomies performed	658	477	Spacing	3.7
36	Number of IUD insertion	714	781	Women using any method	67
37	Number of IUD removals	212	339	Women using modern method	43.9

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	167	213		
39	General OPD cases per 10,000 population ***	15,854	18,121		
40	Ayush OPD cases per 10,000 population ***	315	614		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths within 1 to 28 days	0	0		
43	<b>Total Neonatal Death</b>	<b>1</b>	<b>0</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>1</b>	<b>0</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Chirang Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,82,162					
2	Sex Ratio	969					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	87					
4	Primary Health Centers(PHC)	23					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	12,618	12,760				
9	Expected number of Delivery	11,506	11,635				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	8,100	64.2	8,135	63.8	ANC Check-up in first trimester	55.9
11	Mothers registered in the first trimester	7,009	86.5	7,262	89.3	At least 4ANC check up	56.5
12	Mothers who had 4 or more ANC check ups	6,837	84.4	6,979	85.8	Neonatal tetanus received	96.1
13	PW who got TT 2 / Booster injection	7,432	91.8	7,345	90.3	100 IFA tablets consumed	47.1
14	PW who consumed 180 IFA tablets	7,818	96.5	7,968	97.9	Home Delivery	16.3
15	Home Delivery against expected delivery *	574	5.0	484	4.2	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	5,888	51.2	5,088	43.7	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	574	8.9	484	8.7	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	5,888	91.1	5,088	91.3		
19	Total reported Deliveries	6,462		5,572			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	2.3	22	4.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,031	93.3	5,503	98.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	11,471		11,600			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	6,403	55.8	5,530	47.7	Breastfed within 1 hour of birth	40.5
24	Total Still Birth	102	0.9	66	0.6	BCG	98.2
25	PC of newborn weighted at birth to live birth	6,395	99.9	5,528	100.0	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	715	11.2	560	10.1	Measles First dose	89.3



27	PC of newborns breastfed within 1 hour to total reported live birth.	6,343	99.1	5,477	99.0	3 doses of penta or hepatitis B vaccine	84.5
28	Children fully immunized	8,336	72.7	7,783	67.1	Full Immunization	71.1
29	Children who have received BCG	7,392	64.4	7,112	61.3		
30	Children who have received Pentavalent 1	8,128	70.9	7,688	66.3		
31	Children who have received Pentavalent 3	8,063	70.3	7,630	65.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,129	70.9	7,776	67.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	866		1,643			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	9.8
35	Number of Tubectomies performed	371		221		Spacing	3.7
36	Number of IUD insertion	1,507		1,312		Women using any method	65.8
37	Number of IUD removals	873		804		Women using modern method	55.6
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	359		375			
39	General OPD cases per 10,000 population ***	8,952		9,529			
40	Ayush OPD cases per 10,000 population ***	822		1367			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	4		4			
42	Neonatal Deaths within 1 to 28 days	7		4			
43	Total Neonatal Death	11		8			
44	Deaths between (1 - 11) months	5		5			
45	Total reported infant deaths	16		13			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	0		0			
47	Due to PPH (Post-Partum haemorrhage)	1		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1		0			
52	Due to Other/Unknown Causes	1		0			
53	Total reported maternal deaths	3		0			

## Darrang Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,28,500					
2	Sex Ratio	923					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	159					
4	Primary Health Centers (PHC)	34					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	26,788		27,310			
9	Expected number of Delivery	24,426		24,902			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,147	75.2	21,217	77.7	ANC Check-up in first trimester	56.5
11	Mothers registered in the first trimester	19,503	96.8	20,753	97.8	At least 4ANC check up	37.5
12	Mothers who had 4 or more ANC check ups	19,156	95.1	19,488	91.9	Neonatal tetanus received	91.1
13	PW who got TT 2 / Booster injection	18,478	91.7	19,310	91.0	100 IFA tablets consumed	43.3
14	PW who consumed 180 IFA tablets	19,707	97.8	20,736	97.7	Home Delivery	15.6
15	Home Delivery against expected delivery *	59	0.2	40	0.2	Institutional Delivery	84.4
16	Institutional Delivery against expected delivery *	18,608	76.2	17,311	69.5	Home Delivery by SBA	2.3
17	Home Delivery against reported delivery **	59	0.3	40	0.2	PNC within 2days of delivery	53.2
18	Institutional Delivery against reported delivery **	18,608	99.7	17,311	99.8		
19	Total reported Deliveries	18,667		17,351			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	58	98.3	36	90.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,896	95.9	20,370	117.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	24,352		24,828			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	18,499	76.0	17,223	69.4	Breastfed within 1 hour of birth	51.7
24	Total Still Birth	292	1.2	240	1.0	BCG	94.9
25	PC of newborn weighted at birth to live birth	18,490	100.0	17,213	99.9	3 dose of DPT	76.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,308	12.5	2,449	14.2	Measles First dose	82.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	18,038	97.5	16,791	97.5	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	19,779	81.2	19,241	77.5	Full Immunization	57.1
29	Children who have received BCG	17,769	73.0	18,309	73.7		
30	Children who have received Pentavalent 1	19,560	80.3	18,718	75.4		
31	Children who have received Pentavalent 3	19,267	79.1	18,317	73.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,779	81.2	19,239	77.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,972		4,438			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5		4		Total unmet need	14.8
35	Number of Tubectomies performed	808		886		Spacing	5.8
36	Number of IUD insertion	2,773		1,850		Women using any method	46.8
37	Number of IUD removals	437		364		Women using modern method	36.5
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	493		462			
39	General OPD cases per 10,000 population ***	9,847		10,010			
40	Ayush OPD cases per 10,000 population ***	588		647			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	2		0			
42	Neonatal Deaths within 1 to 28 days	28		23			
43	Total Neonatal Death	30		23			
44	Deaths between (1 - 11) months	5		2			
45	Total reported infant deaths	35		25			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	0		0			
47	Due to PPH (Post-Partum haemorrhage)	0		1			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1		0			
52	Due to Other/Unknown Causes	0		1			
53	Total reported maternal deaths	1		2			

## Dhemaji Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	6,86,133					
2	Sex Ratio	949					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	98					
4	Primary Health Centers(PHC)	23					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	19,980		20,386			
9	Expected number of Delivery	18,218		18,588			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	11,449	57.3	11,925	58.5	ANC Check-up in first trimester	76.2
11	Mothers registered in the first trimester	10,824	94.5	11,532	96.7	At least 4ANC check up	62.2
12	Mothers who had 4 or more ANC check ups	10,345	90.4	10,398	87.2	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	10,166	88.8	10,781	90.4	100 IFA tablets consumed	45.3
14	PW who consumed 180 IFA tablets	11,253	98.3	12,651	106.1	Home Delivery	12.7
15	Home Delivery against expected delivery *	10	0.1	5	0.0	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	11,659	64.0	10,989	59.1	Home Delivery by SBA	4.2
17	Home Delivery against reported delivery **	10	0.1	5	0.0	PNC within 2days of delivery	72.8
18	Institutional Delivery against reported delivery **	11,659	99.9	10,989	100.0		
19	Total reported Deliveries	11,669		10,994			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	50.0	3	60.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,613	39.5	4,521	41.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,164		18,533			
D) Child Immunization:		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	11,603	63.9	10,965	59.2	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	141	0.8	100	0.5	BCG	96.7
25	PC of newborn weighted at birth to live birth	11,366	98.0	10,285	93.8	3 dose of DPT	94.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,175	10.3	1,018	9.9	Measles First dose	93.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	10,785	93.0	9,852	89.8	3 doses of penta or hepatitis B vaccine	90
28	Children fully immunized	12,352	68.0	11,937	64.4	Full Immunization	89.7
29	Children who have received BCG	11,410	62.8	10,849	58.5		
30	Children who have received Pentavalent 1	11,998	66.1	11,068	59.7		
31	Children who have received Pentavalent 3	12,029	66.2	10,928	59.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	12,351	68.0	11,936	64.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,127		2,737			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	7.1
35	Number of Tubectomies performed	1,218	803	Spacing	3.5
36	Number of IUD insertion	1,863	2,117	Women using any method	72.6
37	Number of IUD removals	914	1,036	Women using modern method	45
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	209	240		
39	General OPD cases per 10,000 population ***	9,431	10,637		
40	Ayush OPD cases per 10,000 population ***	319	318		
G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	22	9		
42	Neonatal Deaths within 1 to 28 days	31	7		
43	<b>Total Neonatal Death</b>	<b>53</b>	<b>16</b>		
44	Deaths between (1 - 11) months	15	7		
45	<b>Total reported infant deaths</b>	<b>68</b>	<b>23</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Dhubri Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,94,144					
2	Sex Ratio	952					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	192					
4	Primary Health Centers (PHC)	33					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	42,599		43,638			
9	Expected number of Delivery	38,842		39,790			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	40,202	94.4	40,472	92.7	ANC Check-up in first trimester	49.9
11	Mothers registered in the first trimester	38,175	95.0	40,011	98.9	At least 4ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	37,057	92.2	38,479	95.1	Neonatal tetanus received	97.0
13	PW who got TT 2 / Booster injection	38,621	96.1	38,880	96.1	100 IFA tablets consumed	47.6
14	PW who consumed 180 IFA tablets	40,197	100.0	41,249	101.9	Home Delivery	35.8
15	Home Delivery against expected delivery *	7,637	19.7	5,281	13.3	Institutional Delivery	64.2
16	Institutional Delivery against expected delivery *	26,942	69.4	27,584	69.3	Home Delivery by SBA	5.8
17	Home Delivery against reported delivery **	7,637	22.1	5,281	16.1	PNC within 2days of delivery	48.4
18	Institutional Delivery against reported delivery **	26,942	77.9	27,584	83.9		
19	Total reported Deliveries	34,579		32,865			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,560	33.5	1,877	35.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,690	80.1	29,977	91.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	38,726		39,671			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	34,173	88.2	32,472	81.9	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	671	1.7	595	1.5	BCG	90.5
25	PC of newborn weighted at birth to live birth	33,889	99.2	32,335	99.6	3 dose of DPT	82.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,190	12.4	3,856	11.9	Measles First dose	84

27	PC of newborns breastfed within 1 hour to total reported live birth.	32,706	95.7	31,323	96.5	3 doses of penta or hepatitis B vaccine	81.4
28	Children fully immunized	38,720	100.0	37,622	94.8	Full Immunization	71.6
29	Children who have received BCG	35,598	91.9	38,506	97.1		
30	Children who have received Pentavalent 1	38,917	100.5	38,484	97.0		
31	Children who have received Pentavalent 3	38,091	98.4	37,466	94.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	38,706	99.9	37,596	94.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,445		2,910			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	6	1	Total unmet need	11.5
35	Number of Tubectomies performed	590	1,107	Spacing	4
36	Number of IUD insertion	4,576	4,229	Women using any method	64.1
37	Number of IUD removals	397	502	Women using modern method	53.2

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	397	360		
39	General OPD cases per 10,000 population ***	8,400	9,634		
40	Ayush OPD cases per 10,000 population ***	621	963		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	43	72		
42	Neonatal Deaths within 1 to 28 days	213	139		
43	<b>Total Neonatal Death</b>	<b>256</b>	<b>211</b>		
44	Deaths between (1 - 11) months	13	17		
45	<b>Total reported infant deaths</b>	<b>269</b>	<b>228</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	2		
47	Due to PPH (Post-Partum haemorrhage)	3	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	2		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	4	2		
52	Due to Other/Unknown Causes	2	2		
53	<b>Total reported maternal deaths</b>	<b>9</b>	<b>8</b>		



## Dibrugarh Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,26,335					
2	Sex Ratio	952					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	234					
4	Primary Health Centers (PHC)	31					
5	Community Health Centers (CHC)	10					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	35,033		35,455			
9	Expected number of Delivery	31,944		32,329			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	17,752	50.7	19,190	54.1	ANC Check-up in first trimester	75.8
11	Mothers registered in the first trimester	16,274	91.7	18,216	94.9	At least 4ANC check up	75.6
12	Mothers who had 4 or more ANC check ups	16,255	91.6	16,934	88.2	Neonatal tetanus received	94.1
13	PW who got TT 2 / Booster injection	15,729	88.6	17,286	90.1	100 IFA tablets consumed	58.9
14	PW who consumed 180 IFA tablets	16,179	91.1	17,871	93.1	Home Delivery	6.9
15	Home Delivery against expected delivery *	8	0.0	10	0.0	Institutional Delivery	93.1
16	Institutional Delivery against expected delivery *	21,599	67.6	22,338	69.1	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	8	0.0	10	0.0	PNC within 2days of delivery	82.1
18	Institutional Delivery against reported delivery **	21,599	100.0	22,338	100.0		
19	Total reported Deliveries	21,607		22,348			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	2	20.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,520	71.8	17,563	78.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	31,848		32,232			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	21,353	67.0	22,079	68.5	Breastfed within 1 hour of birth	52.6
24	Total Still Birth	599	1.9	607	1.9	BCG	97.8
25	PC of newborn weighted at birth to live birth	21,353	100.0	22,078	100.0	3 dose of DPT	93
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,601	21.5	5,071	23.0	Measles First dose	97.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	20,773	97.3	21,453	97.2	3 doses of penta or hepatitis B vaccine	93
28	Children fully immunized	20,969	65.8	20,407	63.3	Full Immunization	83.8
29	Children who have received BCG	21,732	68.2	22,084	68.5		
30	Children who have received Pentavalent 1	18,688	58.7	19,402	60.2		
31	Children who have received Pentavalent 3	18,288	57.4	19,197	59.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,975	65.9	20,407	63.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,669		5,560			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	60	121	Total unmet need	8.7
35	Number of Tubectomies performed	2,402	1,602	Spacing	4.8
36	Number of IUD insertion	1,055	1,029	Women using any method	64.6
37	Number of IUD removals	781	641	Women using modern method	43.6

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	1131	1347		
39	General OPD cases per 10,000 population ***	25,922	28,124		
40	Ayush OPD cases per 10,000 population ***	305	371		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	30	20		
42	Neonatal Deaths within 1 to 28 days	238	288		
43	<b>Total Neonatal Death</b>	<b>268</b>	<b>308</b>		
44	Deaths between (1 - 11) months	108	119		
45	<b>Total reported infant deaths</b>	<b>376</b>	<b>427</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	2	1		
47	Due to PPH (Post-Partum haemorrhage)	3	7		
48	Due to Pregnancy related infection and sepsis, Fever	7	3		
49	Due to Abortive complication	2	3		
50	Due to Obstructed/prolonged labour	1	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	15	15		
52	Due to Other/Unknown Causes	14	11		
53	<b>Total reported maternal deaths</b>	<b>44</b>	<b>41</b>		

## Dima Hasao Factsheet

### Key Indicators

Key Indicators		A) Demographic Indicators (Census 2011)					
SL No							
1	Population 2011	2,14,102					
2	Sex Ratio	931					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	76					
4	Primary Health Centers(PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	5,756	5,834				
9	Expected number of Delivery	5,248	5,319				
		HMIS (2023-24)	HMIS (2024-25)	NFHS-5(2019-20)			
		Number	PC	Number	PC		
10	PW register for ANC	3,891	67.6	4,083	70.0	ANC Check-up in first trimester	58.9
11	Mothers registered in the first trimester	2,953	75.9	3,549	86.9	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	2,425	62.3	2,964	72.6	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	3,211	82.5	3,397	83.2	100 IFA tablets consumed	40.8
14	PW who consumed 180 IFA tablets	3,968	102.0	4,816	118.0	Home Delivery	10.5
15	Home Delivery against expected delivery *	970	18.5	886	16.7	Institutional Delivery	89.5
16	Institutional Delivery against expected delivery *	2,295	43.7	2,490	46.8	Home Delivery by SBA	1.8
17	Home Delivery against reported delivery **	970	29.7	886	26.2	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	2,295	70.3	2,490	73.8		
19	Total reported Deliveries	3,265		3,376			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	444	45.8	433	48.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	548	16.8	573	17.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,233		5,303			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)	NFHS-5(2019-20)			
23	Total reported live births	3,220	61.5	3,335	62.9	Breastfed within 1 hour of birth	58
24	Total Still Birth	64	1.2	68	1.3	BCG	91.3
25	PC of newborn weighted at birth to live birth	3,193	99.2	3,322	99.6	3 dose of DPT	71.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	160	5.0	192	5.8	Measles First dose	71.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,042	94.5	3,059	91.7	3 doses of penta or hepatitis B vaccine	69.9
28	Children fully immunized	3,591	68.6	3,447	65.0	Full Immunization	63.6
29	Children who have received BCG	3,262	62.3	3,405	64.2		
30	Children who have received Pentavalent 1	3,569	68.2	3,538	66.7		
31	Children who have received Pentavalent 3	3,499	66.9	3,387	63.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,571	68.2	3,446	65.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	676		743			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	93	118	Spacing	2.6
36	Number of IUD insertion	155	131	Women using any method	65.5
37	Number of IUD removals	132	101	Women using modern method	44.9

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	695	618		
39	General OPD cases per 10,000 population ***	9,643	9,090		
40	Ayush OPD cases per 10,000 population ***	369	575		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	3	1		
42	Neonatal Deaths within 1 to 28 days	7	14		
43	<b>Total Neonatal Death</b>	<b>10</b>	<b>15</b>		
44	Deaths between (1 - 11) months	6	8		
45	<b>Total reported infant deaths</b>	<b>16</b>	<b>23</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## Goalpara Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	10,08,183					
2	Sex Ratio	962					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	155					
4	Primary Health Centers(PHC)	37					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	30,212	30,899				
9	Expected number of Delivery	27,548	28,174				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	23,988	79.4	24,542	79.4	ANC Check-up in first trimester	65.3
11	Mothers registered in the first trimester	22,884	95.4	24,072	98.1	At least 4ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	22,152	92.3	22,527	91.8	Neonatal tetanus received	96.6
13	PW who got TT 2 / Booster injection	22,087	92.1	22,774	92.8	100 IFA tablets consumed	52.2
14	PW who consumed 180 IFA tablets	23,559	98.2	24,118	98.3	Home Delivery	7.7
15	Home Delivery against expected delivery *	637	2.3	249	0.9	Institutional Delivery	92.3
16	Institutional Delivery against expected delivery *	24,559	89.2	24,966	88.6	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	637	2.5	249	1.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	24,559	97.5	24,966	99.0		
19	Total reported Deliveries	25,196		25,215			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	617	96.9	229	92.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,924	71.1	15,523	61.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	27,465		28,090			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	24,923	90.7	24,971	88.9	Breastfed within 1 hour of birth	45.7
24	Total Still Birth	435	1.6	449	1.6	BCG	98.4
25	PC of newborn weighted at birth to live birth	24,896	99.9	24,968	100.0	3 dose of DPT	90.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,029	12.2	2,872	11.5	Measles First dose	90.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	24,596	98.7	24,758	99.1	3 doses of penta or hepatitis B vaccine	87.3
28	Children fully immunized	23,347	85.0	22,027	78.4	Full Immunization	70.3
29	Children who have received BCG	21,888	79.7	24,162	86.0		
30	Children who have received Pentavalent 1	23,377	85.1	22,617	80.5		
31	Children who have received Pentavalent 3	23,224	84.6	21,861	77.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	23,195	84.5	22,027	78.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,642		3,730			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2		3		Total unmet need	7.4
35	Number of Tubectomies performed	975		1,509		Spacing	2.2
36	Number of IUD insertion	3,264		3,623		Women using any method	66.8
37	Number of IUD removals	924		1,180		Women using modern method	55.1
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	498		604			
39	General OPD cases per 10,000 population ***	10,136		10,744			
40	Ayush OPD cases per 10,000 population ***	1,033		1401			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	44		48			
42	Neonatal Deaths within 1 to 28 days	81		91			
43	Total Neonatal Death	125		139			
44	Deaths between (1 - 11) months	2		2			
45	Total reported infant deaths	127		141			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	1		0			
47	Due to PPH (Post-Partum haemorrhage)	3		0			
48	Due to Pregnancy related infection and sepsis, Fever	2		1			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	3		1			
53	Total reported maternal deaths	9		2			

## Golaghat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,66,888					
2	Sex Ratio	961					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	39					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	28,127		28,461			
9	Expected number of Delivery	25,647		25,951			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	16,539	58.8	18,189	63.9	ANC Check-up in first trimester	76.1
11	Mothers registered in the first trimester	15,649	94.6	17,709	97.4	At least 4ANC check up	65.7
12	Mothers who had 4 or more ANC check ups	15,409	93.2	17,689	97.3	Neonatal tetanus received	97.7
13	PW who got TT 2 / Booster injection	15,646	94.6	17,434	95.8	100 IFA tablets consumed	63.7
14	PW who consumed 180 IFA tablets	16,531	100.0	18,139	99.7	Home Delivery	9.6
15	Home Delivery against expected delivery *	12	0.0	3	0.0	Institutional Delivery	90.4
16	Institutional Delivery against expected delivery *	11,848	46.2	11,255	43.4	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	12	0.1	3	0.0	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	11,848	99.9	11,255	100.0		
19	Total reported Deliveries	11,860		11,258			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	41.7	3	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,782	65.6	7,271	64.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,570		25,874			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	11,721	45.8	11,210	43.3	Breastfed within 1 hour of birth	53.6
24	Total Still Birth	171	0.7	103	0.4	BCG	92.6
25	PC of newborn weighted at birth to live birth	11,721	100.0	11,148	99.4	3 dose of DPT	84.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,943	16.6	1,813	16.3	Measles First dose	87.5



27	PC of newborns breastfed within 1 hour to total reported live birth.	11,595	98.9	11,095	99.0	3 doses of penta or hepatitis B vaccine	82.8
28	Children fully immunized	15,700	61.4	17,697	68.4	Full Immunization	72.4
29	Children who have received BCG	14,008	54.8	12,485	48.3		
30	Children who have received Pentavalent 1	16,017	62.6	17,456	67.5		
31	Children who have received Pentavalent 3	15,663	61.3	16,662	64.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,669	61.3	17,684	68.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,033		1,965			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	7	0	Total unmet need	10.9
35	Number of Tubectomies performed	830	761	Spacing	4.7
36	Number of IUD insertion	994	1,238	Women using any method	61.6
37	Number of IUD removals	1,181	1,305	Women using modern method	35.7

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	410	532		
39	General OPD cases per 10,000 population ***	12,596	14,430		
40	Ayush OPD cases per 10,000 population ***	558	498		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	31	5		
42	Neonatal Deaths within 1 to 28 days	28	47		
43	<b>Total Neonatal Death</b>	<b>59</b>	<b>52</b>		
44	Deaths between (1 - 11) months	26	29		
45	<b>Total reported infant deaths</b>	<b>85</b>	<b>81</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	2	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>		

## Hailakandi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,59,296					
2	Sex Ratio	946					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	107					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24	2024-25				
8	Expected number of PW	19,458	19,875				
9	Expected number of Delivery	17,742	18,122				
		HMIS (2023-24)	HMIS (2024-25)			NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	17,791	91.4	18,195	91.5	ANC Check-up in first trimester	77.6
11	Mothers registered in the first trimester	16,118	90.6	17,650	97.0	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	16,031	90.1	16,282	89.5	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	17,069	95.9	17,378	95.5	100 IFA tablets consumed	29.0
14	PW who consumed 180 IFA tablets	17,686	99.4	18,157	99.8	Home Delivery	17.0
15	Home Delivery against expected delivery *	382	2.2	213	1.2	Institutional Delivery	83.0
16	Institutional Delivery against expected delivery *	13,431	75.7	14,120	77.9	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	382	2.8	213	1.5	PNC within 2days of delivery	68.8
18	Institutional Delivery against reported delivery **	13,431	97.2	14,120	98.5		
19	Total reported Deliveries	13,813		14,333			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	184	48.2	143	67.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,477	46.9	5,698	39.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,689		18,068			
	D) Child Immunization:	HMIS (2023-24)	HMIS (2024-25)			NFHS-5(2019-20)	
23	Total reported live births	13,688	77.4	14,199	78.6	Breastfed within 1 hour of birth	24.4
24	Total Still Birth	229	1.3	224	1.2	BCG	95.4
25	PC of newborn weighted at birth to live birth	13,688	100.0	14,199	100.0	3 dose of DPT	78.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,039	7.6	1,158	8.2	Measles First dose	85.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,059	95.4	13,563	95.5	3 doses of penta or hepatitis B vaccine	77.4
28	Children fully immunized	17,526	99.1	17,313	95.8	Full Immunization	68.6
29	Children who have received BCG	15,167	85.7	15,131	83.7		
30	Children who have received Pentavalent 1	17,532	99.1	17,475	96.7		
31	Children who have received Pentavalent 3	17,660	99.8	17,269	95.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,526	99.1	17,313	95.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,828		5,035			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	12	Total unmet need	8.6
35	Number of Tubectomies performed	326	394	Spacing	4.2
36	Number of IUD insertion	3,838	4,342	Women using any method	66.8
37	Number of IUD removals	531	559	Women using modern method	49.5

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	425	438		
39	General OPD cases per 10,000 population ***	10,528	11,176		
40	Ayush OPD cases per 10,000 population ***	232	405		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	2	1		
42	Neonatal Deaths within 1 to 28 days	8	9		
43	<b>Total Neonatal Death</b>	<b>10</b>	<b>10</b>		
44	Deaths between (1 - 11) months	0	0		
45	<b>Total reported infant deaths</b>	<b>10</b>	<b>10</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Hojai Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	9,31,218					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	94					
4	Primary Health Centers(PHC)	8					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	27,693	28,305				
9	Expected number of Delivery	25,251	25,809				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	22,617	81.7	25,469	90.0	ANC Check-up in first trimester	52.7
11	Mothers registered in the first trimester	21,658	95.8	25,061	98.4	At least 4ANC check up	51.3
12	Mothers who had 4 or more ANC check ups	21,728	96.1	25,121	98.6	Neonatal tetanus received	96.2
13	PW who got TT 2 / Booster injection	22,355	98.8	25,335	99.5	100 IFA tablets consumed	50.5
14	PW who consumed 180 IFA tablets	22,224	98.3	25,406	99.8	Home Delivery	17.9
15	Home Delivery against expected delivery *	671	2.7	363	1.4	Institutional Delivery	82.1
16	Institutional Delivery against expected delivery *	21,393	84.7	18,778	72.8	Home Delivery by SBA	4.1
17	Home Delivery against reported delivery **	671	3.0	363	1.9	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	21,393	97.0	18,778	98.1		
19	Total reported Deliveries	22,064		19,141			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	61	9.1	43	11.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,426	47.3	10,546	55.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,176		25,732			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	21,969	87.3	19,017	73.9	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	106	0.4	132	0.5	BCG	82.1
25	PC of newborn weighted at birth to live birth	21,937	99.9	19,002	99.9	3 dose of DPT	60.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,712	7.8	810	4.3	Measles First dose	59.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	20,912	95.2	18,690	98.3	3 doses of penta or hepatitis B vaccine	55.6
28	Children fully immunized	22,043	87.6	23,946	93.1	Full Immunization	55.5
29	Children who have received BCG	26,785	106.4	22,146	86.1		
30	Children who have received Pentavalent 1	22,126	87.9	24,193	94.0		
31	Children who have received Pentavalent 3	22,049	87.6	23,985	93.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	22,080	87.7	23,917	92.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,473		2,567			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	13.2
35	Number of Tubectomies performed	235		311		Spacing	4.9
36	Number of IUD insertion	545		2,168		Women using any method	61.1
37	Number of IUD removals	114		446		Women using modern method	48.2
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	169		229			
39	General OPD cases per 10,000 population ***	6,437		7,643			
40	Ayush OPD cases per 10,000 population ***	488		550			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	0		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	0		0			
47	Due to PPH (Post-Partum haemorrhage)	0		1			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		1			

## Jorhat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,24,952					
2	Sex Ratio	956					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	110					
4	Primary Health Centers (PHC)	35					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	23,624		23,842			
9	Expected number of Delivery	21,541		21,739			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	12,576	53.2	13,947	58.5	ANC Check-up in first trimester	78.3
11	Mothers registered in the first trimester	11,828	94.1	13,419	96.2	At least 4ANC check up	67.0
12	Mothers who had 4 or more ANC check ups	10,591	84.2	12,316	88.3	Neonatal tetanus received	97.4
13	PW who got TT 2 / Booster injection	11,393	90.6	12,797	91.8	100 IFA tablets consumed	52.1
14	PW who consumed 180 IFA tablets	12,354	98.2	13,823	99.1	Home Delivery	3.5
15	Home Delivery against expected delivery *	10	0.0	0	0.0	Institutional Delivery	96.5
16	Institutional Delivery against expected delivery *	14,059	65.3	14,287	65.7	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	10	0.1	0	0.0	PNC within 2days of delivery	81.4
18	Institutional Delivery against reported delivery **	14,059	99.9	14,287	100.0		
19	Total reported Deliveries	14,069		14,287			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	90.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,410	102.4	13,394	93.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	21,476		21,674			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	13,856	64.5	14,139	65.2	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	301	1.4	264	1.2	BCG	100
25	PC of newborn weighted at birth to live birth	13,826	99.8	14,011	99.1	3 dose of DPT	79.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,155	8.4	2,902	20.7	Measles First dose	83.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,720	99.0	13,656	96.6	3 doses of penta or hepatitis B vaccine	78.4
28	Children fully immunized	15,377	71.6	12,991	59.9	Full Immunization	69.2
29	Children who have received BCG	13,248	61.7	13,503	62.3		
30	Children who have received Pentavalent 1	14,645	68.2	12,696	58.6		
31	Children who have received Pentavalent 3	14,981	69.8	12,493	57.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,260	71.1	12,991	59.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	978		1,013			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	21	0	Total unmet need	10.4
35	Number of Tubectomies performed	1,382	1,245	Spacing	3.2
36	Number of IUD insertion	458	500	Women using any method	63.8
37	Number of IUD removals	231	208	Women using modern method	32.3

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	621	843		
39	General OPD cases per 10,000 population ***	18,395	22,302		
40	Ayush OPD cases per 10,000 population ***	156	205		

G) Mortality Details					
I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	21	41		
42	Neonatal Deaths within 1 to 28 days	251	386		
43	<b>Total Neonatal Death</b>	<b>272</b>	<b>427</b>		
44	Deaths between (1 - 11) months	59	81		
45	<b>Total reported infant deaths</b>	<b>331</b>	<b>508</b>		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	2	0		
47	Due to PPH (Post-Partum haemorrhage)	3	2		
48	Due to Pregnancy related infection and sepsis, Fever	3	3		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	6		
52	Due to Other/Unknown Causes	8	7		
53	<b>Total reported maternal deaths</b>	<b>19</b>	<b>19</b>		



## Kamrup R Factsheet

### Key Indicators

Sl No	A)Demographic Indicators (Census 2011)						
1	Population 2011	15,17,542					
2	Sex Ratio	946					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	283					
4	Primary Health Centers(PHC)	65					
5	Community Health Centers (CHC)	13					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	41,844	42,499				
9	Expected number of Delivery	38,154	38,752				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	28,521	68.2	29,741	70.0	ANC Check-up in first trimester	57.0
11	Mothers registered in the first trimester	27,631	96.9	28,400	95.5	At least 4ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	26,669	93.5	27,695	93.1	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	25,959	91.0	26,582	89.4	100 IFA tablets consumed	42.5
14	PW who consumed 180 IFA tablets	28,303	99.2	29,647	99.7	Home Delivery	15.0
15	Home Delivery against expected delivery *	23	0.1	9	0.0	Institutional Delivery	85.0
16	Institutional Delivery against expected delivery *	20,095	52.7	19,536	50.4	Home Delivery by SBA	4.3
17	Home Delivery against reported delivery **	23	0.1	9	0.0	PNC within 2days of delivery	61.4
18	Institutional Delivery against reported delivery **	20,095	99.9	19,536	100.0		
19	Total reported Deliveries	20,118		19,545			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	52.2	4	44.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,281	90.9	17,127	87.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	38,040		38,636			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	20,028	52.7	19,494	50.5	Breastfed within 1 hour of birth	45.5
24	Total Still Birth	141	0.4	95	0.2	BCG	90.5
25	PC of newborn weighted at birth to live birth	19,908	99.4	19,429	99.7	3 dose of DPT	86.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,878	9.4	1,395	7.2	Measles First dose	83

27	PC of newborns breastfed within 1 hour to total reported live birth.	19,792	98.8	19,204	98.5	3 doses of penta or hepatitis B vaccine	73.2
28	Children fully immunized	27,871	73.3	25,258	65.4	Full Immunization	63.6
29	Children who have received BCG	22,316	58.7	20,687	53.5		
30	Children who have received Pentavalent 1	26,932	70.8	24,785	64.2		
31	Children who have received Pentavalent 3	27,013	71.0	24,328	63.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	27,871	73.3	25,276	65.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,044		2,085			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	29	14	Total unmet need	17.6
35	Number of Tubectomies performed	1,543	1,473	Spacing	7.7
36	Number of IUD insertion	2,101	2,306	Women using any method	38.7
37	Number of IUD removals	794	1,012	Women using modern method	32.3

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	200	363		
39	General OPD cases per 10,000 population ***	11,361	14,649		
40	Ayush OPD cases per 10,000 population ***	1,308	1347		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	0	2		
42	Neonatal Deaths within 1 to 28 days	2	6		
43	<b>Total Neonatal Death</b>	<b>2</b>	<b>8</b>		
44	Deaths between (1 - 11) months	0	3		
45	<b>Total reported infant deaths</b>	<b>2</b>	<b>11</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## Kamrup M Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,53,938					
2	Sex Ratio	922					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	48					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	35,939		36,620			
9	Expected number of Delivery	32,770		33,391			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	23,342	64.9	36,536	99.8	ANC Check-up in first trimester	77.6
11	Mothers registered in the first trimester	20,679	88.6	33,135	90.7	At least 4ANC check up	68.9
12	Mothers who had 4 or more ANC check ups	30,924	132.5	45,039	123.3	Neonatal tetanus received	96.3
13	PW who got TT 2 / Booster injection	22,155	94.9	36,005	98.5	100 IFA tablets consumed	51.7
14	PW who consumed 180 IFA tablets	22,888	98.1	36,644	100.3	Home Delivery	10.9
15	Home Delivery against expected delivery *	70	0.2	17	0.1	Institutional Delivery	89.1
16	Institutional Delivery against expected delivery *	31,232	95.3	28,884	86.5	Home Delivery by SBA	2.2
17	Home Delivery against reported delivery **	70	0.2	17	0.1	PNC within 2days of delivery	75.6
18	Institutional Delivery against reported delivery **	31,232	99.8	28,884	99.9		
19	Total reported Deliveries	31,302		28,901			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	1.4	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,306	68.1	21,942	75.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,672		33,291			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	30,966	94.8	28,651	86.1	Breastfed within 1 hour of birth	53
24	Total Still Birth	691	2.1	682	2.0	BCG	90.6
25	PC of newborn weighted at birth to live birth	30,215	97.6	28,384	99.1	3 dose of DPT	77
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,047	23.3	8,584	30.2	Measles First dose	74.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	29,704	95.9	27,734	96.8	3 doses of penta or hepatitis B vaccine	71.2
28	Children fully immunized	25,645	78.5	27,059	81.3	Full Immunization	53.6
29	Children who have received BCG	30,778	94.2	29,614	89.0		
30	Children who have received Pentavalent 1	24,699	75.6	26,250	78.9		
31	Children who have received Pentavalent 3	23,893	73.1	25,535	76.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	25,407	77.8	26,492	79.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,832		5,633			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	11	3	Total unmet need	8.8
35	Number of Tubectomies performed	2,840	2,400	Spacing	2.5
36	Number of IUD insertion	401	481	Women using any method	56.8
37	Number of IUD removals	682	717	Women using modern method	41.5

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	1660	1774		
39	General OPD cases per 10,000 population ***	18,506	24,342		
40	Ayush OPD cases per 10,000 population ***	1,133	1711		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	47	58		
42	Neonatal Deaths within 1 to 28 days	747	487		
43	<b>Total Neonatal Death</b>	<b>794</b>	<b>545</b>		
44	Deaths between (1 - 11) months	367	249		
45	<b>Total reported infant deaths</b>	<b>1,161</b>	<b>794</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	2	4		
47	Due to PPH (Post-Partum haemorrhage)	14	5		
48	Due to Pregnancy related infection and sepsis, Fever	29	24		
49	Due to Abortive complication	7	0		
50	Due to Obstructed/prolonged labour	2	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	27	17		
52	Due to Other/Unknown Causes	25	17		
53	<b>Total reported maternal deaths</b>	<b>106</b>	<b>68</b>		

## Karbi Anglong Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	6,60,955					
2	Sex Ratio	956					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	115					
4	Primary Health Centers(PHC)	24					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	18,886		19,239			
9	Expected number of Delivery	17,220		17,542			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,443	76.5	15,754	81.9	ANC Check-up in first trimester	64.8
11	Mothers registered in the first trimester	12,355	85.5	14,183	90.0	At least 4ANC check up	63.9
12	Mothers who had 4 or more ANC check ups	10,377	71.8	10,856	68.9	Neonatal tetanus received	90.9
13	PW who got TT 2 / Booster injection	12,807	88.7	14,223	90.3	100 IFA tablets consumed	35.3
14	PW who consumed 180 IFA tablets	13,145	91.0	14,745	93.6	Home Delivery	25.1
15	Home Delivery against expected delivery *	618	3.6	626	3.6	Institutional Delivery	74.9
16	Institutional Delivery against expected delivery *	9,896	57.5	9,995	57.0	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	618	5.9	626	5.9	PNC within 2days of delivery	56.9
18	Institutional Delivery against reported delivery **	9,896	94.1	9,995	94.1		
19	Total reported Deliveries	10,514		10,621			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	304	49.2	426	68.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,736	73.6	8,249	77.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	17,169		17,490			
D) Child Immunization:		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	10,437	60.8	10,565	60.4	Breastfed within 1 hour of birth	50.3
24	Total Still Birth	145	0.8	160	0.9	BCG	88.7
25	PC of newborn weighted at birth to live birth	10,410	99.7	10,377	98.2	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	774	7.4	1,211	11.7	Measles First dose	76.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,261	88.7	9,339	88.4	3 doses of penta or hepatitis B vaccine	66.9
28	Children fully immunized	15,346	89.4	13,763	78.7	Full Immunization	64.3
29	Children who have received BCG	13,527	78.8	12,349	70.6		
30	Children who have received Pentavalent 1	14,550	84.7	14,427	82.5		
31	Children who have received Pentavalent 3	14,798	86.2	13,448	76.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,344	89.4	13,763	78.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,182		1,310			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.3
35	Number of Tubectomies performed	509	341	Spacing	2.4
36	Number of IUD insertion	1,445	1,546	Women using any method	66.3
37	Number of IUD removals	233	261	Women using modern method	41.1

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	365	239		
39	General OPD cases per 10,000 population ***	8,059	7,091		
40	Ayush OPD cases per 10,000 population ***	362	545		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	6	18		
42	Neonatal Deaths within 1 to 28 days	10	34		
43	<b>Total Neonatal Death</b>	<b>16</b>	<b>52</b>		
44	Deaths between (1 - 11) months	1	4		
45	<b>Total reported infant deaths</b>	<b>17</b>	<b>56</b>		

#### II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	3	1		
47	Due to PPH (Post-Partum haemorrhage)	4	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	6		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	1	6		
53	<b>Total reported maternal deaths</b>	<b>9</b>	<b>14</b>		

## Karimganj Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	12,28,686					
2	Sex Ratio	961					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	232					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	35,965		36,711			
9	Expected number of Delivery	32,793		33,474			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	32,300	89.8	16,061	43.8	ANC Check-up in first trimester	54.8
11	Mothers registered in the first trimester	30,017	92.9	14,410	89.7	At least 4ANC check up	42.8
12	Mothers who had 4 or more ANC check ups	29,830	92.4	13,231	82.4	Neonatal tetanus received	94.2
13	PW who got TT 2 / Booster injection	31,269	96.8	14,050	87.5	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	32,286	100.0	16,683	103.9	Home Delivery	23.6
15	Home Delivery against expected delivery *	1,542	4.7	256	0.8	Institutional Delivery	76.4
16	Institutional Delivery against expected delivery *	24,973	76.2	14,334	42.8	Home Delivery by SBA	2.4
17	Home Delivery against reported delivery **	1,542	5.8	256	1.8	PNC within 2days of delivery	63.9
18	Institutional Delivery against reported delivery **	24,973	94.2	14,334	98.2		
19	Total reported Deliveries	26,515		14,590			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	830	53.8	174	68.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	506	1.9	12,067	82.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,695		33,373			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	26,048	79.7	14,457	43.3	Breastfed within 1 hour of birth	40.3
24	Total Still Birth	519	1.6	220	0.7	BCG	95.5
25	PC of newborn weighted at birth to live birth	26,048	100.0	14,428	99.8	3 dose of DPT	84
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,513	13.5	2,763	19.2	Measles First dose	85.5



27	PC of newborns breastfed within 1 hour to total reported live birth.	25,400	97.5	13,870	95.9	3 doses of penta or hepatitis B vaccine	80.2
28	Children fully immunized	31,158	95.3	14,141	42.4	Full Immunization	75.1
29	Children who have received BCG	28,724	87.9	15,868	47.5		
30	Children who have received Pentavalent 1	31,300	95.7	14,191	42.5		
31	Children who have received Pentavalent 3	30,524	93.4	13,832	41.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	31,162	95.3	14,224	42.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	7,282		2,406			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	11		0		Total unmet need	8.6
35	Number of Tubectomies performed	1,041		362		Spacing	4.2
36	Number of IUD insertion	3,504		866		Women using any method	64.3
37	Number of IUD removals	489		848		Women using modern method	54.9
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	376		232			
39	General OPD cases per 10,000 population ***	8,298		5,588			
40	Ayush OPD cases per 10,000 population ***	246		721			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	2		27			
42	Neonatal Deaths within 1 to 28 days	33		37			
43	Total Neonatal Death	35		64			
44	Deaths between (1 - 11) months	16		12			
45	Total reported infant deaths	51		76			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	0		0			
47	Due to PPH (Post-Partum haemorrhage)	1		2			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		1			
53	Total reported maternal deaths	1		3			

## Kokrajhar Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	8,87,142					
2	Sex Ratio	958					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	161					
4	Primary Health Centers(PHC)	46					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	21,599	21,711				
9	Expected number of Delivery	19,694	19,796				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	15,675	72.6	19,706	90.8	ANC Check-up in first trimester	67.0
11	Mothers registered in the first trimester	13,599	86.8	19,319	98.0	At least 4ANC check up	36.9
12	Mothers who had 4 or more ANC check ups	13,550	86.4	18,200	92.4	Neonatal tetanus received	95.8
13	PW who got TT 2 / Booster injection	15,094	96.3	18,864	95.7	100 IFA tablets consumed	61.1
14	PW who consumed 180 IFA tablets	15,568	99.3	19,702	100.0	Home Delivery	18.1
15	Home Delivery against expected delivery *	290	1.5	7	0.0	Institutional Delivery	81.9
16	Institutional Delivery against expected delivery *	14,996	76.1	15,208	76.8	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	290	1.9	7	0.0	PNC within 2days of delivery	68.3
18	Institutional Delivery against reported delivery **	14,996	98.1	15,208	100.0		
19	Total reported Deliveries	15,286		15,215			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	142	49.0	5	71.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,264	73.7	14,125	92.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,635		19,737			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	15,166	77.2	15,096	76.5	Breastfed within 1 hour of birth	56.4
24	Total Still Birth	252	1.3	230	1.2	BCG	95.3
25	PC of newborn weighted at birth to live birth	15,140	99.8	15,054	99.7	3 dose of DPT	76.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,558	10.3	2,383	15.8	Measles First dose	79.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	14,499	95.6	13,929	92.3	3 doses of penta or hepatitis B vaccine	70.4
28	Children fully immunized	15,177	77.3	18,790	95.2	Full Immunization	51.1
29	Children who have received BCG	14,414	73.4	15,524	78.7		
30	Children who have received Pentavalent 1	14,826	75.5	19,489	98.7		
31	Children who have received Pentavalent 3	14,566	74.2	18,320	92.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	15,177	77.3	18,752	95.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,874		2,646			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2		0		Total unmet need	10
35	Number of Tubectomies performed	647		1,238		Spacing	3.7
36	Number of IUD insertion	948		811		Women using any method	72.3
37	Number of IUD removals	755		1,063		Women using modern method	58
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	414		697			
39	General OPD cases per 10,000 population ***	7,239		16,969			
40	Ayush OPD cases per 10,000 population ***	1,010		722			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	25		16			
42	Neonatal Deaths within 1 to 28 days	33		39			
43	Total Neonatal Death	58		55			
44	Deaths between (1 - 11) months	19		1			
45	Total reported infant deaths	77		56			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	0		0			
47	Due to PPH (Post-Partum haemorrhage)	0		1			
48	Due to Pregnancy related infection and sepsis, Fever	0		1			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		4			
53	Total reported maternal deaths	1		6			

## Lakhimpur Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	10,42,137					
2	Sex Ratio	965					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	154					
4	Primary Health Centers(PHC)	29					
5	Community Health Centers (CHC)	9					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	29,211	29,709				
9	Expected number of Delivery	26,635	27,089				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	18,253	62.5	3,154	10.6	ANC Check-up in first trimester	61.0
11	Mothers registered in the first trimester	17,647	96.7	3,024	95.9	At least 4ANC check up	51.7
12	Mothers who had 4 or more ANC check ups	17,324	94.9	2,977	94.4	Neonatal tetanus received	97.3
13	PW who got TT 2 / Booster injection	17,217	94.3	2,920	92.6	100 IFA tablets consumed	42.2
14	PW who consumed 180 IFA tablets	18,194	99.7	3,139	99.5	Home Delivery	3.8
15	Home Delivery against expected delivery *	13	0.0	6	0.0	Institutional Delivery	96.2
16	Institutional Delivery against expected delivery *	16,420	61.6	1,280	4.7	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	13	0.1	6	0.5	PNC within 2days of delivery	67.7
18	Institutional Delivery against reported delivery **	16,420	99.9	1,280	99.5		
19	Total reported Deliveries	16,433		1,286			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	92.3	1	16.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,276	80.8	1,044	81.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,555		27,008			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	16,321	61.5	1,276	4.7	Breastfed within 1 hour of birth	59
24	Total Still Birth	203	0.8	15	0.1	BCG	94.5
25	PC of newborn weighted at birth to live birth	16,301	99.9	1,274	99.8	3 dose of DPT	87.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,334	14.3	140	11.0	Measles First dose	86.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	12,374	75.8	1,195	93.7	3 doses of penta or hepatitis B vaccine	84.6
28	Children fully immunized	19,662	74.0	3,161	11.7	Full Immunization	69
29	Children who have received BCG	15,889	59.8	1,312	4.9		
30	Children who have received Pentavalent 1	19,538	73.6	3,431	12.7		
31	Children who have received Pentavalent 3	19,446	73.2	3,368	12.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	19,652	74.0	3,160	11.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,353		935			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2		0		Total unmet need	9.8
35	Number of Tubectomies performed	1,347		107		Spacing	4.5
36	Number of IUD insertion	1,086		290		Women using any method	67.1
37	Number of IUD removals	934		118		Women using modern method	43.6
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	532		54			
39	General OPD cases per 10,000 population ***	11,994		2,757			
40	Ayush OPD cases per 10,000 population ***	243		259			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	3		0			
42	Neonatal Deaths within 1 to 28 days	4		1			
43	Total Neonatal Death	7		1			
44	Deaths between (1 - 11) months	2		2			
45	Total reported infant deaths	9		3			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	0		0			
47	Due to PPH (Post-Partum haemorrhage)	1		0			
48	Due to Pregnancy related infection and sepsis, Fever	1		0			
49	Due to Abortive complication	1		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	4		0			
53	Total reported maternal deaths	7		0			

## Majuli Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,67,304					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	4,273	4,312				
9	Expected number of Delivery	3,896	3,932				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	3,053	71.4	20,584	477.3	ANC Check-up in first trimester	76.1
11	Mothers registered in the first trimester	2,808	92.0	18,793	91.3	At least 4ANC check up	72.2
12	Mothers who had 4 or more ANC check ups	2,838	93.0	17,109	83.1	Neonatal tetanus received	97.2
13	PW who got TT 2 / Booster injection	2,770	90.7	19,123	92.9	100 IFA tablets consumed	56.7
14	PW who consumed 180 IFA tablets	2,939	96.3	20,560	99.9	Home Delivery	9.7
15	Home Delivery against expected delivery *	14	0.4	322	8.2	Institutional Delivery	90.3
16	Institutional Delivery against expected delivery *	1,395	35.8	14,041	357.1	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	14	1.0	322	2.2	PNC within 2days of delivery	73.5
18	Institutional Delivery against reported delivery **	1,395	99.0	14,041	97.8		
19	Total reported Deliveries	1,409		14,363			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	28.6	135	41.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,338	95.0	9,694	67.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,885		3,920			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	1,408	36.2	14,327	365.4	Breastfed within 1 hour of birth	51.1
24	Total Still Birth	9	0.2	108	2.8	BCG	95.2
25	PC of newborn weighted at birth to live birth	1,403	99.6	14,290	99.7	3 dose of DPT	86.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	151	10.8	2,202	15.4	Measles First dose	90.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,302	92.5	13,799	96.3	3 doses of penta or hepatitis B vaccine	80.3
28	Children fully immunized	3,219	82.9	18,290	466.5	Full Immunization	78.6
29	Children who have received BCG	1,512	38.9	15,459	394.3		
30	Children who have received Pentavalent 1	3,220	82.9	18,671	476.3		
31	Children who have received Pentavalent 3	3,242	83.5	18,114	462.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,201	82.4	18,269	466.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	689		2,318			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	12	Total unmet need	11.6
35	Number of Tubectomies performed	108	762	Spacing	4.7
36	Number of IUD insertion	214	3,408	Women using any method	63.7
37	Number of IUD removals	97	599	Women using modern method	31.3

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	370	1920		
39	General OPD cases per 10,000 population ***	18,017	60,394		
40	Ayush OPD cases per 10,000 population ***	1,557	2836		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	1	5		
42	Neonatal Deaths within 1 to 28 days	0	4		
43	<b>Total Neonatal Death</b>	<b>1</b>	<b>9</b>		
44	Deaths between (1 - 11) months	2	1		
45	<b>Total reported infant deaths</b>	<b>3</b>	<b>10</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		



## Morigaon Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	9,57,423					
2	Sex Ratio	974					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	142					
4	Primary Health Centers(PHC)	34					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	28,910	29,587				
9	Expected number of Delivery	26,361	26,978				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	20,128	69.6	41,260	139.5	ANC Check-up in first trimester	64.0
11	Mothers registered in the first trimester	17,562	87.3	37,954	92.0	At least 4ANC check up	42.0
12	Mothers who had 4 or more ANC check ups	16,686	82.9	39,748	96.3	Neonatal tetanus received	94.8
13	PW who got TT 2 / Booster injection	18,676	92.8	37,785	91.6	100 IFA tablets consumed	53.4
14	PW who consumed 180 IFA tablets	20,032	99.5	35,712	86.6	Home Delivery	11.7
15	Home Delivery against expected delivery *	360	1.4	450	1.7	Institutional Delivery	88.3
16	Institutional Delivery against expected delivery *	14,143	53.7	39,924	148.0	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	360	2.5	450	1.1	PNC within 2days of delivery	67.9
18	Institutional Delivery against reported delivery **	14,143	97.5	39,924	98.9		
19	Total reported Deliveries	14,503		40,374			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	143	39.7	62	13.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,609	73.2	27,873	69.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	26,282		26,897			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	14,470	55.1	39,814	148.0	Breastfed within 1 hour of birth	62.2
24	Total Still Birth	111	0.4	692	2.6	BCG	91.3
25	PC of newborn weighted at birth to live birth	14,341	99.1	39,581	99.4	3 dose of DPT	87.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,146	15.0	5,414	13.7	Measles First dose	87

27	PC of newborns breastfed within 1 hour to total reported live birth.	13,792	95.3	37,114	93.2	3 doses of penta or hepatitis B vaccine	83
28	Children fully immunized	20,390	77.6	36,689	136.4	Full Immunization	73.4
29	Children who have received BCG	17,872	68.0	38,971	144.9		
30	Children who have received Pentavalent 1	20,232	77.0	37,522	139.5		
31	Children who have received Pentavalent 3	19,544	74.4	36,554	135.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,384	77.6	36,689	136.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,833		7,625			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	44	2	Total unmet need	6.5
35	Number of Tubectomies performed	710	1,298	Spacing	1.9
36	Number of IUD insertion	2,657	1,678	Women using any method	70.6
37	Number of IUD removals	447	370	Women using modern method	56.7

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	369	954		
39	General OPD cases per 10,000 population ***	7,914	22,344		
40	Ayush OPD cases per 10,000 population ***	391	891		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	6	60		
42	Neonatal Deaths within 1 to 28 days	19	223		
43	<b>Total Neonatal Death</b>	<b>25</b>	<b>283</b>		
44	Deaths between (1 - 11) months	4	17		
45	<b>Total reported infant deaths</b>	<b>29</b>	<b>300</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	3		
52	Due to Other/Unknown Causes	0	2		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>6</b>		

## Nagaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	18,92,550					
2	Sex Ratio	962					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	258					
4	Primary Health Centers (PHC)	71					
5	Community Health Centers (CHC)	12					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	56,282		57,526			
9	Expected number of Delivery	51,319		52,453			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	39,398	70.0	11,412	19.8	ANC Check-up in first trimester	73.1
11	Mothers registered in the first trimester	34,354	87.2	11,048	96.8	At least 4ANC check up	59.4
12	Mothers who had 4 or more ANC check ups	35,236	89.4	12,154	106.5	Neonatal tetanus received	97.1
13	PW who got TT 2 / Booster injection	35,628	90.4	10,573	92.6	100 IFA tablets consumed	46.5
14	PW who consumed 180 IFA tablets	35,457	90.0	11,422	100.1	Home Delivery	16.3
15	Home Delivery against expected delivery *	705	1.4	97	0.2	Institutional Delivery	83.7
16	Institutional Delivery against expected delivery *	39,271	76.5	11,775	22.4	Home Delivery by SBA	2.7
17	Home Delivery against reported delivery **	705	1.8	97	0.8	PNC within 2days of delivery	62.0
18	Institutional Delivery against reported delivery **	39,271	98.2	11,775	99.2		
19	Total reported Deliveries	39,976		11,872			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	83	11.8	97	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,501	58.8	11,491	96.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	51,166		52,296			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	39,504	77.2	11,917	22.8	Breastfed within 1 hour of birth	61.6
24	Total Still Birth	617	1.2	93	0.2	BCG	86.9
25	PC of newborn weighted at birth to live birth	39,428	99.8	11,914	100.0	3 dose of DPT	73.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,434	16.3	1,438	12.1	Measles First dose	67.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	36,644	92.8	11,568	97.1	3 doses of penta or hepatitis B vaccine	64.6
28	Children fully immunized	37,061	72.4	12,606	24.1	Full Immunization	58.2
29	Children who have received BCG	37,043	72.4	12,840	24.6		
30	Children who have received Pentavalent 1	37,666	73.6	11,111	21.2		
31	Children who have received Pentavalent 3	37,410	73.1	10,966	21.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	37,061	72.4	12,303	23.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,392		1,623			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		2		Total unmet need	12.3
35	Number of Tubectomies performed	1,323		1,145		Spacing	3.1
36	Number of IUD insertion	1,423		1,191		Women using any method	58.6
37	Number of IUD removals	396		519		Women using modern method	46.8
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	431		132			
39	General OPD cases per 10,000 population ***	9,436		4,569			
40	Ayush OPD cases per 10,000 population ***	287		740			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	48		9			
42	Neonatal Deaths within 1 to 28 days	134		48			
43	Total Neonatal Death	182		57			
44	Deaths between (1 - 11) months	23		6			
45	Total reported infant deaths	205		63			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	0		0			
47	Due to PPH (Post-Partum haemorrhage)	3		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1		0			
52	Due to Other/Unknown Causes	4		0			
53	Total reported maternal deaths	8		0			

## Nalbari Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	7,71,639					
2	Sex Ratio	945					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	124					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	10					
6	SDH	1					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	20,309		20,548			
9	Expected number of Delivery	18,518		18,736			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	10,673	52.6	8,338	40.6	ANC Check-up in first trimester	70.7
11	Mothers registered in the first trimester	10,231	95.9	7,869	94.4	At least 4ANC check up	55.9
12	Mothers who had 4 or more ANC check ups	9,818	92.0	7,740	92.8	Neonatal tetanus received	92.8
13	PW who got TT 2 / Booster injection	10,228	95.8	7,846	94.1	100 IFA tablets consumed	38.6
14	PW who consumed 180 IFA tablets	10,693	100.2	7,951	95.4	Home Delivery	8.2
15	Home Delivery against expected delivery *	163	0.9	0	0.0	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	10,207	55.1	6,922	36.9	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	163	1.6	0	0.0	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	10,207	98.4	6,922	100.0		
19	Total reported Deliveries	10,370		6,922			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	163	100.0	0	-		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,080	87.6	5,203	75.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	18,463		18,680			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	10,426	56.5	6,897	36.9	Breastfed within 1 hour of birth	41.8
24	Total Still Birth	57	0.3	61	0.3	BCG	89.9
25	PC of newborn weighted at birth to live birth	10,256	98.4	6,897	100.0	3 dose of DPT	85.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,400	13.7	1,169	16.9	Measles First dose	87.7

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,970	95.6	6,729	97.6	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	13,245	71.7	9,199	49.2	Full Immunization	65.5
29	Children who have received BCG	11,176	60.5	6,871	36.8		
30	Children who have received Pentavalent 1	12,917	70.0	8,887	47.6		
31	Children who have received Pentavalent 3	13,000	70.4	8,895	47.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	13,113	71.0	9,199	49.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,033		2,144			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	12	3	Total unmet need	13.2
35	Number of Tubectomies performed	589	679	Spacing	4.8
36	Number of IUD insertion	1,364	431	Women using any method	53.3
37	Number of IUD removals	373	596	Women using modern method	38.7

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	277	365		
39	General OPD cases per 10,000 population ***	11,282	13,890		
40	Ayush OPD cases per 10,000 population ***	2,032	843		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	2	8		
42	Neonatal Deaths within 1 to 28 days	18	11		
43	<b>Total Neonatal Death</b>	<b>20</b>	<b>19</b>		
44	Deaths between (1 - 11) months	3	0		
45	<b>Total reported infant deaths</b>	<b>23</b>	<b>19</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>1</b>		

## Sivasagar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	6,92,435					
2	Sex Ratio	951					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers (PHC)	27					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	17,719		17,885			
9	Expected number of Delivery	16,157		16,308			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,170	46.1	19,765	110.5	ANC Check-up in first trimester	85.1
11	Mothers registered in the first trimester	7,581	92.8	17,767	89.9	At least 4ANC check up	80.9
12	Mothers who had 4 or more ANC check ups	7,576	92.7	16,441	83.2	Neonatal tetanus received	96.5
13	PW who got TT 2 / Booster injection	7,601	93.0	18,086	91.5	100 IFA tablets consumed	53.7
14	PW who consumed 180 IFA tablets	7,904	96.7	19,535	98.8	Home Delivery	4.7
15	Home Delivery against expected delivery *	2	0.0	360	2.2	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	7,115	44.0	23,198	142.2	Home Delivery by SBA	0.4
17	Home Delivery against reported delivery **	2	0.0	360	1.5	PNC within 2days of delivery	73.8
18	Institutional Delivery against reported delivery **	7,115	100.0	23,198	98.5		
19	Total reported Deliveries	7,117		23,558			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	94	26.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,169	72.6	7,747	32.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	16,108		16,259			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	7,062	43.8	23,474	144.4	Breastfed within 1 hour of birth	54.9
24	Total Still Birth	81	0.5	372	2.3	BCG	95.7
25	PC of newborn weighted at birth to live birth	7,058	99.9	23,106	98.4	3 dose of DPT	90.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,065	15.1	3,519	15.2	Measles First dose	90.5



27	PC of newborns breastfed within 1 hour to total reported live birth.	6,848	97.0	21,806	92.9	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	9,174	57.0	19,115	117.6	Full Immunization	77.6
29	Children who have received BCG	7,119	44.2	24,558	151.0		
30	Children who have received Pentavalent 1	8,390	52.1	18,860	116.0		
31	Children who have received Pentavalent 3	8,494	52.7	18,401	113.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	9,170	56.9	19,115	117.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,031		1,868			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	10	8	Total unmet need	8.3
35	Number of Tubectomies performed	913	1,287	Spacing	3.2
36	Number of IUD insertion	574	783	Women using any method	67.3
37	Number of IUD removals	559	356	Women using modern method	39.5

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	351	1019		
39	General OPD cases per 10,000 population ***	13,930	24,557		
40	Ayush OPD cases per 10,000 population ***	518	937		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	18	17		
42	Neonatal Deaths within 1 to 28 days	3	137		
43	<b>Total Neonatal Death</b>	<b>21</b>	<b>154</b>		
44	Deaths between (1 - 11) months	1	38		
45	<b>Total reported infant deaths</b>	<b>22</b>	<b>192</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	5		
47	Due to PPH (Post-Partum haemorrhage)	0	7		
48	Due to Pregnancy related infection and sepsis, Fever	0	12		
49	Due to Abortive complication	0	1		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	3		
52	Due to Other/Unknown Causes	1	2		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>30</b>		

## Sonitpur Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	13,11,619					
2	Sex Ratio	946					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	146					
4	Primary Health Centers(PHC)	29					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	36,166	36,732				
9	Expected number of Delivery	32,976	33,493				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	19,114	52.9	11,937	32.5	ANC Check-up in first trimester	48.8
11	Mothers registered in the first trimester	16,728	87.5	11,585	97.1	At least 4ANC check up	45.5
12	Mothers who had 4 or more ANC check ups	16,034	83.9	10,511	88.1	Neonatal tetanus received	99.2
13	PW who got TT 2 / Booster injection	17,289	90.5	11,266	94.4	100 IFA tablets consumed	56.4
14	PW who consumed 180 IFA tablets	18,960	99.2	11,897	99.7	Home Delivery	16.5
15	Home Delivery against expected delivery *	499	1.5	820	2.4	Institutional Delivery	83.5
16	Institutional Delivery against expected delivery *	21,394	64.9	8,153	24.3	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	499	2.3	820	9.1	PNC within 2days of delivery	63.5
18	Institutional Delivery against reported delivery **	21,394	97.7	8,153	90.9		
19	Total reported Deliveries	21,893		8,973			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	86	17.2	241	29.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,878	40.6	5,817	64.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,878		33,393			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	21,751	66.2	8,889	26.6	Breastfed within 1 hour of birth	49.8
24	Total Still Birth	346	1.1	160	0.5	BCG	90.4
25	PC of newborn weighted at birth to live birth	21,715	99.8	8,844	99.5	3 dose of DPT	76.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,532	11.7	1,076	12.2	Measles First dose	80.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	20,774	95.5	8,640	97.2	3 doses of penta or hepatitis B vaccine	75
28	Children fully immunized	20,112	61.2	11,396	34.1	Full Immunization	70.9
29	Children who have received BCG	23,414	71.2	11,472	34.4		
30	Children who have received Pentavalent 1	19,976	60.8	11,320	33.9		
31	Children who have received Pentavalent 3	19,001	57.8	11,040	33.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	20,112	61.2	11,396	34.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,311		3,675			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	19	0	Total unmet need	5.8
35	Number of Tubectomies performed	1,444	2	Spacing	2
36	Number of IUD insertion	872	734	Women using any method	74.4
37	Number of IUD removals	316	126	Women using modern method	58.9

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	502	63		
39	General OPD cases per 10,000 population ***	9,878	2,707		
40	Ayush OPD cases per 10,000 population ***	436	580		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	18	8		
42	Neonatal Deaths within 1 to 28 days	105	35		
43	<b>Total Neonatal Death</b>	<b>123</b>	<b>43</b>		
44	Deaths between (1 - 11) months	45	12		
45	<b>Total reported infant deaths</b>	<b>168</b>	<b>55</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	5	0		
47	Due to PPH (Post-Partum haemorrhage)	6	1		
48	Due to Pregnancy related infection and sepsis, Fever	8	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	1		
52	Due to Other/Unknown Causes	9	0		
53	<b>Total reported maternal deaths</b>	<b>28</b>	<b>2</b>		

## South Salmara Mancachar Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	5,55,114					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers(PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	16,962	17,376				
9	Expected number of Delivery	15,466	15,843				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	11,988	70.7	33,645	193.6	ANC Check-up in first trimester	60.1
11	Mothers registered in the first trimester	10,597	88.4	31,701	94.2	At least 4ANC check up	35.3
12	Mothers who had 4 or more ANC check ups	9,973	83.2	31,566	93.8	Neonatal tetanus received	93.0
13	PW who got TT 2 / Booster injection	11,182	93.3	33,153	98.5	100 IFA tablets consumed	47.4
14	PW who consumed 180 IFA tablets	11,830	98.7	33,645	100.0	Home Delivery	28.3
15	Home Delivery against expected delivery *	3,606	23.3	1,122	7.1	Institutional Delivery	71.7
16	Institutional Delivery against expected delivery *	6,127	39.6	24,710	156.0	Home Delivery by SBA	8.1
17	Home Delivery against reported delivery **	3,606	37.0	1,122	4.3	PNC within 2days of delivery	62.6
18	Institutional Delivery against reported delivery **	6,127	63.0	24,710	95.7		
19	Total reported Deliveries	9,733		25,832			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,206	33.4	661	58.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,035	62.0	1,434	5.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	15,420		15,796			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	9,594	62.2	25,408	160.8	Breastfed within 1 hour of birth	50.4
24	Total Still Birth	190	1.2	505	3.2	BCG	97
25	PC of newborn weighted at birth to live birth	9,560	99.6	25,408	100.0	3 dose of DPT	81.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	690	7.2	3,264	12.8	Measles First dose	85.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	9,234	96.2	24,920	98.1	3 doses of penta or hepatitis B vaccine	73.7
28	Children fully immunized	11,432	74.1	32,940	208.5	Full Immunization	65.8
29	Children who have received BCG	9,257	60.0	27,253	172.5		
30	Children who have received Pentavalent 1	11,432	74.1	33,493	212.0		
31	Children who have received Pentavalent 3	10,819	70.2	32,861	208.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,416	74.0	32,955	208.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,109		8,183			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	8
35	Number of Tubectomies performed	0		762		Spacing	1.7
36	Number of IUD insertion	598		3,195		Women using any method	71.5
37	Number of IUD removals	82		471		Women using modern method	60.8
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	103		863			
39	General OPD cases per 10,000 population ***	5,448		19,488			
40	Ayush OPD cases per 10,000 population ***	939		687			
G) Mortality Details							
I)	Infant Deaths(In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	4		6			
42	Neonatal Deaths within 1 to 28 days	20		25			
43	Total Neonatal Death	24		31			
44	Deaths between (1 - 11) months	9		7			
45	Total reported infant deaths	33		38			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum haemorrhage)	1		0			
47	Due to PPH (Post-Partum haemorrhage)	2		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		3			
53	Total reported maternal deaths	4		3			

## Tinsukia Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	13,27,929					
2	Sex Ratio	948					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	166					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	36,117		36,641			
9	Expected number of Delivery	32,932		33,410			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	19,622	54.3	20,805	56.8	ANC Check-up in first trimester	70.7
11	Mothers registered in the first trimester	17,087	87.1	19,075	91.7	At least 4ANC check up	63.1
12	Mothers who had 4 or more ANC check ups	18,801	95.8	19,391	93.2	Neonatal tetanus received	93.9
13	PW who got TT 2 / Booster injection	19,557	99.7	20,065	96.4	100 IFA tablets consumed	43.8
14	PW who consumed 180 IFA tablets	19,547	99.6	20,902	100.5	Home Delivery	17.4
15	Home Delivery against expected delivery *	239	0.7	111	0.3	Institutional Delivery	82.6
16	Institutional Delivery against expected delivery *	18,065	54.9	18,805	56.3	Home Delivery by SBA	1.0
17	Home Delivery against reported delivery **	239	1.3	111	0.6	PNC within 2days of delivery	73.6
18	Institutional Delivery against reported delivery **	18,065	98.7	18,805	99.4		
19	Total reported Deliveries	18,304		18,916			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	139	58.2	60	54.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,792	102.7	19,434	102.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,833		33,310			
	D) Child Immunization:	HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	18,163	55.3	18,776	56.4	Breastfed within 1 hour of birth	51.6
24	Total Still Birth	209	0.6	232	0.7	BCG	97.2
25	PC of newborn weighted at birth to live birth	18,114	99.7	18,776	100.0	3 dose of DPT	92.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,912	16.1	3,148	16.8	Measles First dose	95.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	17,282	95.1	16,915	90.1	3 doses of penta or hepatitis B vaccine	90.2
28	Children fully immunized	21,338	65.0	20,305	61.0	Full Immunization	75
29	Children who have received BCG	17,647	53.7	19,706	59.2		
30	Children who have received Pentavalent 1	20,188	61.5	20,369	61.2		
31	Children who have received Pentavalent 3	20,678	63.0	19,496	58.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	21,319	64.9	20,298	60.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,129		3,967			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	73	55	Total unmet need	11
35	Number of Tubectomies performed	2,093	1,500	Spacing	4.4
36	Number of IUD insertion	991	779	Women using any method	59.2
37	Number of IUD removals	1,052	761	Women using modern method	36.5

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	599	690		
39	General OPD cases per 10,000 population ***	15,068	17,159		
40	Ayush OPD cases per 10,000 population ***	114	245		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	4	6		
42	Neonatal Deaths within 1 to 28 days	16	8		
43	<b>Total Neonatal Death</b>	<b>20</b>	<b>14</b>		
44	Deaths between (1 - 11) months	7	3		
45	<b>Total reported infant deaths</b>	<b>27</b>	<b>17</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	1	0		
47	Due to PPH (Post-Partum haemorrhage)	1	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	1		
52	Due to Other/Unknown Causes	3	1		
53	<b>Total reported maternal deaths</b>	<b>7</b>	<b>3</b>		



## Udalguri Factsheet

### Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	8,31,668					
2	Sex Ratio	966					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	150					
4	Primary Health Centers(PHC)	23					
5	Community Health Centers (CHC)	8					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	21,381	21,589				
9	Expected number of Delivery	19,495	19,686				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	12,344	57.7	12,403	57.4	ANC Check-up in first trimester	50.1
11	Mothers registered in the first trimester	11,236	91.0	11,663	94.0	At least 4ANC check up	49.8
12	Mothers who had 4 or more ANC check ups	10,651	86.3	11,209	90.4	Neonatal tetanus received	91.0
13	PW who got TT 2 / Booster injection	10,927	88.5	11,010	88.8	100 IFA tablets consumed	44.2
14	PW who consumed 180 IFA tablets	12,018	97.4	12,596	101.6	Home Delivery	13.8
15	Home Delivery against expected delivery *	20	0.1	8	0.0	Institutional Delivery	86.2
16	Institutional Delivery against expected delivery *	5,406	27.7	4,985	25.3	Home Delivery by SBA	1.9
17	Home Delivery against reported delivery **	20	0.4	8	0.2	PNC within 2days of delivery	53.1
18	Institutional Delivery against reported delivery **	5,406	99.6	4,985	99.8		
19	Total reported Deliveries	5,426		4,993			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	25.0	5	62.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,262	133.8	7,087	141.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	19,437		19,627			
D) Child Immunization:		HMIS (2023-24)	HMIS (2024-25)		NFHS-5(2019-20)		
23	Total reported live births	5,383	27.7	4,952	25.2	Breastfed within 1 hour of birth	46.5
24	Total Still Birth	84	0.4	57	0.3	BCG	78.6
25	PC of newborn weighted at birth to live birth	5,356	99.5	4,949	99.9	3 dose of DPT	68
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	762	14.2	557	11.3	Measles First dose	75.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,240	97.3	4,906	99.1	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	11,963	61.5	11,624	59.2	Full Immunization	38.3
29	Children who have received BCG	7,118	36.6	5,658	28.8		
30	Children who have received Pentavalent 1	11,970	61.6	11,404	58.1		
31	Children who have received Pentavalent 3	11,730	60.3	11,178	57.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	11,965	61.6	11,585	59.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,260		1,314			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	14.6
35	Number of Tubectomies performed	168	167	Spacing	6.4
36	Number of IUD insertion	1,458	1,471	Women using any method	50.2
37	Number of IUD removals	1,067	784	Women using modern method	36.2

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	159	255		
39	General OPD cases per 10,000 population ***	11,396	12,056		
40	Ayush OPD cases per 10,000 population ***	622	1055		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	3	4		
42	Neonatal Deaths within 1 to 28 days	4	8		
43	<b>Total Neonatal Death</b>	<b>7</b>	<b>12</b>		
44	Deaths between (1 - 11) months	8	3		
45	<b>Total reported infant deaths</b>	<b>15</b>	<b>15</b>		

#### II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	3	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>1</b>		

## West Karbi Anglong Factsheet

### Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,95,358					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers(PHC)	18					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	8,439		8,597			
9	Expected number of Delivery	7,695		7,839			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,331	75.0	7,205	83.8	ANC Check-up in first trimester	55.5
11	Mothers registered in the first trimester	4,637	73.2	5,951	82.6	At least 4ANC check up	46.7
12	Mothers who had 4 or more ANC check ups	3,942	62.3	4,107	57.0	Neonatal tetanus received	87.6
13	PW who got TT 2 / Booster injection	5,817	91.9	6,466	89.7	100 IFA tablets consumed	39.9
14	PW who consumed 180 IFA tablets	6,318	99.8	7,072	98.2	Home Delivery	27.5
15	Home Delivery against expected delivery *	1,519	19.7	1,604	20.5	Institutional Delivery	72.5
16	Institutional Delivery against expected delivery *	2,821	36.7	2,693	34.4	Home Delivery by SBA	12.0
17	Home Delivery against reported delivery **	1,519	35.0	1,604	37.3	PNC within 2days of delivery	55.7
18	Institutional Delivery against reported delivery **	2,821	65.0	2,693	62.7		
19	Total reported Deliveries	4,340		4,297			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	193	12.7	155	9.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,859	42.8	2,022	47.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,672		7,816			
D) Child Immunization:		HMIS (2023-24)		HMIS (2024-25)		NFHS-5(2019-20)	
23	Total reported live births	4,274	55.7	4,197	53.7	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	84	1.1	108	1.4	BCG	92.7
25	PC of newborn weighted at birth to live birth	4,262	99.7	4,191	99.9	3 dose of DPT	70.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	116	2.7	117	2.8	Measles First dose	66.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,247	99.4	4,067	96.9	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	6,373	83.1	6,227	79.7	Full Immunization	47.9
29	Children who have received BCG	5,213	67.9	5,324	68.1		
30	Children who have received Pentavalent 1	5,890	76.8	6,192	79.2		
31	Children who have received Pentavalent 3	6,268	81.7	6,268	80.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,367	83.0	6,225	79.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	415		588			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1	0	Total unmet need	7.1
35	Number of Tubectomies performed	41	45	Spacing	3.2
36	Number of IUD insertion	671	737	Women using any method	69.9
37	Number of IUD removals	165	200	Women using modern method	43.3

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	218	176		
39	General OPD cases per 10,000 population ***	3,887	4,309		
40	Ayush OPD cases per 10,000 population ***	632	747		

#### G) Mortality Details

I)	Infant Deaths(In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	3	6		
43	<b>Total Neonatal Death</b>	<b>3</b>	<b>7</b>		
44	Deaths between (1 - 11) months	4	13		
45	<b>Total reported infant deaths</b>	<b>7</b>	<b>20</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum haemorrhage)	0	0		
47	Due to PPH (Post-Partum haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		