

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	13,83,727					
2	Sex Ratio	920					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	401					
4	Primary Health Centers (PHC)	133					
5	Community Health Centers (CHC)	57					
6	SDH	0					
7	DH	20					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	35,799		36,727			
9	Expected number of Delivery	32,642		33,489			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	27,031	75.5	27,132	73.9	ANC Check up in first trimester	53.1
11	Mothers registered in the first trimester	13,688	50.6	16,887	62.2	At least 4 ANC check up	36.5
12	Mothers who had 4 or more ANC check ups	15,816	58.5	18,957	69.9	Neonatal tetanus received	76.9
13	PW who got TT 2 / Booster injection	15,472	57.2	16,514	60.9	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	23,756	87.9	24,514	90.4	Home Delivery	0.0
15	Home Delivery against expected delivery *	1,310	4.0	1,221	3.6	Institutional Delivery	79.2
16	Institutional Delivery against expected delivery *	20,220	61.9	19,812	59.2	Home Delivery by SBA	4.0
17	Home Delivery against reported delivery **	1,310	6.1	1,221	5.8	PNC within 2 days of delivery	56.4
18	Institutional Delivery against reported delivery **	20,220	93.9	19,812	94.2	Breastfeed within 1 hour of birth	52.0
19	Total reported Deliveries	21,530		21,033			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	594	45.3	358	29.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,665	54.2	10,979	52.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	32,545		33,388			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	21,561	66.3	21,019	63.0	BCG	87.9
24	Total Still Birth	114	0.4	188	0.6	3 dose of DPT	77.7
25	Newborn weighted at birth to live birth	20,936	97.1	20,752	98.7	Measles First dose	80.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,521	7.3	1,102	5.3	3 doses of penta or hepatitis B vaccine	73
27	Newborns breastfed within 1 hour to total reported live birth.	17,775	82.4	17,505	83.3	Full Immunization	64.9

28	Fully immunized	21,213	65.2	20,787	62.3		
29	Children who have received BCG	22,397	68.8	21,744	65.1		
30	Children who have received Pentavalent 1	22,224	68.3	22,007	65.9		
31	Children who have received Pentavalent 3	21,456	65.9	20,979	62.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	21,112	64.9	20,960	62.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,850		10,514			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	12.5
35	Number of Tubectomies performed	835		786		Spacing	7
36	Number of IUD insertion	1,683		1,416		Women using any method	59.1
37	Number of IUD removals	1,078		1,101		Women using modern method	47.2
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	487		466			
39	General OPD cases per 10,000 population ***	10697		10874			
40	Ayush OPD cases per 10,000 population ***	831		945			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	52		22			
42	Neonatal Deaths within 1 to 28 days	24		28			
43	Total Neonatal Death	76		50			
44	Deaths between (1 - 11) months	19		15			
45	Total reported infant deaths	95		65			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	1		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	1		0			
50	Due to Obstructed/prolonged labour	1		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		1			
52	Due to Other/Unknown Causes	2		2			
53	Total reported maternal deaths	5		3			

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	21,167
2	Sex Ratio	805

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	10
4	Primary Health Centers(PHC)	6
5	Community Health Centers (CHC)	4
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	475		481			
9	Expected number of Delivery	433		439			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	272	57.3	291	60.5	ANC Check up in first trimester	52.0
11	Mothers registered in the first trimester	99	36.4	133	45.7	At least 4 ANC check up	32.3
12	Mothers who had 4 or more ANC check ups	114	41.9	78	26.8	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	174	64.0	207	71.1	100 IFA tablets consumed	16.5
14	PW who consumed 180 IFA tablets	269	98.9	291	100.0	Home Delivery	22.0
15	Home Delivery against expected delivery *	14	3.2	12	2.7	Institutional Delivery	78.0
16	Institutional Delivery against expected delivery *	46	10.6	42	9.6	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	14	23.3	12	22.2	PNC within 2 days of delivery	55.8
18	Institutional Delivery against reported delivery **	46	76.7	42	77.8	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	60		54			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	7.1	1	8.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24	40.0	24	44.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	432		437			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	60	13.9	54	12.3	BCG	97.7
24	Total Still Birth	0	0.0	2	0.5	3 dose of DPT	95.3
25	Newborn weighted at birth to live birth	58	96.7	53	98.1	Measles First dose	97.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	12.1	7	13.2	3 doses of penta or hepatitis B vaccine	85.6
27	Newborns breastfed within 1 hour to total reported live birth.	59	98.3	53	98.1	Full Immunization	93

28	Fully immunized	243	56.3	234	53.5		
29	Children who have received BCG	94	21.8	61	13.9		
30	Children who have received Pentavalent 1	240	55.6	224	51.2		
31	Children who have received Pentavalent 3	275	63.7	238	54.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	253	58.6	241	55.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	298		279			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	6.8		
35	Number of Tubectomies performed	0	0	Spacing	4.7		
36	Number of IUD insertion	1	0	Women using any method	64.7		
37	Number of IUD removals	5	10	Women using modern method	50.9		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	163	172				
39	General OPD cases per 10,000 population ***	6736	7046				
40	Ayush OPD cases per 10,000 population ***	360	586				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	1	0				
45	Total reported infant deaths	1	0				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	1,48,226
2	Sex Ratio	914

B) Infrastructure Details (HDI 2022-23)

		Numbers
3	Sub Centers (SC)	26
4	Primary Health Centers (PHC)	7
5	Community Health Centers (CHC)	5
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	3,493		3,555			
9	Expected number of Delivery	3,185		3,242			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,708	77.5	2,836	79.8	ANC Check up in first trimester	65.0
11	Mothers registered in the first trimester	1,101	40.7	1,308	46.1	At least 4 ANC check up	46.9
12	Mothers who had 4 or more ANC check ups	1,189	43.9	1,859	65.6	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	2,194	81.0	2,408	84.9	100 IFA tablets consumed	37.3
14	PW who consumed 180 IFA tablets	2,187	80.8	2,490	87.8	Home Delivery	24.9
15	Home Delivery against expected delivery *	171	5.4	213	6.6	Institutional Delivery	75.1
16	Institutional Delivery against expected delivery *	1,374	43.1	1,256	38.7	Home Delivery by SBA	6.3
17	Home Delivery against reported delivery **	171	11.1	213	14.5	PNC within 2 days of delivery	69.7
18	Institutional Delivery against reported delivery **	1,374	88.9	1,256	85.5	Breastfeed within 1 hour of birth	60.7
19	Total reported Deliveries	1,545		1,469			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	17.5	52	24.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	857	55.5	966	65.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	3,175		3,232			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	1,536	48.4	1,471	45.5	BCG	86.1
24	Total Still Birth	9	0.3	9	0.3	3 dose of DPT	84.4
25	Newborn weighted at birth to live birth	1,536	100.0	1,461	99.3	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	99	6.4	105	7.2	3 doses of penta or hepatitis B vaccine	84.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,518	98.8	1,451	98.6	Full Immunization	70.9

28	Fully immunized	2,302	72.5	2,431	75.2		
29	Children who have received BCG	2,073	65.3	2,051	63.5		
30	Children who have received Pentavalent 1	2,513	79.1	2,491	77.1		
31	Children who have received Pentavalent 3	2,325	73.2	2,322	71.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,311	72.8	2,436	75.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	325		271			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need		6.7	
35	Number of Tubectomies performed	0	0	Spacing		3.5	
36	Number of IUD insertion	36	25	Women using any method		71.4	
37	Number of IUD removals	28	27	Women using modern method		46.3	
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	233	227				
39	General OPD cases per 10,000 population ***	4808	4632				
40	Ayush OPD cases per 10,000 population ***	1568	1685				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	1				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	1				
44	Deaths between (1 - 11) months	0	2				
45	Total reported infant deaths	0	3				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	8,004
2	Sex Ratio	808

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	9
4	Primary Health Centers(PHC)	1
5	Community Health Centers (CHC)	0
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	170		172			
9	Expected number of Delivery	155		157			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	99	58.2	109	63.5	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	47	47.5	57	52.3	At least 4 ANC check up	40.4
12	Mothers who had 4 or more ANC check ups	3	3.0	0	0.0	Neonatal tetanus received	85.2
13	PW who got TT 2 / Booster injection	21	21.2	37	33.9	100 IFA tablets consumed	25.4
14	PW who consumed 180 IFA tablets	86	86.9	103	94.5	Home Delivery	14.5
15	Home Delivery against expected delivery *	6	3.9	5	3.2	Institutional Delivery	85.5
16	Institutional Delivery against expected delivery *	26	16.8	24	15.3	Home Delivery by SBA	3.5
17	Home Delivery against reported delivery **	6	18.8	5	17.2	PNC within 2 days of delivery	66.2
18	Institutional Delivery against reported delivery **	26	81.3	24	82.8	Breastfeed within 1 hour of birth	66.5
19	Total reported Deliveries	32		29			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	66.7	5	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9	28.1	4	13.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	155		156			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	32	20.7	29	18.6	BCG	97.3
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	90.7
25	Newborn weighted at birth to live birth	28	87.5	7	24.1	Measles First dose	90.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	17.9	0	0.0	3 doses of penta or hepatitis B vaccine	84
27	Newborns breastfed within 1 hour to total reported live birth.	24	75.0	18	62.1	Full Immunization	90.7

28	Fully immunized	102	65.9	84	53.8		
29	Children who have received BCG	36	23.3	32	20.5		
30	Children who have received Pentavalent 1	80	51.7	63	40.3		
31	Children who have received Pentavalent 3	72	46.5	70	44.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	101	65.3	85	54.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	54		56			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	4.6		
35	Number of Tubectomies performed	0	0	Spacing	3.4		
36	Number of IUD insertion	11	1	Women using any method	69.1		
37	Number of IUD removals	17	13	Women using modern method	49.7		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	168	80				
39	General OPD cases per 10,000 population ***	14950	15503				
40	Ayush OPD cases per 10,000 population ***	18	350				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	63,332
2	Sex Ratio	1,012

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	17
4	Primary Health Centers(PHC)	8
5	Community Health Centers (CHC)	1
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	1,867		1,936			
9	Expected number of Delivery	1,702		1,765			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,203	64.4	1,021	52.7	ANC Check up in first trimester	41.7
11	Mothers registered in the first trimester	1,203	100.0	1,021	100.0	At least 4 ANC check up	29.1
12	Mothers who had 4 or more ANC check ups	1,340	111.4	1,225	120.0	Neonatal tetanus received	73.1
13	PW who got TT 2 / Booster injection	167	13.9	218	21.4	100 IFA tablets consumed	11.2
14	PW who consumed 180 IFA tablets	1,370	113.9	1,021	100.0	Home Delivery	24.0
15	Home Delivery against expected delivery *	30	1.8	31	1.8	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	1,292	75.9	1,194	67.6	Home Delivery by SBA	4.4
17	Home Delivery against reported delivery **	30	2.3	31	2.5	PNC within 2 days of delivery	53.6
18	Institutional Delivery against reported delivery **	1,292	97.7	1,194	97.5	Breastfeed within 1 hour of birth	52.2
19	Total reported Deliveries	1,322		1,225			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	73.3	15	48.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8	0.6	186	15.2		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,697		1,760			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	1,322	77.9	1,225	69.6	BCG	82.9
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	70.7
25	Newborn weighted at birth to live birth	1,311	99.2	1,217	99.3	Measles First dose	77.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	9	0.7	17	1.4	3 doses of penta or hepatitis B vaccine	64.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,289	97.5	1,179	96.2	Full Immunization	60.8

28	Fully immunized	1,322	77.9	1,190	67.6		
29	Children who have received BCG	1,353	79.7	1,225	69.6		
30	Children who have received Pentavalent 1	1,322	77.9	1,193	67.8		
31	Children who have received Pentavalent 3	1,322	77.9	1,190	67.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,322	77.9	1,190	67.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	284		293			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need		9.7	
35	Number of Tubectomies performed	0	0	Spacing		4.7	
36	Number of IUD insertion	60	35	Women using any method		64.9	
37	Number of IUD removals	14	15	Women using modern method		57.4	
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	96	108				
39	General OPD cases per 10,000 population ***	4830	3944				
40	Ayush OPD cases per 10,000 population ***	262	439				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	70,956
2	Sex Ratio	962

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	17
4	Primary Health Centers(PHC)	9
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	1,582		1,603			
9	Expected number of Delivery	1,443		1,462			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,492	94.3	1,657	103.4	ANC Check up in first trimester	39.9
11	Mothers registered in the first trimester	802	53.8	1,065	64.3	At least 4 ANC check up	34.3
12	Mothers who had 4 or more ANC check ups	1,296	86.9	972	58.7	Neonatal tetanus received	75.2
13	PW who got TT 2 / Booster injection	1,025	68.7	1,055	63.7	100 IFA tablets consumed	11.4
14	PW who consumed 180 IFA tablets	1,605	107.6	1,592	96.1	Home Delivery	9.2
15	Home Delivery against expected delivery *	1	0.1	2	0.1	Institutional Delivery	90.8
16	Institutional Delivery against expected delivery *	2,063	143.0	2,056	140.6	Home Delivery by SBA	1.7
17	Home Delivery against reported delivery **	1	0.0	2	0.1	PNC within 2 days of delivery	55.7
18	Institutional Delivery against reported delivery **	2,063	100.0	2,056	99.9	Breastfeed within 1 hour of birth	49.4
19	Total reported Deliveries	2,064		2,058			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	2	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,741	84.4	1,982	96.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,438		1,458			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	2,068	143.8	2,031	139.3	BCG	84.8
24	Total Still Birth	14	1.0	28	1.9	3 dose of DPT	71.2
25	Newborn weighted at birth to live birth	2,049	99.1	2,017	99.3	Measles First dose	81.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	145	7.1	128	6.3	3 doses of penta or hepatitis B vaccine	67.3
27	Newborns breastfed within 1 hour to total reported live birth.	2,039	98.6	2,010	99.0	Full Immunization	48.8

28	Fully immunized	1,215	84.5	1,293	88.7		
29	Children who have received BCG	2,228	154.9	2,159	148.1		
30	Children who have received Pentavalent 1	1,341	93.2	1,373	94.2		
31	Children who have received Pentavalent 3	1,271	88.4	1,338	91.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,192	82.9	1,300	89.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	108		142			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17.6
35	Number of Tubectomies performed	148		94		Spacing	9.6
36	Number of IUD insertion	146		121		Women using any method	40
37	Number of IUD removals	86		96		Women using modern method	35.9
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	1190		1151			
39	General OPD cases per 10,000 population ***	12938		16459			
40	Ayush OPD cases per 10,000 population ***	309		248			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	17		9			
42	Neonatal Deaths within 1 to 28 days	9		1			
43	Total Neonatal Death	26		10			
44	Deaths between (1 - 11) months	2		2			
45	Total reported infant deaths	28		12			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		2			
53	Total reported maternal deaths	1		2			

Kamle Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	19,697
2	Sex Ratio	NA

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	20
4	Primary Health Centers(PHC)	4
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	0

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	663		695			
9	Expected number of Delivery	604		634			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	170	25.6	187	26.9	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	82	48.2	70	37.4	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	40	23.5	17	9.1	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	125	73.5	133	71.1	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	137	80.6	183	97.9	Home Delivery	NA
15	Home Delivery against expected delivery *	16	2.6	16	2.5	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	51	8.4	28	4.4	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	16	23.9	16	36.4	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	51	76.1	28	63.6	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	67		44			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	5	31.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	40	59.7	12	27.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	603		632			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	67	11.1	44	7.0	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	52	77.6	34	77.3	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	13.5	2	5.9	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	58	86.6	36	81.8	Full Immunization	NA

28	Fully immunized	194	32.2	204	32.3		
29	Children who have received BCG	89	14.8	69	10.9		
30	Children who have received Pentavalent 1	200	33.2	179	28.3		
31	Children who have received Pentavalent 3	239	39.7	210	33.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	190	31.5	204	32.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	246		241			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA		
35	Number of Tubectomies performed	0	0	Spacing	NA		
36	Number of IUD insertion	8	4	Women using any method	NA		
37	Number of IUD removals	2	4	Women using modern method	NA		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	191	216				
39	General OPD cases per 10,000 population ***	5046	4015				
40	Ayush OPD cases per 10,000 population ***	1093	1241				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	46,704
2	Sex Ratio	1,029

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	10
4	Primary Health Centers(PHC)	6
5	Community Health Centers (CHC)	0
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	3,143		3,492			
9	Expected number of Delivery	2,866		3,184			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	326	10.4	296	8.5	ANC Check up in first trimester	62.5
11	Mothers registered in the first trimester	208	63.8	209	70.6	At least 4 ANC check up	18.3
12	Mothers who had 4 or more ANC check ups	230	70.6	217	73.3	Neonatal tetanus received	55.1
13	PW who got TT 2 / Booster injection	198	60.7	201	67.9	100 IFA tablets consumed	12.7
14	PW who consumed 180 IFA tablets	310	95.1	298	100.7	Home Delivery	26.5
15	Home Delivery against expected delivery *	29	1.0	20	0.6	Institutional Delivery	73.5
16	Institutional Delivery against expected delivery *	58	2.0	91	2.9	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	29	33.3	20	18.0	PNC within 2 days of delivery	34.9
18	Institutional Delivery against reported delivery **	58	66.7	91	82.0	Breastfeed within 1 hour of birth	35.9
19	Total reported Deliveries	87		111			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	41.4	11	55.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	46	52.9	72	64.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	2,858		3,175			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	90	3.1	110	3.5	BCG	92.2
24	Total Still Birth	1	0.0	2	0.1	3 dose of DPT	71.3
25	Newborn weighted at birth to live birth	85	94.4	104	94.5	Measles First dose	77.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	3.5	4	3.8	3 doses of penta or hepatitis B vaccine	71.3
27	Newborns breastfed within 1 hour to total reported live birth.	85	94.4	105	95.5	Full Immunization	63.6

28	Fully immunized	285	10.0	291	9.2		
29	Children who have received BCG	272	9.5	294	9.3		
30	Children who have received Pentavalent 1	284	9.9	291	9.2		
31	Children who have received Pentavalent 3	275	9.6	287	9.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	286	10.0	288	9.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	287		387			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	16.5		
35	Number of Tubectomies performed	0	0	Spacing	13.1		
36	Number of IUD insertion	23	21	Women using any method	46.1		
37	Number of IUD removals	7	7	Women using modern method	39.9		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	123	131				
39	General OPD cases per 10,000 population ***	914	927				
40	Ayush OPD cases per 10,000 population ***	117	114				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	1				
43	Total Neonatal Death	0	1				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	45,372
2	Sex Ratio	1,029

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	14
4	Primary Health Centers(PHC)	4
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	3,054		3,393			
9	Expected number of Delivery	2,785		3,094			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	662	21.7	730	21.5	ANC Check up in first trimester	45.2
11	Mothers registered in the first trimester	516	77.9	674	92.3	At least 4 ANC check up	44.1
12	Mothers who had 4 or more ANC check ups	479	72.4	596	81.6	Neonatal tetanus received	77.0
13	PW who got TT 2 / Booster injection	330	49.8	150	20.5	100 IFA tablets consumed	23.8
14	PW who consumed 180 IFA tablets	730	110.3	505	69.2	Home Delivery	30.8
15	Home Delivery against expected delivery *	41	1.5	12	0.4	Institutional Delivery	69.2
16	Institutional Delivery against expected delivery *	434	15.6	315	10.2	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	41	8.6	12	3.7	PNC within 2 days of delivery	62.3
18	Institutional Delivery against reported delivery **	434	91.4	315	96.3	Breastfeed within 1 hour of birth	39.0
19	Total reported Deliveries	475		327			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	41	100.0	12	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	63	19.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	2,776		3,084			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	477	17.2	327	10.6	BCG	100
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	86.6
25	Newborn weighted at birth to live birth	475	99.6	326	99.7	Measles First dose	89.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	1.3	2	0.6	3 doses of penta or hepatitis B vaccine	76.3
27	Newborns breastfed within 1 hour to total reported live birth.	472	99.0	326	99.7	Full Immunization	71.4

28	Fully immunized	795	28.6	480	15.6		
29	Children who have received BCG	464	16.7	444	14.4		
30	Children who have received Pentavalent 1	507	18.3	542	17.6		
31	Children who have received Pentavalent 3	606	21.8	546	17.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	673	24.2	624	20.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	100		31			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	16.4
35	Number of Tubectomies performed	0		0		Spacing	7.4
36	Number of IUD insertion	22		25		Women using any method	54.1
37	Number of IUD removals	16		35		Women using modern method	47.9
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	29		43			
39	General OPD cases per 10,000 population ***	600		491			
40	Ayush OPD cases per 10,000 population ***	1		16			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	0		0			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)			0			
47	Due to PPH (Post-Partum Haemorrhage)			0			
48	Due to Pregnancy related infection and sepsis, Fever			0			
49	Due to Abortive complication			0			
50	Due to Obstructed/prolonged labour			0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium			0			
52	Due to Other/Unknown Causes			0			
53	Total reported maternal deaths	0		0			

Leparada Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	20,152
2	Sex Ratio	NA

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	12
4	Primary Health Centers(PHC)	2
5	Community Health Centers (CHC)	0
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	422		426			
9	Expected number of Delivery	385		388			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	261	61.8	272	63.9	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	137	52.5	115	42.3	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	109	41.8	108	39.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	124	47.5	134	49.3	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	183	70.1	231	84.9	Home Delivery	NA
15	Home Delivery against expected delivery *	1	0.3	1	0.3	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	95	24.7	86	22.2	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	1	1.0	1	1.1	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	95	99.0	86	98.9	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	96		87			
20	Reported Delivery at home assisted by a Doctor/Nurse/LHV/ANM(%)	0	0.0	1	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1	1.0	7	8.0		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	384		387			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	96	25.0	87	22.5	BCG	NA
24	Total Still Birth	0	0.0	1	0.3	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	94	97.9	83	95.4	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	2	2.4	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	91	94.8	79	90.8	Full Immunization	NA

28	Fully immunized	295	76.9	255	65.9		
29	Children who have received BCG	108	28.1	109	28.2		
30	Children who have received Pentavalent 1	277	72.2	243	62.8		
31	Children who have received Pentavalent 3	287	74.8	245	63.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	246	64.1	235	60.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	177		376			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA		
35	Number of Tubectomies performed	0	34	Spacing	NA		
36	Number of IUD insertion	25	7	Women using any method	NA		
37	Number of IUD removals	15	10	Women using modern method	NA		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	496	478				
39	General OPD cases per 10,000 population ***	10105	10383				
40	Ayush OPD cases per 10,000 population ***	737	839				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	49,776
2	Sex Ratio	901

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	15
4	Primary Health Centers(PHC)	4
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	1,152		1,171			
9	Expected number of Delivery	1,050		1,068			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,055	91.6	949	81.0	ANC Check up in first trimester	66.9
11	Mothers registered in the first trimester	403	38.2	417	43.9	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	811	76.9	736	77.6	Neonatal tetanus received	74.6
13	PW who got TT 2 / Booster injection	705	66.8	688	72.5	100 IFA tablets consumed	34.1
14	PW who consumed 180 IFA tablets	818	77.5	809	85.2	Home Delivery	9.8
15	Home Delivery against expected delivery *	10	1.0	10	0.9	Institutional Delivery	90.2
16	Institutional Delivery against expected delivery *	1,045	99.5	948	88.8	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	10	0.9	10	1.0	PNC within 2 days of delivery	66.2
18	Institutional Delivery against reported delivery **	1,045	99.1	948	99.0	Breastfeed within 1 hour of birth	52.3
19	Total reported Deliveries	1,055		958			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	10.0	0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	981	93.0	904	94.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,047		1,064			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	1,052	100.5	942	88.5	BCG	95.9
24	Total Still Birth	11	1.1	21	2.0	3 dose of DPT	86.8
25	Newborn weighted at birth to live birth	1,051	99.9	942	100.0	Measles First dose	87.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	80	7.6	78	8.3	3 doses of penta or hepatitis B vaccine	83.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,051	99.9	938	99.6	Full Immunization	74

28	Fully immunized	882	84.2	826	77.6		
29	Children who have received BCG	1,096	104.7	954	89.6		
30	Children who have received Pentavalent 1	887	84.7	818	76.8		
31	Children who have received Pentavalent 3	837	79.9	806	75.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	882	84.2	825	77.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	619		661			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	14.6		
35	Number of Tubectomies performed	40	98	Spacing	7.3		
36	Number of IUD insertion	48	25	Women using any method	57		
37	Number of IUD removals	8	24	Women using modern method	43.5		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	457	397				
39	General OPD cases per 10,000 population ***	11680	9600				
40	Ayush OPD cases per 10,000 population ***	443	1145				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	9	2				
42	Neonatal Deaths within 1 to 28 days	2	0				
43	Total Neonatal Death	11	2				
44	Deaths between (1 - 11) months	2	1				
45	Total reported infant deaths	13	3				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	56,953
2	Sex Ratio	931

B) Infrastructure Details (HDI 2022-23)

		Numbers
3	Sub Centers (SC)	9
4	Primary Health Centers (PHC)	3
5	Community Health Centers (CHC)	3
6	SDH	0
7	DH	0

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	1,245		1,260			
9	Expected number of Delivery	1,135		1,149			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,269	101.9	1,479	117.4	ANC Check up in first trimester	65.8
11	Mothers registered in the first trimester	459	36.2	632	42.7	At least 4 ANC check up	39.6
12	Mothers who had 4 or more ANC check ups	465	36.6	558	37.7	Neonatal tetanus received	78.4
13	PW who got TT 2 / Booster injection	886	69.8	1,093	73.9	100 IFA tablets consumed	33.4
14	PW who consumed 180 IFA tablets	1,255	98.9	1,310	88.6	Home Delivery	35.5
15	Home Delivery against expected delivery *	294	25.9	372	32.4	Institutional Delivery	64.5
16	Institutional Delivery against expected delivery *	524	46.2	651	56.7	Home Delivery by SBA	0.9
17	Home Delivery against reported delivery **	294	35.9	372	36.4	PNC within 2 days of delivery	57.1
18	Institutional Delivery against reported delivery **	524	64.1	651	63.6	Breastfeed within 1 hour of birth	58.0
19	Total reported Deliveries	818		1,023			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	98	33.3	23	6.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	416	50.9	557	54.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,132		1,145			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	810	71.6	1,017	88.8	BCG	74.5
24	Total Still Birth	4	0.4	6	0.5	3 dose of DPT	59.7
25	Newborn weighted at birth to live birth	699	86.3	878	86.3	Measles First dose	61.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	0.6	6	0.7	3 doses of penta or hepatitis B vaccine	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	761	94.0	929	91.3	Full Immunization	52.7

28	Fully immunized	840	74.2	986	86.1		
29	Children who have received BCG	939	83.0	1,031	90.0		
30	Children who have received Pentavalent 1	1,133	100.1	1,305	114.0		
31	Children who have received Pentavalent 3	1,011	89.3	1,278	111.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	995	87.9	1,036	90.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	906		1,778			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need		7.3	
35	Number of Tubectomies performed	0	0	Spacing		4.5	
36	Number of IUD insertion	42	66	Women using any method		68.6	
37	Number of IUD removals	15	10	Women using modern method		49	
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	166	171				
39	General OPD cases per 10,000 population ***	6461	8476				
40	Ayush OPD cases per 10,000 population ***	1495	1794				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	1	0				
43	Total Neonatal Death	1	0				
44	Deaths between (1 - 11) months	1	0				
45	Total reported infant deaths	2	0				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	54,080
2	Sex Ratio	919

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	13
4	Primary Health Centers(PHC)	4
5	Community Health Centers (CHC)	4
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	1,119		1,127			
9	Expected number of Delivery	1,020		1,028			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	969	86.6	956	84.8	ANC Check up in first trimester	56.3
11	Mothers registered in the first trimester	386	39.8	470	49.2	At least 4 ANC check up	48.6
12	Mothers who had 4 or more ANC check ups	499	51.5	602	63.0	Neonatal tetanus received	87.5
13	PW who got TT 2 / Booster injection	687	70.9	762	79.7	100 IFA tablets consumed	25.8
14	PW who consumed 180 IFA tablets	811	83.7	893	93.4	Home Delivery	9.9
15	Home Delivery against expected delivery *	38	3.7	24	2.3	Institutional Delivery	90.1
16	Institutional Delivery against expected delivery *	535	52.4	469	45.6	Home Delivery by SBA	3.6
17	Home Delivery against reported delivery **	38	6.6	24	4.9	PNC within 2 days of delivery	58.6
18	Institutional Delivery against reported delivery **	535	93.4	469	95.1	Breastfeed within 1 hour of birth	59.8
19	Total reported Deliveries	573		493			
20	Reported Delivery at home assisted by a Doctor/Nurse/LHV/ANM(%)	34	89.5	23	95.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	117	20.4	263	53.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,017		1,025			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	574	56.4	490	47.8	BCG	89.2
24	Total Still Birth	6	0.6	3	0.3	3 dose of DPT	77
25	Newborn weighted at birth to live birth	557	97.0	485	99.0	Measles First dose	84.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	36	6.5	34	7.0	3 doses of penta or hepatitis B vaccine	79.2
27	Newborns breastfed within 1 hour to total reported live birth.	556	96.9	464	94.7	Full Immunization	73.8

28	Fully immunized	762	74.9	753	73.5		
29	Children who have received BCG	679	66.7	655	63.9		
30	Children who have received Pentavalent 1	844	83.0	821	80.1		
31	Children who have received Pentavalent 3	809	79.5	774	75.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	752	73.9	729	71.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	344		332			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	4.9		
35	Number of Tubectomies performed	22	5	Spacing	4.6		
36	Number of IUD insertion	39	35	Women using any method	75.3		
37	Number of IUD removals	31	23	Women using modern method	56.4		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	205	208				
39	General OPD cases per 10,000 population ***	12517	12494				
40	Ayush OPD cases per 10,000 population ***	951	966				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	2				
42	Neonatal Deaths within 1 to 28 days	1	0				
43	Total Neonatal Death	1	2				
44	Deaths between (1 - 11) months	0	1				
45	Total reported infant deaths	1	3				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Lower Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)								
1	Population 2011	22,630						
2	Sex Ratio	NA						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	6						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	474		478				
9	Expected number of Delivery	432		436				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	300	63.3	223	46.7	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	206	68.7	135	60.5	At least 4 ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	96	32.0	138	61.9	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	221	73.7	208	93.3	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	226	75.3	175	78.5	Home Delivery	NA	
15	Home Delivery against expected delivery *	4	0.9	5	1.1	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	95	22.0	71	16.3	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	4	4.0	5	6.6	PNC within 2 days of delivery	NA	
18	Institutional Delivery against reported delivery **	95	96.0	71	93.4	Breastfeed within 1 hour of birth	NA	
19	Total reported Deliveries	99		76				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	75.0	4	80.0			
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	53	53.5	37	48.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	431		434				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
23	Total reported live births	100	23.2	76	17.5	BCG	NA	
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA	
25	Newborn weighted at birth to live birth	98	98.0	75	98.7	Measles First dose	NA	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	3.1	4	5.3	3 doses of penta or hepatitis B vaccine	NA	
27	Newborns breastfed within 1 hour to total reported live birth.	96	96.0	75	98.7	Full Immunization	NA	

28	Fully immunized	236	54.8	262	60.3		
29	Children who have received BCG	111	25.8	91	20.9		
30	Children who have received Pentavalent 1	251	58.2	251	57.8		
31	Children who have received Pentavalent 3	250	58.0	246	56.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	236	54.8	262	60.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	141		107			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	NA	
35	Number of Tubectomies performed	0	0		Spacing	NA	
36	Number of IUD insertion	16	12		Women using any method	NA	
37	Number of IUD removals	10	16		Women using modern method	NA	
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	1447	736				
39	General OPD cases per 10,000 population ***	12316	12146				
40	Ayush OPD cases per 10,000 population ***	275	690				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	1				
42	Neonatal Deaths within 1 to 28 days	1	0				
43	Total Neonatal Death	1	1				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	1	1				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	67,751					
2	Sex Ratio	975					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	23					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	2,280		2,391			
9	Expected number of Delivery	2,079		2,180			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	646	28.3	574	24.0	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	263	40.7	222	38.7	At least 4 ANC check up	39.1
12	Mothers who had 4 or more ANC check ups	246	38.1	310	54.0	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	491	76.0	455	79.3	100 IFA tablets consumed	15.2
14	PW who consumed 180 IFA tablets	507	78.5	570	99.3	Home Delivery	10.2
15	Home Delivery against expected delivery *	10	0.5	9	0.4	Institutional Delivery	89.8
16	Institutional Delivery against expected delivery *	399	19.2	381	17.5	Home Delivery by SBA	2.8
17	Home Delivery against reported delivery **	10	2.4	9	2.3	PNC within 2 days of delivery	67.7
18	Institutional Delivery against reported delivery **	399	97.6	381	97.7	Breastfeed within 1 hour of birth	52.5
19	Total reported Deliveries	409		390			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	20.0	1	11.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	260	63.6	176	45.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,073		2,174			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	403	19.4	384	17.7	BCG	85
24	Total Still Birth	3	0.1	7	0.3	3 dose of DPT	69.6
25	Newborn weighted at birth to live birth	400	99.3	381	99.2	Measles First dose	76.5
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	34	8.5	23	6.0	3 doses of penta or hepatitis B vaccine	65.9
27	Newborns breastfed within 1 hour to total reported live birth.	336	83.4	271	70.6	Full Immunization	66.5

28	Fully immunized	553	26.7	569	26.2		
29	Children who have received BCG	417	20.1	394	18.1		
30	Children who have received Pentavalent 1	528	25.5	525	24.2		
31	Children who have received Pentavalent 3	568	27.4	570	26.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	558	26.9	566	26.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	295		263			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
34	Number of Vasectomies performed	0	0		Total unmet need	8.5	
35	Number of Tubectomies performed	7	10		Spacing	2.3	
36	Number of IUD insertion	54	65		Women using any method	65.9	
37	Number of IUD removals	49	49		Women using modern method	58	
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	364	398				
39	General OPD cases per 10,000 population ***	5239	5000				
40	Ayush OPD cases per 10,000 population ***	804	794				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	1	0				
42	Neonatal Deaths within 1 to 28 days	1	1				
43	Total Neonatal Death	2	1				
44	Deaths between (1 - 11) months	0	1				
45	Total reported infant deaths	2	2				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	95,950					
2	Sex Ratio	901					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	2,221		2,257			
9	Expected number of Delivery	2,025		2,058			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,090	94.1	2,274	100.8	ANC Check up in first trimester	61.6
11	Mothers registered in the first trimester	1,813	86.7	2,112	92.9	At least 4 ANC check up	35.4
12	Mothers who had 4 or more ANC check ups	1,681	80.4	1,934	85.0	Neonatal tetanus received	76.7
13	PW who got TT 2 / Booster injection	1,746	83.5	1,997	87.8	100 IFA tablets consumed	33.6
14	PW who consumed 180 IFA tablets	1,710	81.8	2,161	95.0	Home Delivery	36.4
15	Home Delivery against expected delivery *	172	8.5	54	2.6	Institutional Delivery	63.6
16	Institutional Delivery against expected delivery *	1,947	96.2	2,103	102.2	Home Delivery by SBA	6.4
17	Home Delivery against reported delivery **	172	8.1	54	2.5	PNC within 2 days of delivery	51.2
18	Institutional Delivery against reported delivery **	1,947	91.9	2,103	97.5	Breastfeed within 1 hour of birth	47.4
19	Total reported Deliveries	2,119		2,157			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	128	74.4	27	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,816	85.7	1,485	68.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,019		2,052			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	2,120	105.0	2,166	105.6	BCG	83.5
24	Total Still Birth	14	0.7	10	0.5	3 dose of DPT	80.7
25	Newborn weighted at birth to live birth	2,120	100.0	2,166	100.0	Measles First dose	79.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	119	5.6	152	7.0	3 doses of penta or hepatitis B vaccine	75.1
27	Newborns breastfed within 1 hour to total reported live birth.	2,089	98.5	2,057	95.0	Full Immunization	67.2

28	Fully immunized	1,810	89.7	1,867	91.0		
29	Children who have received BCG	1,925	95.4	1,861	90.7		
30	Children who have received Pentavalent 1	1,824	90.4	1,892	92.2		
31	Children who have received Pentavalent 3	1,823	90.3	1,818	88.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,809	89.6	1,879	91.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	459		627			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	8.7
35	Number of Tubectomies performed	122		74		Spacing	5.2
36	Number of IUD insertion	36		99		Women using any method	69.5
37	Number of IUD removals	25		32		Women using modern method	48.1
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	408		411			
39	General OPD cases per 10,000 population ***	7513		7895			
40	Ayush OPD cases per 10,000 population ***	1410		1377			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	3		2			
42	Neonatal Deaths within 1 to 28 days	1		4			
43	Total Neonatal Death	4		6			
44	Deaths between (1 - 11) months	4		5			
45	Total reported infant deaths	8		11			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		1			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		1			

Pakke-Kessang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	15,358					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	453		470			
9	Expected number of Delivery	413		428			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	118	26.1	106	22.6	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	24	20.3	19	17.9	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	18	15.3	40	37.7	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	70	59.3	69	65.1	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	96	81.4	111	104.7	Home Delivery	NA
15	Home Delivery against expected delivery *	6	1.5	1	0.2	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	35	8.5	65	15.2	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	6	14.6	1	1.5	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	35	85.4	65	98.5	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	41		66			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	100.0	0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	24	58.5	58	87.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	412		427			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	44	10.7	65	15.2	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	43	97.7	65	100.0	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	2.3	4	6.2	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	39	88.6	64	98.5	Full Immunization	NA

28	Fully immunized	124	30.1	128	30.0		
29	Children who have received BCG	70	17.0	90	21.1		
30	Children who have received Pentavalent 1	122	29.6	116	27.2		
31	Children who have received Pentavalent 3	130	31.6	121	28.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	109	26.5	129	30.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	165		216			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	3		0		Women using any method	NA
37	Number of IUD removals	3		3		Women using modern method	NA
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	0		31			
39	General OPD cases per 10,000 population ***	3992		3839			
40	Ayush OPD cases per 10,000 population ***	902		568			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	0		0			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	1,76,573
2	Sex Ratio	950

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	40
4	Primary Health Centers(PHC)	18
5	Community Health Centers (CHC)	4
6	SDH	0
7	DH	0

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	5,671		5,923			
9	Expected number of Delivery	5,171		5,401			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,252	127.9	7,079	119.5	ANC Check up in first trimester	38.4
11	Mothers registered in the first trimester	2,930	40.4	4,977	70.3	At least 4 ANC check up	39.3
12	Mothers who had 4 or more ANC check ups	3,327	45.9	5,575	78.8	Neonatal tetanus received	74.0
13	PW who got TT 2 / Booster injection	1,868	25.8	2,092	29.6	100 IFA tablets consumed	24.8
14	PW who consumed 180 IFA tablets	6,115	84.3	6,304	89.1	Home Delivery	12.0
15	Home Delivery against expected delivery *	12	0.2	3	0.1	Institutional Delivery	88.0
16	Institutional Delivery against expected delivery *	6,690	129.4	6,718	124.4	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	12	0.2	3	0.0	PNC within 2 days of delivery	53.2
18	Institutional Delivery against reported delivery **	6,690	99.8	6,718	100.0	Breastfeed within 1 hour of birth	52.9
19	Total reported Deliveries	6,702		6,721			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	75.0	0	0.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,897	43.2	2,460	36.6		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	5,155		5,385			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	6,766	131.2	6,785	126.0	BCG	88.1
24	Total Still Birth	27	0.5	63	1.2	3 dose of DPT	76.3
25	Newborn weighted at birth to live birth	6,391	94.5	6,779	99.9	Measles First dose	77.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	773	12.1	412	6.1	3 doses of penta or hepatitis B vaccine	64.3
27	Newborns breastfed within 1 hour to total reported live birth.	3,601	53.2	3,983	58.7	Full Immunization	60.7

28	Fully immunized	3,929	76.2	3,712	68.9		
29	Children who have received BCG	6,249	121.2	6,338	117.7		
30	Children who have received Pentavalent 1	4,534	88.0	4,377	81.3		
31	Children who have received Pentavalent 3	4,030	78.2	3,848	71.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,870	75.1	3,703	68.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,128		1,289			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	20.3
35	Number of Tubectomies performed	391		337		Spacing	8.8
36	Number of IUD insertion	440		236		Women using any method	47.7
37	Number of IUD removals	201		100		Women using modern method	41
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	1366		1359			
39	General OPD cases per 10,000 population ***	31773		32127			
40	Ayush OPD cases per 10,000 population ***	1026		1109			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	16		5			
42	Neonatal Deaths within 1 to 28 days	6		20			
43	Total Neonatal Death	22		25			
44	Deaths between (1 - 11) months	2		1			
45	Total reported infant deaths	24		26			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	1		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	1		0			
50	Due to Obstructed/prolonged labour	1		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		0			
53	Total reported maternal deaths	4		0			

Shi Yomi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	13,310					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	3					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	253		281			
9	Expected number of Delivery	231		256			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	165	65.1	167	59.4	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	79	47.9	68	40.7	At least 4 ANC check up	NA
12	Mothers who had 4 or more ANC check ups	31	18.8	35	21.0	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	143	86.7	127	76.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	145	87.9	129	77.2	Home Delivery	NA
15	Home Delivery against expected delivery *	11	4.8	18	7.0	Institutional Delivery	NA
16	Institutional Delivery against expected delivery *	46	19.9	43	16.8	Home Delivery by SBA	NA
17	Home Delivery against reported delivery **	11	19.3	18	29.5	PNC within 2 days of delivery	NA
18	Institutional Delivery against reported delivery **	46	80.7	43	70.5	Breastfeed within 1 hour of birth	NA
19	Total reported Deliveries	57		61			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	18.2	1	5.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	35	61.4	24	39.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	230		256			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	57	24.8	61	23.9	BCG	NA
24	Total Still Birth	0	0.0	0	0.0	3 dose of DPT	NA
25	Newborn weighted at birth to live birth	52	91.2	59	96.7	Measles First dose	NA
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	1.9	0	0.0	3 doses of penta or hepatitis B vaccine	NA
27	Newborns breastfed within 1 hour to total reported live birth.	46	80.7	57	93.4	Full Immunization	NA

28	Fully immunized	181	78.6	177	69.3		
29	Children who have received BCG	58	25.2	52	20.4		
30	Children who have received Pentavalent 1	177	76.9	165	64.6		
31	Children who have received Pentavalent 3	184	79.9	162	63.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	179	77.7	175	68.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	300		363			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA		
35	Number of Tubectomies performed	0	0	Spacing	NA		
36	Number of IUD insertion	14	4	Women using any method	NA		
37	Number of IUD removals	16	2	Women using modern method	NA		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	116	174				
39	General OPD cases per 10,000 population ***	11306	9512				
40	Ayush OPD cases per 10,000 population ***	1292	1359				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	1	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	1	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	1	0				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)								
1	Population 2011	27,924						
2	Sex Ratio	962						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	27						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	623		631				
9	Expected number of Delivery	568		575				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	306	49.1	260	41.2	ANC Check up in first trimester	50.8	
11	Mothers registered in the first trimester	95	31.0	87	33.5	At least 4 ANC check up	31.1	
12	Mothers who had 4 or more ANC check ups	67	21.9	60	23.1	Neonatal tetanus received	78.7	
13	PW who got TT 2 / Booster injection	190	62.1	185	71.2	100 IFA tablets consumed	21.5	
14	PW who consumed 180 IFA tablets	287	93.8	258	99.2	Home Delivery	18.9	
15	Home Delivery against expected delivery *	22	3.9	13	2.3	Institutional Delivery	81.1	
16	Institutional Delivery against expected delivery *	38	6.7	43	7.5	Home Delivery by SBA	2.1	
17	Home Delivery against reported delivery **	22	36.7	13	23.2	PNC within 2 days of delivery	56.0	
18	Institutional Delivery against reported delivery **	38	63.3	43	76.8	Breastfeed within 1 hour of birth	51.4	
19	Total reported Deliveries	60		56				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	40.9	1	7.7			
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4	6.7	2	3.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	566		574				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
23	Total reported live births	58	10.2	56	9.8	BCG	80.8	
24	Total Still Birth	2	0.4	0	0.0	3 dose of DPT	81.1	
25	Newborn weighted at birth to live birth	53	91.4	51	91.1	Measles First dose	77.5	
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	10	18.9	2	3.9	3 doses of penta or hepatitis B vaccine	74.7	
27	Newborns breastfed within 1 hour to total reported live birth.	52	89.7	51	91.1	Full Immunization	60.3	

28	Fully immunized	334	59.0	318	55.4		
29	Children who have received BCG	111	19.6	91	15.9		
30	Children who have received Pentavalent 1	321	56.7	311	54.2		
31	Children who have received Pentavalent 3	351	62.0	299	52.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	318	56.2	321	56.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	107		95			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	5		
35	Number of Tubectomies performed	0	0	Spacing	2.4		
36	Number of IUD insertion	2	0	Women using any method	73.7		
37	Number of IUD removals	14	5	Women using modern method	61		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	514	646				
39	General OPD cases per 10,000 population ***	6512	5987				
40	Ayush OPD cases per 10,000 population ***	159	141				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	1	0				
45	Total reported infant deaths	1	0				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,977					
2	Sex Ratio	701					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	1,330		1,367			
9	Expected number of Delivery	1,213		1,247			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	758	57.0	717	52.4	ANC Check up in first trimester	79.9
11	Mothers registered in the first trimester	346	45.6	306	42.7	At least 4 ANC check up	37.6
12	Mothers who had 4 or more ANC check ups	340	44.9	333	46.4	Neonatal tetanus received	85.3
13	PW who got TT 2 / Booster injection	623	82.2	624	87.0	100 IFA tablets consumed	28.2
14	PW who consumed 180 IFA tablets	534	70.4	559	78.0	Home Delivery	15.8
15	Home Delivery against expected delivery *	188	15.5	160	12.8	Institutional Delivery	84.2
16	Institutional Delivery against expected delivery *	456	37.6	468	37.5	Home Delivery by SBA	5.7
17	Home Delivery against reported delivery **	188	29.2	160	25.5	PNC within 2 days of delivery	49.6
18	Institutional Delivery against reported delivery **	456	70.8	468	74.5	Breastfeed within 1 hour of birth	60.6
19	Total reported Deliveries	644		628			
20	Reported Delivery at home assisted by a Doctor/Nurse/LHV/ANM(%)	68	36.2	30	18.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	227	35.2	113	18.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,209		1,243			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	637	52.7	627	50.4	BCG	93.1
24	Total Still Birth	8	0.7	3	0.2	3 dose of DPT	81.9
25	Newborn weighted at birth to live birth	637	100.0	626	99.8	Measles First dose	90.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	13	2.0	11	1.8	3 doses of penta or hepatitis B vaccine	77.6
27	Newborns breastfed within 1 hour to total reported live birth.	509	79.9	509	81.2	Full Immunization	67.5

28	Fully immunized	740	61.2	714	57.4		
29	Children who have received BCG	646	53.4	603	48.5		
30	Children who have received Pentavalent 1	738	61.0	714	57.4		
31	Children who have received Pentavalent 3	765	63.3	687	55.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	741	61.3	714	57.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	530		490			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	14.6
35	Number of Tubectomies performed	11		6		Spacing	11.7
36	Number of IUD insertion	128		87		Women using any method	62.1
37	Number of IUD removals	47		69		Women using modern method	56.3
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	273		140			
39	General OPD cases per 10,000 population ***	9385		8858			
40	Ayush OPD cases per 10,000 population ***	1291		1422			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	1		0			
42	Neonatal Deaths within 1 to 28 days	2		0			
43	Total Neonatal Death	3		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	3		0			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	55,022
2	Sex Ratio	931

B) Infrastructure Details (HDI 2022-23)

		Numbers
3	Sub Centers (SC)	13
4	Primary Health Centers (PHC)	7
5	Community Health Centers (CHC)	1
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	1,203		1,217			
9	Expected number of Delivery	1,097		1,110			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	847	70.4	901	74.0	ANC Check up in first trimester	59.3
11	Mothers registered in the first trimester	469	55.4	554	61.5	At least 4 ANC check up	35.7
12	Mothers who had 4 or more ANC check ups	546	64.5	639	70.9	Neonatal tetanus received	73.9
13	PW who got TT 2 / Booster injection	737	87.0	775	86.0	100 IFA tablets consumed	27.4
14	PW who consumed 180 IFA tablets	795	93.9	860	95.4	Home Delivery	29.8
15	Home Delivery against expected delivery *	179	16.3	178	16.0	Institutional Delivery	70.2
16	Institutional Delivery against expected delivery *	353	32.2	345	31.1	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	179	33.6	178	34.0	PNC within 2 days of delivery	49.8
18	Institutional Delivery against reported delivery **	353	66.4	345	66.0	Breastfeed within 1 hour of birth	72.0
19	Total reported Deliveries	532		523			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	43.6	110	61.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	397	74.6	384	73.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,094		1,106			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	530	48.5	520	47.0	BCG	82.8
24	Total Still Birth	4	0.4	4	0.4	3 dose of DPT	77.4
25	Newborn weighted at birth to live birth	529	99.8	514	98.8	Measles First dose	77.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	0.8	3	0.6	3 doses of penta or hepatitis B vaccine	77.4
27	Newborns breastfed within 1 hour to total reported live birth.	529	99.8	511	98.3	Full Immunization	66.3

28	Fully immunized	756	69.1	710	64.2		
29	Children who have received BCG	544	49.7	550	49.7		
30	Children who have received Pentavalent 1	789	72.1	787	71.1		
31	Children who have received Pentavalent 3	761	69.6	694	62.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	756	69.1	710	64.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	349		380			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed		0	Total unmet need	10.6		
35	Number of Tubectomies performed	4	0	Spacing	8.1		
36	Number of IUD insertion	54	64	Women using any method	56.1		
37	Number of IUD removals	50	38	Women using modern method	39.4		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	137	260				
39	General OPD cases per 10,000 population ***	5961	6322				
40	Ayush OPD cases per 10,000 population ***	983	1278				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	2				
45	Total reported infant deaths	0	2				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	35,320
2	Sex Ratio	891

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	14
4	Primary Health Centers(PHC)	2
5	Community Health Centers (CHC)	4
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	720		724			
9	Expected number of Delivery	657		660			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	494	68.6	667	92.1	ANC Check up in first trimester	54.5
11	Mothers registered in the first trimester	212	42.9	411	61.6	At least 4 ANC check up	34.0
12	Mothers who had 4 or more ANC check ups	334	67.6	410	61.5	Neonatal tetanus received	73.5
13	PW who got TT 2 / Booster injection	380	76.9	408	61.2	100 IFA tablets consumed	12.6
14	PW who consumed 180 IFA tablets	376	76.1	550	82.5	Home Delivery	24.0
15	Home Delivery against expected delivery *	4	0.6	18	2.7	Institutional Delivery	76.0
16	Institutional Delivery against expected delivery *	253	38.5	216	32.7	Home Delivery by SBA	3.3
17	Home Delivery against reported delivery **	4	1.6	18	7.7	PNC within 2 days of delivery	56.4
18	Institutional Delivery against reported delivery **	253	98.4	216	92.3	Breastfeed within 1 hour of birth	28.2
19	Total reported Deliveries	257		234			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	50.0	9	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	203	79.0	221	94.4		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	655		659			
----	-------------------------------	-----	--	-----	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	257	39.3	232	35.2	BCG	86.7
24	Total Still Birth	1	0.2	2	0.3	3 dose of DPT	68.4
25	Newborn weighted at birth to live birth	235	91.4	231	99.6	Measles First dose	70
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	16	6.8	5	2.2	3 doses of penta or hepatitis B vaccine	63.4
27	Newborns breastfed within 1 hour to total reported live birth.	193	75.1	215	92.7	Full Immunization	61.4

28	Fully immunized	483	73.8	387	58.8		
29	Children who have received BCG	293	44.8	268	40.7		
30	Children who have received Pentavalent 1	410	62.6	429	65.1		
31	Children who have received Pentavalent 3	432	66.0	415	63.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	483	73.8	387	58.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	334		349			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	11.9		
35	Number of Tubectomies performed	24	10	Spacing	6.6		
36	Number of IUD insertion	30	28	Women using any method	62		
37	Number of IUD removals	27	45	Women using modern method	54		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	325	378				
39	General OPD cases per 10,000 population ***	9367	8985				
40	Ayush OPD cases per 10,000 population ***	781	1150				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	0	0				
45	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	79,030
2	Sex Ratio	982

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	26
4	Primary Health Centers(PHC)	5
5	Community Health Centers (CHC)	4
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	2,711		2,848			
9	Expected number of Delivery	2,472		2,597			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,041	38.4	1,005	35.3	ANC Check up in first trimester	34.6
11	Mothers registered in the first trimester	602	57.8	625	62.2	At least 4 ANC check up	32.1
12	Mothers who had 4 or more ANC check ups	748	71.9	548	54.5	Neonatal tetanus received	79.1
13	PW who got TT 2 / Booster injection	623	59.8	648	64.5	100 IFA tablets consumed	23.6
14	PW who consumed 180 IFA tablets	988	94.9	1,007	100.2	Home Delivery	23.0
15	Home Delivery against expected delivery *	6	0.2	4	0.2	Institutional Delivery	77.0
16	Institutional Delivery against expected delivery *	730	29.5	645	24.8	Home Delivery by SBA	5.2
17	Home Delivery against reported delivery **	6	0.8	4	0.6	PNC within 2 days of delivery	56.7
18	Institutional Delivery against reported delivery **	730	99.2	645	99.4	Breastfeed within 1 hour of birth	56.6
19	Total reported Deliveries	736		649			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	100.0	1	25.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	715	97.1	161	24.8		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	2,465		2,589			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	724	29.4	640	24.7	BCG	89.8
24	Total Still Birth	4	0.2	9	0.3	3 dose of DPT	75.6
25	Newborn weighted at birth to live birth	723	99.9	640	100.0	Measles First dose	84.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	43	5.9	28	4.4	3 doses of penta or hepatitis B vaccine	72.2
27	Newborns breastfed within 1 hour to total reported live birth.	682	94.2	598	93.4	Full Immunization	68.5

28	Fully immunized	796	32.3	783	30.2		
29	Children who have received BCG	700	28.4	679	26.2		
30	Children who have received Pentavalent 1	865	35.1	808	31.2		
31	Children who have received Pentavalent 3	796	32.3	790	30.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	796	32.3	789	30.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	232		225			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17.3
35	Number of Tubectomies performed	0		0		Spacing	8.6
36	Number of IUD insertion	181		170		Women using any method	53.2
37	Number of IUD removals	136		151		Women using modern method	48.4
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	129		63			
39	General OPD cases per 10,000 population ***	2142		1645			
40	Ayush OPD cases per 10,000 population ***	202		270			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	3		0			
45	Total reported infant deaths	3		0			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	83,947
2	Sex Ratio	755

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	21
4	Primary Health Centers(PHC)	5
5	Community Health Centers (CHC)	5
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	1,947		1,980			
9	Expected number of Delivery	1,776		1,805			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,323	67.9	1,344	67.9	ANC Check up in first trimester	45.1
11	Mothers registered in the first trimester	776	58.7	865	64.4	At least 4 ANC check up	27.6
12	Mothers who had 4 or more ANC check ups	910	68.8	1,109	82.5	Neonatal tetanus received	64.4
13	PW who got TT 2 / Booster injection	969	73.2	1,073	79.8	100 IFA tablets consumed	18.5
14	PW who consumed 180 IFA tablets	1,281	96.8	1,368	101.8	Home Delivery	6.4
15	Home Delivery against expected delivery *	35	2.0	27	1.5	Institutional Delivery	93.6
16	Institutional Delivery against expected delivery *	510	28.7	492	27.3	Home Delivery by SBA	4.6
17	Home Delivery against reported delivery **	35	6.4	27	5.2	PNC within 2 days of delivery	38.9
18	Institutional Delivery against reported delivery **	510	93.6	492	94.8	Breastfeed within 1 hour of birth	42.6
19	Total reported Deliveries	545		519			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	85.7	13	48.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	353	64.8	342	65.9		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,770		1,800			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	550	31.1	514	28.6	BCG	94
24	Total Still Birth	2	0.1	9	0.5	3 dose of DPT	65.8
25	Newborn weighted at birth to live birth	533	96.9	499	97.1	Measles First dose	65.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	2.1	22	4.4	3 doses of penta or hepatitis B vaccine	57.4
27	Newborns breastfed within 1 hour to total reported live birth.	538	97.8	497	96.7	Full Immunization	56.2

28	Fully immunized	1,204	68.0	1,206	67.0		
29	Children who have received BCG	801	45.2	655	36.4		
30	Children who have received Pentavalent 1	1,154	65.2	1,147	63.7		
31	Children who have received Pentavalent 3	1,179	66.6	1,143	63.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,216	68.7	1,208	67.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	414		442			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	17		
35	Number of Tubectomies performed	0	3	Spacing	13.5		
36	Number of IUD insertion	156	157	Women using any method	53.8		
37	Number of IUD removals	149	163	Women using modern method	47.8		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	217	183				
39	General OPD cases per 10,000 population ***	6467	6612				
40	Ayush OPD cases per 10,000 population ***	1044	1366				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	0				
42	Neonatal Deaths within 1 to 28 days	0	0				
43	Total Neonatal Death	0	0				
44	Deaths between (1 - 11) months	1	0				
45	Total reported infant deaths	1	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	56,516
2	Sex Ratio	916

B) Infrastructure Details (HDI 2022-23)

3	Sub Centers (SC)	15
4	Primary Health Centers(PHC)	6
5	Community Health Centers (CHC)	2
6	SDH	0
7	DH	1

C) Maternal Health:

		2023-24		2024-25			
8	Expected number of PW	1,184		1,193			
9	Expected number of Delivery	1,080		1,088			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,205	101.8	1,032	86.5	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	430	35.7	335	32.5	At least 4 ANC check up	30.4
12	Mothers who had 4 or more ANC check ups	897	74.4	858	83.1	Neonatal tetanus received	72.0
13	PW who got TT 2 / Booster injection	775	64.3	767	74.3	100 IFA tablets consumed	9.9
14	PW who consumed 180 IFA tablets	935	77.6	736	71.3	Home Delivery	15.4
15	Home Delivery against expected delivery *	10	0.9	13	1.2	Institutional Delivery	84.6
16	Institutional Delivery against expected delivery *	1,125	104.2	1,062	97.6	Home Delivery by SBA	3.4
17	Home Delivery against reported delivery **	10	0.9	13	1.2	PNC within 2 days of delivery	61.4
18	Institutional Delivery against reported delivery **	1,125	99.1	1,062	98.8	Breastfeed within 1 hour of birth	37.6
19	Total reported Deliveries	1,135		1,075			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	70.0	11	84.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	441	38.9	476	44.3		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.

22	Expected number of Live Birth	1,076		1,085			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	1,131	105.1	1,066	98.3	BCG	93.7
24	Total Still Birth	4	0.4	9	0.8	3 dose of DPT	87.8
25	Newborn weighted at birth to live birth	1,127	99.6	1,059	99.3	Measles First dose	86.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	92	8.2	51	4.8	3 doses of penta or hepatitis B vaccine	81
27	Newborns breastfed within 1 hour to total reported live birth.	1,062	93.9	1,029	96.5	Full Immunization	55.4

28	Fully immunized	830	77.1	927	85.4		
29	Children who have received BCG	1,041	96.7	988	91.1		
30	Children who have received Pentavalent 1	883	82.0	942	86.8		
31	Children who have received Pentavalent 3	858	79.7	882	81.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	838	77.9	924	85.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	648		821			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)			
34	Number of Vasectomies performed	0	0	Total unmet need		15.5	
35	Number of Tubectomies performed	66	115	Spacing		8.2	
36	Number of IUD insertion	108	129	Women using any method		46.6	
37	Number of IUD removals	107	154	Women using modern method		38.9	
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	511	168				
39	General OPD cases per 10,000 population ***	12607	13832				
40	Ayush OPD cases per 10,000 population ***	419	264				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	4	0				
42	Neonatal Deaths within 1 to 28 days	0	1				
43	Total Neonatal Death	4	1				
44	Deaths between (1 - 11) months	2	0				
45	Total reported infant deaths	6	1				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemorrhage)	0	0				
47	Due to PPH (Post-Partum Haemorrhage)	0	0				
48	Due to Pregnancy related infection and sepsis, Fever	0	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	0	0				