

Meghalaya Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	29,66,889					
2	Sex Ratio	986					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	463					
4	Primary Health Centers (PHC)	147					
5	Community Health Centers (CHC)	29					
6	SDH	1					
7	DH	11					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	1,03,881		1,06,771			
9	Expected number of Delivery	97,270		99,976			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,01,993	98.2	1,02,987	96.5	ANC Check up in first trimester	53.9
11	Mothers registered in the first trimester	47,043	46.1	49,896	48.4	At least 4ANC check up	52.2
12	Mothers who had 4 or more ANC check ups	76,390	74.9	79,189	76.9	Neonatal tetanus received	82.1
13	PW who got TT 2 / Booster injection	74,146	72.7	76,498	74.3	100 IFA tablets consumed	43.1
14	PW who consumed 180 IFA tablets	70,353	69.0	71,810	69.7	Home Delivery	41.9
15	Home Delivery against expected delivery *	24,580	25.3	21,287	21.3	Institutional Delivery	58.1
16	Institutional Delivery Against expected delivery *	60,995	62.7	64,006	64.0	Home Delivery by SBA	6.6
17	Home Delivery against reported delivery **	24,580	28.7	21,287	25.0	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	60,995	71.3	64,006	75.0		
19	Total reported Deliveries	85,575		85,293			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,578	6.4	1,134	5.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36,283	42.4	43,559	51.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	94,437		97,064			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	84,500	89.5	84,202	86.7	Breastfed within 1 hour of birth	78.8
24	Total Still Birth	2,053	2.2	2,039	2.1	BCG	89.3
25	PC of newborn weighted at birth to live birth	83,002	98.2	83,277	98.9	3 dose of DPT	73.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8,019	9.7	7,654	9.2	Measles First dose	72.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	75,273	89.1	73,860	87.7	3 doses of penta or hepatitis B vaccine	65.7
28	Children fully immunized	72,422	76.7	72,931	75.1	Full Immunization	63.8
29	Children who have received BCG	81,583	86.4	82,556	85.1		
30	Children who have received Pentavalent 1	77,031	81.6	77,717	80.1		
31	Children who have received Pentavalent 3	70,933	75.1	71,337	73.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	72,491	76.8	72,995	75.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	52,855		75,187			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1		1		Total unmet need	26.9
35	Number of Tubectomies performed	3,200		2,999		Spacing	18.3
36	Number of IUD insertion	1,986		2,004		Women using any method	27.4
37	Number of IUD removals	2,122		2,004		Women using modern method	22.5
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	682		707			
39	General OPD cases per 10,000 population ***	10730		12338			
40	Ayush OPD cases per 10,000 population ***	730		766			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	348		270			
42	Neonatal Deaths within 1 to 28 days	685		678			
43	Total Neonatal Death	1,033		948			
44	Deaths between (1 - 11) months	980		1,124			
45	Total reported infant deaths	2,013		2,072			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	9		2			
47	Due to PPH (Post-Partum Haemorrhage)	16		14			
48	Due to Pregnancy related infection and sepsis, Fever	10		16			
49	Due to Abortive complication	0		2			
50	Due to Obstructed/prolonged labour	0		3			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	8		6			
52	Due to Other/Unknown Causes	33		39			
53	Total reported maternal deaths	76		82			

Eastern West Khasi Hills Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,14,228					
2	Sex Ratio	981					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	4,114	4,239				
9	Expected number of Delivery	3,853	3,969				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	6,044	146.9	6,372	150.3	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	2,882	47.7	3,175	49.8	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	4,620	76.4	4,548	71.4	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	4,758	78.7	4,874	76.5	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	4,148	68.6	4,305	67.6	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,536	39.9	1,218	30.7	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	3,438	89.2	3,838	96.7	Home Delivery by SBA	7.2
17	Home Delivery against reported delivery **	1,536	30.9	1,218	24.1	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	3,438	69.1	3,838	75.9		
19	Total reported Deliveries	4,974		5,056			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	109	7.1	55	4.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,101	22.1	1,450	28.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,740		3,854			
D) Child Immunization :		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
23	Total reported live births	4,883	130.5	4,979	129.2	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	109	2.9	117	3.0	BCG	86.7
25	PC of newborn weighted at birth to live birth	4,872	99.8	4,969	99.8	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	364	7.5	490	9.9	Measles First dose	71.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	4,757	97.4	4,734	95.1	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	4,713	126.0	4,598	119.3	Full Immunization	62.5
29	Children who have received BCG	4,956	132.5	5,053	131.1		
30	Children who have received Pentavalent 1	4,870	130.2	4,906	127.3		
31	Children who have received Pentavalent 3	4,640	124.1	4,644	120.5		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,746	126.9	4,621	119.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,696		6,990			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.8
35	Number of Tubectomies performed	182		196		Spacing	21.1
36	Number of IUD insertion	97		107		Women using any method	26.3
37	Number of IUD removals	81		98		Women using modern method	15.3
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	846		1031			
39	General OPD cases per 10,000 population ***	16212		19520			
40	Ayush OPD cases per 10,000 population ***	3212		2987			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	14		19			
42	Neonatal Deaths within 1 to 28 days	23		28			
43	Total Neonatal Death	37		47			
44	Deaths between (1 - 11) months	46		75			
45	Total reported infant deaths	83		122			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	1		0			
47	Due to PPH (Post-Partum Haemmorhage)	1		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		2			
53	Total reported maternal deaths	3		2			

East Garo Hills Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,45,798					
2	Sex Ratio	968					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	31					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	4,988		5,117			
9	Expected number of Delivery	4,671		4,791			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,586	91.9	4,845	94.7	ANC Check up in first trimester	59.2
11	Mothers registered in the first trimester	2,033	44.3	2,101	43.4	At least 4ANC check up	25.5
12	Mothers who had 4 or more ANC check ups	3,275	71.4	3,517	72.6	Neonatal tetanus received	74.5
13	PW who got TT 2 / Booster injection	3,291	71.8	3,742	77.2	100 IFA tablets consumed	28.8
14	PW who consumed 180 IFA tablets	4,052	88.4	3,585	74.0	Home Delivery	26.2
15	Home Delivery against expected delivery *	1,181	25.3	607	12.7	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	2,941	63.0	3,723	77.7	Home Delivery by SBA	7.5
17	Home Delivery against reported delivery **	1,181	28.7	607	14.0	PNC within 2days of delivery	59.9
18	Institutional Delivery against reported delivery **	2,941	71.3	3,723	86.0		
19	Total reported Deliveries	4,122		4,330			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	273	23.1	153	25.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,415	58.6	2,849	65.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,535		4,652			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	4,079	90.0	4,319	92.8	Breastfed within 1 hour of birth	48.0
24	Total Still Birth	87	1.9	86	1.8	BCG	81.5
25	PC of newborn weighted at birth to live birth	4,010	98.3	4,243	98.2	3 dose of DPT	83.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	462	11.5	333	7.8	Measles First dose	83.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,818	93.6	4,147	96.0	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	4,237	93.4	4,281	92.0	Full Immunization	72.4
29	Children who have received BCG	3,998	88.2	4,202	90.3		
30	Children who have received Pentavalent 1	3,906	86.1	4,279	92.0		
31	Children who have received Pentavalent 3	3,457	76.2	3,940	84.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,271	94.2	4,281	92.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	925		1,508			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	21.0
35	Number of Tubectomies performed	226		204		Spacing	12.4
36	Number of IUD insertion	234		259		Women using any method	37.0
37	Number of IUD removals	66		91		Women using modern method	35.8
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	401		407			
39	General OPD cases per 10,000 population ***	5169		6167			
40	Ayush OPD cases per 10,000 population ***	479		425			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	14		12			
42	Neonatal Deaths within 1 to 28 days	21		33			
43	Total Neonatal Death	35		45			
44	Deaths between (1 - 11) months	32		23			
45	Total reported infant deaths	67		68			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	3		1			
48	Due to Pregnancy related infection and sepsis, Fever	1		1			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1		1			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	5		3			

East Jaintia Hills Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,22,939					
2	Sex Ratio	1,008					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	36					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	4,485		4,625			
9	Expected number of Delivery	4,199		4,331			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,308	96.1	4,193	90.7	ANC Check up in first trimester	55.5
11	Mothers registered in the first trimester	1,755	40.7	1,835	43.8	At least 4ANC check up	58.6
12	Mothers who had 4 or more ANC check ups	1,867	43.3	2,309	55.1	Neonatal tetanus received	87.7
13	PW who got TT 2 / Booster injection	3,642	84.5	3,728	88.9	100 IFA tablets consumed	51.9
14	PW who consumed 180 IFA tablets	3,209	74.5	3,785	90.3	Home Delivery	51.6
15	Home Delivery against expected delivery *	657	15.6	549	12.7	Institutional Delivery	48.4
16	Institutional Delivery Against expected delivery *	1,938	46.1	1,788	41.3	Home Delivery by SBA	6.8
17	Home Delivery against reported delivery **	657	25.3	549	23.5	PNC within 2days of delivery	49.1
18	Institutional Delivery against reported delivery **	1,938	74.7	1,788	76.5		
19	Total reported Deliveries	2,595		2,337			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	195	29.7	136	24.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,198	46.2	1,188	50.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,077		4,205			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	2,567	63.0	2,306	54.8	Breastfed within 1 hour of birth	85.3
24	Total Still Birth	46	1.1	42	1.0	BCG	92.6
25	PC of newborn weighted at birth to live birth	2,518	98.1	2,259	98.0	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	202	8.0	175	7.7	Measles First dose	83.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,465	96.0	2,195	95.2	3 doses of penta or hepatitis B vaccine	77.8
28	Children fully immunized	3,785	92.8	4,000	95.1	Full Immunization	74.4
29	Children who have received BCG	2,702	66.3	2,583	61.4		
30	Children who have received Pentavalent 1	4,138	101.5	4,021	95.6		
31	Children who have received Pentavalent 3	3,848	94.4	3,899	92.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,758	92.2	3,997	95.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,777		5,287			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	26.0
35	Number of Tubectomies performed	58		0		Spacing	20.1
36	Number of IUD insertion	73		40		Women using any method	33.6
37	Number of IUD removals	36		33		Women using modern method	24
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	521		495			
39	General OPD cases per 10,000 population ***	11044		12873			
40	Ayush OPD cases per 10,000 population ***	619		777			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	7		8			
42	Neonatal Deaths within 1 to 28 days	16		17			
43	Total Neonatal Death	23		25			
44	Deaths between (1 - 11) months	36		38			
45	Total reported infant deaths	59		63			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	1		0			
47	Due to PPH (Post-Partum Haemmorhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		1			
53	Total reported maternal deaths	1		1			

East Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,25,922					
2	Sex Ratio	1,008					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	77					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	2					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	27,876		28,564			
9	Expected number of Delivery	26,102		26,746			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	28,981	104.0	29,070	101.8	ANC Check up in first trimester	56.7
11	Mothers registered in the first trimester	15,894	54.8	15,632	53.8	At least 4ANC check up	57.5
12	Mothers who had 4 or more ANC check ups	26,281	90.7	25,883	89.0	Neonatal tetanus received	80.2
13	PW who got TT 2 / Booster injection	16,988	58.6	17,601	60.5	100 IFA tablets consumed	40.1
14	PW who consumed 180 IFA tablets	19,622	67.7	19,105	65.7	Home Delivery	36.6
15	Home Delivery against expected delivery *	4,674	17.9	4,343	16.2	Institutional Delivery	63.4
16	Institutional Delivery Against expected delivery *	20,357	78.0	20,856	78.0	Home Delivery by SBA	6.2
17	Home Delivery against reported delivery **	4,674	18.7	4,343	17.2	PNC within 2days of delivery	33.6
18	Institutional Delivery against reported delivery **	20,357	81.3	20,856	82.8		
19	Total reported Deliveries	25,031		25,199			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	66	1.4	46	1.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,044	56.1	17,996	71.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	25,342		25,967			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	24,747	97.7	24,929	96.0	Breastfed within 1 hour of birth	86.3
24	Total Still Birth	679	2.7	625	2.4	BCG	84.2
25	PC of newborn weighted at birth to live birth	24,226	97.9	24,812	99.5	3 dose of DPT	59.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,417	10.0	2,509	10.1	Measles First dose	56.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	18,908	76.4	19,387	77.8	3 doses of penta or hepatitis B vaccine	46.8
28	Children fully immunized	15,943	62.9	15,445	59.5	Full Immunization	49.1
29	Children who have received BCG	23,413	92.4	23,669	91.2		
30	Children who have received Pentavalent 1	17,790	70.2	17,848	68.7		
31	Children who have received Pentavalent 3	15,695	61.9	15,391	59.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	16,016	63.2	15,502	59.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13,063		16,300			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		1		Total unmet need	33.0
35	Number of Tubectomies performed	1,337		1,122		Spacing	25.2
36	Number of IUD insertion	573		568		Women using any method	12.1
37	Number of IUD removals	803		696		Women using modern method	10.6
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	1147		1186			
39	General OPD cases per 10,000 population ***	17032		18522			
40	Ayush OPD cases per 10,000 population ***	693		722			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	113		91			
42	Neonatal Deaths within 1 to 28 days	269		270			
43	Total Neonatal Death	382		361			
44	Deaths between (1 - 11) months	331		408			
45	Total reported infant deaths	713		769			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	3		0			
47	Due to PPH (Post-Partum Haemmorhage)	5		2			
48	Due to Pregnancy related infection and sepsis, Fever	4		9			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3		1			
52	Due to Other/Unknown Causes	9		16			
53	Total reported maternal deaths	24		28			

North Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,72,119					
2	Sex Ratio	968					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	5,889		6,041			
9	Expected number of Delivery	5,514		5,656			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,639	78.8	4,683	77.5	ANC Check up in first trimester	40.3
11	Mothers registered in the first trimester	1,819	39.2	2,258	48.2	At least 4ANC check up	24.3
12	Mothers who had 4 or more ANC check ups	3,927	84.7	4,696	100.3	Neonatal tetanus received	55.5
13	PW who got TT 2 / Booster injection	3,951	85.2	4,117	87.9	100 IFA tablets consumed	23.7
14	PW who consumed 180 IFA tablets	4,296	92.6	4,160	88.8	Home Delivery	38.5
15	Home Delivery against expected delivery *	1,250	22.7	1,095	19.4	Institutional Delivery	61.5
16	Institutional Delivery Against expected delivery *	2,087	37.8	2,123	37.5	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	1,250	37.5	1,095	34.0	PNC within 2days of delivery	40.5
18	Institutional Delivery against reported delivery **	2,087	62.5	2,123	66.0		
19	Total reported Deliveries	3,337		3,218			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	140	11.2	110	10.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,400	42.0	1,550	48.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,353		5,492			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	3,301	61.7	3,192	58.1	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	60	1.1	57	1.0	BCG	65.9
25	PC of newborn weighted at birth to live birth	3,274	99.2	3,151	98.7	3 dose of DPT	57.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	153	4.7	137	4.3	Measles First dose	58.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,252	98.5	3,117	97.7	3 doses of penta or hepatitis B vaccine	39.5
28	Children fully immunized	3,296	61.6	3,640	66.3	Full Immunization	47.5
29	Children who have received BCG	3,520	65.8	3,402	61.9		
30	Children who have received Pentavalent 1	3,560	66.5	3,717	67.7		
31	Children who have received Pentavalent 3	3,355	62.7	3,333	60.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,262	60.9	3,629	66.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,186		1,929			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.2
35	Number of Tubectomies performed	22		1		Spacing	12.9
36	Number of IUD insertion	22		25		Women using any method	19.2
37	Number of IUD removals	40		48		Women using modern method	17.7
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	257		228			
39	General OPD cases per 10,000 population ***	5269		7761			
40	Ayush OPD cases per 10,000 population ***	114		183			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	13		5			
42	Neonatal Deaths within 1 to 28 days	32		23			
43	Total Neonatal Death	45		28			
44	Deaths between (1 - 11) months	38		28			
45	Total reported infant deaths	83		56			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	2		1			
48	Due to Pregnancy related infection and sepsis, Fever	1		1			
49	Due to Abortive complication	0		1			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		2			
53	Total reported maternal deaths	4		5			

Ri Bhoi Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,58,840					
2	Sex Ratio	951					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	9,741		10,072			
9	Expected number of Delivery	9,121		9,431			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	8,589	88.2	8,761	87.0	ANC Check up in first trimester	56.1
11	Mothers registered in the first trimester	4,796	55.8	5,397	61.6	At least 4ANC check up	61.0
12	Mothers who had 4 or more ANC check ups	7,165	83.4	8,626	98.5	Neonatal tetanus received	86.2
13	PW who got TT 2 / Booster injection	6,934	80.7	7,121	81.3	100 IFA tablets consumed	48.8
14	PW who consumed 180 IFA tablets	4,346	50.6	4,991	57.0	Home Delivery	43.1
15	Home Delivery against expected delivery *	2,182	23.9	2,026	21.5	Institutional Delivery	56.9
16	Institutional Delivery Against expected delivery *	3,955	43.4	4,281	45.4	Home Delivery by SBA	8.4
17	Home Delivery against reported delivery **	2,182	35.6	2,026	32.1	PNC within 2days of delivery	39.5
18	Institutional Delivery against reported delivery **	3,955	64.4	4,281	67.9		
19	Total reported Deliveries	6,137		6,307			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	1.9	32	1.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,502	24.5	1,894	30.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,856		9,157			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	6,088	68.7	6,252	68.3	Breastfed within 1 hour of birth	85.9
24	Total Still Birth	132	1.5	117	1.3	BCG	94
25	PC of newborn weighted at birth to live birth	5,980	98.2	6,155	98.4	3 dose of DPT	82.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	460	7.7	385	6.3	Measles First dose	80.9

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,818	95.6	5,908	94.5	3 doses of penta or hepatitis B vaccine	71.5
28	Children fully immunized	6,242	70.5	6,663	72.8	Full Immunization	74.8
29	Children who have received BCG	5,895	66.6	6,954	75.9		
30	Children who have received Pentavalent 1	6,978	78.8	7,190	78.5		
31	Children who have received Pentavalent 3	6,456	72.9	6,682	73.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,289	71.0	6,704	73.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,361		9,424			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	27.0
35	Number of Tubectomies performed	161		201		Spacing	18.4
36	Number of IUD insertion	189		213		Women using any method	33.1
37	Number of IUD removals	253		245		Women using modern method	19.7
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	467		438			
39	General OPD cases per 10,000 population ***	9770		11381			
40	Ayush OPD cases per 10,000 population ***	1113		1179			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	25		8			
42	Neonatal Deaths within 1 to 28 days	39		35			
43	Total Neonatal Death	64		43			
44	Deaths between (1 - 11) months	63		60			
45	Total reported infant deaths	127		103			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		0			
53	Total reported maternal deaths	1		0			

South Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,42,334					
2	Sex Ratio	944					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	5,072		5,221			
9	Expected number of Delivery	4,749		4,889			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,325	85.3	4,498	86.2	ANC Check up in first trimester	68.7
11	Mothers registered in the first trimester	1,817	42.0	1,987	44.2	At least 4ANC check up	33.3
12	Mothers who had 4 or more ANC check ups	2,779	64.3	3,318	73.8	Neonatal tetanus received	86.0
13	PW who got TT 2 / Booster injection	3,440	79.5	3,410	75.8	100 IFA tablets consumed	51.8
14	PW who consumed 180 IFA tablets	3,522	81.4	4,080	90.7	Home Delivery	11.7
15	Home Delivery against expected delivery *	1,601	33.7	1,186	24.3	Institutional Delivery	88.3
16	Institutional Delivery Against expected delivery *	1,769	37.2	1,917	39.2	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	1,601	47.5	1,186	38.2	PNC within 2days of delivery	65.9
18	Institutional Delivery against reported delivery **	1,769	52.5	1,917	61.8		
19	Total reported Deliveries	3,370		3,103			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	104	6.5	164	13.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,142	33.9	1,187	38.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,611		4,746			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	3,311	71.8	3,064	64.6	Breastfed within 1 hour of birth	59.8
24	Total Still Birth	75	1.6	64	1.3	BCG	100
25	PC of newborn weighted at birth to live birth	3,291	99.4	3,048	99.5	3 dose of DPT	86.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	213	6.5	180	5.9	Measles First dose	89.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,289	99.3	3,027	98.8	3 doses of penta or hepatitis B vaccine	86.8
28	Children fully immunized	3,744	81.2	3,711	78.2	Full Immunization	86.8
29	Children who have received BCG	3,110	67.4	2,748	57.9		
30	Children who have received Pentavalent 1	3,665	79.5	3,650	76.9		
31	Children who have received Pentavalent 3	3,415	74.1	3,372	71.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,743	81.2	3,703	78.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	614		1,238			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	25.3
35	Number of Tubectomies performed	0		0		Spacing	14.4
36	Number of IUD insertion	17		7		Women using any method	37.6
37	Number of IUD removals	12		7		Women using modern method	33.3
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	228		239			
39	General OPD cases per 10,000 population ***	5474		6934			
40	Ayush OPD cases per 10,000 population ***	384		288			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	6		12			
42	Neonatal Deaths within 1 to 28 days	18		17			
43	Total Neonatal Death	24		29			
44	Deaths between (1 - 11) months	43		22			
45	Total reported infant deaths	67		51			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		1			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		1			

South West Garo Hills Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,77,556					
2	Sex Ratio	979					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	6,138	6,302				
9	Expected number of Delivery	5,748	5,901				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	4,368	71.2	4,166	66.1	ANC Check up in first trimester	57.0
11	Mothers registered in the first trimester	2,474	56.6	2,399	57.6	At least 4ANC check up	28.5
12	Mothers who had 4 or more ANC check ups	4,048	92.7	3,193	76.6	Neonatal tetanus received	80.7
13	PW who got TT 2 / Booster injection	3,648	83.5	3,426	82.2	100 IFA tablets consumed	28.3
14	PW who consumed 180 IFA tablets	3,487	79.8	3,569	85.7	Home Delivery	16.3
15	Home Delivery against expected delivery *	476	8.3	323	5.5	Institutional Delivery	83.7
16	Institutional Delivery Against expected delivery *	3,042	52.9	2,820	47.8	Home Delivery by SBA	4.9
17	Home Delivery against reported delivery **	476	13.5	323	10.3	PNC within 2days of delivery	60.6
18	Institutional Delivery against reported delivery **	3,042	86.5	2,820	89.7		
19	Total reported Deliveries	3,518		3,143			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	9.5	21	6.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,370	67.4	2,279	72.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,580		5,729			
D) Child Immunization :		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
23	Total reported live births	3,464	62.1	3,102	54.1	Breastfed within 1 hour of birth	54.5
24	Total Still Birth	71	1.3	61	1.1	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,445	99.5	3,086	99.5	3 dose of DPT	90.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	394	11.4	315	10.2	Measles First dose	92.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	3,376	97.5	3,046	98.2	3 doses of penta or hepatitis B vaccine	89.5
28	Children fully immunized	4,027	72.2	3,933	68.6	Full Immunization	85.4
29	Children who have received BCG	3,411	61.1	3,082	53.8		
30	Children who have received Pentavalent 1	4,086	73.2	3,641	63.6		
31	Children who have received Pentavalent 3	3,910	70.1	3,668	64.0		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,020	72.0	3,922	68.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,520		1,860			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	30.4
35	Number of Tubectomies performed	59		51		Spacing	16.7
36	Number of IUD insertion	127		97		Women using any method	36.7
37	Number of IUD removals	168		144		Women using modern method	32.3
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	372		370			
39	General OPD cases per 10,000 population ***	6392		7630			
40	Ayush OPD cases per 10,000 population ***	327		380			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	12		8			
42	Neonatal Deaths within 1 to 28 days	28		24			
43	Total Neonatal Death	40		32			
44	Deaths between (1 - 11) months	61		74			
45	Total reported infant deaths	101		106			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	2		4			
53	Total reported maternal deaths	2		4			

South West Khasi Hills Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	99,171					
2	Sex Ratio	981					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	3,572		3,680			
9	Expected number of Delivery	3,345		3,446			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,951	110.6	3,854	104.7	ANC Check up in first trimester	48.5
11	Mothers registered in the first trimester	1,421	36.0	1,748	45.4	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	2,392	60.5	1,560	40.5	Neonatal tetanus received	85.6
13	PW who got TT 2 / Booster injection	2,938	74.4	3,063	79.5	100 IFA tablets consumed	53.8
14	PW who consumed 180 IFA tablets	3,023	76.5	2,703	70.1	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,777	53.1	1,572	45.6	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	1,124	33.6	1,538	44.6	Home Delivery by SBA	7.6
17	Home Delivery against reported delivery **	1,777	61.3	1,572	50.5	PNC within 2days of delivery	42.9
18	Institutional Delivery against reported delivery **	1,124	38.7	1,538	49.5		
19	Total reported Deliveries	2,901		3,110			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	0.6	19	1.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	996	34.3	1,472	47.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,247		3,346			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	2,831	87.2	3,042	90.9	Breastfed within 1 hour of birth	76.8
24	Total Still Birth	77	2.4	85	2.5	BCG	95.8
25	PC of newborn weighted at birth to live birth	2,822	99.7	3,035	99.8	3 dose of DPT	86.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	180	6.4	183	6.0	Measles First dose	86.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,813	99.4	2,885	94.8	3 doses of penta or hepatitis B vaccine	82.4
28	Children fully immunized	2,513	77.4	2,689	80.4	Full Immunization	78.8
29	Children who have received BCG	2,631	81.0	2,877	86.0		
30	Children who have received Pentavalent 1	2,998	92.3	3,196	95.5		
31	Children who have received Pentavalent 3	2,762	85.1	2,870	85.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,470	76.1	2,655	79.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,440		5,593			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	26.2
35	Number of Tubectomies performed	2		13		Spacing	20.1
36	Number of IUD insertion	32		26		Women using any method	26.5
37	Number of IUD removals	18		9		Women using modern method	15.7
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	500		570			
39	General OPD cases per 10,000 population ***	9186		13267			
40	Ayush OPD cases per 10,000 population ***	771		880			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	16		19			
42	Neonatal Deaths within 1 to 28 days	29		21			
43	Total Neonatal Death	45		40			
44	Deaths between (1 - 11) months	51		94			
45	Total reported infant deaths	96		134			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		1			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		1			

West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,65,735					
2	Sex Ratio	979					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	66					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	2					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	16,101		16,531			
9	Expected number of Delivery	15,076		15,479			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	14,334	89.0	13,798	83.5	ANC Check up in first trimester	65.1
11	Mothers registered in the first trimester	6,101	42.6	6,028	43.7	At least 4ANC check up	48.0
12	Mothers who had 4 or more ANC check ups	10,455	72.9	12,325	89.3	Neonatal tetanus received	91.3
13	PW who got TT 2 / Booster injection	11,541	80.5	11,845	85.8	100 IFA tablets consumed	48.2
14	PW who consumed 180 IFA tablets	11,078	77.3	11,091	80.4	Home Delivery	10.4
15	Home Delivery against expected delivery *	4,575	30.3	3,858	24.9	Institutional Delivery	89.6
16	Institutional Delivery Against expected delivery *	9,476	62.9	9,718	62.8	Home Delivery by SBA	3.2
17	Home Delivery against reported delivery **	4,575	32.6	3,858	28.4	PNC within 2days of delivery	70.9
18	Institutional Delivery against reported delivery **	9,476	67.4	9,718	71.6		
19	Total reported Deliveries	14,051		13,576			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	136	3.0	223	5.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,762	41.0	6,829	50.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	14,637		15,028			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	13,781	94.2	13,290	88.4	Breastfed within 1 hour of birth	47.2
24	Total Still Birth	375	2.6	393	2.6	BCG	100
25	PC of newborn weighted at birth to live birth	13,568	98.5	13,059	98.3	3 dose of DPT	84.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,917	14.1	1,583	12.1	Measles First dose	87.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	12,883	93.5	11,747	88.4	3 doses of penta or hepatitis B vaccine	78.5
28	Children fully immunized	10,669	72.9	10,719	71.3	Full Immunization	77.1
29	Children who have received BCG	12,858	87.8	12,465	82.9		
30	Children who have received Pentavalent 1	11,424	78.0	11,182	74.4		
31	Children who have received Pentavalent 3	10,365	70.8	10,230	68.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,679	73.0	10,724	71.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,456		4,040			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	19.7
35	Number of Tubectomies performed	564		550		Spacing	9.2
36	Number of IUD insertion	386		370		Women using any method	44.1
37	Number of IUD removals	395		383		Women using modern method	39.9
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	463		461			
39	General OPD cases per 10,000 population ***	6326		7285			
40	Ayush OPD cases per 10,000 population ***	371		367			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	73		34			
42	Neonatal Deaths within 1 to 28 days	116		111			
43	Total Neonatal Death	189		145			
44	Deaths between (1 - 11) months	146		130			
45	Total reported infant deaths	335		275			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	3		2			
47	Due to PPH (Post-Partum Haemmorhage)	4		3			
48	Due to Pregnancy related infection and sepsis, Fever	2		5			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		2			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2		3			
52	Due to Other/Unknown Causes	15		9			
53	Total reported maternal deaths	26		24			

West Jaintia Hills Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,72,185					
2	Sex Ratio	1,008					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	46					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	9,929		10,240			
9	Expected number of Delivery	9,297		9,589			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	11,908	119.9	12,485	121.9	ANC Check up in first trimester	44.0
11	Mothers registered in the first trimester	3,985	33.5	4,837	38.7	At least 4ANC check up	43.1
12	Mothers who had 4 or more ANC check ups	4,144	34.8	4,659	37.3	Neonatal tetanus received	79.2
13	PW who got TT 2 / Booster injection	7,915	66.5	8,178	65.5	100 IFA tablets consumed	32.7
14	PW who consumed 180 IFA tablets	5,079	42.7	6,217	49.8	Home Delivery	57.8
15	Home Delivery against expected delivery *	2,696	29.0	2,587	27.0	Institutional Delivery	42.2
16	Institutional Delivery Against expected delivery *	7,535	81.0	7,982	83.2	Home Delivery by SBA	7.7
17	Home Delivery against reported delivery **	2,696	26.4	2,587	24.5	PNC within 2days of delivery	28.6
18	Institutional Delivery against reported delivery **	7,535	73.6	7,982	75.5		
19	Total reported Deliveries	10,231		10,569			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	63	2.3	68	2.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,659	26.0	3,184	30.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	9,027		9,309			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	10,144	112.4	10,486	112.6	Breastfed within 1 hour of birth	88.5
24	Total Still Birth	225	2.5	262	2.8	BCG	90.9
25	PC of newborn weighted at birth to live birth	9,776	96.4	10,246	97.7	3 dose of DPT	77
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	985	10.1	1,105	10.8	Measles First dose	72.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	8,791	86.7	8,553	81.6	3 doses of penta or hepatitis B vaccine	72
28	Children fully immunized	8,147	90.3	8,245	88.6	Full Immunization	59.7
29	Children who have received BCG	9,486	105.1	9,820	105.5		
30	Children who have received Pentavalent 1	8,439	93.5	8,651	92.9		
31	Children who have received Pentavalent 3	8,205	90.9	8,306	89.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	8,117	89.9	8,236	88.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	9,963		13,311			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	29.3
35	Number of Tubectomies performed	468		573		Spacing	21.7
36	Number of IUD insertion	118		142		Women using any method	19.3
37	Number of IUD removals	136		129		Women using modern method	17.5
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	856		913			
39	General OPD cases per 10,000 population ***	11285		12888			
40	Ayush OPD cases per 10,000 population ***	768		915			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	34		41			
42	Neonatal Deaths within 1 to 28 days	62		54			
43	Total Neonatal Death	96		95			
44	Deaths between (1 - 11) months	80		85			
45	Total reported infant deaths	176		180			
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	1		5			
48	Due to Pregnancy related infection and sepsis, Fever	2		0			
49	Due to Abortive complication	0		1			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1		0			
52	Due to Other/Unknown Causes	4		2			
53	Total reported maternal deaths	8		8			

West Khasi Hills Factsheet

Key Indicators

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,70,062					
2	Sex Ratio	981					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	6,126		6,311			
9	Expected number of Delivery	5,736		5,909			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	5,960	97.3	6,262	99.2	ANC Check up in first trimester	45.3
11	Mothers registered in the first trimester	2,066	34.7	2,499	39.9	At least 4ANC check up	64.0
12	Mothers who had 4 or more ANC check ups	5,437	91.2	4,555	72.7	Neonatal tetanus received	81.6
13	PW who got TT 2 / Booster injection	5,100	85.6	5,393	86.1	100 IFA tablets consumed	51.6
14	PW who consumed 180 IFA tablets	4,491	75.4	4,219	67.4	Home Delivery	58.3
15	Home Delivery against expected delivery *	1,975	34.4	1,923	32.5	Institutional Delivery	41.7
16	Institutional Delivery Against expected delivery *	3,333	58.1	3,422	57.9	Home Delivery by SBA	7.2
17	Home Delivery against reported delivery **	1,975	37.2	1,923	36.0	PNC within 2days of delivery	42.0
18	Institutional Delivery against reported delivery **	3,333	62.8	3,422	64.0		
19	Total reported Deliveries	5,308		5,345			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	395	20.0	107	5.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,694	31.9	1,681	31.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	5,569		5,737			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
23	Total reported live births	5,304	95.2	5,241	91.4	Breastfed within 1 hour of birth	81.2
24	Total Still Birth	117	2.1	130	2.3	BCG	86.7
25	PC of newborn weighted at birth to live birth	5,220	98.4	5,214	99.5	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	272	5.2	259	5.0	Measles First dose	71.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	5,103	96.2	5,114	97.6	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	5,106	91.7	5,007	87.3	Full Immunization	62.5
29	Children who have received BCG	5,603	100.6	5,701	99.4		
30	Children who have received Pentavalent 1	5,177	93.0	5,436	94.8		
31	Children who have received Pentavalent 3	4,825	86.6	5,002	87.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,120	91.9	5,021	87.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,854		7,707			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	1		0		Total unmet need	25.8
35	Number of Tubectomies performed	121		88		Spacing	21.1
36	Number of IUD insertion	118		150		Women using any method	26.3
37	Number of IUD removals	114		121		Women using modern method	15.3
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	622		703			
39	General OPD cases per 10,000 population ***	9457		10685			
40	Ayush OPD cases per 10,000 population ***	1022		1133			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	21		13			
42	Neonatal Deaths within 1 to 28 days	32		45			
43	Total Neonatal Death	53		58			
44	Deaths between (1 - 11) months	53		87			
45	Total reported infant deaths	106		145			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	1		0			
47	Due to PPH (Post-Partum Haemmorhage)	0		1			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1		1			
52	Due to Other/Unknown Causes	0		3			
53	Total reported maternal deaths	2		5			