

Mizoram Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	10,97,206					
2	Sex Ratio	975					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	369					
4	Primary Health Centers (PHC)	66					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	12					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	22,434		22,945			
9	Expected number of Delivery	20,639		21,110			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	20,855	93.0	21,036	91.7	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	16,804	80.6	17,117	81.4	At least 4ANC check up	58.0
12	Mothers who had 4 or more ANC check ups	14,721	70.6	14,321	68.1	Neonatal tetanus received	80.0
13	PW who got TT 2 / Booster injection	19,081	91.5	19,188	91.2	100 IFA tablets consumed	61.9
14	PW who consumed 180 IFA tablets	17,295	82.9	17,631	83.8	Home Delivery	14.2
15	Home Delivery against expected delivery *	1,862	9.0	1,753	8.3	Institutional Delivery	85.8
16	Institutional Delivery Against expected delivery *	18,424	89.3	17,628	83.5	Home Delivery by SBA	3.5
17	Reported Home Delivery **	1,862	9.2	1,753	9.0	PNC within 2days of delivery	68.0
18	Reported institutional Delivery **	18,424	90.8	17,628	91.0		
19	Total reported Deliveries	20,286		19,381			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	351	18.9	292	16.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,924	53.8	14,838	76.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	20,395		20,859			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	20,219	99.1	19,377	92.9	Breastfed within 1 hour of birth	60.1
24	Total Still Birth	165	0.8	233	1.1	BCG	83.4

25	PC of newborn weighted at birth to live birth	19,572	96.8	18,675	96.4	3 dose of DPT	80.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,113	5.7	1,125	6.0	Measles First dose	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,458	91.3	16,950	87.5	3 doses of penta or hepatitis B vaccine	84.2
28	Children fully immunized	18,124	88.9	17,967	86.1	Full Immunization	72.5
29	Children who have received BCG	19,554	95.9	19,290	92.5		
30	Children who have received Pentavalent 1	19,769	96.9	19,252	92.3		
31	Children who have received Pentavalent 3	19,277	94.5	18,788	90.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	18,236	89.4	18,109	86.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	10,014		14,832			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	18.9
35	Number of Tubectomies performed	1,158	1,068	Spacing	12.8
36	Number of IUD insertion	977	1,063	Women using any method	31.2
37	Number of IUD removals	959	964	Women using modern method	30.8
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	657	687		
39	General OPD cases per 10,000 population ***	17118	16999		
40	Ayush OPD cases per 10,000 population ***	704	890		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	67	45		
42	Neonatal Deaths within 1 to 28 days	130	124		
43	Total Neonatal Death	197	169		
44	Deaths between (1 - 11) months	121	106		
45	Total reported infant deaths	318	275		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	4		
48	Due to Pregnancy related infection and sepsis, Fever	1	3		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	4	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	1		
52	Due to Other/Unknown Causes	1	8		
53	Total reported maternal deaths	9	16		

Aizawl Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,00,309					
2	Sex Ratio	1,009					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	73					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	1					
7	DH	2					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	8,836	9,049				
9	Expected number of Delivery	8,129	8,325				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	6,761	76.5	6,615	73.1	ANC Check up in first trimester	82.8
11	Mothers registered in the first trimester	6,163	91.2	6,179	93.4	At least 4ANC check up	68.5
12	Mothers who had 4 or more ANC check ups	6,063	89.7	5,559	84.0	Neonatal tetanus received	82.3
13	PW who got TT 2 / Booster injection	6,214	91.9	6,240	94.3	100 IFA tablets consumed	58.5
14	PW who consumed 180 IFA tablets	7,047	104.2	6,791	102.7	Home Delivery	2.6
15	Home Delivery against expected delivery *	14	0.2	18	0.2	Institutional Delivery	97.4
16	Institutional Delivery Against expected delivery *	9,127	112.3	8,530	102.5	Home Delivery by SBA	0.3
17	Reported Home Delivery **	14	0.2	18	0.2	PNC within 2days of delivery	73.4
18	Reported institutional Delivery **	9,127	99.8	8,530	99.8		
19	Total reported Deliveries	9,141		8,548			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	50.0	8	44.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,749	62.9	8,962	104.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	8,033		8,226			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	9,152	113.9	8,648	105.1	Breastfed within 1 hour of birth	58.5
24	Total Still Birth	32	0.4	26	0.3	BCG	81.6

25	PC of newborn weighted at birth to live birth	9,068	99.1	8,435	97.5	3 dose of DPT	79.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	539	5.9	535	6.3	Measles First dose	77.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,369	91.4	7,173	82.9	3 doses of penta or hepatitis B vaccine	76.4
28	Children fully immunized	6,632	82.6	6,349	77.2	Full Immunization	66.4
29	Children who have received BCG	8,500	105.8	8,363	101.7		
30	Children who have received Pentavalent 1	6,927	86.2	6,553	79.7		
31	Children who have received Pentavalent 3	6,726	83.7	6,552	79.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	6,676	83.1	6,444	78.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,576		5,032			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	24
35	Number of Tubectomies performed	645	586	Spacing	14
36	Number of IUD insertion	388	503	Women using any method	21.6
37	Number of IUD removals	386	372	Women using modern method	21
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	818	899		
39	General OPD cases per 10,000 population ***	23324	21616		
40	Ayush OPD cases per 10,000 population ***	652	696		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	54	17		
42	Neonatal Deaths within 1 to 28 days	72	69		
43	Total Neonatal Death	126	86		
44	Deaths between (1 - 11) months	35	20		
45	Total reported infant deaths	161	106		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	2		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	3	1		
52	Due to Other/Unknown Causes	1	5		
53	Total reported maternal deaths	5	9		

Champhai Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	1,341	1,363				
9	Expected number of Delivery	1,234	1,254				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (20119-20)		
		Number	PC	Number	PC		
10	PW register for ANC	1,683	125.5	1,598	117.3	ANC Check up in first trimester	80.0
11	Mothers registered in the first trimester	1,443	85.7	1,404	87.9	At least 4ANC check up	63.4
12	Mothers who had 4 or more ANC check ups	1,296	77.0	1,237	77.4	Neonatal tetanus received	85.9
13	PW who got TT 2 / Booster injection	1,550	92.1	1,532	95.9	100 IFA tablets consumed	74.3
14	PW who consumed 180 IFA tablets	1,241	73.7	1,250	78.2	Home Delivery	3.3
15	Home Delivery against expected delivery *	42	3.4	32	2.6	Institutional Delivery	96.7
16	Institutional Delivery Against expected delivery *	1,411	114.4	1,446	115.3	Home Delivery by SBA	1.6
17	Reported Home Delivery **	42	2.9	32	2.2	PNC within 2days of delivery	72.3
18	Reported institutional Delivery **	1,411	97.1	1,446	97.8		
19	Total reported Deliveries	1,453		1,478			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	40.5	10	31.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	474	32.6	485	32.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,219		1,239			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,430	117.3	1,457	117.6	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	29	2.4	24	1.9	BCG	97.6

25	PC of newborn weighted at birth to live birth	1,420	99.3	1,415	97.1	3 dose of DPT	90.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	137	9.6	95	6.7	Measles First dose	92.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,342	93.8	1,266	86.9	3 doses of penta or hepatitis B vaccine	71.4
28	Children fully immunized	1,497	122.8	1,475	119.1	Full Immunization	85.3
29	Children who have received BCG	1,418	116.3	1,565	126.3		
30	Children who have received Pentavalent 1	1,560	128.0	1,657	133.8		
31	Children who have received Pentavalent 3	1,609	132.0	1,545	124.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,488	122.1	1,483	119.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	527		960			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	11.2
35	Number of Tubectomies performed	53		45		Spacing	8.3
36	Number of IUD insertion	146		128		Women using any method	50
37	Number of IUD removals	127		124		Women using modern method	49.6
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	428		599			
39	General OPD cases per 10,000 population ***	14202		14469			
40	Ayush OPD cases per 10,000 population ***	1386		1133			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	1		1			
42	Neonatal Deaths within 1 to 28 days	6		19			
43	Total Neonatal Death	7		20			
44	Deaths between (1 - 11) months	8		7			
45	Total reported infant deaths	15		27			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	2		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	2		0			

Hnahthial Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	422	427				
9	Expected number of Delivery	388	393				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	433	102.6	436	102.1	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	368	85.0	397	91.1	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	329	76.0	373	85.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	407	94.0	375	86.0	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	388	89.6	405	92.9	Home Delivery	NA
15	Home Delivery against expected delivery *	9	2.3	3	0.8	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	230	59.3	178	45.3	Home Delivery by SBA	NA
17	Reported Home Delivery **	9	3.8	3	1.7	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	230	96.2	178	98.3		
19	Total reported Deliveries	239		181			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	44.4	3	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	138	57.7	291	160.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	383		388			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	238	62.1	181	46.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	2	0.5	0	0.0	BCG	NA
25	PC of newborn weighted at birth to live birth	235	98.7	181	100.0	3 dose of DPT	NA

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	2.6	4	2.2	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	235	98.7	177	97.8	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	471	122.8	416	107.2	Full Immunization	NA
29	Children who have received BCG	236	61.5	177	45.6		
30	Children who have received Pentavalent 1	454	118.4	421	108.5		
31	Children who have received Pentavalent 3	458	119.4	406	104.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	477	124.4	424	109.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	219		326			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	NA
35	Number of Tubectomies performed	0	0	Spacing	NA
36	Number of IUD insertion	8	10	Women using any method	NA
37	Number of IUD removals	13	22	Women using modern method	NA

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	554	371		
39	General OPD cases per 10,000 population ***	22303	20983		
40	Ayush OPD cases per 10,000 population ***	1534	2165		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths within 1 to 28 days	0	1		
43	Total Neonatal Death	0	1		
44	Deaths between (1 - 11) months	4	3		
45	Total reported infant deaths	4	4		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Khawzawl Factsheet							
Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	719		731			
9	Expected number of Delivery	662		673			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	631	87.7	603	82.5	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	539	85.4	538	89.2	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	422	66.9	445	73.8	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	549	87.0	526	87.2	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	543	86.1	524	86.9	Home Delivery	NA
15	Home Delivery against expected delivery *	5	0.8	4	0.6	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	264	39.9	230	34.2	Home Delivery by SBA	NA
17	Reported Home Delivery **	5	1.9	4	1.7	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	264	98.1	230	98.3		
19	Total reported Deliveries	269		234			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	20.0	1	25.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	172	63.9	256	109.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	654		665			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	284	43.4	234	35.2	Breastfed within 1 hour of birth	NA
24	Total Still Birth	3	0.5	1	0.2	BCG	NA
25	PC of newborn weighted at birth to live birth	261	91.9	217	92.7	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	7.7	5	2.3	Measles First dose	NA

27	PC of newborns breastfed within 1 hour to total reported live birth.	260	91.5	219	93.6	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	486	74.3	564	84.9	Full Immunization	NA
29	Children who have received BCG	272	41.6	202	30.4		
30	Children who have received Pentavalent 1	544	83.2	568	85.5		
31	Children who have received Pentavalent 3	528	80.7	581	87.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	500	76.5	570	85.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	428		610			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	24		18		Women using any method	NA
37	Number of IUD removals	34		24		Women using modern method	NA
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	303		256			
39	General OPD cases per 10,000 population ***	8799		9705			
40	Ayush OPD cases per 10,000 population ***	683		1780			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		1			
42	Neonatal Deaths within 1 to 28 days	3		1			
43	Total Neonatal Death	3		2			
44	Deaths between (1 - 11) months	2		2			
45	Total reported infant deaths	5		4			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Kolasib Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	1,561		1,601			
9	Expected number of Delivery	1,436		1,473			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,671	107.1	1,683	105.1	ANC Check up in first trimester	72.7
11	Mothers registered in the first trimester	1,340	80.2	1,316	78.2	At least 4ANC check up	66.0
12	Mothers who had 4 or more ANC check ups	1,155	69.1	1,053	62.6	Neonatal tetanus received	76.4
13	PW who got TT 2 / Booster injection	1,578	94.4	1,602	95.2	100 IFA tablets consumed	67.7
14	PW who consumed 180 IFA tablets	1,198	71.7	1,193	70.9	Home Delivery	8.6
15	Home Delivery against expected delivery *	36	2.5	32	2.2	Institutional Delivery	91.4
16	Institutional Delivery Against expected delivery *	1,159	80.7	1,093	74.2	Home Delivery by SBA	2.7
17	Reported Home Delivery **	36	3.0	32	2.8	PNC within 2days of delivery	71.5
18	Reported institutional Delivery **	1,159	97.0	1,093	97.2		
19	Total reported Deliveries	1,195		1,125			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	2.8	9	28.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,173	98.2	1,144	101.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,419		1,456			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,163	82.0	1,105	75.9	Breastfed within 1 hour of birth	63
24	Total Still Birth	32	2.3	26	1.8	BCG	88.1
25	PC of newborn weighted at birth to live birth	1,151	99.0	1,096	99.2	3 dose of DPT	85.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	66	5.7	64	5.8	Measles First dose	83.1

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,105	95.0	1,015	91.9	3 doses of penta or hepatitis B vaccine	90.5
28	Children fully immunized	1,355	95.5	1,322	90.8	Full Immunization	80.4
29	Children who have received BCG	1,181	83.2	1,118	76.8		
30	Children who have received Pentavalent 1	1,524	107.4	1,454	99.9		
31	Children who have received Pentavalent 3	1,468	103.5	1,395	95.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,362	96.0	1,341	92.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,531		1,486			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	15.6
35	Number of Tubectomies performed	57		70		Spacing	11.7
36	Number of IUD insertion	20		59		Women using any method	38.1
37	Number of IUD removals	59		74		Women using modern method	37.9
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	525		451			
39	General OPD cases per 10,000 population ***	12709		13445			
40	Ayush OPD cases per 10,000 population ***	418		1013			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	2		3			
42	Neonatal Deaths within 1 to 28 days	6		3			
43	Total Neonatal Death	8		6			
44	Deaths between (1 - 11) months	9		5			
45	Total reported infant deaths	17		11			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		1			
53	Total reported maternal deaths	0		1			

Lawngtlai Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	2,418	2,500				
9	Expected number of Delivery	2,224	2,300				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,516	104.1	2,855	114.2	ANC Check up in first trimester	51.5
11	Mothers registered in the first trimester	1,587	63.1	1,803	63.2	At least 4ANC check up	33.0
12	Mothers who had 4 or more ANC check ups	1,161	46.1	1,267	44.4	Neonatal tetanus received	72.3
13	PW who got TT 2 / Booster injection	2,003	79.6	2,243	78.6	100 IFA tablets consumed	50.7
14	PW who consumed 180 IFA tablets	1,518	60.3	1,661	58.2	Home Delivery	46.3
15	Home Delivery against expected delivery *	727	32.7	741	32.2	Institutional Delivery	53.7
16	Institutional Delivery Against expected delivery *	1,584	71.2	1,508	65.6	Home Delivery by SBA	9.3
17	Reported Home Delivery **	727	31.5	741	32.9	PNC within 2days of delivery	46.2
18	Reported institutional Delivery **	1,584	68.5	1,508	67.1		
19	Total reported Deliveries	2,311		2,249			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	110	15.1	78	10.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	820	35.5	797	35.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,198		2,273			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,299	104.6	2,239	98.5	Breastfed within 1 hour of birth	60.9
24	Total Still Birth	20	0.9	25	1.1	BCG	75.6
25	PC of newborn weighted at birth to live birth	2,006	87.3	1,969	87.9	3 dose of DPT	74.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	127	6.3	160	8.1	Measles First dose	76.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,013	87.6	2,037	91.0	3 doses of penta or hepatitis B vaccine	79.9
28	Children fully immunized	1,720	78.3	1,839	80.9	Full Immunization	70.2
29	Children who have received BCG	2,238	101.8	2,460	108.2		
30	Children who have received Pentavalent 1	2,172	98.8	2,361	103.9		
31	Children who have received Pentavalent 3	2,052	93.4	2,200	96.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,729	78.7	1,834	80.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,109		1,565			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17.3
35	Number of Tubectomies performed	43		67		Spacing	13
36	Number of IUD insertion	48		45		Women using any method	29.7
37	Number of IUD removals	44		74		Women using modern method	29.1
F) Service delivery		HMIS (2023-24)		c			
38	IPD cases per 10,000 population ***	506		537			
39	General OPD cases per 10,000 population ***	9896		10689			
40	Ayush OPD cases per 10,000 population ***	684		1024			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	5		4			
42	Neonatal Deaths within 1 to 28 days	8		8			
43	Total Neonatal Death	13		12			
44	Deaths between (1 - 11) months	27		15			
45	Total reported infant deaths	40		27			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	NA		2			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		2			

Lunglei Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	52					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	2,200	2,227				
9	Expected number of Delivery	2,024	2,049				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,205	100.2	2,196	98.6	ANC Check up in first trimester	68.8
11	Mothers registered in the first trimester	1,493	67.7	1,446	65.8	At least 4ANC check up	56.7
12	Mothers who had 4 or more ANC check ups	1,379	62.5	1,202	54.7	Neonatal tetanus received	79.9
13	PW who got TT 2 / Booster injection	2,168	98.3	2,346	106.8	100 IFA tablets consumed	64.7
14	PW who consumed 180 IFA tablets	1,919	87.0	2,211	100.7	Home Delivery	17.3
15	Home Delivery against expected delivery *	443	21.9	390	19.0	Institutional Delivery	82.7
16	Institutional Delivery Against expected delivery *	2,052	101.4	2,013	98.3	Home Delivery by SBA	3.9
17	Reported Home Delivery **	443	17.8	390	16.2	PNC within 2days of delivery	67.1
18	Reported institutional Delivery **	2,052	82.2	2,013	83.8		
19	Total reported Deliveries	2,495		2,403			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	4.1	36	9.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	431	17.3	675	28.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,000		2,024			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,490	124.5	2,385	117.8	Breastfed within 1 hour of birth	63.8
24	Total Still Birth	10	0.5	79	3.9	BCG	79.3
25	PC of newborn weighted at birth to live birth	2,359	94.7	2,335	97.9	3 dose of DPT	85
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	100	4.2	115	4.9	Measles First dose	85

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,040	81.9	2,007	84.2	3 doses of penta or hepatitis B vaccine	72.6
28	Children fully immunized	1,940	97.0	1,943	96.0	Full Immunization	73.8
29	Children who have received BCG	2,448	122.4	2,344	115.8		
30	Children who have received Pentavalent 1	2,065	103.3	1,956	96.6		
31	Children who have received Pentavalent 3	2,092	104.6	1,900	93.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,977	98.9	1,923	95.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	735		778			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	15.4
35	Number of Tubectomies performed	308		240		Spacing	12.5
36	Number of IUD insertion	152		152		Women using any method	33
37	Number of IUD removals	89		91		Women using modern method	33
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	855		835			
39	General OPD cases per 10,000 population ***	18958		19853			
40	Ayush OPD cases per 10,000 population ***	973		1352			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	2		13			
42	Neonatal Deaths within 1 to 28 days	19		9			
43	Total Neonatal Death	21		22			
44	Deaths between (1 - 11) months	5		15			
45	Total reported infant deaths	26		37			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		1			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	1		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		2			
53	Total reported maternal deaths	1		3			

Mamit Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)							
1	Population 2011	86,364						
2	Sex Ratio	924						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	39						
4	Primary Health Centers (PHC)	8						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	1,771	1,835					
9	Expected number of Delivery	1,629	1,689					
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
10	PW register for ANC	1,732	97.8	1,797	97.9	ANC Check up in first trimester	64.5	
11	Mothers registered in the first trimester	1,267	73.2	1,326	73.8	At least 4ANC check up	52.5	
12	Mothers who had 4 or more ANC check ups	1,039	60.0	1,142	63.6	Neonatal tetanus received	80.7	
13	PW who got TT 2 / Booster injection	1,583	91.4	1,495	83.2	100 IFA tablets consumed	68.8	
14	PW who consumed 180 IFA tablets	1,234	71.2	1,319	73.4	Home Delivery	25.0	
15	Home Delivery against expected delivery *	404	24.8	379	22.4	Institutional Delivery	75.0	
16	Institutional Delivery Against expected delivery *	743	45.6	755	44.7	Home Delivery by SBA	7.1	
17	Reported Home Delivery **	404	35.2	379	33.4	PNC within 2days of delivery	63.9	
18	Reported institutional Delivery **	743	64.8	755	66.6			
19	Total reported Deliveries	1,147		1,134				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	164	40.6	123	32.5			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	340	29.6	367	32.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,610		1,669				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)		
		Number	PC	Number	PC			
23	Total reported live births	1,150	71.4	1,124	67.4	Breastfed within 1 hour of birth	56.8	
24	Total Still Birth	3	0.2	13	0.8	BCG	98.5	
25	PC of newborn weighted at birth to live birth	1,074	93.4	1,028	91.5	3 dose of DPT	95.2	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	42	3.9	41	4.0	Measles First dose	95.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,108	96.3	1,068	95.0	3 doses of penta or hepatitis B vaccine	85
28	Children fully immunized	1,407	87.4	1,365	81.8	Full Immunization	85.9
29	Children who have received BCG	1,117	69.4	1,078	64.6		
30	Children who have received Pentavalent 1	1,651	102.6	1,529	91.6		
31	Children who have received Pentavalent 3	1,569	97.5	1,415	84.8		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,427	88.6	1,388	83.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,082		1,385			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	17
35	Number of Tubectomies performed	21	29	Spacing	14
36	Number of IUD insertion	41	47	Women using any method	41.6
37	Number of IUD removals	65	49	Women using modern method	41.3
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	367	355		
39	General OPD cases per 10,000 population ***	10511	11274		
40	Ayush OPD cases per 10,000 population ***	172	229		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	1	3		
42	Neonatal Deaths within 1 to 28 days	3	4		
43	Total Neonatal Death	4	7		
44	Deaths between (1 - 11) months	5	6		
45	Total reported infant deaths	9	13		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	0		

Saiha Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	1,148		1,170			
9	Expected number of Delivery	1,056		1,077			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,278	111.3	1,334	114.0	ANC Check up in first trimester	60.7
11	Mothers registered in the first trimester	1,010	79.0	1,076	80.7	At least 4ANC check up	35.5
12	Mothers who had 4 or more ANC check ups	660	51.6	731	54.8	Neonatal tetanus received	72.6
13	PW who got TT 2 / Booster injection	1,271	99.5	1,095	82.1	100 IFA tablets consumed	51.4
14	PW who consumed 180 IFA tablets	737	57.7	791	59.3	Home Delivery	26.2
15	Home Delivery against expected delivery *	175	16.6	144	13.4	Institutional Delivery	73.8
16	Institutional Delivery Against expected delivery *	1,051	99.5	996	92.5	Home Delivery by SBA	10.0
17	Reported Home Delivery **	175	14.3	144	12.6	PNC within 2days of delivery	59.6
18	Reported institutional Delivery **	1,051	85.7	996	87.4		
19	Total reported Deliveries	1,226		1,140			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	13.7	17	11.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	896	73.1	936	82.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,043		1,064			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	1,211	116.1	1,125	105.7	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	26	2.5	23	2.2	BCG	69.9
25	PC of newborn weighted at birth to live birth	1,208	99.8	1,125	100.0	3 dose of DPT	60.3
26	PC of newborn having weight less than 2.5 ka to newborn weighted at birth.	51	4.2	62	5.5	Measles First dose	65.5

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,206	99.6	1,120	99.6	3 doses of penta or hepatitis B vaccine	91.1
28	Children fully immunized	1,015	97.3	1,039	97.7	Full Immunization	60.3
29	Children who have received BCG	1,209	115.9	1,112	104.5		
30	Children who have received Pentavalent 1	1,121	107.4	1,160	109.0		
31	Children who have received Pentavalent 3	1,035	99.2	1,134	106.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	997	95.6	1,050	98.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	895		1,250			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	22.5
35	Number of Tubectomies performed	31		23		Spacing	15.2
36	Number of IUD insertion	99		60		Women using any method	22.6
37	Number of IUD removals	62		59		Women using modern method	21.7
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	759		796			
39	General OPD cases per 10,000 population ***	10136		12892			
40	Ayush OPD cases per 10,000 population ***	686		822			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	2		1			
42	Neonatal Deaths within 1 to 28 days	9		9			
43	Total Neonatal Death	11		10			
44	Deaths between (1 - 11) months	20		31			
45	Total reported infant deaths	31		41			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	NA		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Saitual Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	NA					
2	Sex Ratio	NA					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	948		971			
9	Expected number of Delivery	872		893			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	834	88.0	820	84.4	ANC Check up in first trimester	NA
11	Mothers registered in the first trimester	695	83.3	717	87.4	At least 4ANC check up	NA
12	Mothers who had 4 or more ANC check ups	535	64.1	587	71.6	Neonatal tetanus received	NA
13	PW who got TT 2 / Booster injection	751	90.0	742	90.5	100 IFA tablets consumed	NA
14	PW who consumed 180 IFA tablets	676	81.1	669	81.6	Home Delivery	NA
15	Home Delivery against expected delivery *	3	0.3	7	0.8	Institutional Delivery	NA
16	Institutional Delivery Against expected delivery *	388	44.5	354	39.6	Home Delivery by SBA	NA
17	Reported Home Delivery **	3	0.8	7	1.9	PNC within 2days of delivery	NA
18	Reported institutional Delivery **	388	99.2	354	98.1		
19	Total reported Deliveries	391		361			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	66.7	4	57.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	390	99.7	486	134.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	862		883			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	387	44.9	362	41.0	Breastfed within 1 hour of birth	NA
24	Total Still Birth	4	0.5	5	0.6	BCG	NA
25	PC of newborn weighted at birth to live birth	376	97.2	357	98.6	3 dose of DPT	NA
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	2.9	14	3.9	Measles First dose	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	371	95.9	356	98.3	3 doses of penta or hepatitis B vaccine	NA

28	Children fully immunized	656	76.1	707	80.1	Full Immunization	NA
29	Children who have received BCG	343	39.8	336	38.1		
30	Children who have received Pentavalent 1	699	81.1	719	81.5		
31	Children who have received Pentavalent 3	679	78.8	717	81.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	658	76.3	704	79.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	369		875			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (20119-20)			
34	Number of Vasectomies performed	0	0	Total unmet need	NA		
35	Number of Tubectomies performed	0	0	Spacing	NA		
36	Number of IUD insertion	25	25	Women using any method	NA		
37	Number of IUD removals	35	25	Women using modern method	NA		
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)				
38	IPD cases per 10,000 population ***	397	359				
39	General OPD cases per 10,000 population ***	12105	13345				
40	Ayush OPD cases per 10,000 population ***	698	997				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
41	Neonatal death within 24 hours	0	1				
42	Neonatal Deaths within 1 to 28 days	1	1				
43	Total Neonatal Death	1	2				
44	Deaths between (1 - 11) months	4	1				
45	Total reported infant deaths	5	3				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)				
46	Due to APH (Antepartum Haemmorhage)	0	0				
47	Due to PPH (Post-Partum Haemmorhage)	NA	0				
48	Due to Pregnancy related infection and sepsis, Fever	1	0				
49	Due to Abortive complication	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0				
52	Due to Other/Unknown Causes	0	0				
53	Total reported maternal deaths	1	0				

Serchhip Factsheet

Key Indicators

SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	1,126	1,147				
9	Expected number of Delivery	1,035	1,055				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,111	98.7	1,099	95.8	ANC Check up in first trimester	77.6
11	Mothers registered in the first trimester	899	80.9	915	83.3	At least 4ANC check up	60.3
12	Mothers who had 4 or more ANC check ups	682	61.4	725	66.0	Neonatal tetanus received	85.1
13	PW who got TT 2 / Booster injection	1,007	90.6	992	90.3	100 IFA tablets consumed	73.0
14	PW who consumed 180 IFA tablets	794	71.5	817	74.3	Home Delivery	3.8
15	Home Delivery against expected delivery *	4	0.4	3	0.3	Institutional Delivery	96.2
16	Institutional Delivery Against expected delivery *	415	40.1	525	49.7	Home Delivery by SBA	0.6
17	Reported Home Delivery **	4	1.0	3	0.6	PNC within 2days of delivery	86.2
18	Reported institutional Delivery **	415	99.0	525	99.4		
19	Total reported Deliveries	419		528			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	75.0	3	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	341	81.4	439	83.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,023		1,043			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (20119-20)	
		Number	PC	Number	PC		
23	Total reported live births	415	40.6	517	49.6	Breastfed within 1 hour of birth	58.8
24	Total Still Birth	4	0.4	11	1.1	BCG	89.8
25	PC of newborn weighted at birth to live birth	414	99.8	517	100.0	3 dose of DPT	84.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	3.4	30	5.8	Measles First dose	85.8

27	PC of newborns breastfed within 1 hour to total reported live birth.	409	98.6	512	99.0	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	945	92.4	948	90.9	Full Immunization	84.7
29	Children who have received BCG	592	57.9	535	51.3		
30	Children who have received Pentavalent 1	1,052	102.8	874	83.8		
31	Children who have received Pentavalent 3	1,061	103.7	943	90.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	945	92.4	948	90.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	543		565			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (20119-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	15.9
35	Number of Tubectomies performed	0	8	Spacing	11.8
36	Number of IUD insertion	26	16	Women using any method	40
37	Number of IUD removals	45	50	Women using modern method	39.4
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	583	533		
39	General OPD cases per 10,000 population ***	14185	15221		
40	Ayush OPD cases per 10,000 population ***	742	710		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	3	0		
43	Total Neonatal Death	3	1		
44	Deaths between (1 - 11) months	2	1		
45	Total reported infant deaths	5	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	NA	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	Total reported maternal deaths	0	1		