

Nagaland Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	19,78,502					
2	Sex Ratio	931					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	465					
4	Primary Health Centers (PHC)	136					
5	Community Health Centers (CHC)	23					
6	SDH	0					
7	DH	12					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	30,744		31,045			
9	Expected number of Delivery	28,284		28,562			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	26,617	86.6	22,790	73.4	ANC Check up in first trimester	49.5
11	Mothers registered in the first trimester	9,193	34.5	8,988	39.4	At least 4ANC check up	20.7
12	Mothers who had 4 or more ANC check ups	8,471	31.8	9,035	39.6	Neonatal tetanus received	81.3
13	PW who got TT 2 / Booster injection	15,461	58.1	15,739	69.1	100 IFA tablets consumed	10.2
14	PW who consumed 180 IFA tablets	19,577	73.6	16,935	74.3	Home Delivery	54.3
15	Home Delivery against expected delivery *	2,990	10.6	3,240	11.3	Institutional Delivery	45.7
16	Institutional Delivery against expected delivery *	16,625	58.8	16,035	56.1	Home Delivery by SBA	10.4
17	Home Delivery against reported delivery **	2,990	15.2	3,240	16.8	PNC within 2days of delivery	43.9
18	Institutional Delivery against reported delivery **	16,625	84.8	16,035	83.2		
19	Total reported Deliveries	19,615		19,275			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,492	49.9	1,482	45.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,180	41.7	8,065	41.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	27,949		28,223			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	19,517	69.8	19,136	67.8	Breastfed within 1 hour of birth	57.9
24	Total Still Birth	290	1.0	277	1.0	BCG	85.5
25	PC of newborn weighted at birth to live birth	18,974	97.2	18,631	97.4	3 dose of DPT	71.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	738	3.9	748	4.0	Measles First dose	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,331	83.7	16,371	85.6	3 doses of penta or hepatitis B vaccine	66.4
28	Children fully immunized	17,626	63.1	17,395	61.6	Full Immunization	57.9
29	Children who have received BCG	21,078	75.4	19,553	69.3		
30	Children who have received Pentavalent 1	20,951	75.0	20,013	70.9		
31	Children who have received Pentavalent 3	18,415	65.9	17,680	62.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	17,778	63.6	17,399	61.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,172		8,604			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	2	Total unmet need	9.1
35	Number of Tubectomies performed	1,125	1,326	Spacing	4.5
36	Number of IUD insertion	2,979	2,950	Women using any method	57.4
37	Number of IUD removals	1,832	1,964	Women using modern method	45.3
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	407	369		
39	General OPD cases per 10,000 population ***	6855	6817		
40	Ayush OPD cases per 10,000 population ***	270	292		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	40	30		
42	Neonatal Deaths within 1 to 28 days	89	100		
43	Total Neonatal Death	129	130		
44	Deaths between (1 - 11) months	52	28		
45	Total reported infant deaths	181	158		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemorrhage)	1	1		
47	Due to PPH (Post-Partum Haemorrhage)	0	5		
48	Due to Pregnancy related infection and sepsis, Fever	5	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	2	0		
52	Due to Other/Unknown Causes	11	5		
53	Total reported maternal deaths	19	13		

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,78,811						
2	Sex Ratio	916						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	54						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	5,819		5,876				
9	Expected number of Delivery	5,354		5,406				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	10,054	172.8	7,791	132.6	ANC Check up in first trimester	71.4	
11	Mothers registered in the first trimester	4,399	43.8	3,565	45.8	At least 4ANC check up	50.1	
12	Mothers who had 4 or more ANC check ups	3,616	36.0	3,435	44.1	Neonatal tetanus received	86.4	
13	PW who got TT 2 / Booster injection	5,851	58.2	5,909	75.8	100 IFA tablets consumed	14.9	
14	PW who consumed 180 IFA tablets	9,143	90.9	6,351	81.5	Home Delivery	26.3	
15	Home Delivery against expected delivery *	382	7.1	490	9.1	Institutional Delivery	73.7	
16	Institutional Delivery against expected delivery *	6,622	123.7	6,174	114.2	Home Delivery by SBA	9.4	
17	Home Delivery against reported delivery **	382	5.5	490	7.4	PNC within 2days of delivery	68.7	
18	Institutional Delivery against reported delivery **	6,622	94.5	6,174	92.6			
19	Total reported Deliveries	7,004		6,664				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	92	24.1	42	8.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,955	27.9	1,509	22.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	5,290		5,342				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	7,008	132.5	6,605	123.6	Breastfed within 1 hour of birth	53.1	
24	Total Still Birth	140	2.6	137	2.6	BCG	85.1	
25	PC of newborn weighted at birth to live birth	6,866	98.0	6,391	96.8	3 dose of DPT	73.2	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	464	6.8	470	7.4	Measles First dose	74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,814	68.7	5,018	76.0	3 doses of penta or hepatitis B vaccine	71.1
28	Children fully immunized	5,394	102.0	5,403	101.1	Full Immunization	55.9
29	Children who have received BCG	7,451	140.8	6,956	130.2		
30	Children who have received Pentavalent 1	6,908	130.6	6,493	121.5		
31	Children who have received Pentavalent 3	5,476	103.5	5,347	100.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,455	103.1	5,420	101.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,134		2,193			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	1	Total unmet need	14.3
35	Number of Tubectomies performed	259	438	Spacing	5.8
36	Number of IUD insertion	229	184	Women using any method	46.9
37	Number of IUD removals	280	261	Women using modern method	38.4
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	1062	932		
39	General OPD cases per 10,000 population ***	12050	11513		
40	Ayush OPD cases per 10,000 population ***	356	310		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	20	17		
42	Neonatal Deaths within 1 to 28 days	43	57		
43	Total Neonatal Death	63	74		
44	Deaths between (1 - 11) months	32	21		
45	Total reported infant deaths	95	95		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	1		
47	Due to PPH (Post-Partum Haemmorhage)	0	2		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	9	1		
53	Total reported maternal deaths	9	4		

Kiphire Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	25					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	1,137	1,148				
9	Expected number of Delivery	1,046	1,056				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	944	83.0	882	76.8	ANC Check up in first trimester	27.2
11	Mothers registered in the first trimester	329	34.9	358	40.6	At least 4ANC check up	5.8
12	Mothers who had 4 or more ANC check ups	504	53.4	467	52.9	Neonatal tetanus received	63
13	PW who got TT 2 / Booster injection	694	73.5	640	72.6	100 IFA tablets consumed	1.6
14	PW who consumed 180 IFA tablets	632	66.9	579	65.6	Home Delivery	65.2
15	Home Delivery against expected delivery *	142	13.6	109	10.3	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	661	63.2	624	59.1	Home Delivery by SBA	11.9
17	Home Delivery against reported delivery **	142	17.7	109	14.9	PNC within 2days of delivery	31.9
18	Institutional Delivery against reported delivery **	661	82.3	624	85.1		
19	Total reported Deliveries	803		733			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	54	38.0	34	31.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	611	76.1	548	74.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	1,033		1,044			
D) Child Immunization :		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	783	75.8	722	69.2	Breastfed within 1 hour of birth	55.5
24	Total Still Birth	22	2.1	16	1.5	BCG	82.1
25	PC of newborn weighted at birth to live birth	771	98.5	712	98.6	3 dose of DPT	60.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	2.3	19	2.7	Measles First dose	66.2

27	PC of newborns breastfed within 1 hour to total reported live birth.	765	97.7	712	98.6	3 doses of penta or hepatitis B vaccine	49.3
28	Children fully immunized	648	62.7	713	68.3	Full Immunization	42.8
29	Children who have received BCG	808	78.2	734	70.3		
30	Children who have received Pentavalent 1	836	80.9	778	74.5		
31	Children who have received Pentavalent 3	717	69.4	698	66.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	700	67.7	716	68.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	549		524			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	17.3
35	Number of Tubectomies performed	3		32		Spacing	10.2
36	Number of IUD insertion	264		194		Women using any method	42.5
37	Number of IUD removals	148		198		Women using modern method	32.7
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	243		228			
39	General OPD cases per 10,000 population ***	5467		5421			
40	Ayush OPD cases per 10,000 population ***	144		166			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	1		3			
42	Neonatal Deaths within 1 to 28 days	4		3			
43	Total Neonatal Death	5		6			
44	Deaths between (1 - 11) months	2		1			
45	Total reported infant deaths	7		7			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	3		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	3		0			

Kohima Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,67,988					
2	Sex Ratio	927					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	42					
4	Primary Health Centers (PHC)	16					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	4,117		4,157			
9	Expected number of Delivery	3,787		3,825			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,204	102.1	2,766	66.5	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	1,087	25.9	1,130	40.9	At least 4ANC check up	28.3
12	Mothers who had 4 or more ANC check ups	1,516	36.1	1,493	54.0	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	1,627	38.7	1,636	59.1	100 IFA tablets consumed	17.2
14	PW who consumed 180 IFA tablets	2,927	69.6	2,059	74.4	Home Delivery	33.1
15	Home Delivery against expected delivery *	123	3.2	107	2.8	Institutional Delivery	66.9
16	Institutional Delivery against expected delivery *	2,876	75.9	2,785	72.8	Home Delivery by SBA	12.2
17	Home Delivery against reported delivery **	123	4.1	107	3.7	PNC within 2days of delivery	58.9
18	Institutional Delivery against reported delivery **	2,876	95.9	2,785	96.3		
19	Total reported Deliveries	2,999		2,892			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	48	39.0	51	47.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,211	40.4	1,499	51.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,743		3,779			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,980	79.6	2,863	75.8	Breastfed within 1 hour of birth	60.3
24	Total Still Birth	34	0.9	37	1.0	BCG	100
25	PC of newborn weighted at birth to live birth	2,946	98.9	2,817	98.4	3 dose of DPT	88.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	96	3.3	97	3.4	Measles First dose	86.6

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,601	87.3	2,272	79.4	3 doses of penta or hepatitis B vaccine	88.7
28	Children fully immunized	2,649	70.8	2,511	66.4	Full Immunization	82.8
29	Children who have received BCG	3,092	82.6	2,959	78.3		
30	Children who have received Pentavalent 1	2,775	74.1	2,808	74.3		
31	Children who have received Pentavalent 3	2,795	74.7	2,641	69.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,654	70.9	2,516	66.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,455		1,536			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	9.1
35	Number of Tubectomies performed	383		278		Spacing	7.2
36	Number of IUD insertion	603		533		Women using any method	60.7
37	Number of IUD removals	215		247		Women using modern method	46.7
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	577		546			
39	General OPD cases per 10,000 population ***	11824		11095			
40	Ayush OPD cases per 10,000 population ***	276		383			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	6		3			
42	Neonatal Deaths within 1 to 28 days	32		25			
43	Total Neonatal Death	38		28			
44	Deaths between (1 - 11) months	5		2			
45	Total reported infant deaths	43		30			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	1		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		2			
48	Due to Pregnancy related infection and sepsis, Fever	2		1			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1		0			
52	Due to Other/Unknown Causes	1		2			
53	Total reported maternal deaths	5		5			

Longleng Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	776		783			
9	Expected number of Delivery	713		720			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	456	58.8	500	63.8	ANC Check up in first trimester	42.3
11	Mothers registered in the first trimester	146	32.0	162	32.4	At least 4ANC check up	15.4
12	Mothers who had 4 or more ANC check ups	116	25.4	205	41.0	Neonatal tetanus received	75.5
13	PW who got TT 2 / Booster injection	257	56.4	324	64.8	100 IFA tablets consumed	2.6
14	PW who consumed 180 IFA tablets	423	92.8	371	74.2	Home Delivery	61.3
15	Home Delivery against expected delivery *	28	3.9	31	4.3	Institutional Delivery	38.7
16	Institutional Delivery against expected delivery *	312	43.7	324	45.0	Home Delivery by SBA	5.9
17	Home Delivery against reported delivery **	28	8.2	31	8.7	PNC within 2days of delivery	28.5
18	Institutional Delivery against reported delivery **	312	91.8	324	91.3		
19	Total reported Deliveries	340		355			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	39.3	5	16.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	98	28.8	81	22.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	705		712			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	345	48.9	357	50.1	Breastfed within 1 hour of birth	62.3
24	Total Still Birth	0	0.0	2	0.3	BCG	88.3
25	PC of newborn weighted at birth to live birth	333	96.5	321	89.9	3 dose of DPT	64.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3	0.9	11	3.4	Measles First dose	73.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	331	95.9	333	93.3	3 doses of penta or hepatitis B vaccine	58.2
28	Children fully immunized	457	64.8	434	61.0	Full Immunization	53
29	Children who have received BCG	410	58.2	421	59.1		
30	Children who have received Pentavalent 1	457	64.8	469	65.9		
31	Children who have received Pentavalent 3	458	65.0	443	62.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	460	65.2	421	59.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	99		116			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	4.3
35	Number of Tubectomies performed	19		30		Spacing	2.9
36	Number of IUD insertion	151		181		Women using any method	66.5
37	Number of IUD removals	113		132		Women using modern method	56.3
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	272		260			
39	General OPD cases per 10,000 population ***	6009		6861			
40	Ayush OPD cases per 10,000 population ***	270		321			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	1		0			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	1		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	1		0			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Mokokchung Factsheet								
Key Indicators								
SL NO	A)Demographic Indicators (Census 2011)							
1	Population 2011	1,94,622						
2	Sex Ratio	927						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	55						
4	Primary Health Centers (PHC)	17						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24	2024-25					
8	Expected number of PW	2,990	3,019					
9	Expected number of Delivery	2,751	2,778					
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
10	PW register for ANC	1,554	52.0	1,531	50.7	ANC Check up in first trimester	51.6	
11	Mothers registered in the first trimester	916	58.9	953	62.2	At least 4ANC check up	18.2	
12	Mothers who had 4 or more ANC check ups	837	53.9	956	62.4	Neonatal tetanus received	91.7	
13	PW who got TT 2 / Booster injection	797	51.3	866	56.6	100 IFA tablets consumed	12.5	
14	PW who consumed 180 IFA tablets	844	54.3	971	63.4	Home Delivery	48.5	
15	Home Delivery against expected delivery *	132	4.8	119	4.3	Institutional Delivery	51.5	
16	Institutional Delivery against expected delivery *	1,026	37.3	977	35.2	Home Delivery by SBA	12.2	
17	Home Delivery against reported delivery **	132	11.4	119	10.9	PNC within 2days of delivery	47.4	
18	Institutional Delivery against reported delivery **	1,026	88.6	977	89.1			
19	Total reported Deliveries	1,158		1,096				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	115	87.1	103	86.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,018	87.9	931	84.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	2,718		2,745				
D) Child Immunization :		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)			
		Number	PC	Number	PC			
23	Total reported live births	1,152	42.4	1,088	39.6	Breastfed within 1 hour of birth	56.5	
24	Total Still Birth	18	0.7	17	0.6	BCG	96.8	
25	PC of newborn weighted at birth to live birth	1,148	99.7	1,056	97.1	3 dose of DPT	99	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	46	4.0	40	3.8	Measles First dose	100	

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,141	99.0	1,065	97.9	3 doses of penta or hepatitis B vaccine	96
28	Children fully immunized	1,110	40.8	1,122	40.9	Full Immunization	92
29	Children who have received BCG	1,181	43.5	1,187	43.2		
30	Children who have received Pentavalent 1	1,196	44.0	1,155	42.1		
31	Children who have received Pentavalent 3	1,113	40.9	1,164	42.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,100	40.5	1,130	41.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	274		505			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	6.4
35	Number of Tubectomies performed	110		89		Spacing	3.4
36	Number of IUD insertion	132		120		Women using any method	66.7
37	Number of IUD removals	121		91		Women using modern method	52.5
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	250		227			
39	General OPD cases per 10,000 population ***	6380		6018			
40	Ayush OPD cases per 10,000 population ***	448		470			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths within 1 to 28 days	6		5			
43	Total Neonatal Death	6		5			
44	Deaths between (1 - 11) months	3		1			
45	Total reported infant deaths	9		6			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		1			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		1			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		1			
53	Total reported maternal deaths	0		3			

Mon Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	3,844		3,882			
9	Expected number of Delivery	3,537		3,572			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	2,807	73.0	2,635	67.9	ANC Check up in first trimester	44.6
11	Mothers registered in the first trimester	652	23.2	815	30.9	At least 4ANC check up	9.7
12	Mothers who had 4 or more ANC check ups	505	18.0	720	27.3	Neonatal tetanus received	78
13	PW who got TT 2 / Booster injection	2,146	76.5	1,976	75.0	100 IFA tablets consumed	10.6
14	PW who consumed 180 IFA tablets	1,764	62.8	2,025	76.9	Home Delivery	78.6
15	Home Delivery against expected delivery *	921	26.0	953	26.7	Institutional Delivery	21.4
16	Institutional Delivery against expected delivery *	1,591	45.0	1,676	46.9	Home Delivery by SBA	9.5
17	Home Delivery against reported delivery **	921	36.7	953	36.2	PNC within 2days of delivery	25.6
18	Institutional Delivery against reported delivery **	1,591	63.3	1,676	63.8		
19	Total reported Deliveries	2,512		2,629			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	347	37.7	325	34.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,214	48.3	1,357	51.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	3,495		3,529			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	2,490	71.2	2,620	74.2	Breastfed within 1 hour of birth	53.1
24	Total Still Birth	13	0.4	15	0.4	BCG	87.1
25	PC of newborn weighted at birth to live birth	2,295	92.2	2,590	98.9	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	29	1.3	31	1.2	Measles First dose	83.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	2,287	91.8	2,443	93.2	3 doses of penta or hepatitis B vaccine	70.9
28	Children fully immunized	2,287	65.4	2,334	66.1	Full Immunization	62.4
29	Children who have received BCG	2,683	76.8	2,491	70.6		
30	Children who have received Pentavalent 1	2,809	80.4	2,677	75.9		
31	Children who have received Pentavalent 3	2,473	70.8	2,327	65.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	2,292	65.6	2,306	65.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	832		1,522			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	3.7
35	Number of Tubectomies performed	67		115		Spacing	0.6
36	Number of IUD insertion	629		859		Women using any method	68.7
37	Number of IUD removals	410		492		Women using modern method	55.6
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	256		223			
39	General OPD cases per 10,000 population ***	3911		4714			
40	Ayush OPD cases per 10,000 population ***	105		160			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	1		0			
42	Neonatal Deaths within 1 to 28 days	0		2			
43	Total Neonatal Death	1		2			
44	Deaths between (1 - 11) months	2		1			
45	Total reported infant deaths	3		3			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		1			
53	Total reported maternal deaths	0		1			

Noklak Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)							
1	Population 2011	NA						
2	Sex Ratio	NA						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	20						
4	Primary Health Centers (PHC)	3						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	350		354				
9	Expected number of Delivery	322		325				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	482	137.6	495	140.0	ANC Check up in first trimester	NA	
11	Mothers registered in the first trimester	53	11.0	121	24.4	At least 4ANC check up	NA	
12	Mothers who had 4 or more ANC check ups	39	8.1	70	14.1	Neonatal tetanus received	NA	
13	PW who got TT 2 / Booster injection	255	52.9	275	55.6	100 IFA tablets consumed	NA	
14	PW who consumed 180 IFA tablets	409	84.9	367	74.1	Home Delivery	NA	
15	Home Delivery against expected delivery *	165	51.2	134	41.2	Institutional Delivery	NA	
16	Institutional Delivery against expected delivery *	271	84.1	274	84.2	Home Delivery by SBA	NA	
17	Home Delivery against reported delivery **	165	37.8	134	32.8	PNC within 2days of delivery	NA	
18	Institutional Delivery against reported delivery **	271	62.2	274	67.2			
19	Total reported Deliveries	436		408				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	153	92.7	108	80.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	152	34.9	145	35.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	318		321				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	435	136.6	406	126.3	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	6	1.9	8	2.5	BCG	NA	
25	PC of newborn weighted at birth to live birth	413	94.9	380	93.6	3 dose of DPT	NA	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	3.9	14	3.7	Measles First dose	NA	

27	PC of newborns breastfed within 1 hour to total reported live birth.	420	96.6	377	92.9	3 doses of penta or hepatitis B vaccine	NA
28	Children fully immunized	268	84.2	277	86.2	Full Immunization	NA
29	Children who have received BCG	421	132.2	320	99.5		
30	Children who have received Pentavalent 1	410	128.8	409	127.2		
31	Children who have received Pentavalent 3	345	108.4	309	96.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	280	88.0	268	83.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	127		160			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	NA
35	Number of Tubectomies performed	0		0		Spacing	NA
36	Number of IUD insertion	52		58		Women using any method	NA
37	Number of IUD removals	32		39		Women using modern method	NA
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	288		369			
39	General OPD cases per 10,000 population ***	8303		10589			
40	Ayush OPD cases per 10,000 population ***	424		473			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		0			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	0		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	0		0			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Peren Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)							
1	Population 2011	95,219						
2	Sex Ratio	917						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	18						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	1,463		1,477				
9	Expected number of Delivery	1,346		1,359		NFHS-5 (2019-20)		
		HMIS (2023-24)		HMIS (2024-25)				
		Number	PC	Number	PC			
10	PW register for ANC	1,236	84.5	1,283	86.9	ANC Check up in first trimester	45.1	
11	Mothers registered in the first trimester	297	24.0	360	28.1	At least 4ANC check up	14.5	
12	Mothers who had 4 or more ANC check ups	244	19.7	253	19.7	Neonatal tetanus received	85.1	
13	PW who got TT 2 / Booster injection	844	68.3	874	68.1	100 IFA tablets consumed	6.1	
14	PW who consumed 180 IFA tablets	963	77.9	857	66.8	Home Delivery	56.5	
15	Home Delivery against expected delivery *	274	20.4	301	22.1	Institutional Delivery	43.5	
16	Institutional Delivery against expected delivery *	544	40.4	489	36.0	Home Delivery by SBA	9.6	
17	Home Delivery against reported delivery **	274	33.5	301	38.1	PNC within 2days of delivery	46.9	
18	Institutional Delivery against reported delivery **	544	66.5	489	61.9			
19	Total reported Deliveries	818		790				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	66	24.1	103	34.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	250	30.6	121	15.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,330		1,343				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	814	61.2	786	58.5	Breastfed within 1 hour of birth	58.5	
24	Total Still Birth	9	0.7	5	0.4	BCG	86.8	
25	PC of newborn weighted at birth to live birth	748	91.9	732	93.1	3 dose of DPT	71.2	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.6	17	2.3	Measles First dose	74.2	

27	PC of newborns breastfed within 1 hour to total reported live birth.	748	91.9	735	93.5	3 doses of penta or hepatitis B vaccine	65.1
28	Children fully immunized	705	53.0	793	59.1	Full Immunization	63.3
29	Children who have received BCG	890	66.9	821	61.1		
30	Children who have received Pentavalent 1	1,061	79.8	1,024	76.3		
31	Children who have received Pentavalent 3	845	63.5	828	61.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	720	54.1	786	58.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	192		159			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	6.2
35	Number of Tubectomies performed	46		15		Spacing	4.5
36	Number of IUD insertion	67		89		Women using any method	58.6
37	Number of IUD removals	71		76		Women using modern method	42
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	118		98			
39	General OPD cases per 10,000 population ***	4298		4253			
40	Ayush OPD cases per 10,000 population ***	420		442			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	1		0			
42	Neonatal Deaths within 1 to 28 days	2		3			
43	Total Neonatal Death	3		3			
44	Deaths between (1 - 11) months	4		0			
45	Total reported infant deaths	7		3			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Phek Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)							
1	Population 2011	1,63,418						
2	Sex Ratio	951						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	49						
4	Primary Health Centers (PHC)	22						
5	Community Health Centers (CHC)	4						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	2,510		2,535				
9	Expected number of Delivery	2,310		2,332				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	1,506	60.0	1,552	61.2	ANC Check up in first trimester	50.1	
11	Mothers registered in the first trimester	506	33.6	602	38.8	At least 4ANC check up	9.5	
12	Mothers who had 4 or more ANC check ups	353	23.4	470	30.3	Neonatal tetanus received	83.8	
13	PW who got TT 2 / Booster injection	1,125	74.7	1,382	89.0	100 IFA tablets consumed	13.5	
14	PW who consumed 180 IFA tablets	908	60.3	1,265	81.5	Home Delivery	67.8	
15	Home Delivery against expected delivery *	347	15.0	330	14.1	Institutional Delivery	32.2	
16	Institutional Delivery against expected delivery *	832	36.0	846	36.3	Home Delivery by SBA	18.5	
17	Home Delivery against reported delivery **	347	29.4	330	28.1	PNC within 2days of delivery	39.6	
18	Institutional Delivery against reported delivery **	832	70.6	846	71.9			
19	Total reported Deliveries	1,179		1,176				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	221	63.7	218	66.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	430	36.5	546	46.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	2,282		2,305				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	1,169	51.2	1,173	50.9	Breastfed within 1 hour of birth	64.8	
24	Total Still Birth	11	0.5	9	0.4	BCG	87.6	
25	PC of newborn weighted at birth to live birth	1,139	97.4	1,155	98.5	3 dose of DPT	65.3	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	0.5	10	0.9	Measles First dose	71.8	

27	PC of newborns breastfed within 1 hour to total reported live birth.	1,094	93.6	1,106	94.3	3 doses of penta or hepatitis B vaccine	57.3
28	Children fully immunized	1,252	54.9	1,160	50.3	Full Immunization	54.6
29	Children who have received BCG	1,249	54.7	1,160	50.3		
30	Children who have received Pentavalent 1	1,377	60.3	1,336	58.0		
31	Children who have received Pentavalent 3	1,326	58.1	1,202	52.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,262	55.3	1,153	50.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	329		404			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		1		Total unmet need	6.5
35	Number of Tubectomies performed	90		134		Spacing	3.5
36	Number of IUD insertion	267		263		Women using any method	56.3
37	Number of IUD removals	115		146		Women using modern method	47.1
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	195		180			
39	General OPD cases per 10,000 population ***	4553		4703			
40	Ayush OPD cases per 10,000 population ***	311		328			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	4		0			
42	Neonatal Deaths within 1 to 28 days	0		2			
43	Total Neonatal Death	4		2			
44	Deaths between (1 - 11) months	1		0			
45	Total reported infant deaths	5		2			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

Tuensang Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	3,020		3,050			
9	Expected number of Delivery	2,778		2,806			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,457	48.2	1,288	42.2	ANC Check up in first trimester	27.1
11	Mothers registered in the first trimester	237	16.3	335	26.0	At least 4ANC check up	4.4
12	Mothers who had 4 or more ANC check ups	225	15.4	466	36.2	Neonatal tetanus received	69
13	PW who got TT 2 / Booster injection	784	53.8	653	50.7	100 IFA tablets consumed	3.3
14	PW who consumed 180 IFA tablets	554	38.0	1,031	80.0	Home Delivery	65.2
15	Home Delivery against expected delivery *	221	8.0	307	10.9	Institutional Delivery	34.8
16	Institutional Delivery against expected delivery *	788	28.4	746	26.6	Home Delivery by SBA	4.8
17	Home Delivery against reported delivery **	221	21.9	307	29.2	PNC within 2days of delivery	29.5
18	Institutional Delivery against reported delivery **	788	78.1	746	70.8		
19	Total reported Deliveries	1,009		1,053			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	167	75.6	188	61.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	227	22.5	269	25.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,746		2,772			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	992	36.1	1,041	37.5	Breastfed within 1 hour of birth	69.4
24	Total Still Birth	23	0.8	19	0.7	BCG	75.6
25	PC of newborn weighted at birth to live birth	977	98.5	1,010	97.0	3 dose of DPT	56.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	24	2.5	19	1.9	Measles First dose	53.3

27	PC of newborns breastfed within 1 hour to total reported live birth.	974	98.2	1,003	96.3	3 doses of penta or hepatitis B vaccine	49.1
28	Children fully immunized	1,154	42.0	1,054	38.0	Full Immunization	39.9
29	Children who have received BCG	1,270	46.3	1,123	40.5		
30	Children who have received Pentavalent 1	1,314	47.9	1,222	44.1		
31	Children who have received Pentavalent 3	1,157	42.1	1,084	39.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,145	41.7	1,064	38.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	232		165			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	12.9
35	Number of Tubectomies performed	71		47		Spacing	5.9
36	Number of IUD insertion	246		198		Women using any method	52.6
37	Number of IUD removals	115		114		Women using modern method	37.4
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	152		162			
39	General OPD cases per 10,000 population ***	2414		2429			
40	Ayush OPD cases per 10,000 population ***	43		30			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	4		6			
42	Neonatal Deaths within 1 to 28 days	2		2			
43	Total Neonatal Death	6		8			
44	Deaths between (1 - 11) months	3		2			
45	Total reported infant deaths	9		10			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	1		0			
53	Total reported maternal deaths	1		0			

Wokha Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	2,555		2,580			
9	Expected number of Delivery	2,351		2,374			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	859	33.6	960	37.2	ANC Check up in first trimester	57.8
11	Mothers registered in the first trimester	294	34.2	287	29.9	At least 4ANC check up	34.7
12	Mothers who had 4 or more ANC check ups	251	29.2	264	27.5	Neonatal tetanus received	77.6
13	PW who got TT 2 / Booster injection	601	70.0	782	81.5	100 IFA tablets consumed	12.9
14	PW who consumed 180 IFA tablets	567	66.0	690	71.9	Home Delivery	56.4
15	Home Delivery against expected delivery *	137	5.8	190	8.0	Institutional Delivery	43.6
16	Institutional Delivery against expected delivery *	385	16.4	473	19.9	Home Delivery by SBA	19.9
17	Home Delivery against reported delivery **	137	26.2	190	28.7	PNC within 2days of delivery	50.7
18	Institutional Delivery against reported delivery **	385	73.8	473	71.3		
19	Total reported Deliveries	522		663			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	126	92.0	173	91.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	349	66.9	457	68.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	2,323		2,346			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	517	22.3	663	28.3	Breastfed within 1 hour of birth	48.5
24	Total Still Birth	5	0.2	4	0.2	BCG	73.3
25	PC of newborn weighted at birth to live birth	517	100.0	660	99.5	3 dose of DPT	61.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3	0.6	2	0.3	Measles First dose	66.4

27	PC of newborns breastfed within 1 hour to total reported live birth.	517	100.0	660	99.5	3 doses of penta or hepatitis B vaccine	55.1
28	Children fully immunized	862	37.1	760	32.4	Full Immunization	42.8
29	Children who have received BCG	762	32.8	670	28.6		
30	Children who have received Pentavalent 1	872	37.5	775	33.0		
31	Children who have received Pentavalent 3	841	36.2	782	33.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	862	37.1	762	32.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	346		263			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	3.2
35	Number of Tubectomies performed	12		71		Spacing	1.4
36	Number of IUD insertion	42		36		Women using any method	64.6
37	Number of IUD removals	29		36		Women using modern method	50.1
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	128		99			
39	General OPD cases per 10,000 population ***	3470		3806			
40	Ayush OPD cases per 10,000 population ***	306		331			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	2		0			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	2		0			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	2		0			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemmorhage)	0		0			
47	Due to PPH (Post-Partum Haemmorhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	1		0			

Zunheboto Factsheet

Key Indicators

SL NO	A)Demographic Indicators (Census 2011)							
1	Population 2011	1,40,757						
2	Sex Ratio	981						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers (SC)	56						
4	Primary Health Centers (PHC)	13						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	2,162		2,184				
9	Expected number of Delivery	1,989		2,009		NFHS-5 (2019-20)		
		HMIS (2023-24)		HMIS (2024-25)				
		Number	PC	Number	PC			
10	PW register for ANC	1,058	48.9	1,107	50.7	ANC Check up in first trimester	46.5	
11	Mothers registered in the first trimester	277	26.2	300	27.1	At least 4ANC check up	11.2	
12	Mothers who had 4 or more ANC check ups	265	25.0	236	21.3	Neonatal tetanus received	81.3	
13	PW who got TT 2 / Booster injection	480	45.4	422	38.1	100 IFA tablets consumed	5.5	
14	PW who consumed 180 IFA tablets	443	41.9	369	33.3	Home Delivery	65	
15	Home Delivery against expected delivery *	118	5.9	169	8.4	Institutional Delivery	35	
16	Institutional Delivery against expected delivery *	717	36.0	647	32.2	Home Delivery by SBA	6.3	
17	Home Delivery against reported delivery **	118	14.1	169	20.7	PNC within 2days of delivery	24.9	
18	Institutional Delivery against reported delivery **	717	85.9	647	79.3			
19	Total reported Deliveries	835		816				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	92	78.0	132	78.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	665	79.6	602	73.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	1,966		1,985				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	832	42.3	812	40.9	Breastfed within 1 hour of birth	38.4	
24	Total Still Birth	9	0.5	8	0.4	BCG	82.2	
25	PC of newborn weighted at birth to live birth	821	98.7	807	99.4	3 dose of DPT	72.1	
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	21	2.6	18	2.2	Measles First dose	76.4	

27	PC of newborns breastfed within 1 hour to total reported live birth.	639	76.8	647	79.7	3 doses of penta or hepatitis B vaccine	72.3
28	Children fully immunized	840	42.7	834	42.0	Full Immunization	60.7
29	Children who have received BCG	861	43.8	711	35.8		
30	Children who have received Pentavalent 1	936	47.6	867	43.7		
31	Children who have received Pentavalent 3	869	44.2	855	43.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	848	43.1	857	43.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	603		1,057			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	2.8
35	Number of Tubectomies performed	65		77		Spacing	0.7
36	Number of IUD insertion	297		235		Women using any method	68.8
37	Number of IUD removals	183		132		Women using modern method	56.5
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	83		93			
39	General OPD cases per 10,000 population ***	4713		4855			
40	Ayush OPD cases per 10,000 population ***	247		265			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		1			
42	Neonatal Deaths within 1 to 28 days	0		1			
43	Total Neonatal Death	0		2			
44	Deaths between (1 - 11) months	0		0			
45	Total reported infant deaths	0		2			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			