

## Sikkim Factsheet

### Key Indicators

SL No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	6,10,577					
2	Sex Ratio	889					
B) Infrastructure Details (HDI-2022-23)		Numbers					
3	Sub Centers (SC)	154					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	4					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW #	12,142	12,292				
9	Expected number of Delivery #	11,170	11,308				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	7,323	60.3	7,189	58.5	ANC Check up in first trimester	63.7
11	Mothers registered in the first trimester	6,140	83.8	6,034	83.9	At least 4ANC check up	58.4
12	Number of PW received 4 or more ANC check ups	5,687	77.7	5,670	78.9	Neonatal tetanus received	92.0
13	PW who got TT 2 / Booster injection	6,590	90.0	6,580	91.5	100 IFA tablets consumed	54.7
14	PW who consumed 180 IFA tablets	6,844	93.5	6,358	88.4	Home Delivery	5.3
15	Home Delivery against expected delivery *	37	0.3	43	0.4	Institutional Delivery	94.7
16	Institutional Delivery against expected delivery *	6,478	58.0	6,209	54.9	Home Delivery by SBA	2.6
17	Home Delivery against reported delivery **	37	0.6	43	0.7	PNC within 2days of delivery	69.3
18	Institutional Delivery against reported delivery **	6,478	99.4	6,209	99.3		
19	Total reported Deliveries	6,515		6,252			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	43.2	17	39.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,140	109.6	6,864	109.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	11,038		11,174			
D) Child Immunization :		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	6,475	58.7	6,220	55.7	Breastfed within 1 hour of birth	33
24	Total Still Birth	94	0.9	99	0.9	BCG	96.6
25	PC of newborn weighted at birth to live birth	6,339	97.9	6,207	99.8	3 dose of DPT	91.4

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	467	7.4	548	8.8	Measles First dose	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,977	92.3	6,000	96.5	3 doses of penta or hepatitis B vaccine	89.1
28	Children fully immunized	7,071	64.1	6,951	62.2	Full Immunization	80.6
29	Children who have received BCG	6,545	59.3	6,259	56.0		
30	Children who have received Pentavalent 1	6,830	61.9	6,421	57.5		
31	Children who have received Pentavalent 3	7,014	63.5	6,586	58.9		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,070	64.1	6,815	61.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,587		4,471			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	5	3	Total unmet need	11.9
35	Number of Tubectomies performed	148	184	Spacing	4.9
36	Number of IUD insertion	199	202	Women using any method	69.1
37	Number of IUD removals	447	372	Women using modern method	54.9
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	482	482		
39	General OPD cases per 10,000 population ***	13762	15798		
40	Ayush OPD cases per 10,000 population ***	265	334		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	12	7		
42	Neonatal Deaths within 1 to 28 days	6	7		
43	<b>Total Neonatal Death</b>	<b>18</b>	<b>14</b>		
44	Deaths between (1 - 11) months	32	13		
45	<b>Total reported infant deaths</b>	<b>50</b>	<b>27</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	1	1		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	5	6		
53	<b>Total reported maternal deaths</b>	<b>7</b>	<b>8</b>		

## East Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,83,583					
2	Sex Ratio	872					
	B) Infrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW #	5,804		5,890			
9	Expected number of Delivery #	5,340		5,419			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	3,599	62.0	3,555	60.4	ANC Check up in first trimester	53.4
11	Mothers registered in the first trimester	2,849	79.2	2,806	78.9	At least 4ANC check up	43.8
12	Number of PW received 4 or more ANC check ups	2,523	70.1	2,571	72.3	Neonatal tetanus received	90.3
13	PW who got TT 2 / Booster injection	3,206	89.1	3,245	91.3	100 IFA tablets consumed	48.3
14	PW who consumed 180 IFA tablets	3,293	91.5	3,129	88.0	Home Delivery	8.2
15	Home Delivery against expected delivery *	15	0.3	18	0.3	Institutional Delivery	91.8
16	Institutional Delivery against expected delivery *	4,482	83.9	4,417	81.5	Home Delivery by SBA	3.9
17	Home Delivery against reported delivery **	15	0.3	18	0.4	PNC within 2days of delivery	65.8
18	Institutional Delivery against reported delivery **	4,482	99.7	4,417	99.6		
19	Total reported Deliveries	4,497		4,435			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	53.3	9	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,626	102.9	4,681	105.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	5,277		5,355			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	4,469	84.7	4,419	82.5	Breastfed within 1 hour of birth	27.1
24	Total Still Birth	65	1.2	72	1.3	BCG	*
25	PC of newborn weighted at birth to live birth	4,343	97.2	4,415	99.9	3 dose of DPT	*

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	331	7.6	437	9.9	Measles First dose	*
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,027	90.1	4,243	96.0	3 doses of penta or hepatitis B vaccine	*
28	Children fully immunized	3,520	66.7	3,546	66.2	Full Immunization	*
29	Children who have received BCG	4,442	84.2	4,398	82.1		
30	Children who have received Pentavalent 1	3,368	63.8	3,148	58.8		
31	Children who have received Pentavalent 3	3,417	64.8	3,235	60.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,493	66.2	3,416	63.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,487		2,178			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	3	3	Total unmet need	17.7
35	Number of Tubectomies performed	43	57	Spacing	7.2
36	Number of IUD insertion	92	110	Women using any method	54.3
37	Number of IUD removals	153	116	Women using modern method	42.8
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	441	401		
39	General OPD cases per 10,000 population ***	11285	13489		
40	Ayush OPD cases per 10,000 population ***	198	180		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	2	0		
42	Neonatal Deaths within 1 to 28 days	0	4		
43	<b>Total Neonatal Death</b>	<b>2</b>	<b>4</b>		
44	Deaths between (1 - 11) months	5	2		
45	<b>Total reported infant deaths</b>	<b>7</b>	<b>6</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	1	1		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	5	5		
53	<b>Total reported maternal deaths</b>	<b>7</b>	<b>6</b>		

## North Sikkim Factsheet

### Key Indicators

Sl No	A)Demograhic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (HDI-2022-23)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW #	803	807				
9	Expected number of Delivery #	738	743				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	496	61.8	415	51.4	ANC Check up in first trimester	66.2
11	Mothers registered in the first trimester	424	85.5	366	88.2	At least 4ANC check up	59.4
12	Number of PW received 4 or more ANC check ups	402	81.0	409	98.6	Neonatal tetanus received	92.5
13	PW who got TT 2 / Booster injection	412	83.1	404	97.3	100 IFA tablets consumed	74.0
14	PW who consumed 180 IFA tablets	395	79.6	419	101.0	Home Delivery	2.7
15	Home Delivery against expected delivery *	3	0.4	3	0.4	Institutional Delivery	97.3
16	Institutional Delivery against expected delivery *	55	7.4	80	10.8	Home Delivery by SBA	1.5
17	Home Delivery against reported delivery **	3	5.2	3	3.6	PNC within 2days of delivery	71.3
18	Institutional Delivery against reported delivery **	55	94.8	80	96.4		
19	Total reported Deliveries	58		83			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	33.3	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	296	510.3	322	388.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	730		734			
D) Child Immunization :		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	58	7.9	83	11.3	Breastfed within 1 hour of birth	26.1
24	Total Still Birth	0	0.0	1	0.1	BCG	100
25	PC of newborn weighted at birth to live birth	57	98.3	83	100.0	3 dose of DPT	100

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	8.8	11	13.3	Measles First dose	96.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	56	96.6	82	98.8	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	395	54.1	413	56.3	Full Immunization	90.8
29	Children who have received BCG	59	8.1	82	11.2		
30	Children who have received Pentavalent 1	410	56.2	390	53.1		
31	Children who have received Pentavalent 3	436	59.7	431	58.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	415	56.9	410	55.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	211		259			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	12.8
35	Number of Tubectomies performed	0		0		Spacing	6.9
36	Number of IUD insertion	10		11		Women using any method	75.7
37	Number of IUD removals	16		12		Women using modern method	61
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	288		432			
39	General OPD cases per 10,000 population ***	14937		15162			
40	Ayush OPD cases per 10,000 population ***	121		369			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	0		1			
42	Neonatal Deaths within 1 to 28 days	0		0			
43	Total Neonatal Death	0		1			
44	Deaths between (1 - 11) months	5		2			
45	Total reported infant deaths	5		3			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			

## South Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,46,850					
2	Sex Ratio	914					
	<b>B) Infrastructure Details (HDI-2022-23)</b>	<b>Numbers</b>					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	<b>C) Maternal Health:</b>	<b>2023-24</b>		<b>2024-25</b>			
8	Expected number of PW #	2,893		2,926			
9	Expected number of Delivery #	2,662		2,692			
		<b>HMIS (2023-24)</b>		<b>HMIS (2024-25)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,628	56.3	1,615	55.2	ANC Check up in first trimester	78.1
11	Mothers registered in the first trimester	1,492	91.6	1,471	91.1	At least 4ANC check up	84.5
12	Number of PW received 4 or more ANC check ups	1,390	85.4	1,339	82.9	Neonatal tetanus received	92.3
13	PW who got TT 2 / Booster injection	1,465	90.0	1,416	87.7	100 IFA tablets consumed	71.3
14	PW who consumed 180 IFA tablets	1,705	104.7	1,400	86.7	Home Delivery	2.6
15	Home Delivery against expected delivery *	10	0.4	8	0.3	Institutional Delivery	97.4
16	Institutional Delivery against expected delivery *	1,162	43.7	1,084	40.3	Home Delivery by SBA	2.0
17	Home Delivery against reported delivery **	10	0.9	8	0.7	PNC within 2days of delivery	83.1
18	Institutional Delivery against reported delivery **	1,162	99.1	1,084	99.3		
19	Total reported Deliveries	1,172		1,092			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	20.0	3	37.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,046	89.2	849	77.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	2,630		2,660			
	<b>D) Child Immunization :</b>	<b>HMIS (2023-24)</b>		<b>HMIS (2024-25)</b>		<b>NFHS-5 (2019-20)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,163	44.2	1,080	40.6	Breastfed within 1 hour of birth	28.2
24	Total Still Birth	18	0.7	16	0.6	BCG	89.5
25	PC of newborn weighted at birth to live birth	1,159	99.7	1,079	99.9	3 dose of DPT	89.5



26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	71	6.1	50	4.6	Measles First dose	86.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,147	98.6	1,070	99.1	3 doses of penta or hepatitis B vaccine	83.8
28	Children fully immunized	1,614	61.4	1,431	53.8	Full Immunization	86.4
29	Children who have received BCG	1,196	45.5	1,094	41.1		
30	Children who have received Pentavalent 1	1,572	59.8	1,487	55.9		
31	Children who have received Pentavalent 3	1,603	61.0	1,474	55.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,626	61.8	1,434	53.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	871		869			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	2	0	Total unmet need	5.2
35	Number of Tubectomies performed	105	127	Spacing	2.8
36	Number of IUD insertion	26	26	Women using any method	85
37	Number of IUD removals	128	90	Women using modern method	67.6
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	691	723		
39	General OPD cases per 10,000 population ***	17803	20138		
40	Ayush OPD cases per 10,000 population ***	477	697		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	6	3		
42	Neonatal Deaths within 1 to 28 days	3	0		
43	<b>Total Neonatal Death</b>	<b>9</b>	<b>3</b>		
44	Deaths between (1 - 11) months	13	5		
45	<b>Total reported infant deaths</b>	<b>22</b>	<b>8</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	1		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>2</b>		



## West Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,36,435					
2	Sex Ratio	941					
	B) Infrastructure Details (HDI-2022-23)	Numbers					
3	Sub Centers (SC)	42					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW #	2,657		2,685			
9	Expected number of Delivery #	2,444		2,470			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	1,600	60.2	1,604	59.7	ANC Check up in first trimester	75.8
11	Mothers registered in the first trimester	1,375	85.9	1,391	86.7	At least 4ANC check up	70.4
12	Number of PW received 4 or more ANC check ups	1,372	85.8	1,351	84.2	Neonatal tetanus received	95.9
13	PW who got TT 2 / Booster injection	1,507	94.2	1,515	94.5	100 IFA tablets consumed	48.6
14	PW who consumed 180 IFA tablets	1,451	90.7	1,410	87.9	Home Delivery	0.7
15	Home Delivery against expected delivery *	9	0.4	14	0.6	Institutional Delivery	99.3
16	Institutional Delivery against expected delivery *	779	31.9	628	25.4	Home Delivery by SBA	0.0
17	Home Delivery against reported delivery **	9	1.1	14	2.2	PNC within 2days of delivery	63.6
18	Institutional Delivery against reported delivery **	779	98.9	628	97.8		
19	Total reported Deliveries	788		642			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	55.6	5	35.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,172	148.7	1,012	157.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth #	2,415		2,441			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	785	32.5	638	26.1	Breastfed within 1 hour of birth	56.2
24	Total Still Birth	11	0.5	10	0.4	BCG	96.9
25	PC of newborn weighted at birth to live birth	780	99.4	630	98.7	3 dose of DPT	98.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	60	7.7	50	7.9	Measles First dose	98.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	747	95.2	605	94.8	3 doses of penta or hepatitis B vaccine	95.3
28	Children fully immunized	1,542	63.8	1,561	64.0	Full Immunization	96.9
29	Children who have received BCG	848	35.1	685	28.1		
30	Children who have received Pentavalent 1	1,480	61.3	1,396	57.2		
31	Children who have received Pentavalent 3	1,558	64.5	1,446	59.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	1,536	63.6	1,555	63.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,018		1,165			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.							
E)Family Planning		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0		0		Total unmet need	4.3
35	Number of Tubectomies performed	0		0		Spacing	1.1
36	Number of IUD insertion	71		55		Women using any method	88.2
37	Number of IUD removals	150		154		Women using modern method	70.8
F) Service delivery		HMIS (2023-24)		HMIS (2024-25)			
38	IPD cases per 10,000 population ***	398		408			
39	General OPD cases per 10,000 population ***	14342		16226			
40	Ayush OPD cases per 10,000 population ***	225		265			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
41	Neonatal death within 24 hours	4		3			
42	Neonatal Deaths within 1 to 28 days	3		3			
43	Total Neonatal Death	7		6			
44	Deaths between (1 - 11) months	9		4			
45	Total reported infant deaths	16		10			
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2023-24)		HMIS (2024-25)			
46	Due to APH (Antepartum Haemorrhage)	0		0			
47	Due to PPH (Post-Partum Haemorrhage)	0		0			
48	Due to Pregnancy related infection and sepsis, Fever	0		0			
49	Due to Abortive complication	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0		0			
52	Due to Other/Unknown Causes	0		0			
53	Total reported maternal deaths	0		0			