

## Tripura Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	36,73,917					
2	Sex Ratio	1,017					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers(SC)	1,000					
4	Primary Health Centers(PHC)	120					
5	Community Health Centers (CHC)	21					
6	SDH	15					
7	DH	7					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	61,548		62,456			
9	Expected number of Delivery	57,072		57,913			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	53,847	87.5	52,684	84.4	ANC Check up in first trimester	61.9
11	Mothers registered in the first trimester	44,138	82.0	46,668	88.6	At least 4ANC check up	52.8
12	Number of PW received 4 or more ANC check ups	49,736	92.4	49,422	93.8	Neonatal tetanus received	90.2
13	PW who got TT 2 / Booster injection	46,402	86.2	46,592	88.4	100 IFA tablets consumed	18.8
14	PW who consumed 180 IFA tablets	51,026	94.8	52,172	99.0	Home Delivery	12.3
15	Home Delivery against expected delivery *	833	1.5	506	0.9	Institutional Delivery	87.7
16	Institutional Delivery against expected delivery *	45,589	79.9	44,242	76.4	Home Delivery by SBA	1.1
17	Home Delivery against reported delivery **	833	1.8	506	1.1	PNC within 2days of delivery	72.1
18	Institutional Delivery against reported delivery **	45,589	98.2	44,242	98.9		
19	Total reported Deliveries	46,422		44,748			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	1.3	10	2.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42,514	91.6	46,196	103.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	55,953		56,778			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	46,068	82.3	44,441	78.3	Breastfed within 1 hour of birth	46.4
24	Total Still Birth	648	1.2	613	1.1	BCG	97.6
25	PC of newborn weighted at birth to live birth	45,728	99.3	44,328	99.7	3 dose of DPT	89.6

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,266	11.5	5,125	11.6	Measles First dose	84.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	44,932	97.5	43,502	97.9	3 doses of penta or hepatitis B vaccine	86.8
28	Children fully immunized	50,721	90.6	47,502	83.7	Full Immunization	70.3
29	Children who have received BCG	46,592	83.3	44,076	77.6		
30	Children who have received Pentavalent 1	50,847	90.9	46,509	81.9		
31	Children who have received Pentavalent 3	50,072	89.5	44,454	78.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	50,727	90.7	47,550	83.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	10,501		12,101			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	15.3
35	Number of Tubectomies performed	2,902	2,689	Spacing	3.9
36	Number of IUD insertion	359	433	Women using any method	58.9
37	Number of IUD removals	414	469	Women using modern method	44.2
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	1062	1073		
39	General OPD cases per 10,000 population ***	11449	11754		
40	Ayush OPD cases per 10,000 population ***	537	580		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	96	106		
42	Neonatal Deaths within 1 to 28 days	265	273		
43	<b>Total Neonatal Death</b>	<b>361</b>	<b>379</b>		
44	Deaths between (1 - 11) months	231	233		
45	<b>Total reported infant deaths</b>	<b>592</b>	<b>612</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	2	1		
47	Due to PPH (Post-Partum Haemmorhage)	7	9		
48	Due to Pregnancy related infection and sepsis, Fever	24	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	8	8		
52	Due to Other/Unknown Causes	9	15		
53	<b>Total reported maternal deaths</b>	<b>48</b>	<b>34</b>		

## Dhalai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,230					
2	Sex Ratio	945					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	121					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	3					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	7,021		7,181			
9	Expected number of Delivery	6,510		6,659			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	6,784	96.6	6,598	91.9	ANC Check up in first trimester	58.1
11	Mothers registered in the first trimester	5,086	75.0	5,837	88.5	At least 4ANC check up	52.0
12	Number of PW received 4 or more ANC check ups	4,819	71.0	5,108	77.4	Neonatal tetanus received	97.8
13	PW who got TT 2 / Booster injection	5,714	84.2	5,929	89.9	100 IFA tablets consumed	26.0
14	PW who consumed 180 IFA tablets	6,022	88.8	6,266	95.0	Home Delivery	12.7
15	Home Delivery against expected delivery *	299	4.6	185	2.8	Institutional Delivery	87.3
16	Institutional Delivery against expected delivery *	5,097	78.3	5,202	78.1	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	299	5.5	185	3.4	PNC within 2days of delivery	72.4
18	Institutional Delivery against reported delivery **	5,097	94.5	5,202	96.6		
19	Total reported Deliveries	5,396		5,387			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	1.3	1	0.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,200	22.2	2,710	50.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,383		6,528			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	5,345	83.7	5,323	81.5	Breastfed within 1 hour of birth	44.0
24	Total Still Birth	78	1.2	94	1.4	BCG	97.6
25	PC of newborn weighted at birth to live birth	5,258	98.4	5,269	99.0	3 dose of DPT	89.0

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	456	8.7	424	8.0	Measles First dose	90.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,182	97.0	5,186	97.4	3 doses of penta or hepatitis B vaccine	86.2
28	Children fully immunized	5,655	88.6	5,205	79.7	Full Immunization	73.7
29	Children who have received BCG	6,372	99.8	5,599	85.8		
30	Children who have received Pentavalent 1	5,841	91.5	5,457	83.6		
31	Children who have received Pentavalent 3	5,471	85.7	4,873	74.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,636	88.3	5,216	79.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,049		1,027			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.0
35	Number of Tubectomies performed	20	50	Spacing	1.8
36	Number of IUD insertion	38	73	Women using any method	80.9
37	Number of IUD removals	62	50	Women using modern method	53.3
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	915	874		
39	General OPD cases per 10,000 population ***	8888	8914		
40	Ayush OPD cases per 10,000 population ***	342	290		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	10	26		
42	Neonatal Deaths within 1 to 28 days	7	20		
43	<b>Total Neonatal Death</b>	<b>17</b>	<b>46</b>		
44	Deaths between (1 - 11) months	33	46		
45	<b>Total reported infant deaths</b>	<b>50</b>	<b>92</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorrhage)	0	0		
47	Due to PPH (Post-Partum Haemmorrhage)	0	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>1</b>		

## Gomati Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	4,36,868						
2	Sex Ratio	0						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers(SC)	145						
4	Primary Health Centers(PHC)	12						
5	Community Health Centers (CHC)	3						
6	SDH	3						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	7,258		7,359				
9	Expected number of Delivery	6,730		6,824				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	6,138	84.6	5,815	79.0	ANC Check up in first trimester	54.2	
11	Mothers registered in the first trimester	5,410	88.1	5,173	89.0	At least 4ANC check up	58.4	
12	Number of PW received 4 or more ANC check ups	5,230	85.2	5,000	86.0	Neonatal tetanus received	89.4	
13	PW who got TT 2 / Booster injection	5,514	89.8	5,242	90.1	100 IFA tablets consumed	29.5	
14	PW who consumed 180 IFA tablets	5,616	91.5	5,584	96.0	Home Delivery	10.3	
15	Home Delivery against expected delivery *	34	0.5	18	0.3	Institutional Delivery	89.7	
16	Institutional Delivery against expected delivery *	4,985	74.1	4,451	65.2	Home Delivery by SBA	0.7	
17	Home Delivery against reported delivery **	34	0.7	18	0.4	PNC within 2days of delivery	68.0	
18	Institutional Delivery against reported delivery **	4,985	99.3	4,451	99.6			
19	Total reported Deliveries	5,019		4,469				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,873	77.2	3,824	85.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	6,598		6,690				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	4,979	75.5	4,445	66.4	Breastfed within 1 hour of birth	15.8	
24	Total Still Birth	63	1.0	42	0.6	BCG	89.0	
25	PC of newborn weighted at birth to live birth	4,976	99.9	4,432	99.7	3 dose of DPT	81.1	

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	436	8.8	364	8.2	Measles First dose	83.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,774	95.9	4,318	97.1	3 doses of penta or hepatitis B vaccine	72.7
28	Children fully immunized	5,743	87.0	5,099	76.2	Full Immunization	48.5
29	Children who have received BCG	4,987	75.6	4,335	64.8		
30	Children who have received Pentavalent 1	5,764	87.4	5,175	77.4		
31	Children who have received Pentavalent 3	5,700	86.4	4,824	72.1		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,754	87.2	5,124	76.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,471		1,719			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	4	0	Total unmet need	17.3
35	Number of Tubectomies performed	398	363	Spacing	3.7
36	Number of IUD insertion	58	90	Women using any method	50.7
37	Number of IUD removals	11	58	Women using modern method	40.3
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	1038	903		
39	General OPD cases per 10,000 population ***	10387	9748		
40	Ayush OPD cases per 10,000 population ***	413	563		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	13	14		
42	Neonatal Deaths within 1 to 28 days	11	3		
43	<b>Total Neonatal Death</b>	<b>24</b>	<b>17</b>		
44	Deaths between (1 - 11) months	15	12		
45	<b>Total reported infant deaths</b>	<b>39</b>	<b>29</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	1	1		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>2</b>		

## Khowai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,27,391						
2	Sex Ratio	0						
B) Infrastructure Details (HDI 2022-23)		Numbers						
3	Sub Centers(SC)	104						
4	Primary Health Centers(PHC)	10						
5	Community Health Centers (CHC)	1						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2023-24		2024-25				
8	Expected number of PW	5,333		5,400				
9	Expected number of Delivery	4,945		5,007				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
10	PW register for ANC	3,681	69.0	3,630	67.2	ANC Check up in first trimester	41.0	
11	Mothers registered in the first trimester	2,773	75.3	3,206	88.3	At least 4ANC check up	24.6	
12	Number of PW received 4 or more ANC check ups	3,038	82.5	3,153	86.9	Neonatal tetanus received	95.6	
13	PW who got TT 2 / Booster injection	3,162	85.9	3,356	92.5	100 IFA tablets consumed	31.6	
14	PW who consumed 180 IFA tablets	3,486	94.7	3,558	98.0	Home Delivery	28.5	
15	Home Delivery against expected delivery *	31	0.6	12	0.2	Institutional Delivery	71.5	
16	Institutional Delivery against expected delivery *	2,043	41.3	2,105	42.0	Home Delivery by SBA	2.9	
17	Home Delivery against reported delivery **	31	1.5	12	0.6	PNC within 2days of delivery	44.5	
18	Institutional Delivery against reported delivery **	2,043	98.5	2,105	99.4			
19	Total reported Deliveries	2,074		2,117				
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,002	48.3	493	23.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.								
22	Expected number of Live Birth	4,848		4,909				
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC			
23	Total reported live births	2,063	42.6	2,111	43.0	Breastfed within 1 hour of birth	21.7	
24	Total Still Birth	18	0.4	17	0.3	BCG	85.1	
25	PC of newborn weighted at birth to live birth	2,056	99.7	2,110	100.0	3 dose of DPT	78.0	



26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	227	11.0	214	10.1	Measles First dose	83.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,001	97.0	2,040	96.6	3 doses of penta or hepatitis B vaccine	74.8
28	Children fully immunized	3,881	80.1	3,511	71.5	Full Immunization	58.3
29	Children who have received BCG	2,094	43.2	2,106	42.9		
30	Children who have received Pentavalent 1	3,654	75.4	3,412	69.5		
31	Children who have received Pentavalent 3	3,684	76.0	3,347	68.2		
32	Children who have received Measles & Rubella (MR)- 1st Dose	3,886	80.2	3,507	71.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	442		549			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	9.7
35	Number of Tubectomies performed	105	115	Spacing	3.7
36	Number of IUD insertion	28	25	Women using any method	66.8
37	Number of IUD removals	6	12	Women using modern method	40.2
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	581	591		
39	General OPD cases per 10,000 population ***	8385	8889		
40	Ayush OPD cases per 10,000 population ***	737	586		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	7	5		
42	Neonatal Deaths within 1 to 28 days	1	6		
43	<b>Total Neonatal Death</b>	<b>8</b>	<b>11</b>		
44	Deaths between (1 - 11) months	6	18		
45	<b>Total reported infant deaths</b>	<b>14</b>	<b>29</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		



North Tripura Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,15,946					
2	Sex Ratio	967					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	99					
4	Primary Health Centers(PHC)	16					
5	Community Health Centers (CHC)	2					
6	SDH	2					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	7,207		7,332			
9	Expected number of Delivery	6,683		6,799			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,528	104.5	7,778	106.1	ANC Check up in first trimester	54.0
11	Mothers registered in the first trimester	6,931	92.1	7,195	92.5	At least 4ANC check up	40.6
12	Number of PW received 4 or more ANC check ups	6,918	91.9	6,789	87.3	Neonatal tetanus received	91.7
13	PW who got TT 2 / Booster injection	6,686	88.8	7,175	92.2	100 IFA tablets consumed	22.0
14	PW who consumed 180 IFA tablets	7,788	103.5	7,643	98.3	Home Delivery	6.8
15	Home Delivery against expected delivery *	128	1.9	114	1.7	Institutional Delivery	93.2
16	Institutional Delivery against expected delivery *	5,075	75.9	4,436	65.2	Home Delivery by SBA	0.5
17	Home Delivery against reported delivery **	128	2.5	114	2.5	PNC within 2days of delivery	66.3
18	Institutional Delivery against reported delivery **	5,075	97.5	4,436	97.5		
19	Total reported Deliveries	5,203		4,550			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	3.1	4	3.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,965	76.2	3,758	82.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,552		6,665			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	5,169	78.9	4,513	67.7	Breastfed within 1 hour of birth	24.8
24	Total Still Birth	64	1.0	58	0.9	BCG	91.8
25	PC of newborn weighted at birth to live birth	5,000	96.7	4,508	99.9	3 dose of DPT	83.9

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	440	8.8	437	9.7	Measles First dose	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,902	94.8	4,458	98.8	3 doses of penta or hepatitis B vaccine	80.6
28	Children fully immunized	7,103	108.4	6,742	101.1	Full Immunization	67.1
29	Children who have received BCG	5,409	82.6	4,870	73.1		
30	Children who have received Pentavalent 1	7,201	109.9	6,785	101.8		
31	Children who have received Pentavalent 3	6,860	104.7	6,418	96.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,099	108.3	6,742	101.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,384		1,542			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	12.1
35	Number of Tubectomies performed	132	125	Spacing	3.7
36	Number of IUD insertion	14	1	Women using any method	65.5
37	Number of IUD removals	64	95	Women using modern method	48.7

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	924	905		
39	General OPD cases per 10,000 population ***	7424	7938		
40	Ayush OPD cases per 10,000 population ***	471	792		

### G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	2	3		
42	Neonatal Deaths within 1 to 28 days	10	4		
43	<b>Total Neonatal Death</b>	<b>12</b>	<b>7</b>		
44	Deaths between (1 - 11) months	23	14		
45	<b>Total reported infant deaths</b>	<b>35</b>	<b>21</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	1	0		
52	Due to Other/Unknown Causes	1	1		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>1</b>		

## Sipahijala Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,84,233					
2	Sex Ratio	0					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers(SC)	142					
4	Primary Health Centers(PHC)	15					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	0					
C) Maternal Health:		2023-24		2024-25			
8	Expected number of PW	7,888	7,986				
9	Expected number of Delivery	7,314	7,406				
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	7,743	98.2	7,548	94.5	ANC Check up in first trimester	78.7
11	Mothers registered in the first trimester	6,256	80.8	6,441	85.3	At least 4ANC check up	61.2
12	Number of PW received 4 or more ANC check ups	6,248	80.7	6,051	80.2	Neonatal tetanus received	99.3
13	PW who got TT 2 / Booster injection	6,948	89.7	6,651	88.1	100 IFA tablets consumed	31.8
14	PW who consumed 180 IFA tablets	7,223	93.3	7,198	95.4	Home Delivery	4.7
15	Home Delivery against expected delivery *	59	0.8	26	0.4	Institutional Delivery	95.3
16	Institutional Delivery against expected delivery *	3,118	42.6	2,840	38.3	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	59	1.9	26	0.9	PNC within 2days of delivery	87.7
18	Institutional Delivery against reported delivery **	3,118	98.1	2,840	99.1		
19	Total reported Deliveries	3,177		2,866			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,557	112.0	5,526	192.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	7,171		7,260			
D) Child Immunization :		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,158	44.0	2,858	39.4	Breastfed within 1 hour of birth	38.0
24	Total Still Birth	20	0.3	10	0.1	BCG	100.0
25	PC of newborn weighted at birth to live birth	3,139	99.4	2,853	99.8	3 dose of DPT	94.1

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	338	10.8	324	11.4	Measles First dose	94.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,070	97.2	2,785	97.4	3 doses of penta or hepatitis B vaccine	91.7
28	Children fully immunized	7,567	105.5	6,990	96.3	Full Immunization	88.4
29	Children who have received BCG	3,692	51.5	3,263	44.9		
30	Children who have received Pentavalent 1	7,686	107.2	6,811	93.8		
31	Children who have received Pentavalent 3	7,743	108.0	6,708	92.4		
32	Children who have received Measles & Rubella (MR)- 1st Dose	7,581	105.7	7,003	96.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	561		358			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	2.5
35	Number of Tubectomies performed	149	100	Spacing	0.9
36	Number of IUD insertion	12	8	Women using any method	80.1
37	Number of IUD removals	15	9	Women using modern method	53.9

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	718	645		
39	General OPD cases per 10,000 population ***	9496	9582		
40	Ayush OPD cases per 10,000 population ***	722	677		

### G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths within 1 to 28 days	1	1		
43	<b>Total Neonatal Death</b>	<b>1</b>	<b>2</b>		
44	Deaths between (1 - 11) months	9	2		
45	<b>Total reported infant deaths</b>	<b>10</b>	<b>4</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

South Tripura Factsheet							
Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,33,737					
2	Sex Ratio	957					
B) Infrastructure Details (HDI 2022-23)		Numbers					
3	Sub Centers(SC)	148					
4	Primary Health Centers(PHC)	20					
5	Community Health Centers (CHC)	6					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2023-24	2024-25				
8	Expected number of PW	7,206	7,307				
9	Expected number of Delivery	6,681	6,775				
		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
10	PW register for ANC	5,843	81.1	5,781	79.1	ANC Check up in first trimester	57.2
11	Mothers registered in the first trimester	5,119	87.6	5,252	90.8	At least 4ANC check up	41.5
12	Number of PW received 4 or more ANC check ups	4,628	79.2	4,707	81.4	Neonatal tetanus received	96.8
13	PW who got TT 2 / Booster injection	5,249	89.8	5,166	89.4	100 IFA tablets consumed	38.0
14	PW who consumed 180 IFA tablets	5,528	94.6	5,850	101.2	Home Delivery	4.3
15	Home Delivery against expected delivery *	21	0.3	11	0.2	Institutional Delivery	95.7
16	Institutional Delivery against expected delivery *	4,083	61.1	3,863	57.0	Home Delivery by SBA	1.6
17	Home Delivery against reported delivery **	21	0.5	11	0.3	PNC within 2days of delivery	59.7
18	Institutional Delivery against reported delivery **	4,083	99.5	3,863	99.7		
19	Total reported Deliveries	4,104		3,874			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,127	100.6	4,029	104.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	6,550		6,642			
D) Child Immunization :		HMIS (2023-24)	HMIS (2024-25)		NFHS-5 (2019-20)		
		Number	PC	Number	PC		
23	Total reported live births	4,086	62.4	3,853	58.0	Breastfed within 1 hour of birth	20.9
24	Total Still Birth	26	0.4	35	0.5	BCG	96.1
25	PC of newborn weighted at birth to live birth	4,080	99.9	3,830	99.4	3 dose of DPT	87.7

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	369	9.0	417	10.9	Measles First dose	85.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,012	98.2	3,800	98.6	3 doses of penta or hepatitis B vaccine	85.7
28	Children fully immunized	5,667	86.5	5,115	77.0	Full Immunization	60.7
29	Children who have received BCG	4,178	63.8	3,743	56.3		
30	Children who have received Pentavalent 1	5,621	85.8	5,208	78.4		
31	Children who have received Pentavalent 3	5,650	86.3	5,085	76.6		
32	Children who have received Measles & Rubella (MR)- 1st Dose	5,668	86.5	5,124	77.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	934		1,010			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	4.1
35	Number of Tubectomies performed	82	64	Spacing	2.2
36	Number of IUD insertion	135	171	Women using any method	79.9
37	Number of IUD removals	177	150	Women using modern method	49.9
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	1016	993		
39	General OPD cases per 10,000 population ***	11521	11148		
40	Ayush OPD cases per 10,000 population ***	513	538		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	1	2		
42	Neonatal Deaths within 1 to 28 days	1	12		
43	<b>Total Neonatal Death</b>	<b>2</b>	<b>14</b>		
44	Deaths between (1 - 11) months	17	14		
45	<b>Total reported infant deaths</b>	<b>19</b>	<b>28</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	0	0		
47	Due to PPH (Post-Partum Haemmorhage)	1	0		
48	Due to Pregnancy related infection and sepsis, Fever	0	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>		

## Unakoti Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,77,335					
2	Sex Ratio	0					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	70					
4	Primary Health Centers(PHC)	11					
5	Community Health Centers (CHC)	0					
6	SDH	2					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	4,805		4,889			
9	Expected number of Delivery	4,456		4,533			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	4,821	100.3	4,599	94.1	ANC Check up in first trimester	63.2
11	Mothers registered in the first trimester	3,765	78.1	3,890	84.6	At least 4ANC check up	52.7
12	Number of PW received 4 or more ANC check ups	3,641	75.5	3,554	77.3	Neonatal tetanus received	94.9
13	PW who got TT 2 / Booster injection	4,021	83.4	3,949	85.9	100 IFA tablets consumed	26.7
14	PW who consumed 180 IFA tablets	4,054	84.1	4,141	90.0	Home Delivery	10.8
15	Home Delivery against expected delivery *	245	5.5	131	2.9	Institutional Delivery	89.2
16	Institutional Delivery against expected delivery *	3,544	79.5	3,596	79.3	Home Delivery by SBA	1.2
17	Home Delivery against reported delivery **	245	6.5	131	3.5	PNC within 2days of delivery	71.9
18	Institutional Delivery against reported delivery **	3,544	93.5	3,596	96.5		
19	Total reported Deliveries	3,789		3,727			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	1.2	4	3.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,481	91.9	3,664	98.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	4,369		4,444			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	3,755	86.0	3,696	83.2	Breastfed within 1 hour of birth	36.4
24	Total Still Birth	51	1.2	51	1.1	BCG	94.7
25	PC of newborn weighted at birth to live birth	3,748	99.8	3,691	99.9	3 dose of DPT	85.9



26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	416	11.1	394	10.7	Measles First dose	86.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,635	96.8	3,559	96.3	3 doses of penta or hepatitis B vaccine	82.5
28	Children fully immunized	4,397	100.7	4,197	94.4	Full Immunization	69.5
29	Children who have received BCG	3,383	77.4	3,314	74.6		
30	Children who have received Pentavalent 1	4,396	100.6	3,836	86.3		
31	Children who have received Pentavalent 3	4,266	97.7	3,612	81.3		
32	Children who have received Measles & Rubella (MR)- 1st Dose	4,387	100.4	4,195	94.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,251		1,775			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E) Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	8.2
35	Number of Tubectomies performed	247	190	Spacing	2.5
36	Number of IUD insertion	18	15	Women using any method	71.2
37	Number of IUD removals	13	11	Women using modern method	49.1

F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	1037	1105		
39	General OPD cases per 10,000 population ***	10259	11690		
40	Ayush OPD cases per 10,000 population ***	346	455		

## G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	3	0		
42	Neonatal Deaths within 1 to 28 days	13	9		
43	<b>Total Neonatal Death</b>	<b>16</b>	<b>9</b>		
44	Deaths between (1 - 11) months	24	25		
45	<b>Total reported infant deaths</b>	<b>40</b>	<b>34</b>		

II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemorrhage)	0	0		
47	Due to PPH (Post-Partum Haemorrhage)	0	0		
48	Due to Pregnancy related infection and sepsis, Fever	1	0		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	0	0		
52	Due to Other/Unknown Causes	1	1		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>1</b>		

## West Tripura Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	9,17,534					
2	Sex Ratio	964					
	B) Infrastructure Details (HDI 2022-23)	Numbers					
3	Sub Centers(SC)	171					
4	Primary Health Centers(PHC)	20					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2023-24		2024-25			
8	Expected number of PW	14,946		15,133			
9	Expected number of Delivery	13,859		14,032			
		HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
10	PW register for ANC	11,309	75.7	10,935	72.3	ANC Check up in first trimester	75.5
11	Mothers registered in the first trimester	8,798	77.8	9,674	88.5	At least 4ANC check up	67.1
12	Number of PW received 4 or more ANC check ups	15,214	134.5	15,060	137.7	Neonatal tetanus received	95.0
13	PW who got TT 2 / Booster injection	9,108	80.5	9,124	83.4	100 IFA tablets consumed	17.3
14	PW who consumed 180 IFA tablets	11,309	100.0	11,932	109.1	Home Delivery	14.6
15	Home Delivery against expected delivery *	16	0.1	9	0.1	Institutional Delivery	85.4
16	Institutional Delivery against expected delivery *	17,644	127.3	17,749	126.5	Home Delivery by SBA	1.3
17	Home Delivery against reported delivery **	16	0.1	9	0.1	PNC within 2days of delivery	76.6
18	Institutional Delivery against reported delivery **	17,644	99.9	17,749	99.9		
19	Total reported Deliveries	17,660		17,758			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	11.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,309	120.7	22,192	125.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in NFHS-5 is with ref. to Women who had last births in the 5 years before the survey.							
22	Expected number of Live Birth	13,587		13,757			
	D) Child Immunization :	HMIS (2023-24)		HMIS (2024-25)		NFHS-5 (2019-20)	
		Number	PC	Number	PC		
23	Total reported live births	17,513	128.9	17,642	128.2	Breastfed within 1 hour of birth	61.1
24	Total Still Birth	328	2.4	306	2.2	BCG	93.1
25	PC of newborn weighted at birth to live birth	17,471	99.8	17,635	100.0	3 dose of DPT	77.5

26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,584	14.8	2,551	14.5	Measles First dose	74.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,356	99.1	17,356	98.4	3 doses of penta or hepatitis B vaccine	74.6
28	Children fully immunized	10,708	78.8	10,643	77.4	Full Immunization	69.6
29	Children who have received BCG	16,477	121.3	16,846	122.5		
30	Children who have received Pentavalent 1	10,684	78.6	9,825	71.4		
31	Children who have received Pentavalent 3	10,698	78.7	9,587	69.7		
32	Children who have received Measles & Rubella (MR)- 1st Dose	10,716	78.9	10,639	77.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,409		4,121			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in NFHS-5, the percentage of children 12-23 months olds who received specific vaccination to children under 5 years before the survey.

E)Family Planning		HMIS (2023-24)	HMIS (2024-25)	NFHS-5 (2019-20)	
34	Number of Vasectomies performed	0	0	Total unmet need	6.1
35	Number of Tubectomies performed	1,769	1,682	Spacing	2.5
36	Number of IUD insertion	56	50	Women using any method	78.3
37	Number of IUD removals	66	84	Women using modern method	54.4
F) Service delivery		HMIS (2023-24)	HMIS (2024-25)		
38	IPD cases per 10,000 population ***	1586	1748		
39	General OPD cases per 10,000 population ***	17489	18304		
40	Ayush OPD cases per 10,000 population ***	619	627		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
41	Neonatal death within 24 hours	60	55		
42	Neonatal Deaths within 1 to 28 days	221	218		
43	<b>Total Neonatal Death</b>	<b>281</b>	<b>273</b>		
44	Deaths between (1 - 11) months	104	102		
45	<b>Total reported infant deaths</b>	<b>385</b>	<b>375</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2023-24)	HMIS (2024-25)		
46	Due to APH (Antepartum Haemmorhage)	2	1		
47	Due to PPH (Post-Partum Haemmorhage)	5	7		
48	Due to Pregnancy related infection and sepsis, Fever	23	1		
49	Due to Abortive complication	0	0		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits & Hypertensive disorder in pregnancy, birth and puerperium	6	8		
52	Due to Other/Unknown Causes	4	12		
53	<b>Total reported maternal deaths</b>	<b>38</b>	<b>29</b>		